

Light List for Volume 1 (District 1) - 10/08/2025

LLNR	Name	Position	Characteristic	Height	Range	Structure	Remarks
3	North Rock Light (AIS)	44-32-15.837N 067-05-13.808W					AIS Physical MMSI 993676005.
3.1	North Shoal Iso Danger By (VAIS NS)	44-31-41.380N 067-06-39.200W					MMSI 993676005.
3.2	South East Shoal Isolated Danger By (VAIS SE)	44-29-32.240N 067-04-37.160W					MMSI 993676005.
4	NOAA Data Lighted Buoy 44027	44-17-02.000N 067-18-04.000W	Fl (4)Y 20s		4	Yellow.	Marked NOAA 44027
5	Mount Desert Light	43-58-07.046N 068-07-42.021W	Fl W 15s	75	14	Granite conical tower.	HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 60 minutes.
6	University of Maine Jordan Basin Lighted Buoy M01 44037	43-29-26.400N 067-52-47.400W	Fl Y 4s		4	Yellow.	
10	Matinicus Rock Light	43-47-00.538N 068-51-18.129W	Fl W 10s	90	20	Cylindrical gray granite tower.	Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 15s (2s bl). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 60 minutes.
20	Monhegan Island Light	43-45-53.318N 069-18-56.991W	Fl W 15s	178	14	White tower.	Within 3 miles of island the light is obscured between west and southwest. Emergency light of reduced intensity when main light is extinguished.
35	Seguin Light	43-42-26.936N 069-45-28.911W	F W	180	14	Brick conical tower.	HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 60 minutes.
40	Halfway Rock Light	43-39-20.835N 070-02-12.437W	Fl R 5s	76	14	White tower attached to dwelling.	HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 60 minutes.
45	Portland Lighted Whistle Buoy P	43-31-36.347N 070-05-28.174W	Mo (A) W		6	Red and white stripes with red spherical topmark.	AIS: MMSI 993672144 (21)
60	Cape Elizabeth Light	43-33-57.899N 070-12-00.220W	Fl (4)W 15s	129	15	White conical tower.	Lighted throughout 24 hours. Emergency light of reduced intensity when main light is extinguished. HORN: 2 blasts ev 60s (3s bl-3s si-3s bl-51s si). Horn located 266 yards 146° from light tower. MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 60 minutes.
65	Taylor Reef Buoy 3	43-33-22.362N 070-11-16.578W				Green can.	
70	Alden Rock Buoy 4	43-33-04.363N 070-09-34.887W				Red nun.	
75	East Hue and Cry Rock Lighted Buoy 1 (NOAA 44007)	43-31-30.397N 070-08-25.576W	Fl G 4s		4	Green.	3 meter discus buoy marked with 44007 on fin.
80	Old Anthony Lighted Whistle Buoy 2	43-32-16.343N 070-10-47.177W	Fl R 4s		4	Red.	
85	Watts Ledge Bell Buoy 1	43-32-19.742N 070-12-35.538W				Green.	
95	Wood Island Light	43-27-24.735N 070-19-44.611W	Al WG 10s	71	13	White conical tower connected to dwelling.	HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 45 minutes.
100	Hussey Rock Buoy 1HR	43-25-28.046N 070-20-20.985W				Green can.	
105	Goat Island Light	43-21-28.335N 070-25-30.312W	Fl W 6s	38	12		HORN: 1 blast ev 15s (2s bl). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 60 minutes.
113.1	University of Maine Research Lighted Buoy E	43-42-54.400N 069-21-17.100W	Fl Y 4s			Yellow.	
113.2	University of Maine Research Lighted Buoy I	44-06-10.200N 068-06-43.800W	Fl Y 4s			Yellow.	
113	University of Maine Research Lighted Buoy B	43-10-46.800N 070-25-36.600W	Fl Y 4s			Yellow.	
115	Bibb Rock Buoy BR	43-16-33.157N 070-32-59.232W				Red nun with green bands.	
120	Perkins Cove Lighted Bell Buoy PC	43-14-26.728N 070-34-09.272W	Mo (A) W		4	Red and white stripes with red spherical	

						topmark.	
125	Cape Neddick Light	43-09-54.768N 070-35-27.955W				White conical tower connected to dwelling.	Lighted throughout 24 hours Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 10s (1s bl). Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 45 minutes.
130	Boon Island Ledge Lighted Whistle Buoy 22A	43-07-24.735N 070-24-32.025W	FI R 4s		4	Red.	
155	Boon Island Light	43-07-17.253N 070-28-35.130W	FI W 5s	137	14	Gray conical tower connected to dwelling.	Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 10s (2s bl). Operates continuously.
160	York Harbor Lighted Bell Buoy YH	43-07-45.395N 070-37-01.328W	Mo (A) W		3	Red and white stripes with red spherical topmark.	
165	Stones Rock Buoy 2SR	43-06-24.936N 070-37-57.599W				Red nun.	
170	York Ledge Buoy YL	43-05-35.249N 070-35-15.061W				Red nun with green bands.	
180	Murray Rock Buoy 2MR	43-04-08.359N 070-36-38.194W				Red nun.	
185	West Sister Buoy 2	43-03-35.928N 070-40-09.627W				Red nun.	
195	Kitts Rocks Lighted Whistle Buoy 2KR	43-02-57.708N 070-41-27.768W	FI R 2.5s		4	Red.	
197	UNH AirSea Lighted Research Buoy	43-02-24.720N 070-42-09.720W	FI Y 4s			Yellow.	Property of UNH.
200	Whaleback Light	43-03-31.569N 070-41-46.713W	FI (2)W 10s	59	11	Gray conical tower.	HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 45 minutes.
205	Gunboat Shoal Lighted Bell Buoy 1	43-01-25.849N 070-41-55.146W	FI G 4s		4	Green.	
210	Foss Ledges Buoy 1A	43-00-43.859N 070-43-12.877W				Green can.	
215	Rye Harbor Entrance Lighted Whistle Buoy RH	42-59-37.550N 070-43-45.177W	Mo (A) W		6	Red and white stripes with red spherical topmark.	
220	Appledore Ledge Buoy 2	42-59-35.424N 070-37-13.150W				Red nun.	
225	Isles of Shoals Bell Buoy IS	42-58-52.214N 070-37-15.609W				Red and white stripes with red spherical topmark.	
226	UNH Isle of Shoals CO2 Research Lighted Buoy	43-01-20.100N 070-32-24.180W	FI Y 4s			Yellow.	
230	Halfway Rock Buoy 4	42-58-41.388N 070-37-18.373W				Red nun.	
235	Isles of Shoals Light	42-58-02.074N 070-37-23.778W	FI W 15s	82	14	White conical tower.	Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 30s (3s bl). MRASS -Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 45 minutes.
237	Cedar Island Ledge Isolated Danger Buoy DC	42-58-24.995N 070-35-57.828W				Black and red bands with two black spherical topmarks; can.	
237.5	UNH Jeffrey's Ledge Lighted Research Buoy	42-52-48.000N 070-02-46.320W	FI Y 2.5s			Yellow.	Property of the University of New Hampshire.
238	University of New Hampshire Lighted Research Wave Buoy	42-47-54.600N 070-10-18.500W	FI (5)Y 20s			Yellow.	
240	Anderson Ledge Buoy 2	42-57-36.143N 070-36-08.931W				Red nun.	
245	Little Boars Head Buoy 1C	42-57-06.771N 070-45-18.267W				Green can.	
246	EOM Offshore Research Lighted Buoy A	42-57-01.979N 070-42-52.991W	FI Y 4s			Yellow.	
250	Seabrook Station Buoy T7	42-55-15.000N 070-46-46.000W				White with orange bands can.	
253	UNH Hampton Beach Spotter	42-55-45.510N 070-41-42.330W	FI Y 2.5s			Yellow.	Property of UNH.

	Lighted Research Buoy						
255	Breaking Rocks Buoy 2	42-51-52.080N 070-47-46.654W				Red nun.	
260	Newburyport Harbor Light	42-48-54.865N 070-49-08.196W	Oc (2)G 15s	50	10	White conical tower.	Obscured by shore structure from 165° to 192° and 313° to 344°.
265	Merrimack River Entrance Lighted Whistle Buoy MR	42-48-34.367N 070-47-03.193W	Mo (A) W		4	Red and white stripes with red spherical topmark.	
270	ARII Plum Island Wave Research Lighted Buoy	42-47-25.000N 070-47-00.000W	Q Y			Yellow.	
275	Flat Ground Bell Buoy 1	42-41-04.477N 070-34-48.166W				Green.	
280	Flat Ground Southern Rock Buoy 2	42-40-36.557N 070-34-59.226W				Red nun.	
285	Dry Salvages Lighted Bell Buoy 1	42-40-40.353N 070-33-31.849W	FI G 2.5s		3	Green.	
290	Straitsmouth Light	42-39-44.177N 070-35-17.065W	FI G 6s	46	6	White cylindrical tower.	HORN: 1 blast ev 15s (2s bl). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 45 minutes.
295	Cape Ann Light	42-38-12.479N 070-34-29.763W	FI R 5s	166	17		Emergency light of reduced intensity when main light is extinguished. HORN: 2 blasts ev 60s (3s bl-3s si-3s bl-51s si). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 60 minutes.
300	Oak Rock Buoy 2	42-38-25.559N 070-35-03.064W				Red nun.	
305	Thacher Island North Light	42-38-21.828N 070-34-30.000W	F Y	162	6	Gray granite conical tower.	
310	Thacher Island Buoy 1	42-38-21.103N 070-34-48.166W				Green can.	
315	Londoner Rock Daybeacon	42-38-06.479N 070-33-57.962W				spindle with platform.	Old steel pole remains approximately 4 feet from new structure.
325	Salt Island Ledge Buoy 4	42-37-00.212N 070-36-54.228W				Red nun.	
330	Eastern Point Light	42-34-48.635N 070-39-52.011W	FI W 5s	57	20	White conical tower covered way to dwelling. 57	Lighted throughout 24 hours. Emergency light of reduced intensity when main light is extinguished.
340	Eastern Point Lighted Whistle Buoy 2	42-34-14.470N 070-39-50.108W	FI R 4s		3		
350	Bakers Island Light	42-32-11.235N 070-47-09.312W	AI WR 20s	111	14	White conical tower.	Emergency light FI W 10s when main light extinguished. Light and Horn is reduced intensity when main light or horn is extinguished. HORN: 1 blast ev 30s (3s bl). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 60 minutes.
355	Newcomb Ledge Lighted Whistle Buoy 1	42-30-27.872N 070-44-23.262W	FI G 4s		4	Green.	
365	Great Pig Rocks Lighted Buoy 4	42-27-37.602N 070-50-12.568W	FI R 4s		4	Red.	
366	WHOI Cape Ann Lighted Research Buoy DMON	42-28-00.116N 070-41-00.816W	FI Y 4s			Yellow.	
367	University of Maine ODAS Lighted Buoy A	42-31-24.600N 070-33-58.800W	FI Y 4s		4	Yellow.	
368	Neptune LNG Deepwater Port Lighted Buoy North A1	42-29-13.610N 070-36-33.350W				Yellow.	
368.2	Neptune LNG Deepwater Port Lighted Buoy South B1	42-27-23.350N 070-36-05.540W				Yellow.	
369.5	Neptune LNG Deepwater Port Lighted Hazard Buoy	42-29-07.572N 070-46-34.638W	FI W 4s			White and orange.	
371	Northeast Gateway Deepwater Port Lighted Buoy A1	42-23-38.379N 070-35-30.955W					
373	Northeast Gateway Deepwater Port Lighted Buoy B1	42-23-56.351N 070-37-00.388W					

374.1	Northeast Gateway Support Vessel Mooring Buoy	42-24-01.800N 070-38-42.600W						
380	The Graves Lighted Whistle Buoy 5	42-22-32.857N 070-51-28.458W	FI G 4s		4	Green.		
385	Boston Approach Lighted Buoy BG	42-23-24.555N 070-51-29.648W	Mo (A) W		4	Red and white stripes with red spherical topmark.	AIS: MMSI 993672145 (21)	
390	The Graves Light	42-21-53.634N 070-52-08.712W	FI (2)W 12s	98	14	On light gray conical granite tower.	Emergency light of reduced intensity when main light is extinguished. HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s sj). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 60 minutes.	
395	Three and One-Half Fathom Ledge Lighted Bell Buoy 2	42-21-05.009N 070-50-29.796W	FI R 4s		4	Red.		
400	Martin Ledge Buoy 4	42-20-45.739N 070-51-12.086W				Red nun.		
405	Boston Ledge Buoy 6	42-20-04.679N 070-51-49.706W				Red nun.		
410	Boston Lighted Whistle Buoy B	42-22-42.189N 070-46-58.171W	Mo (A) W		6	Red and white stripes with red spherical topmark.	AIS: MMSI 993672065	
415	WHOI Traffic Separation Scheme Research Lighted Buoy AB-1	42-20-49.988N 070-40-40.879W	FI Y 4s			Yellow.		
420	Boston Approach Lighted Buoy BF NOAA 44013	42-20-44.048N 070-39-03.927W	FI (4)Y 20s		7	Yellow.		
425	Boston Light	42-19-40.889N 070-53-24.278W	FI W 10s	102	27	On white conical tower.	Emergency light of reduced intensity when main light is extinguished. Two emergency lights may be visible from 336° to 001° and from 156° to 181°. HORN: 1 blast ev 30s (3s bl). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 60 minutes.	
430	Thieves Ledge Lighted Whistle Buoy 1	42-19-34.101N 070-49-49.343W	Q G		3	Green.		
435	Harding Ledge Lighted Bell Buoy 1HL	42-18-34.222N 070-50-37.883W	FI G 4s		4	Green.		
440	Minots Ledge Light	42-16-11.034N 070-45-32.711W	FI (1+4+3)W 45s	85	10	On gray conical tower.	HORN: 1 blast ev 10s (1s bl). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 60 minutes.	
445	Davis Ledge Lighted Gong Buoy 1DL	42-16-20.927N 070-44-51.293W	FI G 2.5s		3	Green.		
450	Twenty-one Foot Lighted Buoy 21	42-16-34.796N 070-42-22.069W	FI G 4s		4	Green.		
453	Anduril Industries Research Lighted Bell Buoy A	42-16-37.560N 070-32-54.480W	FI Y 4s			Yellow.	Property of Anduril Industries.	
455	Tar Pouch Buoy 2	42-13-10.269N 070-42-13.386W				Red nun.		
460	Scituate Approach Lighted Gong Buoy SA	42-12-07.579N 070-41-49.355W	Mo (A) W		4	Red and white stripes with red spherical topmark.	AIS: MMSI 993672146 (21)	
465	Scituate North Jetty Light 2A	42-12-11.356N 070-42-47.495W	FI R 4s	23	4	TR on white skeleton tower.	Higher intensity beam eastward.	
466	WHOI Traffic Separation Scheme Research Lighted Buoy AB-2	42-20-25.404N 070-33-59.940W	FI Y 4s			Yellow.		
467	WHOI Traffic Separation Scheme Research Lighted Buoy AB-3	42-20-00.499N 070-27-16.855W	FI Y 4s			Yellow.		
468	WHOI Traffic Separation Scheme Research Lighted Buoy AB-4	42-19-33.636N 070-20-32.341W	FI Y 4s			Yellow.		
471	WHOI Traffic Separation Scheme Research Lighted Buoy AB-5	42-19-09.005N 070-13-47.460W	FI Y 4s			Yellow.		
472	WHOI Traffic	42-18-40.205N	FI Y 4s			Yellow.		

	Separation Scheme Research Lighted Buoy AB-6	070-07-05.686W					
473	WHOI Traffic Separation Scheme Research Lighted Buoy AB-7	42-18-09.630N 070-01-54.325W	Fl Y 4s			Yellow.	
485	Race Point Light	42-03-44.434N 070-14-34.911W	Fl W 10s	41	14	On white tower.	Obscured from 220° to 292°.
496	WHOI Traffic Separation Scheme Research Lighted Buoy AB-8	42-13-49.577N 069-58-01.988W	Fl Y 4s			Yellow.	
497	WHOI Traffic Separation Scheme Research Lighted Buoy AB-9	42-09-22.453N 069-54-58.269W	Fl Y 4s			Yellow.	
498	WHOI Traffic Separation Scheme Research Lighted Buoy AB-10	42-04-55.419N 069-51-46.206W	Fl Y 4s			Yellow.	
500	Highland Light	42-02-22.316N 070-03-39.387W	Fl W 5s	170	14	White conical tower.	Lighted throughout 24 hours.
510.1	Nauset Beach Light	41-51-36.000N 069-57-12.000W	Al WR 10s	120		Conical tower upper part red lower part white.	Lighted throughout 24 hours.
520	Chatham Beach Lighted Whistle Buoy C	41-39-12.040N 069-55-30.051W	Mo (A) W		4	Red and white stripes (No topmark).	AIS MMSI; 993672587 (21)
525	Chatham Light	41-40-16.738N 069-57-00.564W	Fl (2)W 10s	80	24	White conical tower.	Lighted throughout 24 hours. Storm warning signals displayed by day.
545	Nantucket (Great Point) Light	41-23-24.634N 070-02-53.810W	Fl W 5s	71	14	On white tower.	Red from 084° to 106°. Covers Cross Rip and Tuckernuck Shoals.
555	Sankaty Head Light	41-17-03.764N 069-57-57.910W	Fl W 7.5s	158	20	White tower with red band in the middle.	
560	NOAA Data Lighted Buoy 44018	42-12-11.240N 070-09-14.295W	Fl (4)Y 20s		7	Yellow.	Marked NOAA 44018.
589	WHOI Research Light Tower	41-19-30.000N 070-34-00.000W	Fl Y 4s		4	Steel tripod with mast.	HORN: 1 blast ev 20s (2s bl). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 50 minutes. Private Aid.
589.6	Vineyard Wind Lighted Research Buoy A	41-06-50.681N 070-28-00.385W	Fl Y 20s			Yellow.	Property of Vineyard Wind.
589.7	Vineyard Wind Lighted Research Buoy B	41-01-36.480N 070-31-32.700W	Fl Y 20s			Yellow.	Property of Vineyard Wind.
589.8	Vineyard Wind Lighted Research Buoy C	41-01-37.898N 070-25-02.330W				Yellow.	Property of Vineyard Wind.
589.85	WHOI Lighted Research Buoy WTRIM	41-03-39.000N 070-29-39.000W	Fl Y 5s			Yellow.	
590	Squibnocket Lighted Bell Buoy 1	41-15-41.774N 070-46-16.433W	Fl G 4s		3	Green.	
595	Squibnocket Shoal Buoy 2	41-17-45.022N 070-48-07.805W				Red nun.	
600.01	Vineyard Wind 1 WTG AU39	41-00-13.977N 070-26-20.148W	Fl Y 6s	70		Mono pile	
600	Vineyard Wind 1 WTG AT40	41-01-14.971N 070-25-02.155W	Fl Y 6s	70		Mono pile	
600.02	Vineyard Wind 1 WTG AP38	41-05-13.191N 070-27-46.026W	Fl Y 6s			Mono pile	
600.03	Vineyard Wind 1 WTG AV39	40-59-13.951N 070-26-18.843W	Fl Y 2.5s	70		Mono Pile	
600.06	Vineyard Wind 1 PROD AM37	41-07-12.260N 070-29-06.630W	Fl Y 2.5s	70	3	Product platform.	Private aid.
600.07	Vineyard Wind 1 WTG AQ38	41-04-13.012N 070-27-44.683W	Fl Y 6s	70		Mono pile.	
600.1	Vineyard Wind 1 WTG AT39	41-01-14.012N 070-26-21.443W	Fl Y 6s			Mono pile.	
600.11	Vineyard Wind 1 WTG AS39	41-02-14.020N 070-26-22.721W	Fl Y 6s	70		Mono pile.	
600.04	Vineyard Wind 1 WTG AR39	41-03-14.095N 070-26-24.080W	Fl Y 6s	70	5	Mono pile	

600.05	Vineyard Wind WTG AW38	40-58-12.887N 070-27-36.742W	Q Y	70		Mono pile	
600.08	Vineyard Wind 1 WTG AV38	40-59-13.898N 070-27-38.038W	FI Y 6s	70	5	Mono Pile	
600.12	Vineyard Wind 1 WTG AN37	41-06-12.164N 070-29-06.712W	FI Y 6s	70	5	Mono pile	
600.09	Vineyard Wind 1 WTG AU38	41-00-12.941N 070-27-39.362W	FI Y 6s	70		Mono pile	
600.13	Vineyard Wind 1 WTG AS41	41-02-15.972N 070-23-44.131W	FI Y 6s	70	5	Mono Pile	
600.14	Vineyard Wind 1 WTG AQ36	41-04-11.075N 070-30-23.364W	FI Y 6s	70		Mono Pile.	
600.15	Vineyard Wind 1 WTG AT41	41-01-15.931N 070-23-42.864W	FI Y 2.5s	70	5	Mono pile	
600.16	Vineyard Wind 1 WTG AQ39	41-04-14.102N 070-26-25.342W	FI Y 6s	70	5	Mono Pile	
600.17	Vineyard Wind 1 WTG AS40	41-02-15.035N 070-25-03.449W	FI Y 6s	70		Mono Pile	
600.18	Vineyard Wind 1 WTG AR38	41-03-13.106N 070-27-43.370W	FI Y 6s	70		Mono Pile.	
600.19	Vineyard Wind 1 WTG AS42	41-02-16.961N 070-22-24.873W	Q Y	70		Mono pile	
600.2	Vineyard Wind 1 WTG AP39	41-05-14.180N 070-26-26.675W	Q Y	70		Mono pile.	
600.21	Vineyard Wind 1 WTG AN38	41-06-13.207N 070-27-47.356W	FI Y 6s	70		Mono pile.	
600.22	Vineyard Wind 1 WTG AR40	41-03-15.044N 070-25-04.717W	FI Y 6s	70		Mono pile.	
600.23	Vineyard Wind 1 WTG AR41	41-03-16.036N 070-23-45.417W	FI Y 6s	70		Mono pile.	
600.24	Vineyard Wind 1 WTG AU40	41-00-14.958N 070-25-00.873W	Q Y	70		Mono Pile.	
600.25	Vineyard Wind 1 WTG AQ42	41-04-17.039N 070-22-27.350W	Q Y	70		Mono pile.	
600.26	Vineyard Wind 1 WTG AM38	41-07-13.249N 070-27-48.702W	FI Y 6s	70		Mono pile.	
600.27	Vineyard Wind 1 WTG AQ41	41-04-16.080N 070-23-46.697W	FI Y 6s	70		Mono pile.	
600.28	Vineyard Wind 1 WTG AQ40	41-04-15.117N 070-25-06.030W	FI Y 6s	70		Mono pile.	
600.29	Vineyard Wind 1 WTG AR42	41-03-16.999N 070-22-26.102W	FI Y 2.5s	70		Mono pile.	
600.3	Vineyard Wind 1 WTG AP40	41-05-15.148N 070-25-07.313W	Q Y	70		Mono pile.	
600.31	Vineyard Wind 1 WTG AN39	41-06-14.202N 070-26-27.996W	Q Y	70		Mono pile.	
600.32	Vineyard Wind 1 WTG AP41	41-05-16.121N 070-23-47.959W	Q Y	70		Mono pile.	
600.33	Vineyard Wind 1 WTG AM39	41-07-14.269N 070-26-29.298W	Q Y	70		Mono pile.	
600.36	Vineyard Wind 1 WTG AT37	41-01-12.000N 070-28-59.989W	Q Y	70		Mono pile.	
600.34	Vineyard Wind 1 WTG AL38	41-08-13.305N 070-27-50.031W	Q Y	70		Mono pile.	
600.35	Vineyard Wind 1 WTG AS37	41-02-12.041N 070-29-01.325W	Q Y	70		Mono pile	
600.37	Vineyard Wind 1 WTG AQ34	41-04-08.973N 070-33-02.029W	Q Y	70		Mono pile	
600.39	Vineyard Wind 1 WTG AN36	41-06-11.176N 070-30-26.111W	Q Y	70		Mono pile	
600.43	Vineyard Wind 1 WTG AP35	41-05-10.085N 070-31-44.097W	FI Y 2.5s	70		Mono pile	
600.44	Vineyard Wind 1 WTG AR34	41-03-08.934N 070-33-00.624W	FI Y 6s			Mono pile	
600.45	Vineyard Wind 1 WTG AR37	41-03-12.077N 070-29-02.681W	Q Y	70		Mono pile	
600.4	Vineyard Wind 1 WTG AS32	41-02-06.708N 070-35-37.754W	Q Y	70		Mono pile	
600.46	Vineyard Wind 1 WTG AT33	41-01-07.813N 070-34-17.057W	Q Y	70		Mono pile	
600.47	Vineyard Wind 1 WTG AQ35	41-04-10.041N 070-31-42.683W	FI Y 6s			Mono pile.	
600.48	Vineyard Wind 1	41-02-08.920N	Q Y	70		Mono pile.	

	WTG AS34	070-32-59.196W				
600.41	Vineyard Wind 1 WTG AR33	41-03-07.871N 070-34-19.917W	FI Y 2.5s			Mono pile.
600.55	Vineyard Wind 1 WTG AT38	41-01-12.983N 070-27-40.691W	FI Y 6s			Mono pile
600.56	Vineyard Wind 1 WTG AV37	40-59-11.932N 070-28-57.306W	Q Y			Mono pile
600.57	Vineyard Wind 1 WTG AU37	41-00-11.945N 070-28-58.628W	FI Y 6s			Mono pile
600.51	Vineyard Wind 1 WTG AR36	41-03-11.019N 070-30-21.970W	FI Y 6s			Mono pile
600.52	Vineyard Wind 1 WTG AP37	41-05-12.127N 070-29-05.363W	FI Y 6s			Mono pile
600.58	Vineyard Wind 1 WTG AS35	41-02-09.978N 070-31-39.915W	FI Y 6s			Mono pile
600.59	Vineyard Wind 1 WTG AT34	41-01-08.879N 070-32-57.797W	Q Y			Mono pile
600.6	Vineyard Wind 1 WTG AT35	41-01-09.928N 070-31-38.527W	Q Y			Mono pile
600.61	Vineyard Wind 1 WTG AU36	41-00-10.934N 070-30-17.889W	Q Y			Mono pile
600.54	Vineyard Wind 1 WTG AS38	41-02-13.024N 070-27-42.015W	FI Y 6s			Mono Pile.
600.53	Vineyard Wind 1 WTG AS36	41-02-10.982N 070-30-20.603W	Q Y			Mono Pile
600.5	Vineyard Wind 1 WTG AT36	41-01-10.941N 070-30-19.234W	Q Y			Mono Pile
600.49	Vineyard Wind 1 WTG AQ37	41-04-12.086N 070-29-04.009W	FI W 6s			Mono Pile
600.38	Vineyard Wind 1 WTG AR35	41-03-09.975N 070-31-41.282W	FI Y 6s			Mono pile
600.42	Vineyard Wind 1 WTG AS33	41-02-07.803N 070-34-18.473W	FI Y 6s			Mono pile
600.62	Vineyard Wind 1 WTG AP36	41-05-11.133N 070-30-24.734W	FI Y 6s			Mono pile
601	South Fork PROD AP06	41-04-33.450N 071-10-04.620W	FI Y 2.5s			Mono Pile. Product Platform. The Marine Radio Activated Sound Signal (MRASS) will be activated by keying VHF radio channel 83A 5 times within 10 seconds. The MRASS will sound every 30 seconds (4 seconds on 26 seconds off) for 45 minutes from last VHF activation. AIS: MMSI 993380086
601.01	South Fork WTG AM07	41-06-34.628N 071-08-49.913W	FI Y 2.5s			Mono pile. AIS: MMSI 993389997
601.02	South Fork WTG AP05	41-04-31.620N 071-11-23.968W	Q Y			Mono Pile. The Marine Radio Activated Sound Signal (MRASS) will be activated by keying VHF radio channel 83A 5 times within 10 seconds. The MRASS will sound every 30 seconds (4 seconds on 26 seconds off) for 45 minutes from last VHF activation. AIS: MMSI 993380085
601.03	South Fork WTG AN06	41-05-31.042N 071-10-04.372W	FI Y 6s			Mono Pile AIS: MMSI 993389999
601.04	South Fork WTG AN08	41-05-36.168N 071-07-24.229W	FI Y 6s			Mono Pile AIS: MMSI 993389996
601.05	South Fork WTG AN09	41-05-37.551N 071-06-08.661W	Q Y			Mono pile. : MMSI 993380082
601.06	South Fork WTG AP08	41-04-36.245N 071-07-26.103W	FI Y 2.5s			Mono pile. AIS: MMSI 993389995
601.07	South Fork WTG AM06	41-06-33.151N 071-10-09.129W	FI Y 2.5s			Mono pile AIS: MMSI 993389993
601.08	South Fork WTG AP09	41-04-39.001N 071-06-06.796W	Q Y			Mono pile The Marine Radio Activated Sound Signal (MRASS) will be activated by keying VHF radio channel 83A 5 times within 10 seconds. The MRASS will sound every 30 seconds (4 seconds on 26 seconds off) for 45 minutes from last VHF activation. AIS: MMSI 993380083
601.09	South Fork WTG AP07	41-04-34.616N 071-08-45.373W	FI Y 2.5s			Mono pile The Marine Radio Activated Sound Signal (MRASS) will be activated by keying VHF radio channel 83A 5 times within 10 seconds. The MRASS will sound every 30 seconds (4 seconds on 26 seconds off) for 45 minutes from last VHF activation. AIS: MMSI 993389998
601.1	South Fork WTG AM05	41-06-31.782N 071-11-23.401W	Q Y			Mono pile The Marine Radio Activated Sound Signal (MRASS) will be activated by keying VHF radio channel 83A 5 times within 10 seconds. The MRASS will sound every 30 seconds (4 seconds on 26 seconds off) for 45 minutes from last VHF activation. AIS: MMSI 993380081
601.11	South Fork WTG AM08	41-06-33.610N 071-07-30.140W	Q Y			Mono pile The Marine Radio Activated Sound Signal (MRASS) will be activated by keying VHF radio channel 83A 5 times within 10 seconds. The MRASS will sound every 30 seconds (4 seconds on 26 seconds off) for 45 minutes from last VHF activation. AIS: MMSI 993380084
601.12	South Fork WTG AN05	41-05-31.652N 071-11-25.986W	FI Y 2.5s			Mono pile. AIS: MMSI 993389994
602.48	Revolution Wind PROD AF08	41-12-36.000N 071-07-42.120W	Q Y			Mono pile.
602.49	Revolution Wind	41-11-36.351N	Q Y			Mono pile.

	WTG AG08	071-07-39.583W					
602.5	Revolution Wind WTG AJ05	41-09-31.709N 071-11-28.652W	Q Y			Mono pile.	
602.51	Revolution Wind WTG AJ11	41-09-40.485N 071-03-37.008W	Q Y			Mono pile.	
602.52	Revolution Wind WTG AL10	41-07-39.134N 071-04-50.381W	Q Y			Mono pile.	
602.53	Revolution Wind PROD AL11	41-07-41.135N 071-03-32.591W	Q Y			Mono pile	
602.54	Revolution Wind WTG AL18	41-07-50.034N 070-54-17.981W	Q Y			Mono pile	
602.55	Revolution Wind WTG AN15	41-05-45.627N 070-58-13.402W	Q Y			Mono pile	
602.56	Revolution Wind WTG AN12	41-05-42.180N 071-02-07.080W	Q Y			Mono pile.	
602.57	Revolution Wind WTG AH07	41-10-35.178N 071-08-56.763W	Q Y			Mono pile.	
602.58	Revolution Wind WTG AG04	41-11-30.240N 071-12-56.640W	Q Y			Mono pile.	
602.59	Revolution Wind WTG AG05	41-11-31.740N 071-11-37.500W				Mono pile.	
602.6	Revolution Wind WTG AJ04	41-09-30.136N 071-12-53.779W	Q Y			Mono pile.	
602.61	Revolution Wind WTG AF06	41-12-33.250N 071-10-20.146W	Q Y			Mono pile.	
602.9	ThayerMahan Lighted Research Buoy	41-08-34.800N 070-37-17.399W	FI Y 20s			Yellow.	
602.91	WHOI Research Lighted Buoy MV DAMON	40-59-56.940N 070-19-38.100W	FI Y 4s			Yellow.	
602.62	Revolution Wind WTG AF09	41-12-37.698N 071-06-22.504W	Q Y			Mono pile.	
602.63	Revolution Wind WTG AJ06	41-09-33.755N 071-10-14.578W	Q Y			Mono pile.	
602.64	Revolution Wind WTG AJ15	41-09-45.449N 070-58-22.049W	Q Y			Mono pile.	
602.65	Revolution Wind WTG AP11	41-04-40.246N 071-03-28.891W	Q Y			Mono pile.	
602.66	Revolution Wind WTG AP12	41-04-41.819N 071-02-08.658W	Q Y			Mono pile.	
602	Revolution Wind WTG AK12	41-08-41.923N 071-02-15.577W	Q Y	77		Mono pile	
602.04	Revolution Wind WTG AG06	41-11-33.246N 071-10-18.141W	Q Y	77		Mono pile	
602.01	Revolution Wind WTG AE07	41-13-34.508N 071-09-02.981W	Q Y	77		Mono pile	
602.02	Revolution Wind WTG AE11	41-13-40.567N 071-03-45.775W	Q Y	77		Mono pile	
602.03	Revolution Wind WTG AE10	41-13-39.147N 071-05-04.857W	Q Y	77		Mono pile	
602.07	Revolution Wind WTG AF05	41-12-31.703N 071-11-38.811W	Q Y	77		Mono pile	
602.06	Revolution Wind WTG AE06	41-13-33.277N 071-10-22.010W	Q Y	77		Mono pile	
602.05	Revolution Wind WTG AN16	41-05-47.533N 070-56-54.675W	Q Y	77		Mono pile	
602.09	Revolution Wind WTG AN13	41-05-40.490N 071-00-50.167W	Q Y	77		Mono pile	
602.1	Revolution Wind WTG AL21	41-07-53.195N 070-50-23.203W	Q Y	77		Mono pile	
602.11	Revolution Wind WTG AM21	41-06-54.213N 070-50-19.485W	Q Y	77		Mono pile	
602.15	Revolution Wind WTG AP16	41-04-47.303N 070-56-51.498W	Q Y	77		Mono pile	
602.14	Revolution Wind WTG AP15	41-04-45.955N 070-58-10.784W	Q Y	77		Mono pile	
602.13	Revolution Wind WTG AP14	41-04-44.789N 070-59-25.375W	Q Y	77		Mono pile	
602.12	Revolution Wind WTG AP13	41-04-43.836N 071-00-52.402W	Q Y	77		Mono pile	
602.17	Revolution Wind WTG AJ12	41-09-41.720N 071-02-17.837W	Q Y	77		Mono pile	

602.16	Revolution Wind WTG AJ10	41-09-38.301N 071-04-56.945W	Q Y	77		Mono pile	
602.19	Revolution Wind WTG AL12	41-07-39.094N 071-02-13.416W	Q Y	77		Mono pile	
602.2	Revolution Wind WTG AE08	41-13-36.207N 071-07-43.114W	Q Y	77		Mono pile	
602.21	Revolution Wind WTG AE09	41-13-37.911N 071-06-24.123W	Q Y	77		Mono pile	
602.23	Revolution Wind WTG AJ14	41-09-44.895N 070-59-39.234W	Q Y	77		Mono pile	
602.26	Revolution Wind WTG AM17	41-06-47.764N 070-55-36.867W	Q Y	77		Mono pile	
602.24	Revolution Wind WTG AM18	41-06-50.006N 070-54-16.312W	Q Y	77		Mono pile	
602.27	Revolution Wind WTG AM19	41-06-51.704N 070-52-56.190W	Q Y	77		Mono pile	
602.25	Revolution Wind WTG AM20	41-06-52.601N 070-51-37.572W	Q Y	77		Mono pile	
602.28	Revolution Wind WTG AL19	41-07-51.346N 070-52-58.105W	Q Y	77		Mono pile	
602.29	Revolution Wind WTG AL20	41-07-52.555N 070-51-39.063W	Q Y	77		Mono pile	
602.3	Revolution Wind WTG AN11	41-05-39.977N 071-03-29.966W	Q Y	77		Mono pile	
602.31	Revolution Wind WTG AH05	41-10-31.745N 071-11-35.639W	Q Y	77		Mono pile	
602.32	Revolution Wind WTG AG07	41-11-34.931N 071-08-59.208W	Q Y	77		Mono pile	
602.33	Revolution Wind WTG AJ08	41-09-36.226N 071-07-36.746W	Q Y	77		Mono pile	
602.34	Revolution Wind WTG AJ03	41-09-28.218N 071-14-12.753W	Q Y	77		Mono pile	
602.35	Revolution Wind WTG AJ07	41-09-34.699N 071-08-55.149W	Q Y	77		Mono pile	
602.36	Revolution Wind WTG AH08	41-10-36.571N 071-07-37.346W	Q Y	77		Mono pile	
602.37	Revolution Wind WTG AN14	41-05-48.078N 070-59-32.253W	Q Y	77		Mono pile	
602.18	Revolution Wind WTG AJ09	41-09-37.976N 071-06-19.115W	Q Y	77		Mono pile	
602.42	Revolution Wind WTG AM11	41-06-39.981N 071-03-32.821W	Q Y	77		Mono pile	
602.43	Revolution Wind WTG AK10	41-08-39.216N 071-04-56.117W	Q Y	77		Mono pile	
602.44	Revolution Wind WTG AM12	41-06-40.789N 071-02-15.110W	Q Y	77		Mono pile	
602.45	Revolution Wind WTG AM14	41-06-42.292N 070-59-34.035W	Q Y	77		Mono pile	
602.46	Revolution Wind WTG AH04	41-10-30.209N 071-12-55.239W	Q Y	77		Mono pile	
602.47	Revolution Wind WTG AH06	41-10-32.879N 071-10-16.531W	Q Y	77		Mono pile	
602.08	Revolution Wind WTG AJ02	41-09-27.123N 071-15-31.816W	Q Y			Mono pile	
602.22	Revolution Wind WTG AJ13	41-09-44.190N 071-00-57.253W	Q Y			Mono pile	
602.38	Revolution Wind WTG AH09	41-10-37.913N 071-06-18.441W	Q Y			Mono pile	
602.39	Revolution Wind WTG AG09	41-11-37.518N 071-06-21.535W	Q Y			Mono pile	
602.4	Revolution Wind WTG AF10	41-12-39.122N 071-05-03.069W	Q Y			Mono pile	
602.41	Revolution Wind WTG AF11	41-12-40.542N 071-03-44.263W	Q Y			Mono pile.	
603	Sunrise Wind WTG AW12	40-57-38.947N 071-01-55.792W	Q Y			Mono pile.	
603.01	Sunrise Wind WTG AV01	40-58-25.751N 071-16-28.761W	Q Y			Mono pile.	
603.02	Sunrise Wind WTG AU21	40-59-53.631N 070-50-09.442W	Q Y			Mono pile.	
603.03	Sunrise Wind WTG AT18	41-00-49.887N 070-54-05.945W	Q Y			Mono pile.	
603.04	Sunrise Wind WTG	41-00-44.103N	Q Y			Mono pile.	

	AT14	070-59-22.405W				
603.05	Sunrise Wind WTG AS17	41-01-48.597N 070-55-26.940W	Q Y			Mono pile.
603.06	Sunrise Wind WTG AU05	40-59-31.774N 071-11-14.302W	Q Y			Mono pile.
603.07	Sunrise Wind WTG AU06	40-59-33.270N 071-09-55.065W	Q Y			Mono pile.
603.08	Sunrise Wind WTG AV05	40-58-31.700N 071-11-10.696W	Q Y			Mono pile.
603.09	Sunrise Wind WTG AU07	40-59-34.746N 071-08-35.647W	Q Y			Mono pile.
603.1	Sunrise Wind WTG AS18	41-01-48.036N 070-54-09.267W	Q Y			Mono pile.
603.11	Sunrise Wind WTG AU12	40-59-37.484N 071-05-57.215W	Q Y			Mono pile.
603.12	Sunrise Wind WTG AU11	40-59-41.268N 071-03-15.582W				Mono pile.
603.13	Sunrise Wind WTG AU12	40-59-42.258N 071-01-59.291W	Q Y			Mono pile.
603.14	Sunrise Wind WTG AW03	40-57-28.489N 071-13-48.410W	Q Y			Mono pile.
603.15	Sunrise Wind WTG AW06	40-57-32.162N 071-09-51.402W	Q Y			Mono pile.
603.16	Sunrise Wind WTG AS03	41-01-28.460N 071-13-55.285W	Q Y			Mono pile.
603.17	Sunrise Wind WTG AU01	40-59-25.215N 071-16-30.568W	Q Y			Mono pile.
603.18	Sunrise Wind WTG AU02	40-59-26.987N 071-15-11.101W	Q Y			Mono pile.
603.19	Sunrise Wind WTG AT10	41-00-38.904N 071-04-39.866W	Q Y			Mono pile.
603.2	Sunrise Wind WTG AT07	41-00-34.549N 071-08-37.567W	Q Y			Mono pile.
603.21	Sunrise Wind WTG AT09	41-00-38.851N 071-06-00.558W	Q Y			Mono pile.
603.22	Sunrise Wind WTG AT12	41-00-41.732N 071-02-01.390W	Q Y			Mono pile.
603.23	Sunrise Wind WTG AU03	40-59-28.468N 071-13-57.285W	Q Y			Mono pile.
603.24	Sunrise Wind WTG AT04	41-00-30.059N 071-12-35.254W	Q Y			Mono pile.
604	Empire Offshore Wind WTG B10	40-20-55.921N 073-25-57.708W	Q Y			Mono pile.
604.01	Empire Offshore Wind WTG B11	40-20-45.897N 073-25-06.197W	Q Y			Mono pile.
604.02	Empire Offshore Wind WTG B08	40-21-15.949N 073-27-40.743W	Q Y			Mono pile.
604.03	Empire Offshore Wind WTG B05	40-21-45.944N 073-30-15.329W	Q Y			Mono pile.
604.04	Empire Offshore Wind WTG B01	40-22-25.849N 073-33-41.505W	Q Y			Mono pile.
604.05	Empire Offshore Wind WTG B03	40-22-05.909N 073-31-58.408W	Q Y			Mono pile.
604.06	Empire Offshore Wind WTG B16	40-19-55.684N 073-20-48.709W	Q Y			Mono pile.
604.07	Empire Offshore Wind WTG D14	40-18-54.470N 073-22-33.640W	Q Y			Mono pile.
604.08	Empire Offshore Wind WTG E18	40-17-33.581N 073-19-08.770W	Q Y			Mono pile.
604.09	Empire Offshore Wind WTG E19	40-17-23.508N 073-18-17.320W	Q Y			Mono pile.
604.1	Empire Offshore Wind WTG B14	40-20-15.788N 073-22-31.691W	Q Y			Mono pile.
604.11	Empire Offshore Wind WTG B13	40-20-25.831N 073-23-23.188W	Q Y			Mono pile.
604.12	Empire Offshore Wind WTG D20	40-17-54.086N 073-17-24.850W	Q Y			Mono pile.
604.13	Empire Offshore Wind WTG B19	40-19-25.481N 073-18-14.269W	Q Y			Mono pile.
604.14	Empire Offshore Wind WTG B20	40-19-15.401N 073-17-22.798W	Q Y			Mono pile.
604.15	Empire Offshore Wind WTG B21	40-19-05.315N 073-16-31.332W	Q Y			Mono pile.

604.16	Empire Offshore Wind WTG B12	40-20-35.867N 073-24-14.690W	Q Y				Mono pile.	
604.17	Empire Offshore Wind WTG B06	40-21-35.952N 073-29-23.796W	Q Y				Mono pile.	
604.18	Empire Offshore Wind WTG D17	40-18-24.306N 073-19-59.225W	Q Y				Mono pile.	
604.19	Empire Offshore Wind WTG B07	40-21-25.954N 073-28-32.267W	Q Y				Mono pile.	
604.2	Empire Offshore Wind WTG E08	40-18-57.642N 073-27-43.885W	Q Y				Mono pile.	
604.21	Empire Offshore Wind WTG D03	40-20-50.323N 073-32-00.047W	Q Y				Mono pile.	
604.22	Empire Offshore Wind WTG B04	40-21-55.930N 073-31-06.866W	Q Y				Mono pile.	
604.23	Empire Offshore Wind WTG B02	40-22-15.883N 073-32-49.955W	Q Y				Mono pile.	
604.24	Empire Offshore Wind WTG G16	40-16-32.391N 073-20-53.664W	Q Y				Mono pile.	
604.25	Empire Offshore Wind WTG F17	40-17-02.990N 073-20-01.223W	Q Y				Mono pile.	
604.26	Empire Offshore Wind WTG F11	40-17-49.960N 073-25-10.302W	Q Y				Mono pile.	
604.27	Empire Offshore Wind WTG E11	40-18-43.917N 073-25-09.044W	Q Y				Mono pile.	
604.28	Empire Offshore Wind WTG D11	40-19-24.577N 073-25-08.096W	Q Y				Mono pile.	
604.29	Empire Offshore Wind WTG D10	40-19-34.600N 073-25-59.590W	Q Y				Mono pile.	
604.3	Empire Offshore Wind WTG H16	40-15-57.851N 073-20-54.524W	Q Y				Mono pile.	
604.31	Empire Offshore Wind WTG H15	40-16-19.630N 073-21-45.660W	Q Y				Mono pile.	
604.32	Empire Offshore Wind WTG D18	40-18-14.239N 073-19-07.762W	Q Y				Mono pile.	
604.33	Empire Offshore Wind WTG C15	40-19-25.081N 073-21-41.181W	Q Y				Mono pile.	
604.34	Empire Offshore Wind WTG C10	40-20-15.260N 073-25-58.649W	Q Y				Mono pile.	
604.35	Empire Offshore Wind WTG B09	40-21-05.938N 073-26-49.223W	Q Y				Mono pile.	
604.36	Empire Offshore Wind WTG B17	40-19-45.623N 073-19-57.224W	Q Y				Mono pile.	
604.37	Empire Offshore Wind WTG E07	40-19-20.190N 073-28-35.098W	Q Y				Mono pile.	
604.38	Empire Offshore Wind WTG D05	40-20-05.269N 073-30-17.553W	Q Y				Mono pile.	
604.39	Empire Offshore Wind WTG C01	40-21-35.353N 073-33-42.579W	Q Y				Mono pile.	
604.4	Empire Offshore Wind WTG D02	40-21-12.841N 073-32-51.308W	Q Y				Mono pile.	
604.41	Empire Offshore Wind WTG D04	40-20-27.799N 073-31-08.795W	Q Y				Mono pile.	
604.42	Empire Offshore Wind PROD C09	40-20-25.307N 073-26-50.160W	Q Y				Mono pile.	
604.43	Empire Offshore Wind WTG C13	40-19-45.201N 073-23-24.159W	Q Y				Mono pile.	
604.44	Empire Offshore Wind WTG C18	40-18-54.927N 073-19-06.758W	Q Y				Mono pile.	
604.45	Empire Offshore Wind WTG C12	40-19-55.237N 073-24-15.653W	Q Y				Mono pile.	
604.46	Empire Offshore Wind WTG D19	40-18-04.195N 073-18-16.308W	Q Y				Mono pile.	
604.47	Empire Offshore Wind WTG E10	40-18-53.969N 073-26-00.534W	Q Y				Mono pile.	
604.48	Empire Offshore Wind WTG C11	40-20-05.267N 073-25-07.151W	Q Y				Mono pile.	
604.49	Empire Offshore Wind WTG C19	40-18-44.853N 073-18-15.291W	Q Y				Mono pile.	
604.5	Empire Offshore Wind WTG C20	40-18-34.773N 073-17-23.828W	Q Y				Mono Pile.	
604.51	Empire Offshore Wind WTG F18	40-16-52.952N 073-19-09.781W	Q Y				Mono pile.	
604.52	Empire Offshore	40-18-24.687N	Q Y				Mono pile.	

	Wind WTG C21	073-16-32.370W						
604.53	Empire Offshore Wind WTG F09	40-18-35.087N 073-26-52.681W	Q Y				Mono pile.	
609	Sunrise Wind Lighted Research Buoy SRW01	40-59-47.529N 070-51-26.672W	FI Y 4s				Yellow.	Property of Sunrise Wind.
610	Sunrise Wind Research Lighted Buoy SRW SP01	40-58-02.291N 071-13-15.971W	FI Y 20s				Yellow.	
610.1	Sunrise Wind Research Lighted Buoy SRW SP02	41-00-58.432N 071-13-22.066W	FI Y 20s				Yellow.	
610.2	Sunrise Wind Research Lighted Buoy SRW SP03	41-01-57.868N 070-53-31.661W	FI Y 20s				Yellow.	
610.3	Sunrise Wind Research Lighted Buoy SRW SP04	40-58-48.598N 070-53-12.052W	FI Y 20s				Yellow.	
610.4	Sunrise Wind Research Lighted Buoy SRW SP05	40-59-22.243N 071-04-02.436W	FI Y 20s				Yellow.	
610.5	Sunrise Wind Research Lighted Buoy SRW SP06	41-00-40.452N 071-05-16.734W	FI Y 20s				Yellow.	
618	Old Man Ledge Buoy 3	41-17-04.413N 070-48-35.775W					Green can.	
619	Lone Rock Buoy 5	41-17-18.934N 070-49-18.442W					Green can.	
620	Gay Head Light	41-20-54.454N 070-50-03.687W	FI (3+1) WR 30s	175	14		Red brick tower.	Obscured from 342° to 359° by Nomans Land; light occasionally visible through notches in hilltop.
630	Buzzards Bay Entrance Light	41-23-49.152N 071-02-04.877W	FI W 2.5s	67	14		Tower on red square on 3 red piles with large tube in center worded BUZZARDS on sides.	HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 45 minutes.
635	USACE Data Lighted Buoy Station 154/NDBC 44097	40-58-01.740N 071-07-25.007W	FI (5)Y 20s		1		Yellow Spere Marked Wave Buoy.	Marked Wave Buoy. Aid maintained by Scripps Institute for USACE.
637	ThayerMahan Lighted Research Buoy B	40-01-37.000N 070-33-38.000W					Yellow.	
640	Block Island Southeast Light	41-09-12.276N 071-33-07.434W	FI G 5s	261	17		Red-brick octagonal pyramidal tower attached to dwelling.	Lighted throughout 24 hours. Emergency light of reduced intensity when main light is extinguished. Emergency light is offset from main light. HORN: 1 blast ev 30s (3s bl). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 45 minutes.
650	Southwest Ledge Lighted Whistle Buoy 2	41-06-28.877N 071-40-10.922W	FI R 2.5s		4		Red.	
652	Block Island Wind Farm WTG-1	41-07-32.740N 071-30-27.040W	Q Y					Maintained by Orsted.
653	Block Island Wind Farm WTG-2	41-07-11.570N 071-30-50.220W	FL Y 3s					Maintained by Orsted.
654	Block Island Wind Farm WTG-3	41-06-52.960N 071-31-16.180W	FL Y 3s					Maintained by Orsted.
654.5	Block Island Wind Farm WTG-3 Fog Horn	41-06-52.960N 071-31-16.180W						Maintained by Orsted. MRASS: Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 60 minutes. HORN: 1 blast ev 20s (2s bl).
656	Block Island Wind Farm WTG-4	41-06-36.540N 071-31-44.620W	FL Y 3s					Maintained by Orsted.
657	Block Island Wind Farm WTG-5	41-06-22.790N 071-32-15.500W	Q Y					Maintained by Orsted.
657.7	South Fork Wind Wave Lighted Buoy B	41-04-40.440N 071-11-10.169W	FI Y 4s				Yellow.	
660	Montauk Point Light	41-04-15.513N 071-51-25.540W	FI W 5s	168	14		White conical tower with red stripe.	Emergency light FI W 5s when main light is extinguished. HORN: 1 blast ev 15s (2s bl). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 45 minutes.
661	SBU Lighted Research Buoy Montauk A	41-02-09.719N 071-54-46.778W	FI Y 2s				Yellow.	Property of SBU.
662	SBU Lighted Research Buoy Montauk B	41-04-01.189N 071-51-17.165W	FI Y 2s				Yellow.	Property of SBU.

665	NOAA Data Lighted Buoy NOAA 44017	40-41-34.258N 072-02-56.319W	FI (4)Y 20s		4	Yellow.	
670	Shinnecock Inlet Approach Lighted Whistle Buoy SH	40-49-00.194N 072-28-34.532W	Mo (A) W		4	Red and white stripes with red spherical topmark.	AIS: MMSI 993672254 (21)
675	Shinnecock Light	40-50-31.434N 072-28-41.690W	FI (2)W 15s	75	11	Skeleton tower.	
685	Moriches Inlet Approach Lighted Whistle Buoy M	40-44-07.891N 072-45-11.873W	Mo (A) W		6	Red and white stripes.	AIS: MMSI 993672256 (21)
695	Fire Island Light	40-37-56.790N 073-13-06.890W	FI W 7.5s	167			Lighted throughout 24 hours. Emergency light of reduced intensity when main light is extinguished.
725	NOAA Data Lighted Buoy 44065	40-22-06.000N 073-42-02.000W	FI (4)Y 20s		4		
740	Fishing Grounds Obstruction (VAIS) East	40-25-41.526N 073-50-53.165W					Virtual AIS short name FG East MMSI 993672988
742	Fishing Grounds Obstruction (VAIS) West	40-25-25.522N 073-52-19.935W					Virtual AIS short name FG West MMSI 993672989
820	NOAA Data Lighted Buoy 44005 (ODAS)	43-12-02.000N 069-07-37.000W	FI (4)Y 20s			Yellow boat-shaped buoy.	Marked NOAA and 44005.
825	NOAA Data Lighted Buoy 44011 (ODAS)	41-05-18.000N 066-32-44.000W	FI (4)Y 20s			Yellow.	
827	NOAA Data Lighted Buoy 44008 (ODAS)	40-29-59.000N 069-15-14.000W					Aid maintained by NOAA.
828.1	Empire Wind Research Metocean Lighted Buoy EW2	40-19-21.900N 073-27-08.460W	FI Y 20s			Yellow.	
828	Empire Wind Research Metocean Lighted Buoy EW1	40-19-09.073N 073-26-45.071W	FI Y 4s			Yellow.	
829.6	Empire Offshore Wind Lighted Research Buoy PAM7	40-20-25.156N 073-30-59.954W	FI Y 20s			Yellow.	
829.7	Empire Offshore Wind Lighted Research Buoy PAM8	40-16-28.628N 073-19-57.130W	FI (5)Y 20s			Yellow.	
829	Empire Offshore Wind Lighted Research Buoy PAM1	40-22-18.091N 073-34-27.188W	FI Y 20s			Yellow.	
829.1	Empire Offshore Wind Lighted Research Buoy PAM2	40-21-27.162N 073-28-48.223W	FI Y 20s			Yellow.	
829.2	Empire Offshore Wind Lighted Research Buoy PAM3	40-19-54.861N 073-21-57.880W	FI Y 20s			Yellow.	
829.3	Empire Offshore Wind Lighted Research Buoy PAM4	40-18-44.676N 073-15-51.700W	FI Y 20s			Yellow.	
829.4	Empire Offshore Wind Lighted Research Buoy PAM5	40-16-37.607N 073-22-23.603W	FI Y 20s			Yellow.	
829.5	Empire Offshore Wind Lighted Research Buoy PAM6	40-18-16.463N 073-26-08.491W	FI Y 20s			Yellow.	
830	NOAA Data Lighted Buoy 44025	40-15-03.072N 073-09-51.592W	FI (4)Y 20s			Yellow.	
831	VMA Metocean Lighted Research Buoy	40-14-02.400N 073-06-17.495W	FI Y 20s			Yellow.	MMSI: 993667000
832	WHOI Lighted Research Buoy NYB-SE	40-15-38.519N 073-13-11.280W	FI Y 4s			Yellow.	

833	WHOI Lighted Research Buoy NYB-NW	40-20-39.479N 073-29-03.839W	Fl Y 4s				Yellow.	
840	West Quoddy Head Bell Buoy WQ	44-49-24.984N 066-56-41.382W					Red and white stripes with red spherical topmark.	
845	Wormell Ledges Buoy 1A	44-49-26.681N 066-57-53.597W					Green can.	
850	Quoddy Roads Buoy 2	44-49-38.745N 066-57-48.007W					Red nun.	
855	Lubec Channel Buoy 1	44-50-15.627N 066-58-25.563W					Green can.	
860	Lubec Channel Light	44-50-31.424N 066-58-35.830W	Fl W 6s	53	6		White conical tower on black cylindrical pier.	HORN: 1 blast ev 15s (2s bl). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 45 minutes.
865	Lubec Channel Buoy 3	44-50-34.705N 066-58-36.160W					Green can.	
870	Lubec Channel Buoy 4	44-50-33.825N 066-58-31.830W					Red nun.	
875	Lubec Channel Buoy 5	44-51-04.794N 066-58-28.759W					Green can.	
880	Lubec Channel Buoy 6	44-51-02.584N 066-58-22.899W					Red nun.	
883	Lubec Channel Buoy 6A	44-51-16.537N 066-58-33.808W					Red nun.	
885	Lubec Channel Buoy 8	44-51-56.593N 066-58-55.250W					Red nun.	
910	Popes Folly Ledge Buoy 9	44-52-11.119N 066-58-58.345W					Green can.	
914	Treat Island Shoal Lighted Buoy 3	44-53-09.538N 066-59-27.391W					Green can.	
915	Buckman Ledge Buoy 2	44-53-41.437N 066-59-05.408W					Red nun.	
925	Clark Ledge Light 3	44-54-55.437N 066-59-04.708W	Fl G 4s	25	3		SG on spindle.	
930	Dog Island Light DI	44-55-06.572N 066-59-21.120W	Fl W 6s	35	9		NG on skeleton tower.	HORN: 1 blast ev 30s (3s bl). MRASS -Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 60 minutes.
940	Frost Ledge Lighted Bell Buoy 7	44-58-02.650N 067-02-11.435W	Fl G 4s		4		Green.	
945	St. Croix River Lighted Buoy 11	45-06-47.312N 067-07-03.953W	Fl G 2.5s		4		Green.	
950	St. Croix River Light	45-07-41.710N 067-08-01.756W	Fl W 2.5s	101	7		White skeleton tower surmounted by platform.	
955	St. Croix River Lighted Buoy 13	45-07-48.318N 067-07-44.592W	Fl G 4s		4		Green.	
960	St. Croix River Buoy 17	45-09-48.994N 067-10-05.522W					Green can.	Maintained from April 15 to October 15.
970	St. Croix River Lighted Buoy 19	45-10-15.405N 067-12-12.605W	Q G		3		Green.	Maintained from April 15 to October 15.
975	St. Croix River Buoy 21	45-10-09.627N 067-12-25.872W					Green can.	Maintained from April 15 to October 15.
985	Whitlocks Mill Light 25	45-09-45.407N 067-13-38.574W	Iso G 6s	32	5			
990	St. Croix River Buoy 27	45-09-59.007N 067-13-53.096W					Green can.	Maintained from April 15 to October 15.
995	St. Croix River Lighted Buoy 29	45-10-26.956N 067-14-38.250W	Fl G 2.5s		4		Green.	Maintained from April 15 to October 15.
1000	Shackford Ledge Buoy 4	44-53-34.499N 067-00-27.229W					Red nun.	
1005	Cobscook Bay Buoy 5	44-53-59.437N 067-01-51.008W					Green can.	
1006	Deep Cove Aquaculture Lights (4)	44-54-18.000N 067-01-18.000W	F Y	8			On floating fish pens.	Four or more lights marking aquaculture structures of varying sizes and shapes in a charted fish pen area.
1010	Cobscook Bay Buoy 7	44-54-28.342N 067-02-56.509W					Green can.	
1013	ORPC Cobscook Bay Lighted Buoy A	44-54-36.408N 067-02-45.786W					White with orange bands.	Property of ORPC.
1015	Cobscook Bay Buoy 8	44-54-40.621N 067-03-31.940W					Red nun.	

1020	Cobscook Bay Buoy 9	44-54-24.510N 067-06-12.396W				Green can.	
1025	Pennamaquan River Buoy 11	44-55-06.320N 067-06-51.947W				Green can.	Maintained from April 15 to October 15.
1030	Pennamaquan River Buoy 13	44-55-20.526N 067-07-45.449W				Green can.	Maintained from April 15 to October 15.
1035	Pennamaquan River Buoy 15	44-55-26.425N 067-08-09.092W				Green can.	Maintained from April 15 to October 15.
1040	West Quoddy Head Light	44-48-54.424N 066-57-02.424W	FI (2)W 15s	83	14	White tower with red stripes.	HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). MRASS -Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 60 minutes.
1045	Sail Rock Lighted Whistle Buoy 1	44-48-37.887N 066-56-25.673W	FI G 4s		5	Green.	
1050	Morton Ledge Buoy 2	44-47-22.072N 066-59-13.986W				Red nun.	
1055	Baileys Mistake Whistle Buoy 2BM	44-45-30.046N 067-02-52.115W				Red.	
1060	Baileys Mistake Entrance Buoy 1	44-45-29.879N 067-03-21.650W				Green can.	
1075	Little River Light	44-39-03.223N 067-11-31.552W	FI W 6s	56	14		HORN: 1 blast ev 10s (1s bl). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 60 minutes.
1080	Little River Entrance Bell Buoy LR	44-39-11.273N 067-10-53.411W				Red and white stripes with red spherical topmark.	
1085	Little River Ledge Buoy 2	44-39-12.323N 067-11-51.953W				Red nun.	
1095	Cross Island Narrows Buoy 1	44-37-10.245N 067-15-22.856W				Green can.	
1100	Thornton Point Ledge Lighted Bell Buoy 3	44-37-16.912N 067-16-16.108W	FI G 4s		5	Green.	
1105	Thornton Point Ledge Daybeacon 4	44-37-20.254N 067-16-33.109W				TR on spindle.	
1110	Mink Island Ledge Buoy 5	44-37-20.552N 067-17-07.289W				Green can.	
1115	Dogfish Rocks Buoy 7	44-37-47.861N 067-18-06.011W				Green can.	
1117	NavFac North Lighted Hazard Buoy	44-38-30.084N 067-17-50.586W	FI W 4s			White with Orange bands.	
1118	NavFac South Lighted Hazard Buoy	44-38-27.024N 067-17-50.640W	FI W 4s			White with Orange bands.	
1120	Libby Island Light	44-34-06.022N 067-22-02.563W	FI (2)W 20s	91	18	White tower.	Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 15s (2s bl). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 60 minutes.
1120.1	Libby Island Light Station Mooring Buoy	44-34-22.375N 067-22-02.018W				White with blue band.	
1125	Seal Cove Ledge Buoy 2	44-35-40.972N 067-19-22.541W				Red nun.	
1126.1	Cross Island Aquaculture Lighted Buoy CI-Northwest	44-37-07.260N 067-19-03.840W	FI Y 2.5s			Yellow.	
1126.2	Cross Island Aquaculture Lighted Buoy CI-Southeast	44-36-47.880N 067-19-02.940W	FI Y 2.5s			Yellow.	
1126.3	Cross Island Aquaculture Lighted Buoy CI-Southwest	44-36-54.600N 067-19-19.720W	FI Y 2.5s			Yellow.	
1126.4	Cross Island Aquaculture Lighted Buoy CI-Northeast	44-36-58.320N 067-18-48.720W	FI Y 2.5s			Yellow.	
1127.1	Cross Island Aquaculture Lighted Buoy CIN A	44-37-05.790N 067-18-58.782W	FI Y 2.5s			Yellow.	
1127.2	Cross Island Aquaculture Lighted Buoy CIN	44-37-13.824N 067-19-14.364W	FI Y 2.5s			Yellow.	

	B						
1127.3	Cross Island Aquaculture Lighted Buoy CIN C	44-37-24.852N 067-19-03.504W	FI Y 2.5s			Yellow.	
1127.4	Cross Island Aquaculture Lighted Buoy CIN D	44-37-18.246N 067-18-49.476W	FI Y 2.5s			Yellow.	
1130	Starboard Island Ledge Buoy 1	44-35-07.742N 067-22-50.686W				Green can.	
1131.1	Starboard Island Aquaculture Lighted Buoy SI-SW	44-36-06.000N 067-23-01.000W	FI Y 2.5s			Yellow.	
1131.3	Starboard Island Aquaculture Lighted Buoy SI-NW	44-36-23.000N 067-23-12.000W	FI Y 2.5s			Yellow.	
1131.4	Starboard Island Aquaculture Lighted Buoy SI-NE	44-36-27.250N 067-23-00.530W	FI Y 2.5s			Yellow.	
1131.5	Starboard Island Aquaculture Lighted Buoy SI-SE	44-36-10.940N 067-22-49.000W	FI Y 2.5s			Yellow.	
1140	Seashore Ledge Buoy 5	44-37-07.451N 067-21-39.786W				Green can.	
1145	Avery Rock Light AR	44-39-15.347N 067-20-38.806W	FI W 6s	25	6	NR on tower.	
1150	Machias River Buoy 1	44-40-36.278N 067-21-13.358W				Green can.	
1155	Machias River Buoy 3	44-40-47.967N 067-21-51.085W				Green can.	
1160	Machias River Buoy 4	44-40-55.298N 067-23-08.010W				Red nun.	
1165	Machias River Buoy 6	44-41-07.488N 067-23-27.041W				Red nun.	
1170	Foster Channel Buoy 2	44-34-51.251N 067-23-31.036W				Red nun.	
1175	Foster Channel Buoy 1	44-34-48.501N 067-23-44.216W				Green can.	
1180	Brothers Passage Bell Buoy 1	44-33-38.322N 067-25-50.968W				Green.	
1185	Brothers Passage Buoy 2	44-33-45.702N 067-26-08.019W				Red nun.	
1190	Codhead Ledge Buoy 2	44-35-06.561N 067-26-16.870W				Red nun.	
1195	Halifax Island Reef Buoy 3	44-35-22.320N 067-28-28.973W				Green can.	
1200	Boundry Ledges Buoy 5	44-36-02.037N 067-29-58.008W				Green can.	
1205	Jumper Ledge Buoy	44-32-33.092N 067-27-49.261W				Red nun with green bands.	
1210	Middle Back Rock Daybeacon	44-32-21.961N 067-29-11.570W				NR on spindle.	
1215	Little Breaking Ledge Lighted Gong Buoy 1	44-30-41.019N 067-30-11.751W	FI G 4s		4	Green.	
1220	West Black Rock Buoy 2	44-31-38.632N 067-30-24.164W				Red nun.	
1225	Mark Island Lighted Bell Buoy 1	44-32-11.471N 067-31-43.557W	FI G 2.5s		3	Green.	
1230	Kelp Ledge Buoy 3	44-32-25.280N 067-33-05.729W				Green can.	
1235	Ballast Island Ledge Buoy 5	44-33-40.269N 067-32-57.060W				Green can.	
1240	Roque Island Reef Buoy 2	44-35-04.672N 067-33-01.721W				Red nun.	
1244	Shorey Cove Coast Guard Mooring Buoy CG	44-35-31.401N 067-31-37.104W				White with blue band.	
1245	Great Bar Buoy 7	44-35-42.193N 067-32-45.327W				Green can.	
1250	Seguin Ledge Buoy 1	44-31-23.898N 067-31-59.356W				Green can.	

1260	Long Ledge Buoy 3	44-31-27.171N 067-33-03.218W				Green can.	
1265	Nats Rock Buoy 5	44-31-20.361N 067-33-45.020W				Green can.	
1270	Southwest Ledge Buoy 6	44-31-26.921N 067-33-54.010W				Red nun.	
1275	Bay Ledge Buoy 2	44-32-08.958N 067-32-44.126W				Red nun.	
1280	Gilchrist Rock Daybeacon 3	44-31-53.374N 067-32-50.445W				SG on iron spindle.	
1285	Leighton Ledges Buoy 4	44-31-57.791N 067-33-02.609W				Red nun.	
1290	Virgin Island Ledge Buoy 6	44-31-52.271N 067-33-26.630W				Red nun.	
1295	Two Hour Rock Buoy 7	44-31-44.281N 067-33-34.430W				Green can.	
1300	Moosabec Reach Buoy 8	44-31-48.041N 067-33-45.560W				Red nun.	
1305	Emms Rock Light 9	44-31-44.400N 067-33-56.960W	FI G 4s	28	6	SG on gray tower.	Breakwater submerged at highwater.
1310	Moosabec Reach Buoy 10	44-31-47.170N 067-34-00.501W				Red nun.	
1315	Little Ledge Buoy 11	44-31-43.740N 067-34-06.751W				Green can.	
1320	Moosabec Bar Buoy 12	44-31-46.057N 067-34-17.536W				Red nun.	
1325	Snows Rock Daybeacon 13	44-31-38.276N 067-34-22.382W				SG on iron spindle.	
1330	Sand Ledge Buoy 15	44-31-39.512N 067-34-41.290W				Green can.	
1335	Horse Ledge Lighted Buoy 17	44-31-40.431N 067-35-12.593W	FI G 4s		3	Green.	
1340	Sawyers Cove Light 18	44-31-47.235N 067-35-38.466W	FI R 4s	28	3	TR on tower on end of breakwater.	
1345	Cummings Ledge Buoy 18A	44-31-33.410N 067-36-41.075W				Red nun.	
1350	Moosabec Reach Buoy 20	44-31-17.089N 067-38-38.889W				Red nun.	
1355	Moosabec Reach Buoy 21	44-31-06.677N 067-39-19.181W				Green can.	
1360	Fessenden Ledge Lighted Bell Buoy 22	44-31-02.780N 067-39-59.311W	FI R 4s		4	Red.	
1365	Shabbit Island Ledge Buoy 23	44-30-48.039N 067-40-30.751W				Green can.	
1370	Shabbit Island Buoy 25	44-30-25.481N 067-41-11.290W				Green can.	
1375	Ram Island Ledge Lighted Gong Buoy 27	44-29-42.320N 067-42-14.894W	FI G 4s		5	Green.	
1380	Tibbet Ledge Buoy 28	44-29-45.280N 067-42-17.773W				Red nun.	
1385	Tibbet Narrows Bell Buoy 30	44-29-28.810N 067-42-46.164W				Red.	
1390	Moose Peak Light	44-28-28.524N 067-31-55.174W	FI W 30s	72	20	On white tower.	HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). Located 129 yards 263° from light tower. Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 45 minutes.
1395	Mistake Harbor Buoy 1	44-29-13.693N 067-33-08.746W				Green can.	
1400	Calf Island Reef Buoy 3	44-29-24.402N 067-33-13.995W				Green can.	
1401	Cooke Aquaculture Lighted Buoy NE	44-29-45.210N 067-33-10.600W	FI Y 12s			Yellow.	
1401.1	Cooke Aquaculture Lighted Buoy SE	44-29-32.580N 067-33-02.740W	FI Y 12s			Yellow.	
1401.2	Cooke Aquaculture Lighted Buoy SW	44-29-29.770N 067-33-11.570W	FI Y 12s			Yellow.	
1401.3	Cooke Aquaculture Lighted Buoy NW	44-29-41.040N 067-33-23.760W	FI Y 12s			Yellow.	
1405	Channel Rock Daybeacon 4	44-30-05.539N 067-33-50.019W				TR on iron spindle.	
1409	Spectacle Island	44-30-15.300N	Q Y			On floating fish	Three or more lights marking aquaculture structures of varying sizes and shapes

	Aquaculture Lights (3)	067-34-28.000W				pens.	in a charted fish pen area.
1410	Spectacle Island Buoy 5	44-30-20.361N 067-33-56.410W				Green can.	
1415	Head Harbor Island Buoy 6	44-30-51.835N 067-33-48.417W				Red nun.	
1420	Sheep Island Buoy 7	44-31-04.421N 067-33-43.346W				Green can.	
1425	Pig Island Gut Buoy 2	44-30-49.401N 067-34-35.191W				Red nun.	
1430	Pig Island Gut Buoy 3	44-30-57.811N 067-34-40.415W				Green can.	
1435	Pig Island Gut Buoy 5	44-31-01.121N 067-34-51.421W				Green can.	
1440	Pig Island Gut Buoy 6	44-31-02.271N 067-34-51.942W				Red nun.	
1445	Pig Island Gut Buoy 8	44-31-01.651N 067-35-04.395W				Red nun.	
1450	Pig Island Gut Buoy 10	44-31-01.542N 067-35-13.642W				Red nun.	
1455	Pig Island Gut Buoy 12	44-31-02.021N 067-35-22.122W				Red nun.	
1460	Pig Island Gut Buoy 14	44-31-10.060N 067-35-39.233W				Red nun.	
1465	Seahorse Lighted Bell Buoy 2SR	44-25-44.985N 067-38-29.984W	FI R 4s		4	Red.	
1470	Duck Ledges Buoy 1	44-30-00.320N 067-40-09.990W				Green can.	
1475	Pomp Island Ledge Daybeacon 2	44-30-24.331N 067-39-15.699W				TR on spindle.	
1480	Hardwood Island Daybeacon 3	44-30-49.021N 067-39-08.643W				SG on spindle.	
1485	Salt Rock Daybeacon 4	44-31-01.291N 067-38-54.537W				TR on spindle.	
1490	Eastern Harbor Buoy 1	44-29-42.250N 067-43-58.777W				Green can.	
1495	Eastern Harbor Buoy 2	44-29-41.890N 067-43-49.146W				Red nun.	
1500	Eastern Harbor Buoy 5	44-30-11.877N 067-43-47.781W				Green can.	
1505	Eastern Harbor Buoy 4	44-30-03.469N 067-43-45.739W				Red nun.	
1510	Nash Island Lighted Whistle Buoy NI	44-27-51.781N 067-45-28.668W	Mo (A) W		3	Red and white stripes with red spherical topmark.	
1515	Coles Ledge Buoy 1	44-28-45.120N 067-46-24.340W				Green can.	
1520	Norton Island Buoy 2	44-29-24.321N 067-45-18.642W				Red nun.	
1525	Barton Ledge Buoy 2	44-31-28.837N 067-46-05.649W				Red nun.	
1530	Bunker Ledge Buoy 3	44-31-51.217N 067-46-20.121W				Green can.	
1535	Harthorne Ledge Buoy 5	44-33-48.316N 067-45-26.311W				Red nun.	
1536	Pleasant Bay CG Mooring Buoy	44-31-54.817N 067-45-21.489W				White with blue band.	
1540	Pleasant River Buoy 6	44-34-15.816N 067-45-28.901W				Red nun.	Maintained from May 1 to Nov. 15.
1545	Pleasant River Buoy 7	44-34-36.767N 067-45-11.933W				Green can.	Maintained from May 1 to Nov. 15.
1550	Pleasant River Buoy 8	44-34-41.898N 067-45-06.451W				Red nun.	Maintained from May 1 to Nov. 15.
1555	Pleasant River Buoy 10	44-34-45.904N 067-45-04.027W				Red nun.	Maintained from May 1 to Nov. 15.
1560	Pleasant River Buoy 12	44-34-54.880N 067-45-02.686W				Red nun.	Maintained from May 1 to Nov. 15.
1565	Pleasant River Buoy 14	44-34-59.280N 067-44-58.893W				Red nun.	Maintained from May 1 to Nov. 15.
1570	Bungy Rock Daybeacon 15	44-35-18.842N 067-44-52.052W				SG on spindle.	
1575	Pleasant River	44-35-59.124N				Red nun.	Maintained from May 1 to Nov. 15.

	Buoy 16	067-44-53.901W					
1580	Pleasant River Buoy 17	44-36-24.613N 067-44-41.355W				Green can.	Maintained from May 1 to Nov. 15.
1585	Strout Island Ledges Buoy 2	44-30-36.718N 067-47-25.622W				Red nun.	
1590	Strout Island Ledges Buoy 4	44-30-35.268N 067-47-56.827W				Red nun.	
1595	Strout Island Buoy	44-30-59.381N 067-48-32.860W				Green can with red bands.	
1600	Dyer Island Narrows Buoy 3	44-31-15.980N 067-48-59.686W				Green can.	
1605	Dyer Island Narrows Buoy 5	44-31-04.271N 067-49-06.987W				Green can.	
1610	Dyer Island Narrows Buoy 7	44-30-51.964N 067-49-37.062W				Green can.	
1615	Flint Island North Point Buoy 1	44-28-56.459N 067-47-25.655W				Green can.	
1620	Western Reef Buoy 2	44-28-33.167N 067-48-50.286W				Red nun.	
1625	Jerry Ledge Buoy 1	44-24-55.805N 067-50-53.825W				Green can.	
1630	Jordans Delight Ledge Buoy 2	44-25-23.324N 067-48-54.002W				Red nun.	
1635	Pond Island Lighted Bell Buoy 1	44-27-26.401N 067-49-26.604W	FI G 6s		5	Green.	
1640	Pond Island Ledge Buoy 3	44-28-12.506N 067-50-19.615W				Green can.	
1645	Lower Middle Ground Buoy 5	44-29-44.874N 067-50-38.131W				Green can.	
1650	Trafton Halftide Ledge Daybeacon 6	44-29-56.605N 067-50-06.981W				TR on spindle.	
1655	Narraguagus Bay Buoy NB	44-30-06.569N 067-50-24.108W				Red and white stripes; can.	
1660	Narraguagus River Buoy 1	44-30-21.099N 067-50-49.478W				Green can.	
1665	Narraguagus River Buoy 2	44-30-36.464N 067-51-12.208W				Red nun.	
1675	Narraguagus River Buoy 4	44-31-03.891N 067-51-25.831W				Red nun.	
1680	Narraguagus River Buoy 5	44-31-15.608N 067-51-28.310W				Green can.	
1685	Narraguagus River Buoy 7	44-31-33.879N 067-51-35.907W				Green can.	Maintained from April 1 to December 1.
1690	Narraguagus River Buoy 8	44-31-43.188N 067-51-46.621W				Red nun.	Maintained from April 1 to December 1.
1700	Narraguagus River Buoy 9	44-31-51.783N 067-52-02.419W				Green can.	Maintained from April 1 to December 1.
1705	Narraguagus River Buoy 10	44-31-57.403N 067-52-08.964W				Red nun.	Maintained from April 1 to December 1.
1710	Narraguagus River Buoy 12	44-32-06.051N 067-52-22.370W				Red nun.	Maintained from April 1 to December 1.
1715	Narraguagus River Buoy 13	44-32-09.678N 067-52-28.872W				Green can.	Maintained from April 1 to December 1.
1720	Narraguagus River Buoy 15	44-32-21.800N 067-52-35.371W				Green can.	Maintained from April 1 to December 1.
1725	Narraguagus River Buoy 17	44-32-32.869N 067-52-41.315W				Green can.	Maintained from April 1 to December 1.
1730	Southeast Rock Lighted Whistle Buoy 6A	44-19-46.009N 067-48-37.047W	FI R 4s		3	Red.	
1735	Petit Manan Light	44-22-03.327N 067-51-51.704W	FI W 10s	123	19	Gray granite tower.	Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 30s (3s bl). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 60 minutes.
1740	Simms Rock Bell Buoy 1	44-20-31.329N 067-51-13.252W				Green.	
1745	Petit Manan Reef Buoy 2	44-21-35.667N 067-51-45.208W				Red nun.	
1750	Tibbett Rock Isolated Danger Buoy DT	44-23-04.326N 067-47-10.497W				Black and red bands with two black spherical topmarks; can.	
1755	Tibbett Rock South	44-22-29.377N				Black and red	

	Isolated Danger Buoy DTS	067-46-27.545W				bands with two black spherical topmarks; can.	
1760	Whale Ledge Buoy 4	44-23-40.506N 067-51-54.286W				Red nun.	
1775	Moulton Ledge Lighted Bell Buoy ML	44-21-50.431N 067-56-18.909W	FI (2+1)R 6s		3	Red and green bands.	
1777	Little Black Ledge Buoy 1LB	44-22-05.537N 067-58-21.609W				Green can.	
1780	Cranberry Point Bell Buoy 2CP	44-22-46.326N 067-58-58.017W				Red.	
1785	Prospect Harbor Point Light	44-24-12.125N 068-00-46.822W	FI R 6s	42	7	White conical tower.	White from 317° to 323° and from 348° to 356° covers fairway. Lighted throughout 24 hours.
1790	Old Woman Ledge Bell Buoy 2	44-22-12.096N 068-00-14.249W				Red.	
1795	Brown Cow Lighted Whistle Buoy BC	44-20-57.327N 068-01-25.302W	FI (2+1)G 6s		4	Green and red bands.	
1800	Washrock Ledge Gong Buoy 2	44-23-08.992N 067-57-41.683W				Red.	
1805	Bunker Harbor Ledge Buoy 1	44-22-04.226N 068-01-05.212W				Green can.	
1810	Clark Ledges Gong Buoy 3	44-23-44.885N 068-00-42.701W				Green.	
1815	Clark Ledges Daybeacon 5	44-23-53.185N 068-00-53.661W				SG on spindle.	
1820	Schoodic Lighted Bell Buoy 2S	44-19-07.138N 068-02-06.783W	FI R 4s		4	Red.	
1825	Schoodic Island Buoy 1	44-20-15.485N 068-02-06.749W				Green can.	
1830	Schoodic Ledge Buoy 2	44-20-26.418N 068-02-04.174W				Red nun.	
1840	Otter Cliff Ledge Bell Buoy 1	44-18-30.856N 068-10-54.620W				Green.	
1845	Schooner Head Lighted Gong Buoy 3	44-20-05.655N 068-10-03.308W	FI G 4s		4	Green.	
1850	Egg Rock Lighted Bell Buoy 4	44-20-15.675N 068-08-35.133W	FI R 2.5s		3	Red.	
1860	Frenchman Bay Lighted Buoy FB	44-19-21.326N 068-07-24.039W	FI (2+1)R 6s		4	Red and green bands.	
1865	Egg Rock Light	44-21-14.224N 068-08-18.042W	FI R 5s	64	14	White tower.	HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 60 minutes.
1870	Newport Ledge Buoy 5	44-21-16.324N 068-10-34.050W				Green can.	
1875	Bald Porcupine Island Breakwater Light	44-22-57.972N 068-11-33.939W	Q W	20	3	NW on spindle worded DANGER SUBMERGED BREAKWATER.	
1876	Bar Harbor Entrance Buoy 2	44-23-34.850N 068-11-55.360W				Red nun.	Maintained from 1 May to 15 Nov.
1877	Bar Harbor CG Mooring Buoy	44-23-43.164N 068-11-51.744W				White with blue band.	Marked CG.
1878	Bar Island Buoy 1	44-24-01.690N 068-11-56.210W				Green can.	Maintained from May 1 to Oct. 31.
1879	Bar Island Lighted Buoy 2	44-24-01.680N 068-11-54.260W	FI R 4s			Red	Maintained from May 1 to Oct. 31.
1880	Sheep Porcupine Bell Buoy 7	44-24-05.051N 068-11-24.723W				Green.	
1885	Bald Rock Ledge Buoy 2	44-24-52.165N 068-13-26.540W				Red nun.	
1890	Bald Rock Buoy 9	44-25-22.400N 068-12-35.866W				Green can.	
1895	Hulls Cove Buoy 4	44-24-42.820N 068-14-19.061W				Red nun.	
1900	Halftide Ledge Buoy 11	44-25-39.029N 068-13-55.420W				Green can.	
1905	Sunken Ledge Buoy 13	44-26-19.063N 068-14-58.921W				Green can.	
1910	Googins Ledge Buoy 14	44-26-36.318N 068-17-22.067W				Red nun.	
1915	Mark Island	44-21-29.325N	FI (2+1)G 6s		4	Green and red	

	Junction Lighted Gong Buoy MI	068-05-07.033W				bands.	
1920	Grindstone Ledge Junction Buoy GL	44-22-06.172N 068-05-13.165W				Green can with red bands.	
1925	Grindstone Ledge Daybeacon	44-22-10.624N 068-05-16.834W				NG on iron spindle.	
1930	Abijah Ledge Buoy 2	44-23-03.624N 068-04-50.533W				Red nun.	
1935	Harbor Point Buoy 3	44-23-07.054N 068-05-02.784W				Green can.	
1940	Guptill Point Buoy 4	44-23-14.384N 068-05-03.024W				Red nun.	
1945	Guptill Ledge Daybeacon 6	44-23-18.354N 068-05-07.791W				TR on spindle.	
1950	Roaring Bull Junction Buoy RB	44-22-05.265N 068-05-41.205W				Red nun with green bands.	
1955	Pulpit Ledge Daybeacon 3	44-22-22.902N 068-05-48.891W				SG on iron spindle.	
1960	Crow Island Buoy 5	44-23-00.894N 068-06-26.118W				Green can.	
1965	Cod Ledges Buoy 7	44-23-44.323N 068-07-05.540W				Green can.	
1970	Halibut Hole Buoy 9	44-24-30.322N 068-07-58.043W				Green can.	
1975	Calf Island Point Buoy 1	44-27-17.370N 068-08-30.035W				Green can.	
1980	Halftide Ledge Buoy 3	44-27-40.420N 068-07-53.543W				Green can.	
1985	Sunken Ledge Buoy 5	44-28-21.879N 068-08-20.585W				Green can.	
1995	Dram Island Ledge Buoy 2	44-28-04.169N 068-11-55.255W				Red nun.	
2000	Crabtree Ledge Bell Buoy 1	44-28-18.589N 068-13-10.829W				Green.	
2005	Bean Island Ledge Buoy 3	44-28-50.628N 068-12-19.236W				Green can.	
2010	Bean Island Ledge Buoy 4	44-28-50.888N 068-12-12.536W				Red nun.	
2015	Ingalls Ledge Buoy 6	44-29-23.478N 068-12-46.568W				Red nun.	
2020	Grant Cove Rock Buoy 7	44-29-47.607N 068-12-49.648W				Green can.	
2025	Low Water Rock Daybeacon 8	44-29-52.107N 068-12-31.617W				TR on iron spindle.	
2030	Moon Ledge Buoy 9	44-30-41.367N 068-12-20.677W				Green can.	
2040	Baker Island Buoy 1	44-14-17.331N 068-11-17.809W				Green can.	
2045	Baker Island Light	44-14-28.387N 068-11-56.451W	FI W 10s	105	10	White stone tower.	
2050	Baker Island Ledge Buoy 3	44-14-55.328N 068-11-35.051W				Green can.	
2055	Gilley Ledge Buoy 5	44-15-19.798N 068-11-58.052W				Green can.	
2060	Harding Ledge Buoy 7	44-15-39.588N 068-12-23.844W				Green can.	
2065	East Bunker Lighted Gong Buoy 2	44-16-32.327N 068-13-02.056W	FI R 4s		4	Red.	
2070	East Bunker Ledge Daybeacon	44-16-47.856N 068-13-23.017W				White pyramidal stone structure.	
2075	Lewis Rock Buoy 3A	44-17-01.249N 068-13-28.885W				Green can.	
2080	Seal Harbor Lighted Bell Buoy 4	44-17-10.015N 068-13-49.368W	FI R 4s		4	Red.	
2085	Crowninshield Point Buoy 1	44-17-17.399N 068-14-19.507W				Green can.	
2090	Bowden Ledge Buoy 6	44-17-03.606N 068-14-33.661W				Red nun.	
2095	Long Pond Shoal Buoy 8	44-16-57.975N 068-15-15.409W				Red nun.	
2100	Bear Island Buoy 2A	44-17-04.685N 068-16-19.214W				Red nun.	

2105	Bear Island Light	44-17-00.000N 068-16-11.000W	FI W 5s	33		White tower.	
2110	Bear Island Lighted Bell Buoy 10	44-16-52.325N 068-16-09.914W	FI R 4s		4	Red.	
2115	Northeast Harbor Buoy 1	44-17-08.895N 068-16-25.254W				Green can.	
2120	Northeast Harbor Lighted Bell Buoy 2	44-17-06.625N 068-16-34.585W	FI R 2.5s		4	Red.	
2125	Northeast Harbor Buoy 4	44-17-16.715N 068-16-27.064W				Red nun.	
2165	Cranberry Harbor Buoy 1	44-15-45.366N 068-14-48.151W				Green can.	
2170	Cranberry Harbor Buoy 3	44-15-39.652N 068-14-35.444W				Green can.	
2171	Eagle Point Inner Buoy 5	44-15-37.920N 068-14-29.460W				Green can.	
2175	Spurling Rock Lighted Bell Buoy 2	44-15-56.866N 068-15-20.233W	FI R 2.5s		4	Red.	
2180	Long Ledge Daybeacon 2A	44-15-43.074N 068-15-39.093W				TR on spindle.	
2185	Gilpatrick Ledge Daybeacon 2	44-17-03.947N 068-17-23.387W				TR on iron spindle.	
2190	Gilpatrick Cove Daybeacon 4	44-17-05.524N 068-17-26.366W				TR on iron spindle.	
2195	Middle Rock Lighted Buoy 5	44-17-36.784N 068-18-24.968W	FI G 2.5s		3	Green.	Replaced by can when endangered by ice.
2197	Valley Cove Mooring Buoy CG	44-18-36.736N 068-18-57.009W				White with blue band.	
2200	Myrtle Ledge Buoy 6	44-21-02.841N 068-19-17.106W				Red nun.	Maintained from May 15 to Nov. 1.
2205	Sargents Point Buoy 2SP	44-21-12.280N 068-18-45.160W				Red nun.	Maintained from May 15 to Nov. 1.
2210	Bar Ledge Buoy 7	44-21-17.025N 068-19-26.835W				Green can.	Maintained from May 15 to Nov. 1.
2220	Greening Island Buoy 6	44-16-26.605N 068-17-27.066W				Red nun.	
2225	Greening Island Lighted Buoy 8	44-16-28.846N 068-18-23.489W	FI R 2.5s		4	Red.	
2230	Southwest Harbor Daybeacon S	44-16-25.458N 068-19-10.575W				NR on spindle.	
2235	Southwest Harbor Inner Harbor Buoy 1	44-16-31.612N 068-19-04.573W				Green can.	Removed when endangered by ice.
2240	Southwest Harbor Inner Harbor Buoy 3	44-16-36.074N 068-19-05.019W				Green can.	Removed when endangered by ice.
2245	Clark Point Daybeacon 1	44-16-41.352N 068-18-33.567W				SG on iron spindle.	
2250	Long Ledge Lighted Gong Buoy 1	44-13-15.928N 068-17-46.995W	FI G 4s		5	Green.	
2255	South Bunker Ledge Daybeacon 2	44-13-35.784N 068-16-58.167W				TR on iron spindle.	
2265	Cranberry Island Ledge Lighted Bell Buoy 4	44-14-12.600N 068-16-57.903W	Q R		3	Red.	
2270	Flynns Ledge Buoy 5	44-14-27.336N 068-16-59.909W				Green can.	
2275	Cow Ledge Buoy 6	44-15-21.666N 068-16-45.565W				Red nun.	
2285	Spurling Point Lighted Gong Buoy 8	44-15-46.632N 068-16-47.979W	FI R 4s		4	Red.	
2290	Mount Desert Light	43-58-07.046N 068-07-42.021W	FI W 15s	75	14	Granite conical tower.	HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 60 minutes.
2295	Great Duck Island Light	44-08-31.333N 068-14-44.956W	FI R 5s	67	14	White tower.	Light partially obscured by trees from about 143° to 206.5°. HORN: 1 blast ev 15s (2s bl). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 60 minutes.
2310	The Drums Junction Bell Buoy D	44-08-30.563N 068-18-33.464W				Green and red bands.	
2315	Long Island Lighted	44-08-20.663N	Mo (A) W		6	Red and white	

	Gong Buoy LI	068-20-31.247W				stripes with red spherical topmark.	
2320	Horseshoe Ledge Buoy 1	44-09-33.133N 068-18-41.909W				Green can.	
2325	Black Island Buoy 2	44-10-10.021N 068-20-09.027W				Red nun.	
2330	Placentia Island Buoy 1P	44-11-43.143N 068-20-45.028W				Green can.	
2335	Bass Harbor Head Light	44-13-18.536N 068-20-14.209W	Oc R 4s	56	13	White tower connected to dwelling.	
2340	Bass Harbor Head Bell Buoy EB	44-13-14.216N 068-20-00.882W				Red and white stripes.	
2345	Bass Harbor Head Gong Buoy WB	44-13-04.938N 068-20-28.510W				Red and white stripes with red spherical topmark.	
2350	Weaver Ledge Buoy 1	44-13-33.757N 068-21-10.431W				Green can.	
2355	Weaver Ledge Buoy 2	44-13-39.807N 068-21-22.171W				Red nun.	
2360	Bass Harbor Buoy 5	44-14-15.676N 068-20-58.151W				Green can.	
2365	Bass Harbor Buoy 6	44-14-29.417N 068-21-04.471W				Red nun.	
2370	Beach Ledge Bell Buoy 2	44-06-18.785N 068-23-03.601W				Red.	
2375	Harbor Island Bell Buoy 1	44-07-18.252N 068-22-32.342W				Green.	
2397.4	Black Island Aquaculture Lighted Buoy D	44-11-06.000N 068-21-04.000W	FI Y 2.5s			Yellow.	
2397.3	Black Island Aquaculture Lighted Buoy C	44-11-08.000N 068-21-10.000W	FI Y 2.5s			Yellow.	
2397.2	Black Island Aquaculture Lighted Buoy B	44-10-54.000N 068-21-17.000W	FI Y 2.5s			Yellow.	
2397.1	Black Island Aquaculture Lighted Buoy A	44-10-53.000N 068-21-11.000W	FI Y 2.5s			Yellow.	
2398	Cooke Aquaculture Lighted Buoy BIS A	44-10-44.439N 068-21-18.543W	FI Y 4s			Yellow	
2398.1	Cooke Aquaculture Lighted Buoy BIS B	44-10-44.440N 068-21-26.800W	FI Y 4s			Yellow	
2398.2	Cooke Aquaculture Lighted Buoy BIS C	44-10-36.767N 068-21-29.273W	FI Y 4s			Yellow.	
2398.3	Cooke Aquaculture Lighted Buoy BIS D	44-10-35.300N 068-21-20.470W	FI Y 4s			Yellow.	
2400	Staple Ledge Buoy 1	44-11-20.009N 068-23-51.354W				Green can.	
2405	Ship and Barges Bell Buoy 3	44-13-36.326N 068-25-40.078W				Green.	
2410	Ship and Barges Ledge Junction Daybeacon SB	44-13-32.526N 068-25-52.035W				JG on spindle.	
2412	Ship Island Fish & Wildlife Mooring Buoy	44-14-08.294N 068-26-31.948W				White with blue band.	
2415	Trumpet Island Bar Buoy TI	44-14-51.830N 068-26-54.069W				Red and white stripes; can.	
2420	Bar Island Buoy 5	44-15-48.614N 068-27-13.442W				Green can.	
2425	Hardwood Island Buoy 6	44-17-41.962N 068-27-36.164W				Red nun.	
2426	Hardwood Island Aquaculture Buoy A	44-18-21.700N 068-26-48.400W				Yellow.	
2427	Hardwood Island Aquaculture Buoy B	44-18-34.600N 068-26-47.600W				Yellow.	
2428	Hardwood Island Aquaculture Buoy C	44-18-34.300N 068-26-40.700W				Yellow.	

2429	Hardwood Island Aquaculture Buoy D	44-18-21.400N 068-26-41.600W				Yellow.	
2430	Long Island Buoy 7	44-19-02.671N 068-28-28.334W				Green can.	
2435	Darling Ledge Buoy 8	44-23-40.057N 068-30-47.837W				Red nun.	
2436	Grays Mussel Farm Aquaculture Lighted Buoy	44-22-44.040N 068-29-45.480W	FI W 30s			White with orange bands.	
2440	Tupper Ledge Buoy TL	44-28-20.392N 068-26-21.056W				Green can with red bands.	
2445	Union River Channel Buoy 2	44-28-45.858N 068-25-42.894W				Red nun.	
2450	Union River Channel Buoy 4	44-28-56.964N 068-25-40.038W				Red nun.	
2455	Union River Channel Lighted Buoy 6	44-29-41.106N 068-25-39.600W	FI R 4s		3	Red.	
2460	Union River Channel Buoy 7	44-31-29.742N 068-25-37.738W				Green can.	
2465	Union River Channel Buoy 9	44-31-45.372N 068-25-26.932W				Green can.	
2470	Union River Channel Buoy 11	44-31-57.150N 068-25-23.842W				Green can.	
2475	Patten Bay Buoy 2	44-28-54.913N 068-27-19.981W				Red nun.	
2480	North Point Lighted Gong Buoy 1	44-11-34.918N 068-25-47.518W	FI G 4s		5	Green.	
2485	Crow Island Ledge Buoy 2	44-11-12.992N 068-25-58.046W				Red nun.	
2487	Fir Point Ledge Lighted Buoy 5	44-10-50.596N 068-25-35.072W	Q G		3	Green.	
2490	Fir Point Ledge Lighted Buoy 3	44-10-47.479N 068-25-45.347W	FI G 4s		3	Green.	
2495	Round Island Ledge Buoy 4	44-10-47.329N 068-26-48.079W				Red nun.	
2500	Casco Passage Bell Buoy CP	44-11-48.214N 068-26-30.774W				Red and white stripes with red spherical topmark.	
2505	Casco Passage Buoy 1	44-11-36.148N 068-27-40.991W				Green can.	
2510	Casco Passage Buoy 3	44-11-38.136N 068-28-03.156W				Green can.	
2515	Casco Passage Buoy 4	44-11-43.248N 068-28-15.862W				Red nun.	
2520	Casco Passage Buoy 5	44-11-40.938N 068-28-18.962W				Green can.	
2525	Casco Passage Buoy 7	44-11-40.248N 068-28-38.464W				Green can.	
2530	Casco Passage Buoy 9	44-11-36.148N 068-29-03.134W				Green can.	
2535	Casco Passage Buoy 10	44-11-37.368N 068-29-38.615W				Red nun.	
2540	Orono Point Daybeacon 1A	44-11-27.508N 068-27-42.651W				SG on iron spindle.	
2545	Long Ledge Buoy 2	44-11-25.028N 068-27-52.831W				Red nun.	
2550	Long Ledge Buoy 4	44-11-14.438N 068-28-11.042W				Red nun.	
2555	Hawley Ledge Buoy 5	44-11-11.365N 068-28-20.643W				Green can.	
2560	Long Ledge Buoy 6	44-11-13.567N 068-28-32.956W				Red nun.	
2565	Hawley Ledge Buoy 7	44-11-10.502N 068-28-43.324W				Green can.	
2570	Long Ledge Lighted Bell Buoy 8	44-11-12.528N 068-28-53.084W	FI R 4s		4	Red.	
2575	Pond Island Passage Buoy 1	44-14-20.235N 068-28-44.945W				Green can.	
2580	Pond Island Passage Buoy 2	44-14-19.965N 068-29-03.845W				Red nun.	
2585	Pond Island	44-14-07.147N				Green can.	

	Passage Buoy 3	068-29-30.363W				
2590	Flye Island Channel Buoy 1	44-14-34.064N 068-29-46.436W				Green can.
2595	Blue Hill Bay Light 3	44-14-55.424N 068-29-51.696W	Fl G 4s	21	5	SG on skeleton tower.
2600	Flye Island Channel Bell Buoy FI	44-14-56.454N 068-29-38.346W				Red and white stripes with red spherical topmark.
2605	Flye Island Channel Buoy 4	44-15-07.804N 068-29-48.957W				Red nun.
2610	Tinker Island Ledge Buoy 6	44-16-58.862N 068-29-58.477W				Red nun.
2615	Cow and Calf Buoy 8	44-17-18.582N 068-29-48.666W				Red nun.
2620	Harriman Ledge Buoy 9	44-18-02.155N 068-31-20.719W				Green can.
2625	Jims Point Buoy 10	44-19-45.839N 068-32-08.690W				Red nun.
2630	Morgan Bay Entrance Buoy 2	44-24-04.067N 068-29-40.835W				Red nun.
2635	Blue Hill Harbor Buoy 1	44-24-04.806N 068-33-17.452W				Green can
2640	Blue Hill Harbor Buoy 3	44-24-08.635N 068-33-18.512W				Green can.
2645	Blue Hill Harbor Buoy 5	44-24-11.412N 068-33-39.727W				Green can.
2650	Blue Hill Harbor Buoy 6	44-24-13.150N 068-33-43.767W				Red nun.
2655	Blue Hill Harbor Buoy 7	44-24-25.503N 068-34-05.593W				Green can.
2660	Blue Hill Harbor Buoy 8	44-24-22.509N 068-34-15.670W				Red nun.
2670	Seal Ledge Buoy 1	44-05-01.565N 068-28-28.022W				Green can.
2675	Johns Island Sunken Ledge Buoy J	44-05-44.515N 068-24-27.643W				Red nun with green bands.
2685	Gooseberry Island Ledge Buoy 3	44-07-47.114N 068-27-14.577W				Green can.
2690	Harbor Island Ledge Daybeacon 4	44-07-55.590N 068-26-43.773W				TR on iron spindle.
2695	Burnt Coat Harbor Gong Buoy 5	44-08-02.052N 068-26-43.428W				Green.
2700	Burnt Coat Harbor Light	44-08-02.836N 068-26-49.809W	Oc W 4s	75	9	White square tower.
2705	Swans Island Gong Buoy 2	44-07-27.133N 068-24-46.274W				Red.
2710	Baker Island Ledge Buoy 3	44-07-42.507N 068-25-52.828W				Green can.
2711.1	Scrag Island Aquaculture Lighted Buoy SI-A	44-07-18.300N 068-26-28.070W	Fl Y 2.5s			Yellow.
2711.2	Scrag Island Aquaculture Lighted Buoy SI-B	44-07-14.700N 068-26-29.570W	Fl Y 2.5s			Yellow.
2711.3	Scrag Island Aquaculture Lighted Buoy SI-C	44-07-09.800N 068-26-10.570W	Fl Y 2.5s			Yellow.
2711.4	Scrag Island Aquaculture Lighted Buoy SI-D	44-07-12.790N 068-26-07.870W	Fl Y 2.5s			Yellow.
2715	Harbor Island Ledge Buoy 5	44-07-56.251N 068-26-04.964W				Green can.
2720	Marshall Island Buoy 3	44-08-04.461N 068-30-39.926W				Green can.
2725	Hat Island Ledge Buoy 4	44-08-23.951N 068-30-53.157W				Red nun.
2730	Sheriff Ledges Buoy 2	44-07-47.262N 068-28-34.211W				Red nun.
2735	Drunkard Ledge Buoy 1	44-04-39.884N 068-32-30.729W				Green can.
2740	Blue Hill Rock Buoy 3	44-05-30.793N 068-32-11.088W				Green can.

2745	West Halibut Rock Buoy 4WH	44-07-58.331N 068-32-59.090W				Red nun.	
2750	Halibut Rocks Light	44-08-02.442N 068-31-31.482W	Fl W 6s	25	6	NR on skeleton tower.	HORN: 1 blast ev 10s (1s bl). Operates continuously.
2755	Whaleback Ledge Isolated Danger Buoy DW	44-09-14.943N 068-33-10.309W				Black and red bands with two black spherical topmarks; can.	
2760	Saddleback Island Bell Buoy SI	44-09-02.029N 068-34-16.332W				Red and white stripes with red spherical topmark.	
2765	Shingle Island Sunken Ledge Buoy 2	44-09-07.959N 068-35-31.055W				Red nun.	
2770	The Woodbury Buoy 6	44-09-25.362N 068-31-27.127W				Red nun.	
2775	Hanus Ledge Buoy HL	44-09-48.166N 068-30-23.839W				Red nun with green bands.	
2780	Sunken Egg Rock Buoy 1	44-10-51.658N 068-30-46.687W				Green can.	
2785	Long Ledge Bell Buoy 2	44-10-40.268N 068-32-47.691W				Red.	
2790	Long Ledge Daybeacon LL	44-10-46.962N 068-32-50.566W				NR on spindle.	
2795	Jericho Bay Buoy 2	44-10-53.038N 068-31-58.059W				Red nun.	
2805	Egg Rock Daybeacon 8A	44-11-06.555N 068-30-32.324W				TR on spindle.	
2810	Green Ledge Buoy 9	44-11-32.627N 068-32-05.169W				Green can.	
2815	Mahoney Island Ledge Buoy 2	44-12-37.556N 068-31-18.888W				Red nun.	
2820	Mahoney Island Buoy 11	44-12-51.926N 068-30-26.887W				Green can.	
2825	Eggemoggin Eastern Bell Buoy EE	44-12-45.016N 068-32-18.350W				Red and white stripes with red spherical topmark.	
2830	Hay Island Ledge Buoy 4	44-12-52.576N 068-32-10.375W				Red nun.	
2835	Devils Head Ledge Buoy 6	44-13-03.466N 068-32-26.560W				Red nun.	
2840	Channel Rock Buoy 5	44-12-49.656N 068-32-47.551W				Green can.	
2845	Conary Ledge Buoy 7	44-14-18.764N 068-35-10.295W				Green can.	
2850	Torrey Island Buoy 8	44-14-54.533N 068-36-06.797W				Red nun.	
2855	Torrey Castle Daybeacon 10	44-15-05.811N 068-36-07.800W				TR on spindle.	
2860	Torrey Ledge Buoy 12	44-15-27.512N 068-36-11.937W				Red nun.	
2865	Chatto Island Ledge Buoy 2	44-15-39.942N 068-35-17.635W				Red nun.	
2870	Center Harbor Ledge Daybeacon 3	44-15-44.452N 068-35-03.004W				SG on iron spindle.	
2875	Bridges Point Shoal Buoy 14	44-16-09.482N 068-37-26.879W				Red nun.	
2880	Benjamin River Buoy 2	44-17-10.421N 068-37-39.299W				Red nun.	Maintained from May 15 to Nov. 15.
2885	Benjamin River Buoy 3	44-17-18.419N 068-37-40.398W				Green can.	Maintained from May 15 to Nov. 15.
2890	Benjamin River Buoy 4	44-17-28.456N 068-37-40.378W				Red nun.	Maintained from May 15 to Nov. 15.
2895	Stump Cove Ledge Buoy 16	44-16-53.181N 068-38-24.630W				Red nun.	
2900	Tinker Ledges Buoy 17	44-16-53.081N 068-39-24.592W				Green can.	
2905	Billings Cove Buoy 18	44-17-35.210N 068-40-17.634W				Red nun.	
2910	Howard Ledges Buoy 21	44-18-24.478N 068-43-02.259W				Green can.	
2915	The Triangles Buoy	44-18-50.668N				Green can.	

	23	068-44-05.771W					
2920	The Triangles Buoy 25	44-18-47.588N 068-44-18.361W				Green can.	
2925	Eggemoggin Lighted Bell Buoy EG	44-19-13.257N 068-44-34.292W	Mo (A) W		4	Red and white stripes with red spherical topmark.	
2930	Buck Harbor Ledge Lighted Buoy	44-20-16.316N 068-44-11.111W	Fl W 2s		3	White and orange bands.	Marked DANGER.
2931	Buck's Harbor East Channel Buoy 1	44-20-02.880N 068-44-03.060W				Green can.	
2932	Buck's Harbor East Channel Buoy 2	44-20-02.700N 068-44-01.860W				Red nun.	
2935	Horseshoe Ledge Daybeacon 2	44-19-22.260N 068-46-00.660W				TR on spindle.	Maintained from May 1 to Nov. 1.
2940	Horseshoe Cove Buoy 3	44-19-54.720N 068-46-07.500W				Green can.	Maintained from May 1 to Nov. 1.
2945	Horseshoe Cove Daybeacon 5	44-19-57.960N 068-46-07.920W				SG on spindle.	Maintained from May 1 to Nov. 1.
2950	Cowpens Ledge Daybeacon 6	44-19-58.920N 068-46-06.420W				TR on spindle.	Maintained from May 1 to Nov. 1.
2960	Pumpkin Island Ledge Buoy 27	44-18-41.453N 068-45-05.024W				Green can.	
2965	Thrumcap Ledge Buoy 28	44-18-52.369N 068-45-24.926W				Red nun.	
2970	Merriman Ledge Buoy 29	44-18-29.728N 068-45-07.842W				Green can.	
2975	Eggemoggin Reach Buoy 31	44-18-24.858N 068-45-40.961W				Green can.	
2980	Spectacle Island Ledge Buoy 32	44-18-24.303N 068-46-10.231W				Red nun.	
2985	Two Bush Ledge Buoy 33	44-18-04.268N 068-45-49.873W				Green can.	
2990	Eggemoggin Reach Bell Buoy ER	44-18-00.148N 068-46-28.814W				Red and white stripes with red spherical topmark.	
2995	Potato Ledge Buoy 5	44-10-35.418N 068-33-02.591W				Green can.	
3000	Lazygut Ledge Buoy 6	44-10-34.988N 068-33-48.832W				Red nun.	
3005	Eastern Mark Island Ledge Buoy 7	44-10-22.078N 068-34-58.194W				Green can.	
3010	Haycock Rock Daybeacon 9	44-10-08.027N 068-35-19.454W				SG on iron spindle.	
3015	White Rock Buoy 10	44-10-04.548N 068-35-56.426W				Red nun.	
3020	Haskell Ledge Buoy 12	44-09-57.408N 068-36-27.817W				Red nun.	
3025	Bold Island East Ledge Buoy 11	44-09-45.388N 068-36-33.737W				Green can.	
3030	Bold Island Buoy 1	44-09-23.768N 068-36-31.057W				Green can.	
3032	Bold Island Ledges Warning Buoy	44-09-35.142N 068-36-54.058W				White can with orange bands worded ROCK.	
3035	Bold Island Western Buoy 3	44-09-29.276N 068-36-59.563W				Green can.	
3040	Bold Island Western Ledge Buoy 13	44-09-41.418N 068-37-10.098W				Green can.	
3045	Humpkins Islet Shoal Buoy 14	44-09-22.678N 068-38-01.060W				Red nun.	
3050	Roebuck Ledge Buoy 15	44-09-11.062N 068-38-45.123W				Green can.	
3055	Dow Ledges Buoy 16	44-09-11.328N 068-39-00.102W				Red nun.	
3060	Staple Point Ledge Buoy 18	44-09-08.718N 068-39-33.023W				Red nun.	
3065	Peggy's Island Ledge Buoy 19	44-08-57.492N 068-40-12.364W				Green can.	
3070	Crotch Island Light 21	44-08-46.446N 068-40-39.076W	Fl G 4s	20	5	SG on skeleton tower.	

3075	Crotch Island Buoy 23	44-08-47.529N 068-40-40.785W				Green can.	
3080	Moose Island Rock Buoy 24	44-08-45.109N 068-40-51.066W				Red nun.	
3085	Crotch Island Daybeacon 25	44-08-30.732N 068-41-04.996W				SG on spindle.	
3090	Field Ledge Buoy 27	44-08-24.958N 068-41-34.126W				Green can.	
3095	Deer Island Thorofare Light	44-08-03.757N 068-42-11.795W	FI W 6s	52	8	White and black tower.	Obscured from 240° to 335°. HORN: 1 blast ev 15s (2s bl). Operates continuously.
3100	West Mark Island Ledge Buoy 2	44-08-12.037N 068-43-05.829W				Red nun.	
3105	Boat Rock Buoy	44-10-45.887N 068-35-15.595W				Red nun with green bands.	
3110	Whaleback Ledge Buoy 1	44-11-17.305N 068-36-24.858W				Green can.	
3115	Green Island Buoy 4	44-08-17.000N 068-38-41.054W				Red nun.	
3120	Crotch Island Passage Buoy 2	44-08-41.148N 068-39-54.603W				Red nun.	
3125	Two Bush Island Point Buoy 3	44-08-57.278N 068-39-44.523W				Green can.	
3130	Colby Ledge Daybeacon 2	44-07-24.899N 068-35-34.101W				TR on spindle.	
3135	Colby Pup Buoy 1	44-06-56.661N 068-35-34.365W				Green can.	
3140	Barter Island Ledges Daybeacon 8	44-07-08.088N 068-38-07.366W				TR on spindle.	
3145	Merchant Row Buoy 9	44-06-56.875N 068-38-54.999W				Green can.	
3150	Midchannel Ledge Buoy 10	44-07-06.589N 068-39-42.533W				Red nun.	
3155	York Island Rock Buoy 1	44-04-08.214N 068-34-47.333W				Green can.	
3160	Seven Foot Shoal Buoy 2	44-04-55.074N 068-34-47.980W				Red nun.	
3165	Airy Ledge Buoy 3	44-05-08.083N 068-35-15.194W				Green can.	
3170	Burnt Ledge Buoy 5	44-05-59.032N 068-36-12.296W				Green can.	
3175	Leach Rock Buoy 7	44-06-36.071N 068-37-28.099W				Green can.	
3180	Colt Ledge Buoy 2A	44-01-04.554N 068-33-54.358W				Red nun.	
3185	Eastern Ear Ledge Buoy 2	44-00-10.187N 068-35-41.345W				Red nun.	
3190	Roaring Bull Lighted Bell Buoy 2	43-59-24.945N 068-37-55.948W	FI R 6s		4	Red.	
3195	Matinicus Rock Light	43-47-00.538N 068-51-18.129W	FI W 10s	90	20	Cylindrical gray granite tower.	Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 15s (2s bl). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 60 minutes.
3210	Matinicus South Breaker Buoy DMSB	43-47-25.339N 068-53-24.134W				Black and red bands with two black spherical topmarks.	
3215	Matinicus Inner Breaker Buoy 2	43-48-21.168N 068-53-48.030W				Red nun.	
3220	Southwest Ledge Bell Buoy 4	43-49-08.128N 068-54-31.257W				Red.	
3225	Bantam Ledge Buoy DBL	43-49-32.745N 068-57-02.579W				Black and red bands with two black spherical topmarks.	
3230	Ragged Island Harbor Ledges Buoy 6	43-50-08.017N 068-54-02.556W				Red nun.	
3235	Criehaven Breakwater Light 8	43-50-05.037N 068-53-33.444W	FI R 6s	32	5	TR on skeleton tower.	
3240	Wooden Ball Island Lighted Bell Buoy 2WB	43-50-24.517N 068-49-56.876W	FI R 4s		4	Red.	
3243	Malcolm Ledge Danger VAIS DML	43-52-02.780N 068-46-31.910W					Virtual AIS.MMSI: 993672370

3245	Harbor Ledge Bell Buoy	43-51-54.766N 068-52-44.673W				Red and green bands.	
3250	Matinicus Harbor Light 2	43-51-53.682N 068-52-54.618W	FI R 4s		4	TR on skeleton tower.	
3255	Mackerel Ledge Buoy 5	43-52-06.718N 068-51-39.116W				Green can.	
3265	Zephyr Rock Lighted Buoy 5	43-53-46.335N 068-51-47.130W	FI G 4s		3	Green.	
3275	Beach Ledges Buoy	43-52-19.866N 068-52-47.893W				Red nun with green bands.	
3280	Matinicus Island Lighted Bell Buoy 9MI	43-53-06.336N 068-52-52.133W	FI G 4s		4	Green.	
3285	Foster Ledges Buoy 10	43-52-05.766N 068-56-54.202W				Red nun.	
3295	Southern Triangles Buoy 1T	43-53-45.935N 069-03-50.857W				Green can.	
3300	Penobscot Bay East Approach (VAIS) PBA	43-55-36.642N 068-39-37.087W					AIS: MMSI 993672149 (21)
3302	Penobscot Bay Lighted Buoy WP	43-55-50.660N 068-53-08.919W	Mo (A) W		4	Red and white stripes with red spherical topmark.	
3305	Bay Ledge Isolated Danger Gong Buoy DBL	43-57-57.293N 068-51-45.350W				Black and red bands with two black spherical topmarks.	
3307	Three Fathom Ledge Isolated Danger Lighted Buoy DTF	43-54-17.949N 068-42-04.751W	FI (2)W 5s		4	Black and red bands with two black spherical topmarks.	AIS: MMSI 993672448
3308	28 Foot Spot Danger VAIS TE	43-59-01.030N 068-50-35.880W					VAIS MMSI: 993672369
3309	Snippershan Ledge Danger VAIS SL	43-57-01.220N 068-45-39.530W					VAIS MMSI: 993672684
3310	Old Horse Ledge Lighted Bell Buoy 2A	43-59-55.963N 068-50-04.337W	FI R 2.5s		4	Red.	
3320	The Washers Buoy 2	44-00-20.041N 068-40-29.592W				Red nun.	
3325	Saddleback Ledge Light	44-00-51.733N 068-43-35.227W	FI W 6s	52	9	Gray conical tower.	HORN: 1 blast ev 10s (1s bl). operates continuously.
3330	Saddleback Ledge Shoal Isolated Danger Buoy DSL	44-01-24.622N 068-44-23.753W				Black and red bands with two black spherical topmarks; can.	
3335	Diamond Rock Ledge Buoy 1	44-01-35.342N 068-45-59.007W				Green can.	
3340	Triangle Ledge Buoy 5	44-03-12.834N 068-45-51.700W				Green can.	
3345	Marsh Cove Ledges Buoy 1	44-04-03.892N 068-40-33.555W				Green can.	
3350	The Brandies Buoy 4	44-01-30.201N 068-41-09.363W				Red nun.	
3355	Rock T Buoy 6	44-02-20.333N 068-40-16.105W				Red nun.	
3360	Isle Au Haut Light	44-03-53.112N 068-39-04.962W	FI R 4s	48	6	Tower lower part conical gray; upper part cylindrical white brick; white bridge to shore.	White from 034° to 060° covers fairway to Isle au Haut Thorofare.
3365	Sawyer Ledge Buoy 1	44-04-01.482N 068-39-15.702W				Green can.	
3370	Inner Ledge Daybeacon 3	44-04-09.762N 068-38-49.011W				SG on spindle.	
3375	Isle Au Haut Thorofare Buoy 4	44-04-31.944N 068-38-13.236W				Red nun.	Removed when endangered by ice.
3380	Isle Au Haut Thorofare Buoy 6	44-04-35.250N 068-38-09.238W				Red nun.	Removed when endangered by ice.
3385	Isle Au Haut Thorofare Buoy 5	44-04-36.396N 068-38-09.342W				Green can.	Removed when endangered by ice.
3390	Isle Au Haut Thorofare Buoy 7	44-04-42.449N 068-38-02.124W				Green can.	Removed when endangered by ice.
3395	Isle Au Haut Thorofare Buoy 8	44-04-47.018N 068-37-56.463W				Red nun.	Removed when endangered by ice.

3400	Isle Au Haut Thorofare Buoy 9	44-04-46.891N 068-37-57.960W				Green can.	Removed when endangered by ice.
3405	Ram Island Ledge Buoy 2	44-05-52.270N 068-40-14.164W				Red nun.	
3410	Merchant Island Ledge Buoy 1	44-06-03.816N 068-39-30.370W				Green can.	
3415	North Bay Ledge Buoy 2	44-05-41.804N 068-39-16.717W				Red nun.	
3425	Birch Point Shoal Buoy 3	44-05-19.761N 068-38-33.141W				Green can.	
3430	Flake Island Buoy 5	44-05-04.612N 068-38-20.561W				Green can.	
3435	Birch Point Daybeacon	44-05-27.054N 068-37-54.196W				NG on iron spindle.	
3440	Brown Cow Ledge Whistle Buoy 2BC	44-06-43.978N 068-43-50.981W				Red.	
3445	Sellers Rock Buoy 2	44-10-23.285N 068-43-46.660W				Red nun.	
3450	Porcupine Ledge Bell Buoy 3	44-12-22.224N 068-45-44.776W				Green.	
3455	Eagle Island Light	44-13-03.564N 068-46-03.994W	FI W 4s	106	9	White conical tower.	
3460	Eagle Island Gong Buoy 3A	44-13-06.753N 068-45-52.162W				Green.	
3465	Slyvester Cove Buoy 2	44-12-45.504N 068-43-31.819W				Red nun.	
3470	Middle Rock Buoy 4	44-13-39.222N 068-45-51.932W				Red nun.	
3475	Fling Island Ledge Buoy 1	44-12-29.333N 068-48-17.126W				Green can.	
3480	Channel Rock Buoy 2	44-12-53.732N 068-48-28.116W				Red nun.	
3485	Great Spruce Head Ledge Buoy 3	44-14-28.403N 068-48-38.635W				Green can.	
3490	Gull Ledge Buoy 1	44-14-01.872N 068-43-25.420W				Green can.	
3495	Pressey Ledge Buoy 2	44-14-08.322N 068-42-37.037W				Red nun.	
3500	Swains Ledge Buoy 1	44-17-17.649N 068-44-11.450W				Green can.	
3505	Green Ledge Bell Buoy 2	44-17-13.518N 068-49-59.888W				Red.	Removed when endangered by ice.
3510	Green Ledge Light 4	44-17-24.648N 068-49-42.357W	FI R 6s	31	5	TR on skeleton tower.	
3515	Hewes Ledge Buoy 1	44-18-33.467N 068-53-08.543W				Green can.	
3520	Hewes Ledge Buoy 2	44-18-25.707N 068-53-14.499W				Red nun.	
3525	Isleboro Ledge Buoy 9	44-20-59.925N 068-51-21.591W				Green can.	
3530	Dice Head Light	44-22-57.636N 068-49-07.870W	FI W 6s	134	11	White tower.	
3531	Castine UMaine VoltturnUS Wind Platform	44-23-06.650N 068-49-36.980W	Q Y			Mono pile.	Property of UMaine.
3532	Castine UMaine Wind Anchor Lighted Hazard Buoy N	44-23-09.500N 068-49-36.970W	FI W 2.5s			White with Orange bands.	
3532.1	Castine UMaine Wind Anchor Lighted Hazard Buoy E	44-23-06.640N 068-49-33.000W	FI W 2.5s			White with Orange Bands.	
3532.2	Castine UMaine Wind Anchor Lighted Hazard Buoy S	44-23-03.800N 068-49-36.990W	FI W 2.5s			White with Orange bands.	
3532.3	Castine UMaine Wind Anchor Lighted Hazard Buoy W	44-23-06.660N 068-49-40.950W	FI W 2.5s			White with Orange bands.	
3535	Nautilus Rock Buoy 1A	44-22-19.920N 068-48-37.747W				Green can.	
3540	Castine Harbor Entrance Bell Buoy CH	44-22-29.813N 068-49-03.319W				Red and white stripes with red spherical	

						topmark.	
3545	Castine Harbor Buoy 1	44-22-41.853N 068-48-49.908W				Green can.	
3550	Hosmer Ledge Daybeacon 2	44-22-52.753N 068-47-51.777W				TR on iron spindle on stone monument.	
3555	Smith Cove Buoy 2	44-22-30.314N 068-46-38.216W				Red nun.	
3560	Castine Harbor Buoy 2	44-23-18.673N 068-47-28.247W				Red nun.	35 yards from old monument awash at half tide.
3565	Castine Harbor Buoy 3	44-23-37.540N 068-46-54.861W				Green can.	
3570	Bagaduce River Shoal Buoy 5	44-24-10.242N 068-46-00.796W				Green can.	Maintained from May 1 to Nov. 15.
3575	Bagaduce River Ledge Buoy 7	44-25-42.123N 068-44-53.662W				Green can.	Maintained from May 1 to Nov. 15.
3580	Fort Point Ledge Light 2	44-27-39.797N 068-48-36.332W	FI R 4s	23	4	TR on spindle on stone monument.	
3585	Fort Point Light	44-28-01.718N 068-48-42.068W	F W	88	15	White house.	Lighted throughout 24 hours. HORN: 1 blast ev 10s (1s bl). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 60 minutes.
3590	Penobscot River Buoy 1	44-28-07.388N 068-48-24.320W				Green can.	
3595	Penobscot River Buoy 3	44-29-36.037N 068-48-03.610W				Green can.	
3600	Penobscot River Buoy 4	44-29-49.817N 068-47-33.610W				Red nun.	
3605	Penobscot River Buoy 5	44-30-06.636N 068-48-03.241W				Green can.	
3610	Penobscot River Lighted Buoy 6	44-30-48.876N 068-48-09.152W	Q R		3	Red.	
3615	Odom Ledge Daybeacon 6A	44-30-55.874N 068-48-02.772W				TR on post on square stone base.	Ra ref.
3616	Waldo Hancock West Lights (2)	44-33-39.265N 068-48-10.472W	FI W 2.5s	15		White.	Marks end of bridge abutment.
3617	Waldo Hancock East Lights (2)	44-33-35.518N 068-48-00.744W	FI W 2.5s	15		White.	Marks end of bridge abutment.
3620	Penobscot River Buoy 7	44-34-52.356N 068-48-54.054W				Green can.	
3625	Penobscot River Buoy 9	44-35-17.882N 068-48-55.929W				Green can.	
3630	Penobscot River Buoy 11	44-36-03.111N 068-49-29.431W				Green can.	
3635	Penobscot River Buoy 13	44-36-14.520N 068-50-08.905W				Green can.	
3640	Penobscot River Lighted Buoy 14	44-36-23.122N 068-50-38.960W	FI R 4s		4	Red.	
3645	Penobscot River Buoy 16	44-36-45.807N 068-51-00.419W				Red nun.	Removed when endangered by ice.
3650	Penobscot River Buoy 19	44-40-06.996N 068-48-51.850W				Green can.	
3655	Penobscot River Buoy 18	44-37-12.156N 068-51-00.024W				Red nun.	Removed when endangered by ice.
3660	Bucks Ledge Daybeacon 20	44-40-54.297N 068-48-52.137W				TR on spindle.	
3665	Penobscot River Buoy 22	44-41-24.156N 068-49-55.210W				Red nun.	
3670	Penobscot River Buoy 24	44-43-41.439N 068-49-56.272W				Red nun.	
3675	Penobscot River Buoy 26	44-45-02.794N 068-48-57.299W				Red nun.	
3680	Penobscot River Buoy 28	44-45-15.399N 068-48-48.373W				Red nun.	
3681	Cianbro Hazard Light A	44-46-16.650N 068-47-08.330W	Q W			On wood pile.	
3682	Cianbro Hazard Light B	44-46-15.950N 068-47-08.570W	Q W			On wood pile.	
3685	Halibut Ledge Buoy 2	44-02-40.306N 068-46-23.018W				Red nun.	
3690	Crosby Ledge Buoy 4	44-02-16.721N 068-47-01.239W				Red nun.	

3695	Sheep Island Ledge Buoy 2	44-01-38.962N 068-47-25.100W				Red nun.	
3700	Old Duke Ledges Buoy 6	44-01-53.242N 068-47-48.931W				Red nun.	
3705	Bunker Ledge Buoy 8	44-01-29.962N 068-48-51.603W				Red nun.	
3710	Point Ledge Buoy 10	44-01-40.226N 068-49-43.598W				Red nun.	
3715	Carvers Harbor Entrance Light 2	44-02-03.030N 068-50-37.226W	FI R 4s	19	4	TR on spindle.	
3720	Green Ledge Lighted Buoy 4	44-02-14.831N 068-50-38.126W	FI R 2.5s		4	Red.	
3725	Norton Point Ledge Lighted Buoy 5	44-02-19.531N 068-50-35.426W	FI G 2.5s		4	Green.	
3730	Colt Ledge Buoy 2	44-00-44.427N 068-50-13.207W				Red nun.	
3735	The Breakers Ledge Buoy 1	44-01-04.252N 068-50-33.290W				Green can.	
3740	Arey Ledges Buoy 4	44-01-07.248N 068-50-21.568W				Red nun.	
3745	James and Willies Ledge Buoy 1	44-01-04.271N 068-52-43.792W				Green can.	
3750	The Breakers Sunken Ledge Buoy 2	44-01-04.502N 068-51-32.521W				Red nun.	
3755	Heron Channel Ledge Buoy 4	44-01-24.451N 068-51-20.159W				Red nun.	
3760	Heron Neck Light	44-01-30.436N 068-51-43.810W	F R	92	7	White conical tower.	White sector from 030° to 063°.Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 30s (3s bl). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 60 minutes.
3765	The Reach Rock Lighted Buoy 2	44-02-18.531N 068-50-57.127W	Q R		3	Red.	
3770	Wreck Point Light 3	44-02-27.030N 068-51-09.714W	FI G 2.5s		3	SG on spindle.	
3775	The Reach Lighted Buoy 5	44-02-31.895N 068-51-13.936W	FI G 4s		3	Green.	
3780	The Reach Buoy 7	44-02-34.130N 068-51-27.628W				Green can.	
3785	The Reach Lighted Buoy 8	44-02-40.330N 068-51-40.128W	FI R 2.5s		3	Red.	
3790	The Reach Ledge Lighted Buoy 9	44-02-46.030N 068-51-49.129W	FI G 4s		3	Green.	
3795	Dog Point Ledge Lighted Buoy 10	44-02-59.330N 068-52-20.130W	FI R 2.5s		3	Red.	
3800	Green Island Sunken Ledge Buoy 11	44-02-56.200N 068-52-34.450W				Green can.	
3805	Hurricane Sound Buoy 15	44-02-30.795N 068-54-03.297W				Green can.	
3807	Hurricane Island Research Lighted Buoy A	44-02-28.800N 068-53-28.800W	FI Y 4s			Yellow.	
3810	Hurricane Sound Buoy 13	44-02-39.780N 068-53-29.242W				Green can.	
3815	Hurricane Sound Buoy 12	44-02-51.036N 068-53-19.030W				Red nun.	
3820	Lawrys Narrows East Entrance Lighted Buoy 1	44-03-58.162N 068-53-38.999W	FI G 2.5s		4	Green.	
3825	Lawrys Narrows Rocks Lighted Buoy 2A	44-04-06.148N 068-54-13.132W	FI R 4s		4	Red.	
3830	Lawrys Narrows West Entrance Ledge Buoy 1	44-04-02.049N 068-54-27.143W				Green can.	
3835	Green Island Lighted Bell Buoy 3	44-04-10.836N 068-55-25.210W	FI G 4s		4	Green.	
3840	Green Island Ledge Lighted Buoy 2	44-04-21.063N 068-55-06.665W	FI R 2.5s		3	Red nun.	
3845	Seal Ledge Buoy 5	44-04-42.768N 068-56-20.306W				Green can.	
3850	Inner Bay Ledges Buoy 7	44-04-54.328N 068-56-50.137W				Green can.	

3855	Leadbetter Narrows Buoy 1	44-05-03.028N 068-54-03.531W				Green can.	
3860	Fox Island Thorofare Buoy 2A	44-07-54.837N 068-46-41.116W				Red nun.	
3865	Fox Island Thorofare Buoy 2	44-07-50.942N 068-48-06.586W				Red nun.	
3875	Channel Rock Daybeacon 4A	44-07-48.036N 068-48-30.010W				TR on iron spindle.	
3880	Fox Island Thorofare Buoy 5	44-07-52.937N 068-49-27.155W				Green can.	
3885	Goose Rocks Light	44-08-07.536N 068-49-50.410W	FI R 6s	51	7	White conical tower black cylindrical foundation.	White sector from 301° to 304°. HORN: 1 blast ev 10s (1s bl). Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 60 minutes.
3887	Carvers Cove CG Mooring Buoy	44-07-27.027N 068-49-37.857W				White with blue band.	
3890	Fox Island Thorofare Buoy 7	44-07-59.306N 068-50-26.692W				Green can.	
3895	Fox Island Thorofare Buoy 6	44-08-03.446N 068-50-43.602W				Red nun.	
3900	Fox Island Thorofare Buoy 8	44-07-52.026N 068-51-09.334W				Red nun.	
3905	Fox Island Thorofare Buoy 10	44-07-35.046N 068-51-19.584W				Red nun.	
3910	Iron Point Ledge Daybeacon 11	44-07-29.366N 068-51-21.594W				SG on iron spindle.	
3915	Fox Island Thorofare Buoy 12	44-07-26.436N 068-51-37.330W				Red nun.	
3925	Fox Island Thorofare Buoy 14	44-07-28.706N 068-52-11.906W				Red nun.	
3930	Fox Island Thorofare Lighted Buoy 16	44-07-29.496N 068-52-27.430W	FI R 2.5s		3	Red.	
3935	Fox Island Thorofare Lighted Buoy 17	44-07-34.503N 068-53-11.425W	FI G 2.5s		3	Green.	
3940	Fox Island Thorofare Lighted Buoy 18	44-07-30.886N 068-53-59.489W	FI R 4s		3	Red.	
3945	Young Point Daybeacon 19	44-07-26.746N 068-53-54.249W				SG on iron spindle.	Ra ref.
3950	Fox Island Thorofare Buoy 20	44-07-17.346N 068-54-29.160W				Red nun.	
3955	Fox Ears Daybeacon 22	44-07-02.106N 068-54-46.206W				TR on iron spindle.	
3960	Fox Island Thorofare Gong Buoy 23	44-06-49.926N 068-54-38.601W				Green.	
3965	Browns Head Light	44-06-42.388N 068-54-34.196W	F W	39	14	White cylindrical tower.	Red from 001° to 050° and from 061° to 091° fairway between. Lighted throughout 24 hours. Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 10s (1s bl). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 60 minutes.
3970	Fox Island Thorofare Buoy 24	44-06-31.007N 068-55-45.273W				Red nun.	
3975	Fox Island Thorofare Junction Buoy	44-06-02.516N 068-55-39.593W				Green can with red bands.	
3990	Fox Island Thorofare Lighted Gong Buoy 26	44-05-48.497N 068-56-48.786W	FI R 2.5s		3	Red.	
3995	Fox Island Thorofare Lighted Buoy 27	44-05-17.526N 068-57-16.890W	FI G 2.5s		3	Green can.	
4000	Fox Island Thorofare Lighted Bell Buoy FT	44-05-17.587N 068-57-16.937W	Mo (A) W		3	Red and white stripes.	
4005	Mcintosh Ledge Buoy 1	44-09-21.024N 068-57-39.674W				Green can.	
4010	Mouse Island Reef Buoy 3	44-10-56.322N 068-56-25.130W				Green can.	
4015	Mouse Island Ledge Buoy 5	44-12-15.321N 068-56-21.128W				Green can.	
4020	Egg Rock Ledge Buoy	44-11-10.543N 068-53-14.765W				Red nun with green bands.	

4025	Compass Island Ledge Isolated Danger Buoy DCL	44-12-03.453N 068-51-23.541W					Black and red bands with two black spherical topmarks; can.	
4035	Two Bush Island Lighted Whistle Buoy TBI	43-58-16.792N 069-00-16.090W	Mo (A) W		6		Red and white stripes.	
4040	Junken Ledge Isolated Danger Buoy DJ	43-59-26.152N 068-59-29.378W					Black and red bands with two black spherical topmarks; can.	
4050	West Penobscot Bay Entrance Lighted Gong Buoy PA	44-01-08.450N 069-00-19.278W	Mo (A) W		6		Red and white stripes with red spherical topmark.	AIS: MMSI 993672150 (21)
4052	University of Maine Oceanographic Lighted Buoy F	44-03-18.600N 068-59-48.600W	Fl Y 4s				Yellow.	
4055	Twenty Five Foot Rock Buoy 9	44-01-40.467N 069-01-18.459W					Green can.	
4075	Monroe Island Lighted Bell Buoy 11	44-04-45.343N 069-01-40.934W	Fl G 4s		3		Green.	
4090	Inner Bay Ledges Buoy 4	44-04-21.258N 068-57-20.038W					Red nun.	
4095	Inner Bay Ledges Buoy 6	44-04-50.228N 068-57-37.749W					Red nun.	
4105	Owls Head Light	44-05-32.094N 069-02-38.500W	F W	100	16		White tower.	Obscured from 324° to 354° by Monroe Island. Lighted throughout 24 hours. HORN: 2 blast ev 20s (2s bl-2s si-2s bl-14s si). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 60 minutes.
4110	Owls Head Ledge Buoy 7	44-05-25.040N 069-02-31.801W					Green can.	
4120	West Penobscot Bay Entrance Lighted Gong Buoy PB	44-05-53.606N 069-00-11.922W	Mo (A) W		5		Red and white stripes with red spherical topmark.	
4125	Spears Rock Buoy 1	44-05-42.396N 069-04-33.472W					Green can.	
4130	Rockland Harbor Breakwater Light	44-06-14.582N 069-04-39.171W	Fl W 5s	39	14		Red brick tower.	HORN: 1 blast ev 15s (2s bl). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 60 minutes.
4140	Rockland Harbor Southwest Light	44-04-54.000N 069-05-52.000W	F Y	44			Tower on white house.	
4145	Seals Ledge Daybeacon 3	44-05-18.996N 069-05-54.370W					SG on spindle.	
4150	Railway Ledge Buoy 5	44-05-34.966N 069-06-02.650W					Green can.	
4155	Rockland Harbor Main Channel Lighted Buoy 2	44-06-11.476N 069-05-37.284W	Fl R 4s		3		Red.	
4160	Rockland Harbor Main Channel Lighted Buoy 4	44-06-14.785N 069-05-57.024W	Fl R 2.5s		3		Red.	
4165	Rockland Harbor Bypass Channel Buoy 2	44-06-20.837N 069-05-58.334W					Red nun.	
4170	Rockland Harbor Bypass Channel Buoy 3	44-06-24.996N 069-06-02.772W					Green can.	
4173	Rockland Harbor Bypass Lighted Buoy 4	44-06-27.156N 069-06-02.050W	Fl R 2.5s		3		Red.	
4175	Rockland Harbor Bypass Channel Buoy 5	44-06-27.290N 069-06-05.978W					Green can.	
4180	Rockland Harbor Bypass Channel Buoy 7	44-06-28.122N 069-06-11.890W					Green can.	
4185	Rockland Harbor Bypass Channel Buoy 8	44-06-29.935N 069-06-11.375W					Red nun.	
4190	Rockland Harbor Channel Junction Buoy	44-06-31.555N 069-06-13.915W					Green can with red bands.	
4195	Rockland Harbor Bypass Channel Buoy 9	44-06-37.575N 069-06-14.254W					Green can.	

4200	Rockland Harbor Bypass Channel Buoy 10	44-06-37.203N 069-06-12.443W				Red nun.	
4205	Rockland Harbor Bypass Channel Buoy 12	44-06-41.235N 069-06-07.695W				Red nun.	
4210	Rockland Harbor North Channel Buoy 1	44-06-35.715N 069-05-45.423W				Green can.	
4215	Rockland Harbor North Channel Buoy 3	44-06-39.875N 069-05-57.494W				Green can.	
4220	Rockland Harbor North Channel Buoy 5	44-06-41.225N 069-06-03.284W				Green can.	
4225	Lermond Cove Channel Buoy 2	44-06-29.211N 069-06-21.740W				Red nun.	
4230	Lermond Cove Channel Buoy 3	44-06-27.571N 069-06-22.749W				Green can.	
4235	Rockland Harbor Town Channel Buoy 1	44-06-12.225N 069-06-01.491W				Green can.	
4240	Rockland Harbor Town Channel Buoy 3	44-06-07.455N 069-06-11.305W				Green can.	
4245	Red City Channel Buoy 1	44-05-59.160N 069-05-47.100W				Green can.	
4245.1	Red City Channel Buoy 2	44-06-00.660N 069-05-47.100W				Red nun.	
4245.2	Red City Channel Buoy 3	44-05-59.880N 069-06-03.600W				Green can.	
4245.3	Red City Channel Buoy 4	44-06-01.140N 069-06-03.600W				Red nun.	
4245.4	Red City Channel Buoy 5	44-06-00.900N 069-06-15.900W				Green can.	
4245.5	Red City Channel Buoy 6	44-06-01.980N 069-06-17.820W				Red nun.	
4250	Robinson Rock Bell Buoy 12	44-09-00.036N 068-59-05.010W				Red.	
4260	Brewster Point Ledge Buoy 1	44-07-51.104N 069-04-09.389W				Green can.	
4265	Ram Island Ledge Buoy 3	44-08-23.034N 069-04-15.159W				Green can.	
4270	Porterfield Ledge Daybeacon	44-09-14.629N 069-03-41.297W				NG on spindle on square stone pyramid.	
4275	Rockport Outer Bell Buoy RO	44-09-29.223N 069-03-11.975W				Red and white stripes.	
4280	Lowell Rock Light 2	44-09-46.262N 069-03-36.895W	FI R 6s	25	5	TR on spindle.	
4285	Seal Ledge Daybeacon 4	44-10-29.036N 069-03-53.010W				TR on spindle.	
4295	Deadman Point Buoy 3	44-10-35.962N 069-02-44.083W				Green can.	
4305	The Graves Lighted Gong Buoy 13	44-10-55.751N 069-02-00.710W	FI G 6s		5	Green.	
4310	Curtis Island Light	44-12-04.954N 069-02-55.901W	Oc G 4s	52	6	White tower.	
4315	Camden Harbor Entrance Bell Buoy 2	44-12-00.221N 069-02-25.040W				Red.	
4320	Outer Ledge Buoy 4	44-12-10.841N 069-02-38.421W				Red nun.	
4325	Inner Ledges Buoy 6	44-12-23.060N 069-02-52.641W				Red nun.	
4330	Camden Harbor Buoy 7	44-12-19.760N 069-03-07.121W				Green can.	
4335	Camden Harbor Bell Buoy CH	44-12-41.000N 069-02-16.189W				Red and white stripes.	
4340	Northeast Point Light 2	44-12-30.720N 069-02-47.470W	FI R 4s	20	5	TR on white skeleton tower small white house.	
4345	Northeast Passage Ledge Buoy 1	44-12-27.310N 069-02-36.080W				Green can.	

4350	Inner Ledges Daybeacon 3	44-12-25.960N 069-02-46.958W				SG on iron spindle.	
4355	Dillingham Ledge Buoy 1	44-13-38.070N 069-01-48.967W				Green can.	
4360	Ensign Island Lighted Bell Buoy 1	44-13-31.641N 068-57-49.530W	FI G 4s		4	Green.	
4365	Ensign Island Buoy 14	44-14-02.786N 068-58-08.369W				Red nun.	
4370	Lincolville Bell Buoy 7	44-16-41.108N 068-59-42.881W				Green.	
4375	Lincolville Ferry Terminal Light N	44-16-50.400N 069-00-18.790W	F W	20		On pile.	
4380	Lincolville Ferry Terminal Light S	44-16-49.620N 069-00-19.150W	F W	20		On pile.	
4385	Haddock Ledge Buoy 2	44-17-07.777N 068-59-24.231W				Red nun.	
4390	Grindel Point Lighted Bell Buoy 2	44-16-46.998N 068-57-05.698W	FI R 4s		4	Red.	
4395	Isleboro Ferry Terminal West Light	44-16-49.700N 068-56-34.900W	F W	20		On pile.	
4400	Isleboro Ferry Terminal East Light	44-16-48.900N 068-56-36.960W	F W	20		On pile.	
4405	Grindel Point Light	44-16-53.187N 068-56-35.007W	FI W 4s	39	7		
4410	Spruce Island Point Buoy 7	44-16-39.356N 068-56-23.939W				Green can.	
4415	Lobster Rock Buoy 6	44-16-38.426N 068-55-52.432W				Red nun.	
4420	Thrumcap Ledge Buoy 4	44-15-51.997N 068-55-45.675W				Red nun.	
4425	Minot Ledge Buoy 2	44-14-45.141N 068-56-28.966W				Red nun.	
4430	Hurricane Island Research Lighted Buoy B	44-19-06.128N 068-55-37.031W				Yellow.	
4435	Isleboro Island Lighted Bell Buoy II	44-23-12.322N 068-54-54.500W	Mo (A) W		4	Red and white stripes with red spherical topmark.	
4445	Steels Ledge Lighted Bell Buoy 2	44-25-02.580N 068-58-17.281W	FI R 4s		4	Red.	
4446	Belfast Harbor Lighted Buoy 2A	44-25-22.838N 068-58-58.804W	FI R 6s		3	Red.	Replaced by nun from Oct 1 to May 1.
4447	Belfast Harbor Buoy 4	44-25-33.036N 068-59-24.010W				Red nun.	
4448	Belfast Harbor Lighted Buoy 3	44-25-19.239N 068-59-02.418W	FI G 6s		3	Green.	Replaced by can from Oct 1 to May 1.
4450	Belfast Harbor Buoy 6	44-25-46.226N 069-00-08.457W				Red nun.	
4452	Moose Point Isolated Danger Lighted Buoy DMP	44-24-51.216N 068-55-04.510W	FI (2)W 5s		4	Black and red bands with two black spherical topmarks.	
4454	University of Maine Belfast Bay Lighted Research Buoy	44-23-31.620N 068-57-57.060W	FI Y 20s			Yellow.	Property of The University of Maine.
4455	Sears Island Bell Buoy 2	44-25-21.630N 068-53-32.415W				Red.	
4460	Sears Island Buoy 4	44-26-09.769N 068-53-51.386W				Red nun.	
4465	Mack Point Channel Lighted Bell Buoy 5	44-26-34.579N 068-54-07.557W	FI G 4s		5	Green.	
4470	Mack Point Channel Lighted Buoy 6	44-26-42.715N 068-53-41.240W	FI R 4s		4	Red.	
4475	Long Cove Ledge Buoy 7	44-26-44.854N 068-54-11.227W				Green can.	
4480	Long Cove Ledge Isolated Danger Buoy DLC	44-26-43.612N 068-54-32.481W				Black and red bands with two black spherical topmarks; can.	
4485	Stockton Harbor Entrance Shoal Lighted Gong Buoy	44-25-03.741N 068-52-27.004W	FI G 4s		4	Green.	

	1						
4495	Stockton Harbor Entrance Buoy 4	44-26-15.490N 068-51-39.103W				Red nun.	
4500	Stockton Harbor Entrance Buoy 5	44-26-26.499N 068-51-58.264W				Green can.	
4505	Stockton Harbor Entrance Buoy 6	44-27-01.759N 068-51-57.374W				Red nun.	
4520	Rockweed Shoal Buoy 7	43-58-31.960N 069-01-21.848W				Green can.	
4525	Halibut Rock Buoy 2B	43-59-00.722N 069-02-58.953W				Red nun.	
4530	Two Bush Channel Shoal Isolated Danger Buoy DTBS	43-57-01.003N 069-01-57.183W				Black and red bands with two black spherical topmarks; can.	
4535	Northern Triangles Buoy 2	43-56-10.126N 069-02-34.180W				Red nun.	
4540	Two Bush Island Light	43-57-51.291N 069-04-26.067W	Fl W 5s	65	15	White tower.	Red from 061° to 247°. Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 15s (2s bl). MRASS -Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 60 minutes.
4550	Two Bush Channel Buoy 6	43-56-41.787N 069-04-03.861W				Red nun.	
4555	Two Bush Ledge Lighted Bell Buoy 5TB	43-56-47.460N 069-04-54.922W	Fl G 4s		4	Green.	
4560	Alden Rock Isolated Danger Buoy DAR	43-55-21.442N 069-04-00.757W				Black and red bands with two black spherical topmarks; can.	
4565	Crow Island Ledge Buoy 2CI	43-57-22.865N 069-06-05.138W				Red nun.	
4570	Devils Half Acre Buoy 4	43-55-36.289N 069-08-52.179W				Red nun.	
4575	South Breaker Bell Buoy 2SB	43-58-17.122N 069-07-31.734W				Red.	
4580	Whitehead Light	43-58-43.405N 069-07-27.407W	Oc G 4s	75	6	Gray Granite tower.	Emergency light of reduced intensity when main light is extinguished. HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 60 minutes.
4585	Yellow Ledge Daybeacon 2	43-58-49.692N 069-06-51.253W				TR on spindle.	
4590	Seal Island Ledge Buoy 3	43-59-05.103N 069-07-05.376W				Green can.	
4595	Lower Gangway Ledge Buoy 4	43-59-14.712N 069-06-47.803W				Red nun.	
4600	Burnt Island Ledge Buoy	43-59-20.592N 069-06-59.703W				Green and red bands; can.	
4605	Hurricane Ledge Buoy 6	43-59-38.842N 069-06-08.262W				Red nun.	
4610	Sunken Ledge Buoy 7	44-00-17.551N 069-06-03.381W				Green can.	
4615	Garden Island Ledge Daybeacon 9	44-00-47.020N 069-05-44.920W				SG on spindle.	
4620	Oak Island Ledge Buoy 10	44-00-55.581N 069-04-52.488W				Red nun.	
4625	Otter Island Ledge Daybeacon 11	44-01-30.390N 069-04-50.367W				SG on spindle.	
4630	Otter Island Daybeacon 12	44-01-21.190N 069-04-24.186W				TR on spindle.	
4635	Ash Island Ledge Buoy 13	44-01-51.713N 069-04-21.334W				Green can.	
4640	Upper Gangway Ledge Buoy	44-01-55.070N 069-04-04.475W				Red nun with green bands.	
4645	Ash Island Rock Buoy 15	44-02-06.830N 069-04-08.685W				Green can.	
4650	Inner Grindstone Ledge Buoy 16	44-02-02.190N 069-03-39.554W				Red nun.	
4655	Ash Island Bell Buoy 17	44-02-22.109N 069-03-55.985W				Green.	
4660	Emery Ledge Buoy	44-02-48.179N 069-03-11.222W				Green can with red bands.	
4665	Northwest Ledge	44-02-52.849N				Green can.	

	Buoy 21	069-02-53.012W					
4670	Grindstone Ledge Buoy 22	44-02-52.325N 069-02-38.580W				Red nun.	
4675	Sheep Island Shoals Buoy 23	44-03-17.829N 069-02-44.151W				Green can.	
4680	Emery Island Daybeacon 1	44-03-47.858N 069-03-50.434W				SG on iron spindle.	
4685	Hendrickson Point Buoy 3	44-04-02.870N 069-03-30.869W				Green can.	
4690	Sheep Island Bar Buoy 4	44-04-02.538N 069-03-20.521W				Red nun.	
4695	Dodge Point Ledge Daybeacon 5	44-05-08.196N 069-02-45.168W				SG on spindle.	
4700	Sprucehead Island Ledge Buoy 4	43-59-37.049N 069-07-30.929W				Red nun.	
4705	Wheeler Bay Buoy 1	43-58-11.833N 069-09-21.368W				Green can.	
4710	Wheeler Bay Buoy 3	43-58-45.532N 069-09-54.769W				Green can.	
4715	Wheeler Bay Junction Buoy	43-59-20.393N 069-09-59.120W				Green can with red bands.	
4720	Long Cove Buoy 2	43-58-00.606N 069-11-30.304W				Red nun.	
4725	Tenants Harbor Approach Lighted Bell Buoy 1	43-57-42.553N 069-10-52.551W	Fl G 6s		3	Green.	
4727	Tenants Harbor Channel Buoy 1	43-57-50.160N 069-12-00.660W				Green can.	
4727.1	Tenants Harbor Channel Buoy 2	43-57-51.240N 069-12-00.420W				Red nun.	
4727.2	Tenants Harbor Channel Buoy 3	43-57-50.160N 069-12-05.100W				Green can.	
4727.3	Tenants Harbor Channel Buoy 4	43-57-51.120N 069-12-04.920W				Red nun.	
4727.4	Tenants Harbor Channel Buoy 5	43-57-50.100N 069-12-09.900W				Green can.	
4727.5	Tenants Harbor Channel Buoy 6	43-57-51.060N 069-12-10.320W				Red nun.	
4727.6	Tenants Harbor Channel Buoy 7	43-57-49.920N 069-12-15.360W				Green can.	
4727.7	Tenants Harbor Channel Buoy 8	43-57-51.060N 069-12-16.140W				Red nun.	
4727.8	Tenants Harbor Channel Buoy 9	43-57-50.450N 069-12-21.360W				Green can.	
4727.9	Tenants Harbor Channel Buoy 10	43-57-51.660N 069-12-21.300W				Red nun.	
4730	Hart Ledge Buoy 1	43-56-57.743N 069-11-24.242W				Green can.	
4735	Wheeler Rocks Bell Buoy 1W	43-54-31.824N 069-06-51.272W				Green.	
4740	Marshall Point Lighted Buoy MP	43-55-18.334N 069-10-52.171W	Mo (A) W		4	Red and white stripes with red spherical topmark.	
4745	Metinic Island Ledge Buoy MI	43-53-40.335N 069-10-08.169W				Green can with red bands.	
4750	Black Ledges Buoy 3	43-51-42.186N 069-12-00.962W				Green can.	
4755	Old Cilley Ledge Bell Buoy 2 OC	43-53-12.456N 069-14-32.938W				Red.	
4760	Mosquito Island Bell Buoy 2	43-54-43.152N 069-13-04.692W				Red.	
4765	Mosquito Island Ledge Buoy 4	43-55-04.836N 069-14-33.250W				Red nun.	
4770	Gunning Rocks Buoy 5	43-54-53.654N 069-14-46.718W				Green can.	
4775	Marshall Ledge Buoy 6	43-54-51.784N 069-15-35.228W				Red nun.	
4780	Marshall Point Light	43-55-02.754N 069-15-40.578W	F W	30	13	White cylindrical tower.	Lighted throughout 24 hours. HORN: 1 blast ev 10s (1s bl). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 60 minutes.
4785	Allen Ledge Buoy 7	43-54-51.394N 069-16-06.488W				Green can.	

4790	Marshall Point Ledge Buoy 2	43-55-06.434N 069-15-48.768W				Red nun.	
4795	Hupper Island Ledge Buoy 3	43-55-21.536N 069-15-48.010W				Green can.	
4796	Port Clyde Channel Buoy 1	43-55-42.840N 069-15-51.480W				Green can.	
4797	Port Clyde Channel Buoy 2	43-55-44.160N 069-15-50.580W				Red nun.	
4798	Port Clyde Channel Buoy 3	43-55-47.580N 069-15-55.320W				Green can.	
4799	Port Clyde Channel Buoy 4	43-55-49.380N 069-15-53.520W				Red nun.	
4800	Channel Rock Isolated Danger Buoy DCR	43-56-08.936N 069-16-49.010W				Black and red bands with two black spherical topmarks; can.	
4803	Kelp Ledges Buoy 2	43-55-02.043N 069-17-06.983W				Red nun.	
4805	Hupper Rocks Buoy 8	43-54-39.724N 069-16-44.738W				Red nun.	
4810	The Sisters Buoy 9	43-54-16.004N 069-17-03.128W				Green can.	
4820	Gig Rock Bell Buoy 11	43-53-52.404N 069-17-40.658W				Green.	
4825	Griffen Ledge Buoy 12	43-53-27.336N 069-18-24.910W				Red nun.	
4830	Two Bush Island Rock Buoy 1	43-55-18.333N 069-18-46.279W				Green can.	
4835	Seavey Island Ledge Buoy 2	43-55-28.533N 069-18-50.739W				Red nun.	
4840	Jenks Ledge Buoy 2JL	43-55-25.513N 069-19-23.179W				Red nun.	
4845	Goose Rock Ledge Buoy 1	43-56-08.573N 069-18-38.819W				Green can.	
4850	Gay Cove Ledge Buoy 3	43-56-38.078N 069-17-57.271W				Green can.	
4855	St. George River Buoy 4	43-56-55.013N 069-16-49.409W				Red nun.	
4860	St. George River Buoy 5	43-57-21.243N 069-17-08.809W				Green can.	
4865	St. George River Buoy 7	43-58-24.332N 069-16-16.179W				Green can.	
4870	St. George River Buoy 9	43-59-53.725N 069-14-15.606W				Green can.	
4875	St. George River Buoy 11	44-00-56.832N 069-13-03.041W				Green can.	
4880	St. George River Buoy 13	44-02-14.437N 069-12-01.455W				Green can.	
4885	St. George River Buoy 14	44-02-50.518N 069-11-41.100W				Red nun.	
4890	St. George River Buoy 15	44-03-24.566N 069-11-19.963W				Green can.	
4895	St. George River Buoy 16	44-03-52.777N 069-10-59.298W				Red nun.	
4900	St. George River Buoy 17	44-03-59.779N 069-10-55.568W				Green can.	Maintained from Apr .15 to Oct. 1.
4910	St. George River Buoy 19	44-04-07.037N 069-10-46.993W				Green can.	Maintained from Apr .15 to Oct. 1.
4915	St. George River Light 21	44-04-11.196N 069-10-46.764W	Fl W 6s	14	4	SG on white skeleton tower.	
4916	St. George River Buoy 21A	44-04-10.221N 069-10-44.289W				Green can.	Maintained from Apr .15 to Oct. 1.
4917	St. George River Buoy 22	44-04-11.670N 069-10-42.994W				Red nun.	Maintained from Apr .15 to Oct. 1.
4918	St. George River Buoy 22A	44-04-13.347N 069-10-43.423W				Red nun.	Maintained from May 15 to Oct. 15.
4920	St. George River Buoy 23	44-04-12.297N 069-10-44.277W				Green can.	Maintained from Apr .15 to Oct. 1.
4925	Monhegan Island Light	43-45-53.318N 069-18-56.991W	Fl W 15s	178	14	White tower.	Within 3 miles of island the light is obscured between west and southwest. Emergency light of reduced intensity when main light is extinguished.
4940	Manana Island VAIS 14M	43-46-35.650N 069-22-35.720W					AIS: MMSI 993672353
4945	Monhegan Island	43-46-50.859N				Green.	

	Gong Buoy 3	069-18-43.196W					
4950	Duck Rocks Lighted Bell Buoy 5	43-46-55.209N 069-19-49.386W	FI G 2.5s		3	Green.	
4955	Manana Island Northwest Rock Buoy 7	43-46-02.371N 069-19-44.822W				Green can.	
4960	Moser Ledge Isolated Danger Buoy DM	43-48-40.145N 069-25-43.794W				Black and red bands with two black spherical topmarks; can.	
4965	Old Man Ledge Lighted Whistle Buoy 2 OM	43-50-16.663N 069-18-50.266W	FI R 4s		4	Red.	
4970	New Harbor Sunken Ledge Buoy 16	43-51-23.986N 069-26-50.129W				Red nun.	
4975	Western Egg Rock Breakers Buoy 1	43-52-47.439N 069-24-23.899W				Green can.	
4980	Franklin Island Light	43-53-31.436N 069-22-28.610W	FI W 6s	57	8	White tower.	Obscured by trees from 253° to 352°.
4990	Eastern Egg Rock Daybeacon 15	43-51-43.154N 069-22-54.584W				SG on pile.	
4995	Egg Rock North Ledge Buoy 14	43-51-52.426N 069-22-49.818W				Red nun.	
5000	Seal Ledges Buoy 13	43-52-34.895N 069-20-28.558W				Green can.	
5005	The Kegs Daybeacon TK	43-53-35.463N 069-20-33.043W				NB on pile.	
5011	Devils Back Buoy 3	43-53-45.036N 069-24-09.011W				Green can.	
5016	Wreck Island Ledge Buoy 4	43-54-45.036N 069-24-18.011W				Red nun.	
5021	Round Rock Buoy 5	43-55-17.036N 069-24-35.011W				Green can.	
5026	Jones Garden Buoy 6	43-55-55.314N 069-23-30.062W				Red nun.	
5030	Cow Island Sunken Ledges Buoy 8	43-56-44.551N 069-23-59.241W				Red nun.	
5035	Morse Ledge Daybeacon 1	43-56-28.920N 069-20-20.508W				SG on pile.	
5040	Gay Island Buoy 2	43-56-43.992N 069-19-21.739W				Red nun.	
5045	Northeast Point Reef Buoy 3	43-57-21.882N 069-18-55.170W				Green can.	
5050	Crotch Island Ledges Buoy 4	43-57-33.782N 069-19-26.640W				Red nun.	
5055	Garrison Island Rock Buoy 6	43-57-54.861N 069-19-57.410W				Red nun.	
5060	Garrison Island Buoy 7	43-58-12.211N 069-20-00.440W				Green can.	
5065	Murphy Ledge Daybeacon 9	43-57-59.664N 069-20-24.816W				SG on pile.	
5070	Jameson Point Ledge Daybeacon 10	43-58-02.721N 069-20-41.051W				TR on pile.	
5075	Martin Point Buoy 12	43-57-45.798N 069-21-58.933W				Red nun.	
5080	Cow Island Buoy 1	43-58-06.820N 069-23-22.592W				Green can.	
5085	Cow Island Buoy 3	43-58-07.590N 069-23-32.792W				Green can.	
5090	Palmer Island Buoy 4	43-58-10.560N 069-24-00.192W				Red nun.	
5100	Oar Island Ledge Buoy 9	43-59-20.869N 069-24-11.692W				Green can.	
5105	Northeast Point Ledges Buoy 10	44-00-44.328N 069-23-08.322W				Red nun.	
5110	Bremen Long Island Daybeacon 1	44-00-23.880N 069-22-37.956W				SG on pile.	
5115	Medomak River Buoy 12	44-01-34.327N 069-22-27.171W				Red nun.	
5120	Medomak River Buoy 13	44-01-36.917N 069-22-24.931W				Green can.	

5125	Medomak River Buoy 15	44-02-19.176N 069-21-42.970W				Green can.	
5130.7	Medomak River Buoy 27	44-05-28.590N 069-22-35.177W				Green can.	Maintained from Apr. 15 to Oct. 1.
5130.6	Medomak River Buoy 26	44-05-13.686N 069-22-51.935W				Red nun.	Maintained from Apr. 15 to Oct. 1.
5130.5	Medomak River Buoy 25	44-04-56.640N 069-23-00.779W				Green can.	Maintained from Apr. 15 to Oct. 1.
5130.4	Medomak River Buoy 24	44-04-28.036N 069-23-15.011W				Red nun.	Maintained from Apr. 15 to Oct. 1.
5130.3	Medomak River Buoy 22	44-04-21.438N 069-23-13.524W				Red nun.	Maintained from Apr. 15 to Oct. 1.
5130.2	Medomak River Buoy 20	44-04-02.178N 069-22-40.779W				Red nun.	Maintained from Apr. 15 to Oct. 1.
5130.1	Medomak River Buoy 18	44-03-32.731N 069-21-43.901W				Red nun.	Maintained from Apr. 15 to Oct. 1.
5130	Medomak River Buoy 17	44-03-04.156N 069-21-33.409W				Green can.	
5135	Pemaquid Ledge Buoy PL	43-48-53.451N 069-31-13.984W				Green and red bands; can.	
5140	Pemaquid Point Gong Buoy 2	43-49-42.517N 069-30-54.057W				Red.	
5145	Pemaquid Point Light	43-50-12.336N 069-30-21.011W	Fl W 6s	79	14	White conical tower.	
5150	New Harbor Lighted Bell Buoy NH	43-52-25.995N 069-28-43.189W	Mo (A) W		4	Red and white stripes with red spherical topmark.	
5155	New Harbor Buoy 4	43-52-27.864N 069-29-09.509W				Red nun.	
5160	New Harbor Daybeacon 5	43-52-28.284N 069-29-16.968W				SG on pile.	
5165	Webber Sunken Ledge Buoy 2	43-53-19.604N 069-27-00.460W				Red nun.	
5170	Browns Head Buoy 4	43-53-53.033N 069-27-19.980W				Red nun.	
5175	Bar Island Ledge Buoy 6	43-54-28.095N 069-26-59.241W				Red nun.	
5180	Poland South Ledge Buoy 7	43-55-27.082N 069-26-50.581W				Green can.	
5185	Poland North Ledge Buoy 9	43-55-47.034N 069-26-58.996W				Green can.	
5190	Round Pond Entrance Buoy 1	43-56-36.291N 069-27-04.561W				Green can.	
5195	Ram Ledges Halftide Buoy 11	43-58-13.669N 069-26-00.582W				Green can.	
5200	Hockomock Point Buoy 13	43-58-36.319N 069-25-34.032W				Green can.	
5205	Hockomock Point Buoy 15	43-58-40.329N 069-25-24.712W				Green can.	
5207	Crow Island North Ledge Buoy 16	43-58-51.087N 069-24-42.120W				Red nun.	
5210	Corvette Ledge Buoy 1	43-52-18.993N 069-32-46.628W				Green can.	
5215	McFarlands Ledges Buoy 2	43-52-29.033N 069-32-51.368W				Red nun.	
5235	Johns River Ledge Buoy 4	43-53-39.941N 069-32-35.658W				Red nun.	
5240	Thread Of Life Buoy 1	43-49-42.036N 069-33-15.011W				Green can.	Leave on starboard hand when upbound Damariscotta River.
5245	Thread Of Life Buoy 2	43-50-21.743N 069-32-56.798W				Red nun.	
5250	Thread Of Life Buoy 3	43-50-29.625N 069-32-55.917W				Green can.	
5255	Damariscotta River Approach Buoy 1	43-46-12.341N 069-33-40.175W				Green can.	
5260	Hypocrite Ledge Daybeacon H	43-47-24.978N 069-35-27.365W				NR on pile.	
5265	Hypocrite Ledge Buoy 1	43-48-15.538N 069-35-08.505W				Green can.	
5270	Hypocrite Ledge Lighted Bell Buoy HL	43-48-23.948N 069-34-47.756W	Mo (A) W		4	Red and white stripes with red spherical topmark.	

5275	Damariscotta River Junction Gong Buoy DR	43-49-09.396N 069-34-49.297W				Green and red bands.	
5280	Little River Daybeacon 1	43-49-17.226N 069-34-57.030W				Green cylinder on monopile.	
5285	Little River Buoy 2	43-49-19.922N 069-34-57.317W				Red nun.	
5290	Damariscotta River Buoy 2	43-49-17.475N 069-34-12.009W				Red nun.	
5295	Damariscotta River Buoy 4	43-50-06.965N 069-34-00.036W				Red nun.	
5300	Foster Point Shoal Buoy FP	43-50-27.635N 069-34-00.407W				Red nun with green bands.	
5305	Middle Ledge Daybeacon 2	43-50-43.136N 069-33-26.711W				TR on pile.	
5310	North Ledge Daybeacon 3	43-50-46.260N 069-33-25.878W				SG on pile.	
5315	Steamboat Wharf Daybeacon 4	43-50-42.972N 069-33-17.022W				TR on pile.	
5320	Damariscotta River Buoy 6	43-51-25.614N 069-34-01.507W				Red nun.	
5325	The Gut Daybeacon 2	43-51-38.976N 069-33-39.978W				TR on pile.	
5330	The Gut Daybeacon 3	43-51-43.260N 069-33-33.228W				SG on pile.	
5335	Damariscotta River Buoy 7	43-51-51.072N 069-34-43.227W				Green can.	
5340	Damariscotta River Buoy 9	43-52-10.962N 069-34-57.517W				Green can.	
5345	Damariscotta River Buoy 11	43-53-01.431N 069-34-59.208W				Green can.	Buoy may partially or fully submerge during maximum currents or flood waters.
5350	Damariscotta River Buoy 12	43-53-12.843N 069-34-56.678W				Red nun.	
5353	UM Lowe's Cove LOBO Lighted Research Buoy	43-55-50.700N 069-34-46.500W	FI Y 20s			Yellow.	Property of the University of Maine. Seasonal Mar 25 - Dec 31.
5355	Damariscotta River Buoy 13	43-55-54.607N 069-35-08.078W				Green can.	
5360	Damariscotta River Buoy 14	43-57-08.686N 069-34-40.289W				Red nun.	
5365	Merry Island Daybeacon 15	43-57-21.114N 069-34-32.802W				SG on pile.	
5370	Glidden Ledge Daybeacon 16	43-58-11.725N 069-34-23.580W				TR on iron spindle.	
5373	UM UDRE LOBO Lighted Research Buoy	43-59-58.740N 069-32-18.906W	FI Y 20s			Yellow.	Property of the University of Maine. Seasonal Mar 03 - Dec 31.
5375	Damariscotta River Buoy 17	44-00-04.894N 069-32-32.812W				Green can.	
5380	Perkins Point Daybeacon 19	44-00-25.212N 069-32-44.087W				SG on pile.	
5385	Damariscotta River Buoy 20	44-00-43.002N 069-32-49.621W				Red nun.	
5390	Damariscotta River Buoy 21	44-01-19.077N 069-32-24.411W				Green can.	
5395	Damariscotta River Buoy 23	44-01-29.319N 069-32-16.242W				Green can.	
5400	Damariscotta River Buoy 24	44-01-48.318N 069-32-13.301W				Red nun.	
5401	Damariscotta River Buoy 26	44-01-51.746N 069-32-08.368W				Red nun.	
5402	Damariscotta River Buoy 28	44-01-55.540N 069-32-05.380W				Red nun.	
5405	Bantam Rock Lighted Buoy 2BR	43-43-40.571N 069-37-33.920W	FI R 4s		4	Red.	
5410	The Motions Gong Buoy TM	43-44-46.162N 069-37-06.314W				Red and white stripes.	
5415	Ram Island Ledge Buoy 3	43-48-22.407N 069-35-47.235W				Green can.	
5420	Ram Island Light	43-48-13.536N 069-35-57.111W	Iso R 6s	36	7	White tower.	White from 258° to 261° and from 030° to 046° covers fairways. HORN: 1 blast ev 30s (3s bl). Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 45 minutes.
5425	Gangway Ledge	43-48-28.613N				Red nun.	

	Buoy 4	069-36-10.520W					
5430	Dictator Ledge Buoy 6	43-48-27.467N 069-36-24.015W				Red nun.	
5435	Card Ledge Buoy 8	43-48-38.337N 069-36-32.315W				Red nun.	
5440	Spruce Point Ledges Buoy 1	43-49-20.206N 069-37-01.386W				Green can.	
5445	Spruce Point Ledges Buoy 2	43-49-30.735N 069-37-12.335W				Red nun.	
5450	Linekin Bay Buoy 2	43-50-06.504N 069-35-58.016W				Red nun.	
5455	Cabbage Island Buoy 3	43-50-14.401N 069-36-24.299W				Green can.	
5460	Linekin Bay Buoy 4	43-50-32.764N 069-35-58.365W				Red nun.	
5465	Linekin Bay Buoy 6	43-50-58.123N 069-35-38.056W				Red nun.	
5470	Seal Rock Buoy 5	43-50-51.283N 069-36-03.766W				Green can.	
5475	Fish Hawk Island Buoy 7	43-51-22.333N 069-35-40.176W				Green can.	
5480	Cuckolds Bell Buoy 1C	43-46-22.910N 069-39-00.644W				Green.	
5485	The Cuckolds Light	43-46-46.236N 069-39-00.028W	FI (2)W 6s	59	12	White octagonal tower on dwelling.	HORN: 1 blast ev 15s (2s bl). MRASS Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 45 minutes.
5495	Squirrel Cove Daybeacon 2	43-48-17.096N 069-38-10.604W				TR on pile.	
5500	Squirrel Island Ledge Lighted Buoy 4	43-48-58.420N 069-38-16.355W	FI R 2.5s		3	Red.	
5505	Pig Cove Daybeacon 5	43-49-03.265N 069-38-43.585W				SG on pile.	
5510	Burnt Island Ledge Buoy BL	43-49-17.012N 069-38-24.001W				Green and red bands; can.	
5515	Capitol Island Daybeacon 1	43-49-25.836N 069-38-43.311W				SG on pile.	
5520	Burnt Island Light	43-49-30.736N 069-38-24.811W	FI R 6s	61	6	White conical tower.	White from 307° to 316° and from 355° to 008° covers fairways. Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 10s (1s bl). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 60 minutes.
5525	Tumbler Island Ledge Buoy 6	43-49-41.587N 069-37-46.980W				Red nun.	
5530	Tumbler Island Lighted Buoy 8	43-50-17.634N 069-38-13.196W	FI R 4s		3	Red.	
5531	Tumbler Island East Daybeacon 2	43-50-17.580N 069-37-56.100W					
5535.1	McFarland Island Daybeacon 11	43-50-52.380N 069-37-42.600W				SG on pile.	
5535	Booth Bay Lighted Buoy 9	43-50-46.584N 069-37-44.454W	FI G 4s		3	Green.	Remove when endangered by ice.
5536	Signal Point Marina Daybeacon 2	43-50-59.480N 069-38-06.100W				TR on pile.	
5540	Boothbay Harbor Mooring Buoy C	43-50-46.999N 069-38-14.312W				White with blue band.	
5545	McFarland Island Daybeacon	43-50-54.690N 069-37-49.800W				TR on spindle.	
5555	Townsend Gut Buoy 2	43-50-07.293N 069-38-57.735W				Red nun.	
5560	Townsend Gut Buoy 4	43-50-31.392N 069-39-11.505W				Red nun.	
5565	Cameron Point Light 7	43-51-05.531N 069-40-06.175W	FI G 4s	24	4	SG on skeleton tower.	
5570	Cameron Point Buoy 6	43-51-04.321N 069-40-02.145W				Red nun.	
5585	Mile Ledge Lighted Bell Buoy 20ML	43-41-24.336N 069-45-17.911W	Q R		3	Red.	
5590	Seguin Light	43-42-26.936N 069-45-28.911W	F W	180	14		HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 60 minutes.
5595	Tom Rock Buoy 2TR	43-43-47.707N 069-43-01.619W				Red nun.	

5600	The Sisters Buoy 4S	43-44-33.382N 069-43-35.414W				Red nun.	
5605	Sloop Ledge Buoy 5	43-45-54.410N 069-43-39.564W				Green can.	
5610	Cape Harbor Buoy 2	43-46-53.859N 069-39-50.003W				Red nun.	
5615	Hunting Island Daybeacon 4	43-47-07.708N 069-39-34.424W				TR on pile.	
5620	Sheepscot River Entrance Lighted Buoy 2SR	43-45-38.241N 069-41-09.114W	FI R 4s		4	Red.	
5625	Griffith Head Ledge Buoy 3	43-46-54.607N 069-42-30.197W				Green can.	
5630	Cat Ledges Gong Buoy 4CL	43-47-48.137N 069-41-19.874W				Red.	
5635	Harmon Harbor Buoy 2	43-48-23.125N 069-43-07.834W				Red nun.	
5640	Nick Ledge Daybeacon 2	43-49-01.564N 069-41-08.914W				TR on pile.	
5645	Petes Rock Buoy 3	43-49-01.574N 069-41-05.540W				Green can.	
5650	Marrs Ledge Daybeacon 5	43-49-02.302N 069-40-59.939W				SG on pile.	
5655	Cedar Bush Ledge Buoy 6	43-49-05.275N 069-41-22.615W				Red nun.	
5665	Hendricks Head Light	43-49-21.318N 069-41-23.022W	F W	43	9	White house.	Red from 180° to 000°.
5670	Five Islands Ledge Buoy 1	43-49-22.856N 069-42-21.546W				Green can.	
5675	Five Islands Ledge Daybeacon 2	43-49-36.303N 069-42-25.254W				TR on pile.	
5680	Bull Ledge Buoy 9	43-50-01.112N 069-41-57.494W				Green can.	
5685	MacMahan Ledge Buoy 2	43-50-28.611N 069-42-48.884W				Red nun.	
5690	Six Foot Rock Buoy 3	43-50-59.020N 069-42-51.974W				Green can.	
5695	MacMahan Island Ledge Daybeacon 1	43-51-12.970N 069-42-08.474W				SG on pile.	
5700	Boiler Rock Buoy 4	43-50-59.655N 069-43-07.129W				Red nun.	
5705	Goose Rock Passage Light 5	43-50-56.230N 069-43-15.074W	FI G 2.5s	16	5	SG on skeleton tower on caisson.	
5710	Ebenecook Harbor Buoy 2	43-50-17.602N 069-40-43.474W				Red nun.	
5715	Ebenecook Harbor Buoy 3	43-50-40.882N 069-40-32.155W				Green can.	
5720	Harding Ledge Buoy 10	43-50-52.892N 069-41-12.155W				Red nun.	
5725	South Powderhorn Buoy 12	43-51-06.341N 069-41-10.174W				Red nun.	
5730	Middle Ledge Buoy 13	43-51-16.040N 069-41-46.894W				Green can.	
5735	Clous Ledge Daybeacon 15	43-51-28.066N 069-41-48.313W				SG on pile.	
5740	Clous Ledge Bell Buoy 17	43-51-38.780N 069-41-44.464W				Green.	Removed when endangered by ice.
5750	Powderhorn Ledge Lighted Buoy 16	43-51-34.765N 069-41-27.637W	FI R 4s		4	Red.	Removed when endangered by ice.
5755	Isle of Springs Daybeacon 1	43-51-59.269N 069-40-58.175W				SG on pile.	
5760	Ram Islands Daybeacon	43-52-20.936N 069-41-00.175W				NR on pile.	
5765	Sawyer Island Buoy 1	43-52-25.298N 069-41-00.835W				Green can.	
5770	Barter Island Buoy 18	43-52-33.358N 069-41-12.725W				Red nun.	
5775	Hodgdon Ledge Buoy 19	43-52-49.004N 069-41-39.013W				Green can.	
5780	Stover Ledge Buoy 20	43-52-58.578N 069-41-19.755W				Red nun.	

5783	Sheepscot River Buoy 20A	43-54-11.302N 069-41-03.359W				Red nun.	
5785	Greenleaf Ledge Buoy 21	43-55-07.324N 069-40-59.576W				Green can.	
5790	Cross Point Lighted Buoy CP	43-55-32.974N 069-40-22.426W	FI (2+1)R 6s		4	Red and green bands.	Replaced by nun when endangered by ice.
5795	Merrill Ledge Lighted Buoy 22	43-58-02.300N 069-39-59.287W	FI R 4s		4	Red.	Replaced by nun when endangered by ice.
5800	Merrill Ledge Daybeacon 22A	43-57-57.030N 069-39-56.526W				TR on spindle.	
5805	Hilton Point Buoy 23	43-58-43.769N 069-39-37.817W				Green can.	
5810	Clough Point Buoy 25	43-59-22.648N 069-39-19.128W				Green can.	
5815	Seal Rock Junction Buoy SR	43-59-27.827N 069-39-46.717W				Green and red bands; can.	
5820	Davis Island Buoy 28	43-59-41.377N 069-39-41.707W				Red nun.	
5825	Back River Channel Buoy 1	43-52-41.448N 069-40-39.895W				Green can.	
5830	Back River Channel Daybeacon 3	43-52-58.722N 069-40-14.245W				SG on spindle.	
5835	Back River Channel Buoy 2	43-52-57.638N 069-40-12.335W				Red nun.	
5840	Back River Channel Buoy 4	43-53-01.518N 069-40-03.465W				Red nun.	
5845	Back River Channel Buoy 5	43-53-02.468N 069-40-02.625W				Green can.	
5850	Montsweag Bay Buoy 2	43-53-44.312N 069-44-26.980W				Red nun.	Maintained from May 15 to Oct 15.
5855	Montsweag Bay Buoy 3	43-54-04.404N 069-44-10.104W				Green can.	Maintained from May 15 to Oct 15.
5860	Montsweag Bay Buoy 4	43-54-40.056N 069-43-41.958W				Red nun.	Maintained from May 15 to Oct 15.
5865	Montsweag Bay Buoy 6	43-55-00.312N 069-43-20.819W				Red nun.	Maintained from May 15 to Oct 15.
5870	Montsweag Bay Buoy 7	43-55-10.686N 069-42-44.404W				Green can.	Maintained from May 15 to Oct 15.
5875	Montsweag Bay Buoy 8	43-55-09.642N 069-42-42.340W				Red nun.	Maintained from May 15 to Oct 15.
5880	Montsweag Bay Buoy 10	43-55-46.254N 069-42-15.934W				Red nun.	Maintained from May 15 to Oct 15.
5881	Montsweag Bay Buoy 11	43-55-49.722N 069-42-19.566W				Green can.	Maintained from May 15 to Oct 15.
5882	Montsweag Bay Buoy 13	43-56-25.902N 069-41-45.556W				Green can.	Maintained from May 15 to Oct 15.
5883	Cowseagan Narrows Buoy 15	43-57-35.920N 069-41-08.076W				Green can.	Maintained from May 15 to Oct 15.
5884	Cowseagan Narrows Buoy 16	43-57-35.934N 069-41-05.520W				Red nun.	Maintained from May 15 to Oct 15.
5885	Cowseagan Narrows Buoy 17	43-57-53.348N 069-40-45.389W				Green can.	Maintained from May 15 to Oct 15.
5886	Cowseagan Narrows Buoy 18	43-57-59.424N 069-40-38.977W				Red nun.	Maintained from May 15 to Oct 15.
5890	Blacksmithshop Ledge Daybeacon 1	43-51-09.036N 069-43-55.011W				SG on pile.	
5895	The Boilers Buoy 2	43-52-59.882N 069-44-08.344W				Red nun.	Maintained from May 15 to Oct 15.
5900	Bareneck Island Ledge Buoy 5	43-53-14.919N 069-44-11.760W				Green can.	Aid is maintained year round.
5905	Sasanoa River Buoy 7	43-53-24.625N 069-44-33.194W				Green can.	Aid is maintained year round.
5910	Sasanoa River Buoy 9	43-53-22.105N 069-44-43.973W				Green can.	Aid is maintained year round.
5915	Sasanoa River Buoy 12	43-53-17.425N 069-44-59.273W				Red nun.	Aid is maintained year round.
5920	Sasanoa River Buoy 13	43-53-07.536N 069-45-24.011W				Green can.	Aid is maintained year round.
5925	Sasanoa River Buoy 17	43-53-12.955N 069-45-43.324W				Green can.	Maintained from May 15 to Oct 15.
5930	Sasanoa River	43-53-20.490N				Red nun.	Maintained from May 15 to Oct 15.

	Buoy 20	069-45-54.953W					
5935	Swett Point Daybeacon 21	43-53-31.136N 069-46-04.511W				SG on pile.	
5940	Sassanoa River Daybeacon 22	43-53-43.482N 069-46-24.822W				TR on pile.	Maintained from Apr. 15 to Oct. 15.
5945	Lime Rock Daybeacon 23	43-53-50.314N 069-46-30.285W				SG on pile.	
5950	Sasanoa River Buoy 27	43-54-01.677N 069-46-45.159W				Green can.	Maintained from May 15 to Oct 15.
5955	Sasanoa River Buoy 29	43-54-03.723N 069-46-50.646W				Green can.	Maintained from May 15 to Oct 15.
5958	Sasanoa River Buoy 30	43-54-05.002N 069-46-54.206W				Red nun.	Maintained from May 15 to Oct 15.
5960	Sasanoa River Buoy 31	43-54-05.623N 069-47-01.466W				Green can.	Maintained from May 15 to Oct 15.
5965	Sasanoa River Buoy 32	43-54-06.936N 069-47-02.911W				Red nun.	Maintained from May 15 to Oct 15.
5970	Sasanoa River Buoy 33	43-54-07.284N 069-47-13.676W				Green can.	Maintained from May 15 to Oct 15.
5975	Sasanoa River Buoy 34	43-54-08.163N 069-47-11.576W				Red nun.	Maintained from May 15 to Oct 15.
5980	Sasanoa River Buoy 35	43-54-20.323N 069-47-19.176W				Green can.	Maintained from May 15 to Oct 15.
5985	Sasanoa River Buoy 37	43-54-29.692N 069-47-21.136W				Green can.	Maintained from May 15 to Oct 15.
5990	Sasanoa River Buoy 39	43-54-36.472N 069-47-26.897W				Green can.	Maintained from May 15 to Oct 15.
5995	Sasanoa River Buoy 41	43-54-39.112N 069-47-40.937W				Green can.	Maintained from May 15 to Oct 15.
6000	Sasanoa River Buoy 42	43-54-40.536N 069-47-44.411W				Red nun.	Maintained from May 15 to Oct 15.
6005	Jackknife Ledge Buoy 1	43-43-13.303N 069-46-41.954W				Green can.	
6010	Pond Island Shoal Gong Buoy 3	43-43-44.992N 069-45-52.573W				Green.	Removed when endangered by ice.
6015	White Ledge Lighted Bell Buoy 1	43-43-49.236N 069-44-54.011W	FI G 4s		5	Green.	
6020	Kennebec River Entrance Buoy KR	43-43-57.895N 069-45-12.048W				Green and red bands; can.	
6025	Pond Island Light	43-44-24.165N 069-46-13.099W	Iso W 6s	52	9	White tower.	HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 45 minutes.
6030	Kennebec River Buoy 4	43-44-27.322N 069-45-52.934W				Red nun.	
6035	Jack Rock Daybeacon 5A	43-44-59.541N 069-46-17.084W				SG on pile.	
6040	Kennebec River Buoy 5	43-44-49.541N 069-46-36.994W				Green can.	
6045	Kennebec River Buoy 6	43-45-01.952N 069-46-39.767W				Red nun.	
6050	Fort Popham Light	43-45-18.040N 069-47-00.211W	FI G 4s	27	4	On spindle.	
6055	Kennebec River Lighted Buoy 8	43-45-51.829N 069-47-00.044W	FI R 4s		4	Red.	
6060	Kennebec River Buoy 11	43-46-32.838N 069-47-19.175W				Green can.	
6065	Kennebec River Buoy 12	43-46-44.158N 069-47-18.245W				Red nun.	
6070	Perkins Island Light	43-47-12.395N 069-47-06.900W	FI R 2.5s	41	5	White conical tower.	White from 018° to 038° and from 172° to 188° covers fairways.
6075	Kennebec River Buoy 13	43-47-12.817N 069-47-17.225W				Green can.	
6080	Kennebec River Buoy 15	43-47-51.615N 069-47-13.535W				Green can.	
6090	Kennebec River Buoy 16	43-48-10.125N 069-47-10.816W				Red nun.	
6095	Kennebec River Buoy 17	43-48-34.044N 069-47-59.876W				Green can.	
6100	Squirrel Point Light	43-48-59.519N 069-48-08.583W	Iso R 6s	25	7	White conical tower.	White from 321° to 324° covers fairway.
6105	Kennebec River Buoy 19	43-49-09.880N 069-48-20.047W				Green can.	

6110	Kennebec River Buoy 21	43-49-37.682N 069-48-11.977W				Green can.	
6120	Pettis Rocks Light 23	43-49-48.711N 069-47-56.676W	Fl G 2.5s	20	4	SG on skeleton tower.	
6125	Kennebec River Light 25	43-50-10.736N 069-47-50.911W	Fl G 4s	22	4	SG on skeleton tower small white house.	Ra ref.
6130	Kennebec River Buoy 27	43-50-50.489N 069-47-46.676W				Green can.	
6135	Doubling Point Front Range Light	43-52-58.344N 069-47-44.357W	Q W	18		White conical tower.	Visible all around; higher intensity on range line.
6140	Doubling Point Rear Range Light	43-53-05.210N 069-47-44.429W	Iso W 6s	32		White conical tower.	Visible all around; higher intensity on range line.
6145	Doubling Point Light	43-52-57.065N 069-48-24.387W	Fl W 4s	23	9	Conical tower.	
6150	Kennebec River Buoy 28	43-53-00.961N 069-48-29.436W				Red nun.	
6155	Kennebec River Buoy 29	43-53-04.176N 069-48-41.778W				Green can.	
6160	Kennebec River Buoy 31	43-53-18.869N 069-48-45.610W				Green can.	
6165	Kennebec River Buoy 33	43-53-48.874N 069-48-39.848W				Green can.	
6170	Kennebec River Buoy 34	43-54-12.464N 069-48-32.598W				Red nun.	
6185	Upper Kennebec River Buoy 1	43-55-57.746N 069-48-24.413W				Green can.	
6190	Upper Kennebec River Buoy 3	43-56-06.560N 069-48-23.709W				Green can.	
6195	Upper Kennebec River Buoy 5	43-56-26.756N 069-48-26.660W				Green can.	
6200	Upper Kennebec River Buoy 7	43-56-32.930N 069-48-31.878W				Green can.	
6205	Upper Kennebec River Buoy 8	43-56-42.619N 069-48-31.719W				Red nun.	
6210	Upper Kennebec River Buoy 10	43-57-06.319N 069-49-16.180W				Red nun.	
6215	Upper Kennebec River Buoy 11	43-57-09.319N 069-49-28.181W				Green can.	
6220	Upper Kennebec River Buoy 12	43-58-13.777N 069-49-44.632W				Red nun.	
6225	Upper Kennebec River Buoy 13	43-58-33.616N 069-49-41.081W				Green can.	
6226.1	Merrymeeting Bay Buoy 1	43-58-58.190N 069-51-17.000W				Green can.	
6226.4	Merrymeeting Bay Buoy 2	43-58-52.310N 069-52-15.400W				Red nun.	
6226.6	Merrymeeting Bay Buoy 4	43-59-05.400N 069-52-33.720W				Red nun.	
6226.7	Merrymeeting Bay Buoy 3	43-59-04.740N 069-52-31.740W				Green nun.	
6230	Upper Kennebec River Buoy 15	43-59-05.086N 069-49-53.285W				Green can.	
6235	Upper Kennebec River Buoy 16	43-59-20.781N 069-49-44.189W				Red nun.	
6240	Upper Kennebec River Buoy 17	44-00-27.512N 069-49-16.181W				Green can.	
6245	Upper Kennebec River Buoy 19	44-01-02.511N 069-49-13.181W				Green can.	
6250	Upper Kennebec River Buoy 20	44-01-16.346N 069-48-55.450W				Red nun.	
6255	Upper Kennebec River Buoy 21	44-01-32.110N 069-48-46.480W				Green can.	
6260	Upper Kennebec River Channel Buoy 23	44-02-09.143N 069-48-03.327W				Green can.	
6265	Upper Kennebec River Channel Buoy 22	44-02-06.919N 069-48-02.512W				Red nun.	
6270	Upper Kennebec River Channel Buoy 24	44-02-31.422N 069-47-41.754W				Red nun.	
6275	Upper Kennebec River Channel	44-02-50.136N 069-47-29.711W				TR on wooden spindle.	Maintained from Apr. 1 to Nov. 1.

	Daybeacon 26						
6280	Upper Kennebec River Buoy 27	44-03-39.206N 069-47-16.376W				Green can.	
6285	Upper Kennebec River Buoy 29	44-04-13.154N 069-46-58.465W				Green can.	
6290	Upper Kennebec River Buoy 31	44-05-07.313N 069-47-09.215W				Green can.	
6295	Upper Kennebec River Buoy 33	44-05-20.274N 069-47-09.136W				Green can.	
6300	Hathorn Rock Buoy	44-08-03.367N 069-45-33.921W				Green can with red bands.	
6305	Upper Kennebec River Channel Buoy 34	44-08-49.116N 069-45-36.991W				Red nun.	
6310	Upper Kennebec River Channel Buoy 36	44-09-37.844N 069-45-53.551W				Red nun.	
6315	Upper Kennebec River Buoy 38	44-09-58.983N 069-45-37.240W				Red nun.	
6320	Upper Kennebec River Channel Buoy 40	44-10-45.112N 069-45-13.429W				Red nun.	
6325	Upper Kennebec River Buoy 42	44-11-54.750N 069-45-34.030W				Red nun.	
6330	Upper Kennebec River Buoy 44	44-12-51.608N 069-45-36.639W				Red nun.	
6335	Upper Kennebec River Channel Buoy 45	44-13-05.668N 069-45-33.499W				Green can.	
6340	Upper Kennebec River Channel Buoy 47	44-13-18.517N 069-45-36.799W				Green can.	
6350	Upper Kennebec River Buoy 47B	44-14-35.433N 069-46-02.506W				Green can.	Maintained from Jun 15 to Oct. 15.
6355	Upper Kennebec River Buoy 48	44-14-56.310N 069-46-05.336W				Red nun.	Maintained from Jun 15 to Oct. 15.
6360	Upper Kennebec River Buoy 51	44-15-15.724N 069-46-02.249W				Green can.	Maintained from Jun 15 to Oct. 15.
6375	Upper Kennebec River Channel Buoy 54	44-16-11.854N 069-47-08.052W				Red nun.	Maintained from Jun 15 to Oct. 15.
6395	Upper Kennebec River Channel Buoy 64	44-16-43.464N 069-47-23.913W				Red nun.	Maintained from Jun 15 to Oct. 15.
6403	Upper Kennebec River Channel Buoy 68	44-17-09.382N 069-47-18.117W				Red nun.	Maintained from Jun 15 to Oct. 15.
6420	Upper Kennebec River Channel Buoy 74	44-17-43.413N 069-46-51.603W				Red nun.	Maintained from Jun 15 to Oct. 15.
6440	Fuller Rock Light	43-41-45.120N 069-50-01.311W	Fl W 4s	17	6	NR on white skeleton tower.	
6445	Bald Head Ledge Bell Buoy 2BH	43-41-47.063N 069-51-19.145W				Red.	
6450	White Bull Lighted Gong Buoy WB	43-42-48.650N 069-55-12.807W	Mo (A) W		6	Red and white stripes.	
6455	Mark Island Ledge Buoy 2	43-43-04.386N 069-54-27.155W				Red nun.	
6460	Small Point Harbor Buoy 2	43-43-11.992N 069-51-52.597W				Red nun.	
6465	Wyman Ledge Buoy 3	43-43-10.401N 069-53-03.296W				Green can.	
6475	Wood Island South Ledge Lighted Bell Buoy 4	43-43-34.065N 069-52-23.626W	Fl R 4s		4	Red.	Replaced by nun when endangered by ice.
6480	Small Point Harbor Ledge Buoy 3	43-44-06.642N 069-51-35.412W				Green can.	
6495	Pitchpine Ledges Buoy 4	43-44-32.979N 069-51-09.786W				Red nun.	
6500	Carrying Place Head Buoy 6	43-44-23.339N 069-52-21.677W				Red nun.	
6505	Jamison Ledge Buoy 7	43-44-43.339N 069-52-46.677W				Green can.	
6510	Burnt Coat Island Buoy 1	43-44-58.778N 069-52-12.567W				Green can.	

6515	Burnt Coat Island Buoy 2	43-45-08.808N 069-51-59.187W				Red nun.	
6520	Burnt Coat Island Buoy 3	43-45-23.888N 069-51-59.847W				Green can.	
6525	Harbor Island Lighted Buoy 8	43-45-40.397N 069-52-29.047W	FI R 4s		4	Red.	Replaced by nun when endangered by ice.
6530	Harbor Island Point Buoy 1	43-45-45.741N 069-52-09.306W				Green can.	
6535	Goudy Ledge Daybeacon	43-45-53.680N 069-53-32.178W				NR on pile.	
6540	Rouge Island South Buoy 9	43-46-06.767N 069-53-46.219W				Green can.	
6550	Malaga Island Buoy 1	43-46-29.096N 069-52-29.048W				Green can.	
6555	Malaga Island Buoy 3	43-46-41.476N 069-52-12.498W				Green can.	
6557	Fort Point Lighted Buoy 1	43-46-41.796N 069-53-25.809W	FI G 4s		4	Green.	Replaced by can when endangered by ice.
6560	Cedar Ledges Buoy 3	43-47-23.935N 069-53-11.562W				Green can.	
6565	Bear Island Ledges Buoy 4	43-47-28.534N 069-52-41.919W				Red nun.	
6570	Sheep Island Ledge Buoy 5	43-48-02.573N 069-52-42.669W				Green can.	
6575	Hen Island Ledge Daybeacon 6	43-48-56.936N 069-51-51.811W				TR on pile.	
6580	Birch Point Light 8	43-49-32.939N 069-52-10.823W	FI R 4s	25	5	TR on white structure with small white house.	
6585	Bragdon Rock Daybeacon 10	43-51-01.436N 069-52-22.511W				TR on pile.	
6590	New Meadows River Buoy 11	43-51-50.278N 069-53-50.393W				Green can.	
6595	New Meadows River Buoy 12	43-52-01.567N 069-53-45.203W				Red nun.	
6600	New Meadows River Buoy 13	43-52-28.177N 069-53-45.163W				Green can.	
6605	New Meadows River Buoy 14	43-52-54.246N 069-53-32.673W				Red nun.	Maintained from 15 May to 1 October.
6610	New Meadows River Buoy 15	43-53-08.301N 069-53-12.392W				Green can.	Maintained from 15 May to 1 October.
6615	New Meadows River Buoy 16	43-54-02.184N 069-52-33.959W				Red nun.	Maintained from 15 May to 1 October.
6617	New Meadows River Buoy 17	43-54-13.034N 069-52-25.648W				Green can.	Maintained from May 15 to Oct. 1.
6619	New Meadows River Buoy 19	43-54-21.138N 069-52-20.292W				Green can.	Maintained from May 15 to Oct. 1.
6620	North Jenny Ledge Buoy 2	43-45-51.367N 069-54-07.929W				Red nun.	
6625	Elm Island Buoy 4	43-45-35.336N 069-55-26.179W				Red nun.	
6630	Elm Island Buoy 6	43-45-36.647N 069-55-53.660W				Red nun.	
6635	Oak Island Buoy 8	43-45-38.226N 069-56-59.950W				Red nun.	
6640	Quahog Bay Bell Buoy 2Q	43-40-48.232N 069-56-04.672W				Red.	
6645	Quahog Bay Lighted Buoy 3	43-43-01.455N 069-57-31.421W	FI G 2.5s		3	Green.	
6650	Quahog Bay Buoy 4	43-47-16.286N 069-55-43.186W				Red nun.	
6655	Orr's Island Approach Bell Buoy 1J	43-42-24.336N 069-59-39.511W				Green.	
6660	Orr's Island Approach Buoy 1	43-42-54.036N 069-59-15.011W				Green can.	
6665	Orr's Island Approach Buoy 4	43-44-28.337N 069-58-49.180W				Red nun.	
6670	Orr's Island Approach Buoy 6	43-44-57.866N 069-58-25.560W				Red nun.	
6671	Cribstone Bridge Daybeacon 1	43-44-53.000N 069-59-15.700W				SG on pile.	

6672	Cribstone Bridge Daybeacon 2	43-44-52.800N 069-59-14.600W				TR on pile.	
6675	Halfway Rock Light	43-39-20.835N 070-02-12.437W	FI R 5s	76	14	White tower attached to dwelling.	HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s sj). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 60 minutes.
6680	Webster Rock Buoy 1	43-39-37.889N 070-02-19.218W				Green can.	
6685	Eastern Drunkers Ledges Buoy 2	43-41-05.088N 070-01-21.038W				Red nun.	
6690	Western Drunkers Ledges Buoy 4	43-41-14.337N 070-01-50.179W				Red nun.	
6695	Merriconeag Sound Approach Buoy 6	43-42-11.036N 070-01-12.011W				Red nun.	
6705	Merriconeag Sound Approach Lighted Gong Buoy 8	43-42-43.118N 070-00-57.560W	FI R 4s		3	Red.	
6710	Mackerel Cove Lighted Buoy 1	43-43-24.646N 070-00-19.974W	FI G 4s		4	Green.	Replaced by can when endangered by ice.
6715	Merriconeag Sound Approach Buoy 9	43-44-24.556N 070-00-16.021W				Green can.	
6716	Rheubins Ledge Buoy 1	43-44-58.140N 069-59-21.960W				Green can.	Maintained May 1 to Nov 1.
6717	Rheubins Ledge Buoy 2	43-44-58.800N 069-59-21.180W				Red nun.	Maintained May1 to Nov 1.
6720	Merriconeag Sound Approach Daybeacon 10	43-45-13.145N 069-59-21.608W				TR on pile.	
6725	Merriconeag Sound Buoy 12	43-45-16.766N 069-59-20.621W				Red nun.	
6730	Merriconeag Sound Buoy 13	43-45-30.655N 069-59-42.182W				Green can.	
6733	Bowdoin College Harpswell Cove Research Lighted Buoy R	43-45-38.280N 069-59-18.720W	FI Y 6s			Yellow.	
6735	Merriconeag Sound Buoy 15	43-46-22.724N 069-59-12.242W				Green can.	
6740	Merriconeag Sound Buoy 17	43-46-35.154N 069-59-01.493W				Green can.	
6745	Haskell Island Buoy 2	43-42-43.137N 070-02-13.540W				Red nun.	
6750	Haddock Rock Buoy 3	43-42-49.056N 070-02-27.800W				Green can.	
6755	Pinkham Island Point Buoy 2	43-43-39.866N 070-01-10.420W				Red nun.	
6760	Haskell Island Reef Buoy 3	43-43-43.116N 070-01-28.520W				Green can.	
6765	Potts Point Ledge Buoy 4	43-43-42.018N 070-01-38.339W				Red nun.	
6770	Potts Point Ledge Buoy 5	43-43-43.246N 070-01-40.471W				Green can.	
6775	Northwest Ledge Daybeacon 7	43-43-46.136N 070-01-41.611W				SG on pile.	
6780	Northwest Ledge Buoy 9	43-43-48.576N 070-01-41.361W				Green can.	
6785	Torry Rock Buoy 11	43-43-53.375N 070-01-49.561W				Green can.	
6790	South Harpswell Buoy 12	43-43-58.705N 070-01-40.901W				Red nun.	
6795	Thrumcap Ledge Buoy 13	43-44-09.615N 070-01-51.321W				Green can.	
6800	Broad Sound Entrance Bell Buoy BS	43-41-43.835N 070-03-26.580W				Red and white stripes with red spherical topmark.	
6805	Broad Sound Gong Buoy 1	43-42-19.045N 070-03-49.521W				Green.	
6810	Broad Sound Buoy 2	43-42-31.396N 070-03-29.891W				Red nun.	
6820	Stockman Island Daybeacon 2	43-43-59.633N 070-04-58.330W				TR on pile.	
6825	Upper Flag Shoal Buoy 4	43-43-27.785N 070-03-10.201W				Red nun.	
6830	Little Birch Island	43-43-44.348N				Red.	

	Point Bell Buoy 6	070-03-11.666W					
6835	Birch Island Ledge Buoy 8	43-44-15.986N 070-03-15.502W				Red nun.	
6840	Whaleboat Island Shoal Buoy WS	43-44-16.114N 070-03-44.392W				Green and red bands.	
6845	Whaleboat Island Light	43-44-31.136N 070-03-40.411W	FI W 6s	47	4	NR on white square skeleton tower.	
6850	Whaleboat Island Buoy 10	43-44-33.253N 070-03-19.042W				Red nun.	
6855	Whaleboat Ledge Buoy 6	43-45-02.812N 070-04-23.653W				Red nun.	
6860	Little Whaleboat Ledge Danger Buoy	43-45-20.252N 070-04-09.083W				White with orange bands worded DANGER.	
6880	Little Whaleboat Island Buoy 1	43-45-37.992N 070-03-17.663W				Green can.	
6885	Little Whaleboat Island Buoy 2	43-45-33.902N 070-03-05.532W				Red nun.	
6890	Little Whaleboat Island Buoy 3	43-45-56.512N 070-03-03.453W				Green can.	
6895	Little Whaleboat Island Buoy 4	43-45-55.872N 070-02-48.013W				Red nun.	
6904	Little Whaleboat Island Buoy 5	43-46-36.052N 070-02-45.634W				Green can.	
6910	Goose Island Aquaculture Hazard Lighted Buoy A	43-48-08.974N 070-02-37.316W	F W			White and orange can.	
6925	Lookout Point Buoy 10	43-48-41.041N 069-59-47.475W				Red nun.	
6930	Wilson Ledges Buoy 12	43-49-14.041N 069-59-07.196W				Red nun.	
6932	Running Tide Aquaculture Hazard Lighted Buoy	43-49-11.640N 069-59-04.949W	F W			White with Orange bands.	Seasonal 01 Apr - 01 Nov.
6933	Branning Ledge Buoy 1	43-48-08.860N 070-01-31.475W				Green can.	
6934	Merepoint Buoy 2	43-49-20.329N 070-01-43.187W				Red nun.	
6935.1	Mere Point Brunswick PD Boat Launch Buoy 1	43-49-38.040N 070-00-56.880W				Green can.	
6935.2	Mere Point Brunswick PD Boat Launch Buoy 2	43-49-38.820N 070-00-55.980W				Red nun.	
6935.3	Mere Point Brunswick PD Boat Launch Buoy 3	43-49-39.540N 070-00-58.440W				Green can.	
6935.4	Mere Point Brunswick PD Boat Launch Buoy 4	43-49-40.200N 070-00-57.840W				Red nun.	
6940	Crab Ledge Buoy 1	43-47-29.036N 070-05-10.011W				Green can.	
6945	Harraseeket River Buoy 2	43-48-02.243N 070-05-17.639W				Red nun.	
6950	Harraseeket River Lighted Buoy 4	43-48-20.028N 070-06-08.531W	FI R 4s		3	Red.	Replaced by nun when endangered by ice
6955	Harraseeket River Buoy 5	43-48-22.297N 070-06-13.282W				Green can.	
6960	Harraseeket River Buoy 7	43-48-26.889N 070-06-18.719W				Green can.	
6965	Harraseeket River Buoy 9	43-48-36.377N 070-06-20.597W				Green can.	
6990	Green Island Reef Buoy 2	43-39-16.287N 070-06-54.240W				Red nun.	
6995	Green Island Passage Buoy 3	43-39-15.566N 070-07-11.260W				Green can.	
7000	Luckse Sound East Buoy 4	43-39-30.505N 070-08-45.981W				Red nun.	
7005	Luckse Sound East Bell Buoy 6	43-40-35.935N 070-07-28.081W				Red.	
7010	Hope Island Lighted Bell Buoy 2	43-41-54.203N 070-07-27.872W	FI R 4s		4	Red.	

7015	Cliff Island Buoy 1	43-41-04.695N 070-06-25.321W				Green can.
7016	Cliff Island Harbor Buoy 2	43-41-16.035N 070-06-25.011W				Red nun.
7020	Cliff Island Harbor Buoy 6	43-41-35.341N 070-06-12.608W				Red nun.
7025	Cliff Island Harbor Buoy 4	43-41-29.542N 070-06-16.246W				Red nun.
7030	Cliff Island Buoy 4	43-41-28.335N 070-05-24.180W				Red nun.
7035	Cliff Island Buoy 3	43-41-29.335N 070-05-29.181W				Green can.
7040	Cliff Island Buoy 5	43-42-04.709N 070-05-08.177W				Green can.
7055	Rogues Island Buoy 1	43-42-34.191N 070-06-28.804W				Green can.
7060	Sand Island Buoy 2	43-42-39.808N 070-06-33.359W				Red nun.
7065	Luckse Sound West Buoy 3	43-42-57.882N 070-06-49.032W				Green can.
7070	Sand Island Ledge Buoy 7	43-43-07.682N 070-06-10.502W				Green can.
7071	Stave Island Ledge Buoy 8	43-43-28.044N 070-04-43.492W				Red nun.
7073	Bangs Island Aquaculture Lighted Raft A	43-43-36.230N 070-05-41.420W	FI Y 2.5s			
7073.1	Bangs Island Aquaculture Lighted Raft B	43-43-38.710N 070-05-38.380W	FI Y 2.5s			
7073.2	Bangs Island Aquaculture Lighted Raft C	43-43-40.270N 070-05-37.190W	FI Y 2.5s			
7075	Luckse Sound West Buoy 5	43-43-54.032N 070-06-03.723W				Green can.
7080	Luckse Sound West Buoy 6	43-44-03.753N 070-05-26.043W				Red nun.
7081.1	Luckse Sound West Buoy 8	43-44-39.054N 070-05-24.928W				Red nun.
7081	Luckse Sound West Buoy 7	43-45-19.250N 070-05-39.973W				Green can.
7082	Luckse Sound West Buoy 9	43-45-45.330N 070-05-38.864W				Green can.
7083	Luckse Sound West Buoy 10	43-46-02.160N 070-05-15.804W				Red nun.
7084	Chandler Cove Lighted Buoy 2	43-42-23.171N 070-07-51.987W	FI R 2.5s		3	Red.
7085	Chandler Cove Buoy 3	43-42-37.452N 070-08-04.923W				Green can.
7090	Chandler Cove Lighted Buoy 5	43-42-29.661N 070-08-27.973W	FI G 4s		4	Green.
7093	Little Chebeague Island Aquaculture Lighted Raft A	43-42-29.100N 070-09-26.420W	FI Y 2.5s			
7095	Chandler Cove Buoy 6	43-42-27.801N 070-08-42.063W				Red nun.
7100	Chandler Cove Buoy 8	43-42-13.031N 070-08-58.983W				Red nun.
7105	Chandler Cove Buoy 9	43-41-49.091N 070-09-39.503W				Green can.
7110	Hussey Sound Approach Lighted Buoy 2	43-39-05.335N 070-09-07.931W	FI R 6s		3	Red.
7115	Hussey Sound Lighted Buoy 3	43-39-49.604N 070-10-03.832W	FI G 4s		4	Green.
7120	Hussey Sound Lighted Buoy 4	43-40-03.313N 070-09-50.961W	FI R 4s		3	Red.
7125	Hussey Sound Buoy 5	43-39-55.773N 070-10-26.532W				Green can.
7130	Hussey Sound Lighted Buoy 6	43-40-20.162N 070-10-33.772W	Q R		3	Red.
7135	Hussey Sound Lighted Bell Buoy 7	43-40-29.462N 070-10-48.522W	FI G 4s		4	Green.
7140	Diamond Cove	43-41-04.201N				Green can.

	Buoy 1	070-11-12.313W					
7145	Crow Island Light 9	43-41-10.635N 070-11-11.811W	FI G 2.5s	41	5	SG on skeleton tower.	Higher intensity beam toward Hussey Sound.
7150	Hussey Sound Lighted Bell Buoy 10	43-41-31.971N 070-10-13.563W	FI R 4s		3	Red.	
7155	Hussey Sound Lighted Buoy 11	43-42-10.650N 070-10-25.973W	FI G 4s		3	Green.	
7160	Hussey Sound Buoy 12	43-42-10.171N 070-09-42.983W				Red nun.	
7165	Hussey Sound Lighted Buoy 14	43-43-19.940N 070-09-10.724W	FI R 4s		3	Red.	
7170	Hussey Sound Buoy 16	43-43-59.619N 070-08-31.513W				Red nun.	
7175	Diamond Island Pass Lighted Buoy 1	43-40-33.772N 070-11-11.363W	FI G 2.5s		3	Green.	
7180	Diamond Island Pass Buoy 3	43-40-20.682N 070-11-28.232W				Green can.	
7185	Diamond Island Pass Lighted Buoy 5	43-40-00.035N 070-12-05.011W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
7190	Diamond Island Pass Buoy 6	43-39-40.812N 070-12-44.753W				Red nun.	
7195	Ram Island Shoal Buoy 1	43-38-23.585N 070-10-45.911W				Green can.	
7200	Whitehead Ledge Daybeacon 3	43-38-51.019N 070-11-33.938W				SG on pile.	
7210	Whitehead Passage Buoy 6	43-38-53.244N 070-11-37.462W				Red nun.	
7215	Whitehead Passage Lighted Bell Buoy 8	43-38-54.614N 070-12-07.202W	FI R 4s		4	Red.	Replaced by nun when endangered by ice.
7216	Whitehead Passage Buoy 9	43-38-52.043N 070-12-30.592W				Green can.	
7220	House Island Buoy 1	43-39-22.443N 070-12-20.232W				Green can.	
7225	House Island Light 3	43-39-21.147N 070-12-27.514W	FI G 4s	20	4	SG on skeleton tower.	
7230	Casco Bay Channel Buoy 1	43-39-49.342N 070-12-58.633W				Green can.	
7235	Casco Bay Channel Buoy 2	43-39-49.242N 070-12-51.933W				Red nun.	
7240	Casco Bay Channel Buoy 3	43-40-07.585N 070-12-54.744W				Green can.	
7245	Casco Bay Channel Buoy 4	43-40-20.261N 070-12-44.723W				Red nun.	
7250	Casco Bay Channel Buoy 6	43-40-46.880N 070-12-40.223W				Red nun.	
7255	Casco Bay Channel Buoy 8	43-41-05.190N 070-12-36.473W				Red nun.	
7260	Casco Bay Channel Buoy 9	43-41-05.710N 070-12-42.094W				Green can.	
7265	Brimstone Point Ledge Buoy 10	43-41-31.170N 070-11-57.554W				Red nun.	
7270	Diamond Cove Ledge Buoy 2	43-41-26.540N 070-11-33.053W				Red nun.	
7275	Cow Island Shoal Buoy 4	43-41-45.910N 070-11-14.453W				Red nun.	
7280	Cow Island Ledge Light	43-42-10.635N 070-11-18.611W	FI W 6s	23	8	NR on spindle on red caisson.	Ra ref.
7285	Cow Island Ledge Buoy CIL	43-42-23.620N 070-11-06.554W				Green can with red bands.	
7287	Clapboard Island Aquaculture Lighted Raft A	43-42-49.200N 070-11-09.200W	FI Y 2.5s				
7287.1	Clapboard Island Aquaculture Lighted Raft B	43-42-47.670N 070-11-10.590W	FI Y 2.5s				
7287.2	Clapboard Island Aquaculture Lighted Raft C	43-42-50.090N 070-11-13.470W	FI Y 2.5s				
7287.3	Clapboard Island Aquaculture Lighted Raft D	43-42-48.510N 070-11-14.530W	FI Y 2.5s				

7287.4	Clapboard Island Aquaculture Lighted Raft E	43-42-44.460N 070-11-15.710W	FI Y 2.5s				
7287.5	Clapboard Island Aquaculture Lighted Raft F	43-42-43.160N 070-11-17.280W	FI Y 2.5s				
7290	Clapboard Island South Ledge Buoy CI	43-42-17.358N 070-11-47.883W				Red nun with green bands.	
7295	Lower Basket Ledge Daybeacon 15	43-43-49.434N 070-09-23.960W				SG on iron spindle.	Ra ref.
7300	Basket Island Shoal Buoy 2	43-43-44.419N 070-09-55.034W				Red nun.	
7305	Upper Basket Ledge Daybeacon	43-44-24.435N 070-09-32.311W				NR on pile.	
7320	Hussey Sound Lighted Buoy 18	43-45-16.275N 070-07-35.462W	FI R 2.5s		3	Red.	
7330	The Brothers Buoy 11	43-42-03.438N 070-12-39.344W				Green can.	
7335	Lower Clapboard Island Ledge Buoy 12	43-42-41.248N 070-12-01.604W				Red nun.	
7336	Town Landing Lighted Buoy 1	43-43-36.300N 070-11-40.620W	FI G 4s			Green.	
7336.1	Town Landing Lighted Buoy 2	43-43-39.300N 070-11-37.800W	FI R 4s			Red.	
7337	Portland Yacht Club Lighted Buoy 1	43-43-28.080N 070-11-47.880W	FI G 4s			Green.	
7337.1	Portland Yacht Club Lighted Buoy 2	43-43-30.720N 070-11-47.940W	FI R 4s			Red.	
7337.2	HBS Lighted Buoy 1	43-43-23.940N 070-11-54.780W	FI G 4s			Green.	
7338	HBS Lighted Buoy 2	43-43-25.680N 070-11-52.920W	FI R 4s			Red.	
7340	Jones Ledge Buoy 14	43-42-56.888N 070-12-03.884W				Red nun.	
7345	Prince Point Ledge Buoy 15	43-43-11.754N 070-12-22.382W				Green can.	
7350	York Ledge Daybeacon YL	43-43-31.923N 070-12-14.904W				SG on pile.	
7355	York Ledge Buoy 17	43-43-32.077N 070-12-10.635W				Green can.	
7360	Clapboard Island North Ledge Daybeacon 18	43-43-27.035N 070-11-25.911W				TR on spindle.	
7365	Sturdivant Island Ledges Buoy SI	43-43-45.318N 070-11-26.105W				Green can with red bands.	
7370	Underwood Ledge Buoy 19	43-44-00.457N 070-11-43.255W				Green can.	
7375	Underwood Ledge Buoy 20	43-44-01.687N 070-11-32.965W				Red nun.	
7380	Sturdivant Island Ledges Danger Buoy	43-43-50.688N 070-11-06.435W				White with orange bands worded DANGER.	
7385	Upper Clapboard Island Ledge Lighted Buoy 3	43-43-56.082N 070-10-31.008W	FI G 2.5s		3	Green.	
7386	Basket Island Lighted Buoy 4	43-44-06.035N 070-10-14.011W	FI R 2.5s		3	Red.	
7387	Basket Island Lighted Shellfish Raft A	43-43-58.000N 070-09-52.000W	Q Y			Shellfish raft.	
7388	Basket Island Aquaculture Lighted Raft A	43-44-01.970N 070-09-43.780W	FI Y 2.5s				
7388.1	Basket Island Aquaculture Lighted Raft B	43-44-00.920N 070-09-46.900W	FI Y 2.5s				
7388.2	Basket Island Aquaculture Lighted Raft C	43-43-59.700N 070-09-47.930W	FI Y 2.5s				
7390	Birch Point Buoy 6	43-44-57.836N 070-09-52.418W				Red nun.	

7395	Sandy Point Ledges Buoy 22	43-45-57.367N 070-09-21.856W					Red nun.	
7400	Royal River Channel Lighted Buoy 1	43-47-06.387N 070-07-24.557W	FI G 4s		3		Green.	Replaced by can when endangered by ice.
7405	Royal River Channel Buoy 2	43-47-09.493N 070-07-39.472W					Red nun.	Maintained from Apr. 1 to Dec. 1.
7410	Royal River Channel Buoy 3	43-47-13.447N 070-07-57.597W					Green can.	Maintained from Apr. 1 to Dec. 1.
7415	Royal River Channel Buoy 4	43-47-21.515N 070-08-17.543W					Red nun.	Maintained from Apr. 1 to Dec. 1.
7418	Royal River Channel Buoy 4A	43-47-31.559N 070-08-26.904W					Red nun.	Maintained from Apr. 1 to Dec. 1.
7425	Royal River Channel Buoy 5	43-47-39.131N 070-08-29.234W					Green can.	Maintained from Apr. 1 to Dec. 1.
7430	Royal River Channel Buoy 7	43-47-43.424N 070-08-34.205W					Green can.	Maintained from Apr. 1 to Dec. 1.
7435	Royal River Channel Buoy 8	43-47-45.514N 070-08-37.462W					Red nun.	Maintained from Apr. 1 to Dec. 1.
7440	Royal River Channel Buoy 9	43-47-44.312N 070-08-42.238W					Green can.	Maintained from Apr. 1 to Dec. 1.
7442	Royal River Channel Buoy 11	43-47-34.312N 070-08-57.316W					Green can.	Maintained from Apr. 1 to Dec. 1.
7445	Royal River Channel Buoy 12	43-47-33.947N 070-09-00.776W					Red nun.	Maintained from Apr. 1 to Dec. 1.
7450	Royal River Channel Buoy 13	43-47-29.325N 070-09-12.187W					Green can.	Maintained from Apr. 1 to Dec. 1.
7455	Royal River Channel Buoy 14	43-47-22.711N 070-09-29.470W					Red nun.	Maintained from Apr. 1 to Dec. 1.
7460	Royal River Channel Buoy 15	43-47-21.636N 070-09-31.711W					Green can.	Maintained from Apr. 1 to Dec. 1.
7462	Royal River Channel Buoy 16	43-47-22.333N 070-09-37.472W					Red Nun.	Maintained from Apr. 1 to Dec. 1.
7465	Royal River Channel Buoy 16A	43-47-32.245N 070-09-53.359W					Red nun.	Maintained from Apr. 1 to Dec. 1.
7470	Royal River Channel Buoy 17	43-47-38.555N 070-10-01.894W					Green can.	Maintained from Apr. 1 to Dec. 1.
7475	Royal River Channel Buoy 18	43-47-44.488N 070-10-19.645W					Red nun.	Maintained from Apr. 1 to Dec. 1.
7480	Portland Lighted Whistle Buoy P	43-31-36.347N 070-05-28.174W	Mo (A) W		6		Red and white stripes with red spherical topmark.	AIS: MMSI 993672144 (21)
7495	Bulwark Shoal Buoy BS	43-36-01.802N 070-04-01.206W					Red nun with green bands.	
7500	East Hue and Cry Rock Lighted Buoy 1 (NOAA 44007)	43-31-30.397N 070-08-25.576W	FI G 4s		4		Green.	3 meter discus buoy marked with 44007 on fin.
7505	Portland Harbor Main Approach Lighted Whistle Buoy 4	43-33-55.635N 070-08-04.811W	FI R 4s		4		Red.	
7510	West Cod Ledge Rock Buoy 4WC	43-34-18.845N 070-07-47.479W					Red nun.	
7515	Corwin Rock Lighted Bell Buoy 3	43-33-31.813N 070-08-31.587W	FI G 4s		4		Green.	
7520	Cape Elizabeth Light	43-33-57.899N 070-12-00.220W	FI (4)W 15s	129	15		White conical tower.	Lighted throughout 24 hours. Emergency light of reduced intensity when main light is extinguished. HORN: 2 blasts ev 60s (3s bl-3s si-3s bl-51s si). Horn located 266 yards 146° from light tower. MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 60 minutes.
7525	Broad Cove Rock Buoy 5	43-35-02.019N 070-11-12.379W					Green can.	
7530	Willard Rock Lighted Gong Buoy 7	43-36-05.498N 070-10-57.690W	FI G 4s		4		Green.	
7533	East Cod Ledge Lighted Buoy 1EC	43-36-30.135N 070-02-06.011W	FI G 6s		4		Green.	
7535	Portland Harbor Eastern Approach Lighted Gong Buoy 1	43-37-05.217N 070-09-46.099W	FI G 2.5s		3		Green.	
7540	Portland Harbor Eastern Approach Lighted Buoy 3	43-37-16.836N 070-11-03.181W	FI G 4s		4		Green.	

7545	Pine Tree Ledge Lighted Whistle Buoy 8	43-36-36.315N 070-10-51.393W	Q R		3	Red.	
7550	Jordan Reef Buoy 10	43-37-00.587N 070-11-18.191W				Red nun.	
7555	Witch Rock Lighted Bell Buoy 2	43-37-20.387N 070-10-31.720W	FI R 4s		4	Red.	
7560	Thirty-One Foot Spot Lighted Bell Buoy D	43-37-12.736N 070-11-55.271W	FI (2)W 5s		4	Black and red bands with two black spherical topmarks.	
7565	Portland Head Light	43-37-23.209N 070-12-28.323W	FI W 4s	101	19	White tower.	Lighted throughout 24 hours. Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 15s (2s bl). MRASS -Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 60 minutes.
7570	Portland Head Directional Light	43-37-23.185N 070-12-27.576W	F R W G	34		At base of Portland Head Light.	Shows red from 271.3° to 274.3°; white from 274.3° to 275.8° green from 275.8° to 279.3°.
7575	Ram Island Ledge Light	43-37-53.325N 070-11-14.573W	FI (2)W 6s	77	9	Light-gray conical granite tower.	HORN: 1 blast ev 10s (1s bl). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 60 minutes.
7578	Portland Harbor Main Approach Lighted Buoy 11	43-37-44.283N 070-12-37.671W	Q G		3	Green.	
7580	Portland Harbor Main Approach Lighted Bell Buoy 12	43-37-55.053N 070-12-31.487W	Q R		3	Red.	
7585	Portland Harbor Main Approach Lighted Buoy 13	43-38-06.017N 070-12-58.980W	FI G 2.5s		3	Green.	
7590	Portland Harbor Main Approach Lighted Buoy 14	43-38-11.395N 070-12-43.517W	FI R 2.5s		3	Red.	
7595	Portland Harbor Main Approach Lighted Buoy 17	43-38-47.460N 070-13-11.003W	FI G 4s		3	Green.	
7600	Portland Harbor Main Approach Lighted Buoy 16	43-38-41.019N 070-12-53.970W	FI R 4s		3	Red.	
7605	Fort Scammel Point Light 2	43-38-56.583N 070-12-49.752W	FI R 4s	35	5	TR on tower.	
7610	Spring Point Ledge Light	43-39-07.647N 070-13-26.068W	FI W 6s	54	8	White tower.	White from 331° to 337° covers fairway entrance white from 074° to 288°; red in intervening sectors. Lighted throughout 24 hours. Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 10s (1s bl). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 60 minutes.
7615	Portland Harbor Channel Lighted Buoy 1	43-39-17.392N 070-13-31.042W	FI G 2.5s		3	Green.	
7620	Spring Point Pier Light	43-39-19.146N 070-13-41.381W	F W			On pile.	
7645	Portland Harbor Anchorage Lighted Buoy A	43-39-04.166N 070-13-00.045W	FI Y 4s		3	Yellow.	
7665	Portland Harbor Anchorage Lighted Bell Buoy B	43-39-35.092N 070-12-34.663W	FI Y 4s		3	Yellow.	
7675	Seventeen-Foot Shoal Lighted Buoy 3	43-39-27.232N 070-13-44.433W	FI G 4s		3	Green.	
7685	Fort Georges Island Ledge Lighted Buoy 4	43-39-33.399N 070-13-24.202W	FI R 2.5s		3	Red.	
7690	Diamond Island Ledge Light	43-39-47.035N 070-13-29.811W	FI W 2.5s	24	5	NR on skeleton tower.	
7695	Dredged Channel Lighted Buoy 5	43-39-27.641N 070-14-09.183W	FI G 4s		3	Green.	
7697	Portland Harbor CG Mooring Buoy	43-39-10.890N 070-12-54.010W				White with blue band.	
7699	South Portland Breakwater Light	43-39-19.872N 070-14-05.471W	FI W 4s	30	3	White.	
7700.1	South Portland Boat Ramp Buoy 1	43-39-20.820N 070-14-14.040W				Green can.	
7700.2	South Portland Boat Ramp Buoy 3	43-39-19.680N 070-14-13.500W				Green can.	
7700.3	South Portland	43-39-18.120N				Green can.	

	Boat Ramp Buoy 5	070-14-12.780W						
7700.4	South Portland Boat Ramp Buoy 6	43-39-17.460N 070-14-13.620W					Red nun.	
7700.5	South Portland Boat Ramp Buoy 8	43-39-17.220N 070-14-13.200W					Red nun.	
7701	South Portland Pier Light	43-39-11.179N 070-14-35.223W	F W				On pile.	
7705	Coast Guard Pierhead Light	43-38-59.931N 070-15-12.883W	FI Y 4s	18	4		On dolphin.	
7710	Lighthouse Channel Lighted Buoy 1	43-38-55.400N 070-15-02.996W	FI G 6s		3		Green.	
7715	Lighthouse Channel Lighted Buoy 2	43-38-54.131N 070-15-04.533W	FI R 2.5s		3		Red.	
7720	Lighthouse Channel Light 3	43-38-49.986N 070-14-56.311W	FI G 4s	13	3		SG on dolphin.	
7725	Lighthouse Channel Lighted Buoy 4	43-38-48.935N 070-14-58.747W	FI R 2.5s		3		Red.	
7730	Lighthouse Channel Daybeacon 5	43-38-49.135N 070-14-54.182W					SG on dolphin.	
7735	Lighthouse Channel Buoy 6	43-38-45.277N 070-14-57.804W					Red nun.	Removed when endangered by ice.
7740	Mill Cove Daybeacon 1	43-38-48.460N 070-15-11.719W					SG on pile.	
7745	Mill Cove Daybeacon 2	43-38-48.107N 070-15-12.489W					TR on pile.	
7750	Mill Cove Buoy 3	43-38-44.980N 070-15-09.090W					Green can.	Maintained from Apr. 1 to Oct. 30.
7755	Mill Cove Daybeacon 4	43-38-44.426N 070-15-10.213W					TR on pile.	
7760	Mill Cove Buoy 5	43-38-42.040N 070-15-07.780W					Green can.	Maintained from Apr. 1 to Oct. 30.
7765	Mill Cove Daybeacon 6	43-38-41.608N 070-15-08.487W					TR on pile.	
7770	Mill Cove Buoy 7	43-38-39.820N 070-15-06.660W					Green can.	Maintained from Apr. 1 to Oct. 30.
7775	Mill Cove Daybeacon 8	43-38-39.356N 070-15-07.134W					TR on pile.	
7780	Mill Cove Daybeacon 9	43-38-36.692N 070-15-06.168W					SG on pile.	
7790	Mill Cove Daybeacon 11	43-38-32.893N 070-15-02.880W					SG on pile.	
7810	Fore River Outfall Daybeacon	43-38-32.466N 070-15-35.280W					NY on pile.	
7815	Fore River Lighted Buoy 1	43-38-30.021N 070-15-56.124W	FI G 2.5s		4		Green.	Replaced by can when endangered by ice.
7820	Fore River Buoy 3	43-38-29.001N 070-16-08.504W					Green can.	
7825	Fore River Lighted Buoy 5	43-38-27.831N 070-16-22.474W	FI G 4s		4		Green.	Replaced by can when endangered by ice.
7827	Fore River Daybeacon 5A	43-38-15.413N 070-16-46.638W					SG on pile.	
7830	Fore River Lighted Buoy 6	43-38-24.807N 070-16-53.996W	FI R 2.5s		3		Red.	Replaced by nun when endangered by ice.
7835	Fish Point Lighted Buoy 1	43-39-53.691N 070-14-08.684W	FI G 4s		3		Green.	Replaced by can when endangered by ice.
7840	Back Cove Approach Buoy C	43-40-09.036N 070-13-19.530W					Yellow nun.	
7845	Back Cove Approach Buoy 3	43-40-17.030N 070-14-04.964W					Green can.	
7850	Back Cove Approach Buoy 4	43-40-20.850N 070-13-42.163W					Red nun.	
7855	Back Cove Approach Lighted Buoy 5	43-40-30.939N 070-14-26.684W	FI G 2.5s		4		Green.	
7860	Back Cove Approach Buoy 6	43-40-37.249N 070-14-28.914W					Red nun.	
7865	Back Cove Approach Lighted Buoy 8	43-40-31.900N 070-14-53.965W	FI R 2.5s		3		Red.	
7870	Seal Rocks Buoy 1	43-33-24.918N					Green can.	

		070-13-15.016W				
7875	Old Proprietor Buoy 1	43-32-07.980N 070-17-11.293W				Green can.
7880	Chimney Rock Buoy 3	43-32-48.865N 070-15-17.024W				Green can.
7886	Scarborough River Buoy 1	43-31-46.496N 070-19-30.506W				Green can.
7890	Scarborough River Buoy 2	43-31-46.480N 070-19-28.587W				Red nun.
7892	Scarborough River Buoy 3	43-31-56.409N 070-19-27.303W				Green can.
7895	Scarborough River Buoy 4	43-32-01.163N 070-19-23.641W				Red nun.
7900	Scarborough River Buoy 5	43-32-22.518N 070-19-39.454W				Green can.
7915	Scarborough River Buoy 8	43-32-29.902N 070-19-38.349W				Red nun.
7920	Scarborough River Buoy 9	43-32-34.113N 070-19-39.751W				Green can.
7925	Scarborough River Buoy 10	43-32-38.899N 070-19-41.692W				Red nun.
7935	Bar Ledge Buoy 2	43-31-15.945N 070-20-35.309W				Red nun.
7940	Saco River Approach Bell Buoy SA	43-27-55.063N 070-20-18.245W				Red and white stripes with red spherical topmark.
7945	Saco River Approach Buoy 1	43-27-44.055N 070-20-13.678W				Green can.
7950	Saco River Approach Buoy 2	43-27-59.073N 070-20-41.446W				Red nun.
7955	Stage Island Junction Buoy SI	43-27-30.834N 070-20-50.976W				Green and red bands; can.
7960	Stage Island Daybeacon	43-27-24.535N 070-21-05.311W				Conical stone tower.
7965	Saco River North Breakwater Danger Buoy	43-27-50.343N 070-21-35.187W				White can with orange bands worded DANGER SUBMERGED BREAKWATER.
7970	Saco River Approach Lighted Buoy 4	43-27-43.413N 070-21-10.246W	FI R 4s		4	Red.
7975	Sharps Rock Daybeacon 4A	43-27-45.943N 070-21-21.186W				TR on spindle.
7980	Saco River South Jetty Buoy 5	43-27-41.023N 070-21-22.836W				Green can.
7985	Saco River Buoy 5A	43-27-41.102N 070-21-29.320W				Green can.
7990	Saco River Daybeacon 5B	43-27-36.942N 070-21-50.727W				SG on spindle.
7995	Saco River Buoy 6	43-27-43.343N 070-21-33.187W				Red nun.
8000	Saco River Middle Bar Buoy 6B	43-27-42.392N 070-21-49.017W				Red nun.
8005	Saco River Buoy 7	43-27-40.342N 070-22-35.189W				Green can.
8010	Saco River Buoy 8	43-27-42.037N 070-23-19.284W				Red nun
8015	Jordan Point Daybeacon 9	43-27-41.635N 070-23-18.190W				SG on spindle.
8020	Saco River Buoy 10	43-27-46.130N 070-23-32.083W				Red nun.
8025	Saco River Buoy 10A	43-27-53.341N 070-23-38.190W				Red nun.
8030	Saco River Buoy 11	43-28-18.516N 070-23-51.498W				Green can.
8035	Saco River Buoy 12	43-28-24.619N 070-24-04.761W				Red nun.
8040	Saco River Jetty Buoy 14	43-28-26.285N 070-24-19.152W				Red nun.
8043	Saco River Buoy 14A	43-28-34.030N 070-24-37.983W				Red nun.

8045	Saco River Buoy 15	43-28-43.812N 070-24-39.066W				Green can.	
8047	Saco River Buoy 16	43-29-06.044N 070-26-01.011W				Red nun.	
8050	Cow Island Ledge Daybeacon 17	43-29-20.735N 070-26-02.812W				SG on spindle.	
8051	Factory Island Channel Buoy 1	43-29-32.250N 070-26-25.600W				Green can.	
8051.1	Factory Island Channel Buoy 2	43-29-32.900N 070-26-24.900W				Red nun.	
8051.2	Factory Island Channel Buoy 3	43-29-38.400N 070-26-41.000W				Green can.	
8051.3	Factory Island Channel Buoy 4	43-29-38.700N 070-26-39.900W				Red nun.	
8051.4	Factory Island Channel Buoy 5	43-29-34.800N 070-26-46.300W				Green can.	
8051.5	Factory Island Channel Buoy 6	43-29-34.900N 070-26-47.800W				Red nun.	
8055	Dansbury Reef Buoy 2	43-26-48.794N 070-19-24.594W				Red nun.	
8060	Washman Rock Buoy 3A	43-26-42.236N 070-19-31.951W				Green can.	
8065	Phillip Rock Daybeacon 5	43-27-08.704N 070-20-29.855W				SG on spindle.	
8070	Wood Island Harbor Buoy 6	43-27-17.483N 070-20-38.955W				Red nun.	
8075	Wood Island Harbor Buoy 8	43-27-16.526N 070-20-57.820W				Red nun.	
8080	Halftide Rock Daybeacon 9	43-27-00.093N 070-21-06.431W				SG on spindle.	
8085	Biddeford Pool Channel Buoy 10	43-26-44.463N 070-21-27.906W				Red nun.	
8090	Old Prince Bell Buoy 2	43-21-07.347N 070-25-06.392W				Red.	
8100	Goat Island Light	43-21-28.335N 070-25-30.312W	FI W 6s	38	12		HORN: 1 blast ev 15s (2s bl). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 60 minutes.
8105	Cape Porpoise Harbor Buoy 7	43-21-24.440N 070-25-37.010W				Green can.	
8110	Folly Island Daybeacon	43-21-23.226N 070-25-38.552W				NW on pile worded DANGER.	
8115	Cape Porpoise Harbor Buoy 6	43-21-21.040N 070-25-28.810W				Red nun.	
8120	Goat Island Daybeacon 8	43-21-25.743N 070-25-33.599W				TR on pile.	
8125	Cape Porpoise Harbor Channel Buoy 9	43-21-30.537N 070-25-45.355W				Green can.	
8130	Cape Porpoise Harbor Channel Buoy 10	43-21-32.146N 070-25-43.193W				Red nun.	
8141	Presidential Security Zone East Buoy	43-20-24.013N 070-27-11.881W				White and orange nun.	
8142	Presidential Security Zone South Buoy	43-20-06.036N 070-27-35.882W				White and orange nun.	
8143	Presidential Security Zone West Buoy	43-20-12.032N 070-27-53.980W				White and orange nun.	
8145	Kennebunkport Approach Lighted Bell Buoy 1	43-19-30.283N 070-28-01.853W	FI G 4s		4	Green.	
8150	Kennebunkport Approach Buoy 3	43-20-14.068N 070-28-26.058W				Green can.	
8155	Fishing Rock Daybeacon F	43-20-11.165N 070-28-45.387W				NB on pile.	Ra ref.
8160	Oaks Reef Outer Rock Daybeacon O	43-20-17.585N 070-29-24.838W				NG on pile.	
8165	Kennebunkport Breakwater Light 6	43-20-45.737N 070-28-33.611W	Iso R 6s	18	5	TR on spindle.	
8175	Kennebunk River Entrance Buoy 5	43-20-43.775N 070-28-37.567W				Green can.	
8180	Kennebunk River	43-20-50.189N				Red nun.	

	Buoy 8	070-28-31.274W					
8185	Kennebunk River Buoy 9	43-20-51.599N 070-28-30.936W				Green can.	
8190	Kennebunk River Buoy 10	43-20-59.972N 070-28-24.883W				Red nun.	
8195	Kennebunk River Daybeacon 12	43-21-04.415N 070-28-26.265W				TR on spindle.	
8196	Kennebunk River Buoy 12A	43-21-04.889N 070-28-27.486W				Red nun.	
8205	Kennebunk River Buoy 15	43-21-25.144N 070-28-33.427W				Green can.	
8208	Wells Harbor Entrance Lighted Bell Buoy WH	43-18-49.681N 070-32-51.300W	Mo (A) W		4	Red and white stripes with red spherical topmark.	
8210	Wells Harbor North Jetty Light 2	43-19-02.244N 070-33-10.702W	FI R 4s	29	5	TR on skeleton tower.	
8215	Wells Harbor South Jetty Light 1	43-18-58.335N 070-33-13.202W	FI G 4s	22	5	SG on skeleton tower.	
8220	Wells Harbor Daybeacon 3	43-19-14.644N 070-33-30.902W				SG on dolphin.	
8225	Wells Harbor Buoy 4	43-19-18.944N 070-33-37.602W				Red nun.	
8230	Wells Harbor Daybeacon 5	43-19-17.444N 070-33-37.902W				SG on dolphin.	
8240	Perkins Cove Buoy 1	43-14-05.309N 070-35-05.417W				Green can.	
8245	Perkins Cove Buoy 2	43-14-06.902N 070-35-05.522W				Red nun.	
8250	Weare Point Bell Buoy 2	43-10-55.035N 070-35-47.012W				Red.	
8255	Barn Point Buoy 1	43-10-59.491N 070-35-58.200W				Green can.	
8258	York Harbor Lighted Bell Buoy YH	43-07-45.395N 070-37-01.328W	Mo (A) W		3	Red and white stripes with red spherical topmark.	
8260	York Harbor Entrance Buoy 2	43-07-53.255N 070-37-06.388W				Red nun.	
8265	York Harbor Buoy 3	43-07-43.284N 070-37-55.709W				Green can.	
8270	York Harbor Buoy 4	43-07-48.864N 070-37-55.709W				Red nun.	
8275	York Harbor Buoy 6	43-07-46.644N 070-38-13.599W				Red nun.	
8280	York Harbor Buoy 7	43-07-44.360N 070-38-25.407W				Green can.	
8290	York Harbor Buoy 8	43-07-41.063N 070-38-36.834W				Red nun.	
8295	York Harbor Daybeacon 9	43-07-44.461N 070-38-41.892W				SG on pile.	
8300	York Harbor Buoy 11	43-07-58.047N 070-38-36.889W				Green can.	
8305	Portsmouth Harbor Channel Range Front Light	43-04-57.401N 070-42-26.850W	Iso R 6s	59		KRW on skeleton tower.	Visible 4° each side of range line.
8310	Portsmouth Harbor Channel Range Rear Light	43-05-01.921N 070-42-27.624W	F R	79		KRW on skeleton tower.	Visible 4° each side of range line.
8315	Wood Island Lighted Buoy 2	43-03-39.787N 070-42-03.939W	FI R 4s		3	Red.	
8320	Stielman Rocks Buoy 3	43-04-01.716N 070-42-25.360W				Green can.	
8330	Portsmouth Harbor (New Castle) Light	43-04-15.875N 070-42-31.075W	F G	52	12	White conical tower fog signal house attached.	HORN: 1 blast ev 10s (1s bl). Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 45 minutes.
8340	Cod Rock Lighted Buoy 5	43-04-28.425N 070-42-40.380W	FI G 4s		3	Green.	
8345	Clark Island Light 8	43-04-33.854N 070-43-26.701W	FI R 2.5s	20	4	TR on sectional spindle.	
8350	Fishing Island Ledge Lighted Buoy 4	43-04-39.855N 070-42-18.300W	Q R		3	Red.	
8351	Pepperrell Cove Buoy 2	43-04-46.000N 070-42-16.000W				Red nun.	

8352	Pepperrell Cove Buoy 3	43-04-48.700N 070-42-15.700W				Green can.	
8353	Pepperrell Cove Buoy 5	43-04-51.600N 070-42-15.300W				Green can.	
8354	Portsmouth Harbor CG Mooring Buoy	43-04-44.191N 070-42-30.521W				White with blue band.	
8355	Pierce Island Range Front Light	43-04-25.427N 070-44-25.194W	Q G	51		KRW on skeleton tower.	Visible 4° each side of range line.
8360	Pierce Island Range Rear Light	43-04-25.272N 070-44-28.749W	Iso G 6s	63		KRW on skeleton tower.	Visible 4° each side of range line.
8365	Hick Rocks Buoy 6	43-04-40.245N 070-43-09.211W				Red nun.	
8370	Goat Island Ledge Lighted Buoy 9	43-04-23.460N 070-43-59.255W	FI G 4s		3	Green.	
8375	Henderson Point Light 10	43-04-29.354N 070-44-10.201W	Q R	40	5	TR on skeleton tower.	
8385	South Beacon Shoal Lighted Buoy 11	43-04-40.112N 070-44-34.926W	Q G		3	Green.	
8386	Seavey Island Daybeacon 12A	43-04-45.672N 070-44-25.986W				TR on pile.	Marks remains of submerged quaywall.
8387	Seavey Island Daybeacon 12B	43-04-46.068N 070-44-28.152W				TR on pile.	Marks remains of submerged quaywall.
8390	South Beacon Shoal Daybeacon SBS	43-04-39.035N 070-44-43.612W				NG on mast on granite pier.	
8395	Gangway Rocks Lighted Buoy 13	43-04-42.244N 070-44-48.202W	FI G 2.5s		4	Green.	
8405	Badgers Island Lighted Buoy 14	43-04-51.986N 070-45-21.530W	FI R 2.5s		3	Red.	
8406	Kittery Flats Turning Basin Buoy A	43-04-56.778N 070-45-24.940W				Yellow nun.	
8407	Kittery Flats Turning Basin Buoy B	43-05-01.381N 070-45-23.480W				Yellow nun.	
8408	Kittery Flats Turning Basin Buoy C	43-05-05.001N 070-45-24.615W				Yellow nun.	
8409	Kittery Flats Turning Basin Buoy D	43-05-10.142N 070-45-32.790W				Yellow nun.	
8430	Pierce Island Buoy 3	43-04-40.951N 070-44-59.886W				Green can.	
8435	Pierce Island Buoy 5	43-04-37.304N 070-44-59.658W				Green can.	
8455	Piscataqua River Lighted Buoy 2	43-05-38.350N 070-46-01.101W	FI R 4s		4	Red.	Replaced by nun when endangered by ice.
8460	Piscataqua River Light 4	43-05-48.235N 070-46-42.812W	FI R 4s	18	5	TR on spindle.	
8465	Piscataqua River (VAIS) 4A	43-06-06.590N 070-46-54.590W					Virtual AIS MMSI 993672944
8470	Cable Pier West Light	43-06-13.200N 070-47-31.500W	F G	18		Square concrete platform.	
8485	Piscataqua River Lighted Buoy 6	43-06-12.891N 070-47-06.308W	FI R 4s		4	Red.	
8490	Piscataqua River Lighted Buoy 7	43-06-21.538N 070-47-33.258W	FI G 4s		4	Green.	
8495	Piscataqua River Lighted Buoy 8	43-06-24.647N 070-47-30.572W	FI R 4s		3	Red.	
8500	Piscataqua River Lighted Buoy 9	43-06-47.179N 070-48-15.440W	FI G 4s		4	Green.	
8505	Piscataqua River Lighted Buoy 10	43-06-50.009N 070-48-11.790W	FI R 4s		4	Red.	Replaced by nun when endangered by ice.
8510	Piscataqua River Lighted Buoy 11	43-06-53.989N 070-48-26.691W	FI G 2.5s		4	Green.	
8515	Piscataqua River Buoy 12	43-07-11.535N 070-48-38.212W				Red nun.	
8520	Sprague Fuel Terminal Lower Dock Light	43-06-57.000N 070-48-36.000W	F G	6		On square concrete platform.	
8525	Sprague Fuel Terminal Center Dock Light	43-06-59.340N 070-48-37.500W	F G	11		On dolphin.	
8530	Sprague Fuel	43-07-03.000N	F G	8		On square	

	Terminal Upper Dock Light	070-48-44.000W				concrete platform.	
8535	Piscataqua River Buoy 13	43-07-10.648N 070-48-46.352W				Green can.	
8540	Piscataqua River Buoy 15	43-07-19.227N 070-49-31.122W				Green can.	
8545	Piscataqua River Buoy 16	43-07-23.437N 070-49-26.002W				Red nun.	
8550	Piscataqua River Buoy 17	43-07-34.857N 070-49-38.313W				Green can.	
8555	Piscataqua River Buoy 18	43-07-59.516N 070-49-46.464W				Red nun.	
8560	Piscataqua River Buoy 20	43-09-17.946N 070-49-52.356W				Red nun.	
8565	Piscataqua River Buoy 21	43-09-38.797N 070-49-40.578W				Green can.	
8566	New Hampshire DES Oil Boom Deployment Lighted Buoy A	43-06-22.320N 070-51-20.880W	FI W 2.5s			White with orange bands worded NH DES.	Replaced by unlighted buoy Dec. 1 to Apr. 1.
8566.2	New Hampshire DES Oil Boom Deployment Lighted Buoy C	43-06-22.800N 070-51-23.280W	FI W 4s			White with orange bands worded NH DES.	Replaced by unlighted buoy Dec 1 to Apr. 1.
8566.3	New Hampshire DES Oil Boom Deployment Lighted Buoy D	43-06-47.580N 070-51-43.620W	FI W 4s			White with orange bands worded NH DES.	Replaced by unlighted buoy Dec. 1 to Apr. 1.
8566.4	New Hampshire DES Oil Boom Deployment Lighted Buoy E	43-06-48.000N 070-51-45.900W	FI W 4s			White with orange bands worded NH DES.	Replaced by unlighted buoy Dec. 1 to Apr. 1.
8566.5	New Hampshire DES Oil Boom Deployment Lighted Buoy F	43-06-40.680N 070-51-37.260W	FI W 4s			White with orange bands worded NH DES.	Replaced by unlighted buoy Dec. 1 to Apr. 1.
8566.6	New Hampshire DES Oil Boom Deployment Lighted Buoy G	43-06-41.280N 070-51-39.600W	FI W 4s			White with orange bands worded NH DES.	Replaced by unlighted buoy Dec.1 to Apr. 1.
8566.7	New Hampshire DES Oil Boom Deployment Lighted Buoy H	43-06-34.320N 070-51-31.500W	FI W 4s			White with orange bands worded NH DES.	Replaced by unlighted buoy Dec1 to Apr. 1.
8566.8	New Hampshire DES Oil Boom Deployment Lighted Buoy I	43-06-34.560N 070-51-33.060W	FI W 2.5s			White with orange bands worded NH DES.	Replaced by unlighted buoy Dec 1. to Apr. 1.
8566.9	New Hampshire DES Oil Boom Deployment Lighted Buoy J	43-06-25.620N 070-51-23.700W	FI W 2.5s			White with orange bands worded NH DES.	Replaced by unlighted buoy Dec. 1 to Apr. 1.
8566.91	New Hampshire DES Oil Boom Deployment Lighted Buoy K	43-06-26.280N 070-51-25.620W	FI W 4s			White with orange bands worded NH DES.	Replaced by unlighted buoy Dec. 1 to Apr. 1.
8570	Hen Island Ledge Buoy 1	43-07-20.867N 070-51-18.836W				Green can.	
8575	Eight-Foot Rock Buoy 2	43-07-20.895N 070-51-45.316W				Red nun.	
8580	Fox Point Rock Buoy 3	43-07-15.255N 070-51-50.516W				Green can.	
8585	The Rocks Buoy 4	43-06-58.016N 070-51-38.116W				Red nun.	
8587	Little Bay Buoy 4A	43-06-36.645N 070-51-30.612W				Red nun.	
8590	Great Bay Entrance Buoy 6	43-05-04.298N 070-52-02.464W				Red nun.	
8595	Great Bay Buoy 7	43-04-25.735N 070-52-18.812W				Green can.	
8755	Back Channel Buoy 3	43-04-50.224N 070-43-16.551W				Green can.	
8760	Back Channel Buoy 4	43-04-54.594N 070-43-22.001W				Red nun.	
8765	Back Channel Buoy 5	43-05-00.427N 070-43-33.777W				Green can.	
8770	Back Channel Buoy 7	43-05-02.954N 070-43-40.941W				Green can.	

8775	Little Harbor Entrance Buoy 1	43-03-06.915N 070-42-46.051W				Green can.	
8780	Little Harbor Entrance Buoy 2	43-03-12.716N 070-42-40.208W				Red nun.	
8785	Jaffrey Point Light 4	43-03-17.536N 070-42-48.719W	FI R 4s	22	4	TR on skeleton tower.	
8790	Little Harbor Buoy 5	43-03-19.676N 070-42-59.839W				Green can.	
8795	Little Harbor Buoy 6	43-03-21.836N 070-42-56.539W				Red nun.	
8800	Little Harbor Buoy 8	43-03-22.506N 070-43-11.833W				Red nun.	
8805	Little Harbor Buoy 10	43-03-22.716N 070-43-30.499W				Red nun.	
8810	Little Harbor Buoy 11	43-03-24.975N 070-43-39.268W				Green can.	
8815	Sagamore Creek Buoy 13	43-03-33.535N 070-43-51.100W				Green can.	Removed when endangered by ice.
8820	Sagamore Creek Buoy 15	43-03-33.955N 070-44-02.500W				Green can.	Removed when endangered by ice.
8825	Sagamore Creek Buoy SL	43-03-33.755N 070-44-06.200W				Green and red; can.	Removed when endangered by ice.
8830	Sagamore Creek Buoy 16	43-03-26.955N 070-44-17.160W				Red nun.	Removed when endangered by ice.
8840	Sagamore Creek Buoy 17	43-03-22.595N 070-44-25.740W				Green can.	Removed when endangered by ice.
8842	Sagamore Creek Buoy 18	43-03-18.491N 070-44-30.186W				Red nun.	Removed when endangered by ice.
8845	Sagamore Creek Buoy 20	43-03-15.755N 070-44-33.700W				Red nun.	Removed when endangered by ice.
8850	Northward Channel Buoy 2	43-03-36.635N 070-44-07.220W				Red nun.	Removed when endangered by ice.
8855	Northward Channel Buoy 3	43-03-43.460N 070-44-13.146W				Green can.	Removed when endangered by ice.
8860	Northward Channel Buoy 4	43-03-50.853N 070-44-16.860W				Red nun.	Removed when endangered by ice.
8865	Northward Channel Buoy 5	43-04-04.178N 070-44-17.642W				Green can.	
8870	Rye Harbor Entrance Lighted Whistle Buoy RH	42-59-37.550N 070-43-45.177W	Mo (A) W		6	Red and white stripes with red spherical topmark.	
8875	Rye Harbor Buoy 3	42-59-56.517N 070-44-37.677W				Green can.	
8880	Rye Harbor Light 4	42-59-59.035N 070-44-39.312W	FI R 6s	24	5	TR on skeleton tower.	
8885	Rye Harbor Buoy 5	42-59-58.250N 070-44-42.272W				Green can.	
8890	Seabrook Power Plant Buoy A	42-54-17.000N 070-47-12.000W				White with orange bands.	DANGER POWER PLANT INTAKE SHAFTS.
8895	Seabrook Power Plant Buoy B	42-53-43.000N 070-47-25.000W				White with orange bands.	DANGER POWER PLANT INTAKE SHAFTS.
8900	Seabrook Power Plant Buoy C	42-53-36.000N 070-47-15.000W				White with orange bands.	DANGER POWER PLANT INTAKE SHAFTS.
8905	Outer Sunk Rocks Buoy 2	42-54-05.842N 070-47-01.557W				Red nun.	
8915	Seabrook Station Buoy DS	42-53-41.000N 070-47-12.000W				White with orange bands can.	
8920	Hampton Harbor Channel Approach Lighted Bell Buoy 2	42-53-01.003N 070-47-16.797W	FI R 4s		4	Red.	
8923	Hampton Harbor Channel Buoy 3	42-53-23.988N 070-48-12.017W				Green can.	Removed when endangered by ice.
8925	Hampton Harbor Channel Gong Buoy 4	42-53-20.892N 070-48-04.498W				Red.	
8930	Hampton Harbor Channel Buoy 4A	42-53-27.812N 070-48-13.149W				Red nun.	
8935	Hampton Harbor Channel Buoy 5	42-53-35.955N 070-48-25.265W				Green can.	
8940	Hampton Harbor Channel Buoy 7	42-53-38.915N 070-48-37.656W				Green can.	
8945	Hampton Harbor	42-53-41.592N				TR on spindle.	

	North Jetty Daybeacon 8	070-48-29.064W					
8950	Hampton Harbor Channel Buoy 9	42-53-42.092N 070-48-48.077W				Green can.	
8955	Hampton Harbor South Daybeacon H	42-53-33.077N 070-48-38.724W				NG on spindle.	
8960	Hampton Harbor Junction Buoy	42-53-46.547N 070-49-02.849W				Green can with red bands.	
8965	Hampton Harbor Channel Bouy 11	42-53-44.329N 070-49-07.148W				Green can.	
8970	Hampton Harbor Channel Buoy 12	42-53-45.766N 070-49-07.495W				Red nun.	
8975	Hampton Harbor Channel Buoy 14	42-53-48.535N 070-49-07.404W				Red nun.	
8980	Hampton Harbor Channel Buoy 15	42-53-51.655N 070-49-08.322W				Green can.	
8990	Merrimack River Entrance Lighted Whistle Buoy MR	42-48-34.367N 070-47-03.193W	Mo (A) W		4	Red and white stripes with red spherical topmark.	
8995	Merrimack River Entrance Lighted Buoy 2	42-49-05.672N 070-47-36.374W	FI R 4s		4	Red.	
9005	Merrimack River Entrance Buoy 3	42-48-49.898N 070-47-50.984W				Green can.	
9006	Merrimack River North Jetty Light 4	42-49-08.285N 070-48-13.974W	FI R 2.5s	15	4	TR on skeleton tower.	
9010	Merrimack River Entrance South Jetty Light 5	42-48-57.819N 070-48-15.978W	FI G 2.5s	15	4	SG on spindle.	
9020	Merrimack River Lighted Buoy 7	42-49-11.651N 070-48-47.153W	FI G 4s		3	Green.	Replaced by can from Oct 15 to May 1.
9035	Merrimack River Lighted Buoy 8	42-49-08.169N 070-49-17.374W	FI R 4s		3	Red.	Replaced by nun from Oct 15 to May 1.
9040	Black Rocks Daybeacon 10	42-49-13.932N 070-49-36.895W				TR on red wooden slat pyramid on granite foundation.	
9045	Merrimack River Buoy 11	42-49-05.961N 070-49-46.316W				Green can.	
9050	Merrimack River Lighted Buoy 13	42-49-02.465N 070-50-19.690W	FI G 4s		3	Green.	Replaced by can from Oct 15 to May 1.
9053	USGS Lighted Research Buoy A	42-49-10.087N 070-50-18.549W	FI Y 4s			Yellow.	Property of USGS. Seasonal 15 Apr - 15 Nov.
9055	Merrimack River Lighted Buoy 15	42-48-48.504N 070-51-07.400W	FI G 4s		3	Green.	Replaced by can from Oct 15 to May 1.
9060	Merrimack River Buoy 16	42-48-49.324N 070-51-16.610W				Red nun.	
9070	North Pier Light 18	42-48-48.875N 070-51-27.384W	FI R 6s	22	3	TR on skeleton tower on concrete foundation.	
9075	Merrimack River Buoy 17	42-48-46.964N 070-51-31.671W				Green can.	
9080	Merrimack River Buoy 20	42-48-47.487N 070-51-49.108W				Red nun.	
9085	Merrimack River Buoy 22	42-48-48.923N 070-51-56.556W				Red nun.	
9090	Merrimack River Buoy 24	42-49-20.773N 070-52-40.053W				Red nun.	
9095	Merrimack River Buoy 26	42-49-36.577N 070-53-24.037W				Red nun.	
9099	Carr Island Danger Buoy	42-49-55.000N 070-53-40.000W				White can with orange bands worded ROCK.	Maintained from May 1 to Oct. 1.
9105	Steamboat Channel South Junction Buoy SCS	42-49-57.434N 070-53-53.442W				Green and red bands; can.	
9110	Steamboat Channel Buoy 2A	42-50-00.687N 070-54-08.680W				Red nun.	
9115	Steamboat Channel Buoy 4A	42-50-01.561N 070-54-39.052W				Red nun.	
9120	Steamboat Channel Buoy 6A	42-50-05.531N 070-54-49.566W				Red nun.	

9125	Merrimack River Buoy 27	42-50-11.535N 070-54-02.337W				Green can.	
9145	Steamboat Channel North Junction Buoy SCN	42-50-11.015N 070-54-48.943W				Green and red bands; can.	
9155	Merrimack River Buoy 30	42-50-27.119N 070-54-52.043W				Red nun.	
9160	Merrimack River Buoy 31	42-50-24.691N 070-54-52.850W				Green can.	
9165	Merrimack River Buoy 32	42-50-29.979N 070-55-11.056W				Red nun.	
9170	Merrimack River Buoy 34	42-50-19.331N 070-55-30.348W				Red nun.	Maintained from 1 May to 15 Oct.
9175	Merrimack River Buoy 35	42-49-52.757N 070-55-54.252W				Green can.	Maintained from 1 May to 15 Oct.
9180	Merrimack River Buoy 36	42-49-41.508N 070-55-58.973W				Red nun.	Maintained from 1 May to 15 Oct.
9185	Merrimack River Buoy 38	42-49-22.831N 070-56-16.328W				Red nun.	Maintained from 1 May to 15 Oct.
9190	Merrimack River Buoy 40	42-49-10.711N 070-56-43.975W				Red nun.	Maintained from 1 May to 15 Oct.
9195	Merrimack River Buoy 42	42-49-09.730N 070-57-33.437W				Red nun.	Maintained from 1 May to 15 Oct.
9197	Merrimack River Buoy 42A	42-49-26.785N 070-58-14.686W				Red nun.	Maintained from 1 May to 15 Oct.
9200	Merrimack River Buoy 43	42-49-24.226N 070-58-14.503W				Green can.	Maintained from 1 May to 15 Oct.
9204	Merrimack River Buoy 44	42-49-28.779N 070-58-42.038W				Red nun.	Maintained from 1 May to 15 Oct.
9205	Merrimack River Buoy 45	42-49-28.071N 070-58-59.402W				Green can.	Maintained from 1 May to 15 Oct.
9206	Merrimack River Buoy 46	42-49-21.507N 070-59-27.234W				Red nun.	Maintained from 1 May to 15 Oct.
9210	Merrimack River Buoy 47	42-49-22.399N 070-59-38.332W				Green can.	Maintained from 1 May to 15 Oct.
9215	Merrimack River Buoy 49	42-49-08.509N 071-00-05.887W				Green can.	Maintained from 1 May to 15 Oct.
9220	Merrimack River Buoy 51	42-48-57.477N 071-00-06.315W				Green can.	Maintained from 1 May to 15 Oct.
9223	Merrimack River Buoy 52	42-48-48.468N 071-00-05.233W				Red nun.	Maintained from 1 May to 15 Oct.
9225	Merrimack River Buoy 53	42-48-43.111N 071-00-02.394W				Green can.	Maintained from 1 May to 15 Oct.
9227	Rocks Village Hazard Buoy	42-48-51.783N 071-00-05.947W				White with orange bands marked DANGER ROCKS.	Maintained from May 1 to Nov. 1.
9230	Merrimack River Buoy 54	42-48-22.248N 070-59-54.797W				Red nun.	Maintained from 1 May to 15 Oct.
9235	Merrimack River Buoy 55	42-48-12.051N 070-59-58.631W				Green can.	Maintained from 1 May to 15 Oct.
9240	Merrimack River Buoy 57	42-47-56.070N 071-00-35.191W				Green can.	Maintained from 1 May to 15 Oct.
9243	Merrimack River Buoy 58	42-47-47.675N 071-00-48.372W				Red nun.	Maintained from 1 May to 15 Oct.
9245	Merrimack River Buoy 59	42-47-31.618N 071-01-10.454W				Green can.	Maintained from 1 May to 15 Oct.
9250	Merrimack River Buoy 61	42-47-16.916N 071-01-14.396W				Green can.	Maintained from 1 May to 15 Oct.
9252	Merrimack River Buoy 61A	42-46-54.311N 071-01-19.560W				Green can.	Maintained from 1 May to 15 Oct.
9253	Merrimack River Buoy 62	42-47-06.006N 071-01-16.865W				Red nun.	Maintained from 1 May to 15 Oct.
9255	Merrimack River Buoy 63	42-46-25.291N 071-01-32.809W				Green can.	Maintained from 1 May to 15 Oct.
9260	Merrimack River Buoy 65	42-46-13.330N 071-01-46.910W				Green can.	Maintained from 1 May to 15 Oct.
9265	Merrimack River Buoy 67	42-45-35.723N 071-02-14.766W				Green can.	Maintained from 1 May to 15 Oct.
9270	Merrimack River Buoy 68	42-45-26.843N 071-02-24.456W				Red nun.	Maintained from 1 May to 15 Oct.
9275	Merrimack River Buoy 70	42-45-24.312N 071-02-36.512W				Red nun.	Maintained from 1 May to 15 Oct.

9280	Merrimack River Buoy 71	42-45-34.331N 071-02-56.910W				Green can.	Maintained from 1 May to 15 Oct.
9285	Merrimack River Buoy 73	42-46-01.061N 071-03-31.248W				Green can.	Maintained from 1 May to 15 Oct.
9290	Merrimack River Buoy 75	42-46-10.565N 071-03-53.778W				Green can.	Maintained from 1 May to 15 Oct.
9295	Merrimack River Buoy 76	42-46-11.705N 071-03-52.470W				Red nun.	Maintained from 1 May to 15 Oct.
9297	Haverhill Buoy 1	42-46-23.000N 071-04-43.000W				Green can.	Seasonal 01 May - 01 Nov.
9297.1	Haverhill Buoy 2	42-46-24.000N 071-04-44.000W				Red nun.	Seasonal 01 May - 01 Nov.
9297.2	Haverhill Buoy 3	42-46-21.000N 071-04-52.000W				Green can.	Seasonal 01 May - 01 Nov.
9297.3	Haverhill Buoy 4	42-46-22.000N 071-04-53.000W				Red nun.	Seasonal 01 May - 01 Nov.
9297.4	Haverhill Buoy 5	42-46-18.000N 071-05-01.000W				Green can.	Seasonal 01 May - 01 Nov.
9297.5	Haverhill Buoy 6	42-46-19.000N 071-05-02.000W				Red nun.	Seasonal 01 May - 01 Nov.
9300	Plum Island Sound Entrance Lighted Buoy 2	42-42-10.035N 070-44-24.012W	FI R 4s		4	Red.	
9305	Plum Island Sound Entrance Buoy 3	42-41-29.348N 070-44-13.648W				Green can.	Position frequently shifted with changing conditions.
9310	Plum Island Sound Entrance Buoy 4	42-41-18.331N 070-44-41.192W				Red nun.	Position frequently shifted with changing conditions.
9315	Ipswich Light	42-41-06.935N 070-45-58.212W	Oc W 4s	30	5	NR on skeleton tower.	
9320	Plum Island Sound Entrance Buoy 6	42-41-21.661N 070-45-01.222W				Red nun.	Position frequently shifted with changing conditions.
9325	Plum Island Sound Entrance Buoy 8	42-41-32.389N 070-45-52.441W				Red nun.	Position frequently shifted with changing conditions. Removed when endangered by ice.
9328	Plum Island Sound Entrance Buoy 8A	42-41-36.820N 070-46-31.101W				Red nun.	
9330	Plum Island Sound Entrance Buoy 10	42-41-41.524N 070-46-56.436W				Red nun.	
9335	Plum Island Sound Entrance Buoy 11	42-41-43.198N 070-47-07.836W				Green can.	Maintained from Apr. 15 to Oct. 15.
9336	Plum Island Sound Buoy 11A	42-42-07.866N 070-47-21.467W				Green can.	Maintained from Apr. 15 to Oct. 15.
9340	Bass Rock Daybeacon BR	42-41-52.283N 070-47-00.834W				NR on iron spindle.	
9345	Plum Island Sound Buoy 12	42-42-21.338N 070-47-28.599W				Red nun.	Maintained from Apr 15. to Oct. 15.
9350	Plum Island Sound Buoy 13	42-42-40.084N 070-47-45.282W				Green can.	Maintained from Apr 15. to Oct. 15.
9375	Plum Island Sound Buoy 14	42-42-42.139N 070-48-34.399W				Red nun.	Maintained from Apr 15. to Oct. 15.
9380	Plum Island Sound Buoy 16	42-42-49.268N 070-48-51.261W				Red nun.	Maintained from Apr 15. to Oct. 15.
9385	Plum Island Sound Buoy 18	42-42-59.358N 070-48-48.993W				Red nun.	Maintained from Apr 15. to Oct. 15.
9390	Plum Island Sound Buoy 19	42-43-13.888N 070-48-46.672W				Green can.	Maintained from Apr 15. to Oct. 15.
9392	Plum Island Sound Buoy 21	42-43-31.548N 070-48-47.331W				Green can.	Maintained from Apr 15. to Oct. 15.
9395	Plum Island Sound Buoy 22	42-43-36.628N 070-48-39.201W				Red nun.	Maintained from Apr 15. to Oct. 15.
9397	Plum Island Sound Buoy 23	42-43-38.088N 070-48-26.577W				Green can.	Maintained from Apr 15. to Oct. 15.
9400	Plum Island Sound Buoy 23A	42-43-43.975N 070-48-06.661W				Green can.	Maintained from Apr 15. to Oct. 15.
9405	Plum Island Sound Buoy 25	42-44-02.025N 070-48-03.645W				Green can.	Maintained from Apr 15. to Oct. 15.
9410	Plum Island Sound Buoy 27	42-44-12.814N 070-48-10.731W				Green can.	Maintained from Apr 15. to Oct. 15.
9413	Plum Island Sound Buoy 29	42-44-23.721N 070-48-39.537W				Green can.	Maintained from Apr 15. to Oct. 15.
9415	Plum Island Sound Buoy 30	42-44-31.961N 070-49-02.062W				Red nun.	Maintained from Apr 15. to Oct. 15.
9416	Ipswich River Buoy 1	42-41-34.440N 070-47-34.800W				Green can.	

9416.1	Ipswich River Buoy 2	42-41-38.220N 070-47-42.360W				Red nun.	
9416.2	Ipswich River Buoy 3	42-41-42.900N 070-47-47.520W				Green can.	
9416.3	Ipswich River Buoy 5	42-41-47.400N 070-48-06.840W				Green can.	
9416.4	Ipswich River Buoy 6	42-41-46.140N 070-47-48.960W				Red nun.	
9416.5	Ipswich River Buoy 7	42-41-38.160N 070-48-17.280W				Green can.	
9416.6	Ipswich River Buoy 8	42-41-35.580N 070-48-18.060W				Red nun.	
9416.7	Ipswich River Buoy 10	42-41-29.580N 070-48-22.800W				Red nun.	
9416.8	Ipswich River Buoy 11	42-41-26.040N 070-48-27.180W				Green can.	
9416.9	Ipswich River Buoy 12	42-41-22.200N 070-48-26.880W				Red nun.	
9417	Ipswich River Buoy 14	42-41-18.480N 070-48-29.040W				Red nun.	
9417.1	Ipswich River Buoy 15	42-41-18.720N 070-48-28.660W				Green can.	
9417.2	Ipswich River Buoy 16	42-41-17.340N 070-48-27.360W				Red nun.	
9417.3	Ipswich River Buoy 17	42-41-16.680N 070-48-41.400W				Green can.	
9417.4	Ipswich River Buoy 19	42-41-15.720N 070-48-45.720W				Green can.	
9417.5	Ipswich River Buoy 20	42-41-10.860N 070-48-52.920W				Red nun.	
9417.6	Ipswich River Buoy 22	42-41-07.560N 070-48-56.580W				Red nun.	
9417.7	Ipswich River Buoy 23	42-41-03.900N 070-49-01.080W				Green can.	
9420	Parker River Buoy 32	42-44-40.200N 070-49-09.900W				Red nun.	
9425	Parker River Buoy 33	42-44-47.400N 070-49-13.200W				Green can.	
9426	Parker River Buoy 34	42-44-59.700N 070-49-11.400W				Red nun.	
9430	Parker River Buoy 35	42-45-06.000N 070-49-18.700W				Green can.	
9436	Parker River Buoy 37	42-45-12.600N 070-49-24.000W				Green can.	
9440	Parker River Buoy 38	42-45-17.100N 070-49-20.400W				Red nun.	
9445	Parker River Buoy 39	42-45-20.500N 070-49-24.000W				Green can.	
9450	Parker River Buoy 40	42-45-22.800N 070-49-20.400W				Red nun.	
9455	Parker River Buoy 42	42-45-26.400N 070-49-27.900W				Red nun.	
9460	Parker River Buoy 43	42-45-25.800N 070-49-28.800W				Green can.	
9465	Parker River Buoy 44	42-45-27.600N 070-49-37.800W				Red nun.	
9475	Parker River Buoy 46	42-45-30.100N 070-49-41.100W				Red nun.	
9476	Parker River Buoy 47	42-45-33.600N 070-49-45.000W				Green can.	
9477	Parker River Buoy 48	42-45-37.200N 070-49-51.000W				Red nun.	
9480	Essex Bay Entrance Lighted Bell Buoy 1	42-40-48.216N 070-42-17.347W	FI G 4s		4	Green.	Removed when endangered by ice.
9483	Essex Bay Entrance Buoy 3	42-40-35.169N 070-42-52.487W				Green can.	Removed when endangered by ice.
9484	Essex Bay Channel Buoy 3A	42-40-15.318N 070-43-18.952W				Green can.	
9485	Essex Bay Channel Buoy 4	42-39-39.461N 070-43-24.738W				Red nun.	
9490	Essex Bay Channel Buoy 6	42-39-29.762N 070-43-25.392W				Red nun.	

9495	Essex Bay Danger Daybeacon	42-39-31.846N 070-43-23.740W				NW on spindle.	DANGER - SHOALING.
9500	Essex Bay Channel Buoy 8	42-39-23.249N 070-43-20.646W				Red nun.	
9505	Essex Bay Channel Buoy 10	42-39-13.295N 070-43-21.822W				Red nun.	
9510	Essex Bay Channel Buoy 11	42-39-03.713N 070-43-25.542W				Green can.	
9515	Essex Bay Channel Buoy 12	42-38-58.373N 070-43-42.894W				Red nun.	
9520	Essex Bay Channel Buoy 14	42-38-57.727N 070-43-58.848W				Red nun.	
9525	Essex Bay Channel Buoy 15	42-38-59.597N 070-44-10.304W				Green can.	
9530	Essex Bay Channel Buoy 16	42-39-05.025N 070-44-16.930W				Red nun.	
9535	Essex Bay Channel Buoy 17	42-39-07.569N 070-44-20.742W				Green can.	
9540	Essex River Channel Buoy 18	42-39-09.126N 070-45-01.242W				Red nun.	
9545	Essex River Channel Buoy 19	42-39-15.100N 070-45-04.100W				Green can.	
9550	Essex River Midchannel Buoy A	42-39-17.670N 070-45-13.420W				Red and white stripes; spar.	
9555	Essex River Midchannel Buoy B	42-39-15.200N 070-45-22.200W				Red and white stripes; spar.	
9560	Essex River Midchannel Buoy C	42-39-10.200N 070-45-31.700W				Red and white stripes; spar.	
9565	Essex River Midchannel Buoy D	42-38-52.800N 070-45-40.800W				Red and white stripes; spar.	
9570	Essex River Midchannel Buoy E	42-38-55.900N 070-45-37.000W				Red and white stripes; spar.	
9575	Essex River Midchannel Buoy F	42-38-55.800N 070-45-32.800W				Red and white stripes; spar.	
9578	Essex River Midchannel Buoy J	42-38-32.700N 070-45-36.800W				Red with white stripes; spar.	
9580	Essex River Midchannel Buoy G	42-38-52.900N 070-45-40.700W				Red and white stripes; spar.	
9585	Essex River Midchannel Buoy H	42-38-41.700N 070-45-39.900W				Red and white stripes; spar.	
9588	Essex River Midchannel Buoy K	42-38-28.800N 070-45-41.000W				Red and white stripes; spar.	
9589.1	Essex River Midchannel Buoy L	42-38-24.100N 070-45-53.400W				Red and white stripes; spar.	
9590	Plum Cove Ledge Buoy 1	42-40-44.604N 070-40-06.136W				Green can.	
9595	Annisquam River Entrance Lighted Bell Buoy AR	42-40-23.025N 070-40-58.366W	Mo (A) W		3	Red and white stripes with red spherical topmark.	Removed when endangered by ice.
9600	Annisquam River Entrance Buoy 3	42-40-06.906N 070-40-52.795W				Green can.	
9605	Annisquam River Channel Buoy 4	42-39-57.561N 070-40-57.811W				Red nun.	
9610	Annisquam River Channel Buoy 5	42-39-47.411N 070-40-56.449W				Green can.	
9615	Annisquam Harbor Light	42-39-42.816N 070-40-53.451W	Fl W 7.5s	45	14	White cylindrical tower; elevated walk to dwelling.	Red from 180° to 217°. HORN: 2 blasts ev 60s (3s bl-3s si-3s bl-51s si). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 45 minutes.
9620	Annisquam River Channel Buoy 6	42-39-39.408N 070-40-59.449W				Red nun.	
9625	Annisquam River Channel Daybeacon 7	42-39-29.897N 070-40-59.705W				SG on spindle on mound.	
9630	Annisquam River Channel Buoy 8	42-39-22.521N 070-41-04.413W				Red nun.	
9635	Barn Rocks Daybeacon BN	42-39-16.967N 070-41-08.753W				NR on spindle.	
9640	Annisquam River Channel Buoy 9	42-39-13.190N 070-40-59.545W				Green can.	
9645	Annisquam River Channel Buoy 11	42-39-03.316N 070-40-46.494W				Green can.	

9647	Annisquam River Channel Buoy 12	42-38-59.681N 070-40-44.833W				Red nun.	
9650	Lobster Cove Daybeacon LC	42-39-05.676N 070-40-43.294W				NG on stone crib.	
9655	Annisquam River Channel Buoy 14	42-38-55.735N 070-40-43.811W				Red nun.	
9660	Annisquam River Channel Light 15	42-38-55.901N 070-40-40.163W	FI G 2.5s	10	3	SG on black cylindrical structure.	
9665	Annisquam River Channel Buoy 16	42-38-44.196N 070-40-48.930W				Red nun.	
9670	Annisquam River Channel Buoy 17	42-38-29.713N 070-40-56.326W				Green can.	
9675	Annisquam River Channel Light 19	42-38-21.467N 070-41-04.583W	FI G 4s	10	4	SG on black cylindrical structure.	
9680	Annisquam River Channel Buoy 21	42-38-18.660N 070-41-06.926W				Green can.	
9685	Annisquam River Channel Buoy 23	42-38-11.249N 070-41-08.207W				Green can.	
9690	Annisquam River Channel Buoy 24	42-38-08.822N 070-41-09.281W				Red nun.	
9695	Annisquam River Channel Light 25	42-38-07.763N 070-41-06.617W	FI G 2.5s	11	3	SG on black cylindrical structure.	
9700	Annisquam River Channel Buoy 26	42-38-02.586N 070-41-13.984W				Red nun.	
9705	Annisquam River Channel Buoy 28	42-37-53.345N 070-41-26.388W				Red nun.	
9710	Annisquam River Channel Buoy 29	42-37-44.945N 070-41-28.470W				Green can.	
9715	Annisquam River Channel Light 30	42-37-46.253N 070-41-31.181W	FI R 4s	12	4	TR on red cylindrical structure.	
9720	Annisquam River Channel Buoy 31	42-37-41.752N 070-41-25.814W				Green can.	
9725	Annisquam River Channel Buoy 32	42-37-33.177N 070-41-21.759W				Red nun.	
9730	Annisquam River Channel Buoy 33	42-37-25.984N 070-41-17.932W				Green can.	
9735	Annisquam River Channel Buoy 34	42-37-24.024N 070-41-19.394W				Red nun.	
9740	Annisquam River Channel Light 35	42-37-19.955N 070-41-19.751W	FI G 2.5s	10	3	SG on black cylindrical structure.	
9745	Annisquam River Channel Buoy 36	42-37-19.279N 070-41-21.215W				Red nun.	
9750	Annisquam River Channel Buoy 38	42-37-14.029N 070-41-15.927W				Red nun.	
9755	Annisquam River Channel Buoy 39	42-37-13.796N 070-41-13.829W				Green can.	
9760	Annisquam River Channel Buoy 40	42-37-11.730N 070-41-12.078W				Red nun.	
9765	Annisquam River Channel Light 41	42-37-11.783N 070-41-07.439W	FI G 4s	10	4	SG on black cylindrical structure.	
9770	Annisquam River Channel Buoy 43	42-37-09.262N 070-40-56.589W				Green can.	
9775	Annisquam River Channel Buoy 44	42-37-06.510N 070-40-46.126W				Red nun.	
9785	Annisquam River Channel Buoy 46	42-36-56.085N 070-40-45.183W				Red nun.	
9787	Annisquam River Channel Buoy 47	42-36-51.746N 070-40-44.117W				Green can.	
9790	Annisquam River Channel Buoy 49	42-36-46.507N 070-40-42.648W				Green can.	
9795	Annisquam River Channel Light 48	42-36-47.393N 070-40-44.825W	FI R 4s	10	4	TR on box on black cylindrical structure.	
9800	Annisquam River Channel Buoy 50	42-36-45.121N 070-40-42.354W				Red nun.	
9805	Annisquam River South Entrance Danger Lighted Buoy	42-36-32.659N 070-40-19.219W	Q W		3	White with orange bands marked DANGER.	Removed when endangered by ice.

9810	Annisquam River South Entrance Buoy BC	42-36-31.358N 070-40-15.411W					Red and white stripes; can.	
9815	Sandy Bay Breakwater Lighted Gong Buoy 3	42-40-48.817N 070-36-05.378W	Q G		4		Green.	Replaced by can when endangered by ice. Do not pass to eastward of buoy.
9820	Avery Ledge Lighted Buoy 2	42-40-02.803N 070-35-16.725W	FI R 4s		3		Red.	
9825	Nine Foot Rock Buoy 3	42-39-50.377N 070-36-02.917W					Green can.	
9830	Harbor Rock Buoy 4	42-39-43.256N 070-36-34.651W					Red nun.	
9835	Rockport Breakwater Light 6	42-39-38.741N 070-36-42.863W	FI R 4s	32	4		TR on Spindle.	
9840	Dodge Rock Daybeacon 2	42-40-03.811N 070-37-05.706W					TR on spindle.	
9845	Pigeon Cove Rock Buoy 2	42-40-27.099N 070-37-11.310W						
9850	Eastern Point Ledge Buoy 4	42-34-36.600N 070-39-58.732W					Red nun.	
9853	ARII Webber Rock Wave Research Lighted Buoy	42-34-40.000N 070-39-51.000W	Q Y				Yellow.	
9855	Gloucester Breakwater Light	42-34-57.420N 070-40-20.475W	Oc R 4s	45	6		White house and tower on brown square skeleton framework.	HORN: 1 blast ev 10s (1s bl). Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 60 minutes.
9860	Dog Bar Buoy 2DB	42-34-58.569N 070-40-24.370W					Red nun.	
9865	Normans Woe Rock Bell Buoy 3	42-34-40.100N 070-41-19.157W					Green.	
9870	Round Rock Shoal Lighted Buoy RR	42-34-53.789N 070-40-46.900W	FI (2+1)R 6s		4		Red and green bands.	
9875	Dog Bar Channel Buoy 1DB	42-35-00.271N 070-40-31.025W					Green can.	
9877	Gloucester Harbor CG Mooring Buoy	42-35-31.595N 070-39-52.091W						
9880	Tenpound Island Ledge Lighted Buoy 6	42-35-45.969N 070-40-19.760W	FI R 4s		3		Red.	
9885	Praire Ledge Lighted Buoy 7	42-35-53.919N 070-40-34.581W	FI G 4s		4		Green.	
9890	Mayflower Ledge Buoy 8	42-36-02.779N 070-40-06.110W					Red nun.	
9895	Ten Pound Island Light	42-36-06.735N 070-39-56.011W	Iso R 6s	57	5		White conical tower.	HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si). Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 60 minutes.
9900	Gloucester Inner Harbor Channel Lighted Buoy 9	42-36-20.482N 070-39-59.955W	FI G 4s		3		Green.	
9905	Black Rock Danger Daybeacon	42-36-21.738N 070-39-42.960W					NW on spindle on ledge.	DANGER ROCKS
9912	Gloucester Inner Harbor Channel Lighted Buoy 10	42-36-18.335N 070-39-50.080W	FI R 2.5s		3		Red.	
9915	Gloucester Inner Harbor Channel Lighted Buoy 12	42-36-28.743N 070-39-32.154W	FI R 4s		3		Red.	
9920	Gloucester Inner Harbor Junction Lighted Buoy GH	42-36-34.469N 070-39-27.230W	FI (2+1)R 6s		4		Red with green bands.	
9935	Gloucester Inner Harbor North Channel Buoy 2	42-36-43.919N 070-39-22.850W					Red nun.	
9940	Gloucester Inner Harbor North Channel Buoy 4	42-36-47.468N 070-39-19.630W					Red nun.	
9942	Gloucester Inner Harbor Danger Daybeacon	42-36-47.231N 070-39-17.075W					NW on spindle.	
9945	Gloucester Inner Harbor South Channel Buoy 2S	42-36-34.289N 070-39-21.320W					Red nun.	
9950	Gloucester Inner Harbor South Channel Buoy 3	42-36-38.830N 070-39-14.925W					Green can.	

9960	Green Rock Danger Daybeacon	42-36-09.518N 070-39-43.569W				NW on iron spindle.	DANGER ROCKS.
9965	Salem Channel Buoy 3	42-31-08.891N 070-45-04.383W				Green can.	
9970	Salem Channel Buoy 5	42-31-46.040N 070-45-43.095W				Green can.	
9975	Bakers Island Light	42-32-11.235N 070-47-09.312W	AI WR 20s	111	14	White conical tower.	Emergency light FI W 10s when main light extinguished. Light and Horn is reduced intensity when main light or horn is extinguished. HORN: 1 blast ev 30s (3s bl). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 60 minutes.
9980	Salem Channel Buoy 6	42-32-49.699N 070-45-53.467W				Red nun.	
9985	Salem Channel Buoy 7	42-32-05.750N 070-46-29.068W				Green can.	
9990	Whaleback Daybeacon 8	42-32-54.760N 070-47-04.641W				TR on spindle.	
9995	Salem Channel Lighted Bell Buoy 9	42-32-23.599N 070-47-17.379W	Q G		4	Green.	
10000	Hospital Point Range Front Light	42-32-47.396N 070-51-21.490W	F W	69		White pyramidal tower.	Visible all around; higher intensity on range line. Floodlighted sunset to sunrise.
10005	Hospital Point Range Rear Light	42-32-53.976N 070-52-42.444W	F W	161		White church spire.	Visible 2° each side of range line.
10010	Salem-Eagle Island Channel Junction Buoy SE	42-32-21.446N 070-47-45.247W				Green can with red bands.	
10015	Salem Channel Lighted Buoy 10	42-32-34.689N 070-48-01.850W	FI R 2.5s		4	Red.	
10020	Salem Channel Lighted Buoy 11	42-32-31.225N 070-48-32.112W	FI G 4s		4	Green.	
10025	Bowditch Ledge Daybeacon	42-32-25.179N 070-48-41.382W				NR on conical granite monument.	
10026	Bowditch Ledge North Danger Buoy	42-32-25.908N 070-48-40.581W				White with orange bands can marked DANGER ROCKS	Removed when endangered by ice.
10027	Bowditch Ledge South Danger Buoy	42-32-23.934N 070-48-41.022W				White with orange bands can marked DANGER ROCKS.	Removed when endangered by ice.
10030	Salem Channel Lighted Buoy 12	42-32-37.861N 070-48-52.917W	FI R 4s		4	Red.	
10035	Salem Channel Lighted Buoy 13	42-32-34.719N 070-50-21.214W	FI G 4s		3	Green.	
10040	Salem Channel Buoy 14	42-32-43.798N 070-50-11.964W				Red nun	
10045	Salem Channel Lighted Buoy 15	42-32-28.779N 070-50-44.004W	Q G		3	Green.	
10050	Salem Channel Lighted Buoy 16	42-32-14.158N 070-51-08.185W	FI R 4s		4	Red.	
10055	Salem Channel Lighted Buoy 17	42-31-56.278N 070-51-21.285W	FI G 2.5s		4	Green.	
10060	Salem Channel Buoy 18	42-31-58.658N 070-51-26.135W				Red nun.	
10070	Great Aquavitae Daybeacon	42-31-34.594N 070-51-26.016W				NR on spindle.	
10075	Little Aquavitae Daybeacon	42-31-34.596N 070-51-11.303W				NR on spindle.	
10080	Salem Channel Buoy 20	42-31-48.394N 070-51-36.012W				Red nun.	
10085	Salem Channel Lighted Buoy 21	42-31-18.794N 070-52-01.092W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
10090	Fort Pickering Light	42-31-35.200N 070-51-59.000W	FI W 4s	28		Atop of white conical tower on concrete base.	
10095	Salem Channel Lighted Buoy 22	42-31-28.319N 070-51-56.523W	Q R		3	Red	Replaced by nun when endangered by ice.
10100	Salem Light 23	42-31-13.252N 070-52-22.878W	Q G	20	4	SG on gray skeleton tower on pile structure.	
10105	Salem Channel Buoy 24	42-31-18.378N 070-52-21.586W				Red nun.	
10110	Salem Channel	42-31-15.018N				Green can.	

	Buoy 25	070-52-30.706W					
10115	Derby Channel Daybeacon 2	42-30-54.434N 070-52-28.312W				TR on pile.	
10120	Derby Channel Daybeacon 3	42-30-49.546N 070-52-41.166W				SG on pile structure.	
10125	Derby Channel Lighted Buoy 4	42-30-55.808N 070-52-55.056W	FI R 2.5s		4	Red.	
10129	Derby Wharf Light	42-30-59.548N 070-53-00.768W	FI R 6s	25	4	White square tower.	Maintained by the U.S.Park Service.
10130	Derby Channel Daybeacon 5	42-30-57.234N 070-53-02.112W				SG on spindle.	
10131.6	Palmer Cove Channel Buoy 3	42-30-50.940N 070-53-00.360W				Green can.	
10131.5	Palmer Cove Channel Buoy 2PC	42-30-52.800N 070-52-57.800W				Red nun.	
10131	Palmer Cove Channel Buoy 1	42-30-52.020N 070-52-57.362W				Green can.	
10132.5	Palmer Cove Channel Buoy 5	42-30-50.040N 070-53-03.660W				Green can.	
10132	Palmer Cove Channel Buoy 4	42-30-52.380N 070-53-00.300W				Red nun.	
10133.5	Palmer Cove Channel Buoy 7	42-30-49.560N 070-53-08.220W				Green can.	
10133	Palmer Cove Channel Buoy 6	42-30-51.700N 070-53-03.000W				Red nun.	
10134.2	Palmer Cove Channel Daybeacon 10	42-30-49.980N 070-53-09.120W				TR on pile.	
10134.1	Palmer Cove Channel Daybeacon 9	42-30-48.900N 070-53-09.200W				SG on pile.	
10134	Palmer Cove Channel Buoy 8	42-30-51.000N 070-53-06.100W				Red nun.	
10135	Dion Yacht Yard Channel Daybeacon 1	42-30-45.900N 070-52-45.700W				SG on pile.	
10135.1	Dion Yacht Yard Channel Daybeacon 2	42-30-47.200N 070-52-46.300W				TR on pile.	
10136	Dion Yacht Yard Channel Daybeacon 3	42-30-43.600N 070-52-50.000W				SG on pile.	
10136.1	Dion Yacht Yard Channel Daybeacon 4	42-30-44.400N 070-52-51.500W				TR on pile.	
10137	Dion Yacht Yard Channel Daybeacon 5	42-30-41.500N 070-52-54.600W				SG on pile.	
10137.1	Dion Yacht Yard Channel Daybeacon 6	42-30-42.500N 070-52-55.700W				TR on pile.	
10138	Dion Yacht Yard Channel Daybeacon 7	42-30-39.000N 070-52-59.900W				SG on pile.	
10138.1	Dion Yacht Yard Channel Daybeacon 8	42-30-40.200N 070-53-00.500W				TR on pile.	
10139	Dion Yacht Yard Channel Daybeacon 9	42-30-37.700N 070-53-02.900W				SG on pile.	
10139.1	Dion Yacht Yard Channel Daybeacon 10	42-30-38.900N 070-53-03.400W				TR on pile.	
10143	Forest River Rock Daybeacon 2	42-30-13.834N 070-52-49.512W				TR on spindle.	
10144	Salem South Channel Buoy 2	42-31-14.934N 070-50-00.796W				Red nun.	
10145	Salem South Channel Buoy 3	42-31-23.739N 070-50-36.873W				Green can.	
10150	Salem South Channel Buoy 4	42-31-25.639N 070-50-34.683W				Red nun.	
10152	Endeavors Rock Daybeacon	42-31-17.152N 070-50-36.786W				NR on spindle.	
10155	Salem South Channel Buoy 6	42-31-29.388N 070-51-15.164W				Red nun.	
10160	Sauli Rock	42-33-07.325N				SG on spindle.	

	Daybeacon 1	070-47-28.032W					
10165	Manchester Channel Buoy 2	42-33-16.933N 070-47-08.787W				Red nun.	
10170	Manchester Channel Buoy 4	42-33-24.099N 070-47-09.720W				Red nun.	
10175	Manchester Channel Buoy 5	42-33-35.788N 070-47-11.350W				Green can.	
10180	Manchester Channel Buoy 6	42-33-45.573N 070-46-57.342W				Red nun.	
10185	Manchester Channel Buoy 7	42-33-46.167N 070-46-58.351W				Green can.	
10190	Manchester Channel Buoy 8	42-33-51.796N 070-46-49.556W				Red nun.	
10195	Manchester Channel Buoy 9	42-33-52.326N 070-46-50.319W				Green can.	
10200	Manchester Channel Buoy 10	42-33-57.697N 070-46-42.183W				Red nun.	
10205	Manchester Channel Buoy 12	42-34-00.509N 070-46-38.549W				Red nun.	
10210	Manchester Channel Buoy 13	42-34-07.109N 070-46-29.362W				Green can.	
10215	Beverly Channel Buoy 2	42-32-22.558N 070-51-31.346W				Red nun.	
10220	Beverly Channel Buoy 3	42-32-19.917N 070-51-45.146W				Green can.	
10225	Beverly Channel Buoy 4	42-32-30.397N 070-51-59.926W				Red nun.	
10230	Beverly Channel Buoy 5	42-32-28.317N 070-52-02.606W				Green can.	
10235	Beverly Channel Buoy 7	42-32-30.007N 070-52-13.607W				Green can.	
10240	Beverly Channel Buoy 8	42-32-27.940N 070-52-25.130W				Red nun.	
10245	Beverly Channel Buoy 9	42-32-23.867N 070-52-27.727W				Green can.	
10250	Beverly Channel Buoy 10	42-32-22.497N 070-52-37.147W				Red nun.	
10255	Beverly Channel Buoy 11	42-32-17.957N 070-52-39.797W				Green can.	
10260	Beverly Channel Buoy 13	42-32-19.497N 070-52-52.838W				Green can.	
10268	Beverly Channel Buoy 15	42-32-20.766N 070-53-10.273W				Green can.	
10270	Monument Bar Daybeacon 1	42-32-22.671N 070-52-23.744W				SG on spindle on cribwork base.	
10275	Rams Horn Rock Daybeacon 3	42-32-09.468N 070-52-30.523W				SG on pile on granite cribwork.	
10280	Danvers River Buoy 1	42-32-16.177N 070-53-28.188W				Green can.	
10285	Danvers River Buoy 2	42-32-19.081N 070-53-41.766W				Red nun.	
10290	Danvers River Buoy 3	42-32-23.888N 070-53-49.775W				Green can.	
10295	Danvers River Buoy 4	42-32-39.033N 070-54-05.153W				Red nun.	
10300	Danvers River Buoy 5	42-32-47.699N 070-54-25.301W				Green can.	
10305	Danvers River Buoy 6	42-32-42.196N 070-54-38.983W				Red nun.	
10310	Danvers River Buoy 8	42-32-43.600N 070-54-48.895W				Red nun.	
10320	Bass River Channel Junction Buoy	42-32-18.349N 070-53-33.962W				Green can with red bands.	
10325	Bass River Channel Buoy 2	42-32-20.203N 070-53-31.784W				Red nun.	
10330	Bass River Channel Buoy 3	42-32-28.277N 070-53-37.989W				Green can.	
10335	Bass River Channel Buoy 4	42-32-30.421N 070-53-37.267W				Red nun.	
10340	Bass River Channel Buoy 5	42-32-31.051N 070-53-39.323W				Green can.	

10345	Bass River Channel Buoy 6	42-32-38.592N 070-53-29.615W				Red nun.	
10350	Bass River Channel Buoy 7	42-32-42.947N 070-53-22.772W				Green can.	
10355	Bass River Channel Buoy 9	42-32-45.173N 070-53-19.276W				Green can.	
10360	Hardy Rock Daybeacon HR	42-32-10.229N 070-47-59.622W				NR on spindle.	
10365	Eagle Island Channel Buoy 3	42-32-01.180N 070-47-42.579W				Green can	
10370	Eagle Island Channel Buoy 4	42-31-56.290N 070-48-01.030W				Red nun.	
10375	Eagle Island Channel Buoy 5	42-31-41.240N 070-47-57.899W				Green can.	
10380	Eagle Island Channel Buoy 6	42-31-41.440N 070-48-13.860W				Red nun.	
10383	Newcomb Ledge Lighted Whistle Buoy 1	42-30-27.872N 070-44-23.262W	FI G 4s		4	Green.	
10385	Childrens Island Channel Buoy 2	42-30-28.681N 070-45-36.174W				Red nun.	
10390	Childrens Island Channel Buoy 4	42-30-29.200N 070-46-50.357W				Red nun.	
10395	Satan Rock Daybeacon 6	42-30-36.898N 070-48-01.536W				TR on spindle.	
10400	Childrens Island Channel Buoy 7	42-30-59.269N 070-48-46.640W				Green can.	
10405	Brimbles Daybeacon	42-31-16.576N 070-48-28.608W				NR on spindle.	
10410	Tinkers Rock Gong Buoy TR	42-28-54.771N 070-48-51.988W				Green with red bands.	
10420	Tom Moore Rock Buoy 1A	42-29-42.034N 070-49-39.512W				Green can.	
10425	Fifteen-Foot Rock Lighted Bell Buoy FR	42-30-14.590N 070-49-04.650W	FI (2+1)R 6s		3	Red and green bands.	
10430	Marblehead Channel Buoy 1	42-30-26.860N 070-49-48.081W				Green can.	
10435	Marblehead Channel Buoy 2	42-30-43.449N 070-49-25.251W				Red nun.	
10440	Marblehead Harbor Buoy 1MH	42-30-29.619N 070-50-01.541W				Green can.	
10445	Marblehead Harbor Buoy 2MH	42-30-39.039N 070-50-14.742W				Red nun.	
10450	Marblehead Light	42-30-19.479N 070-50-01.481W	F G	130	7	Square skeleton tower brown to gallery black above..	
10451.1	Marblehead Harbor Fairway Buoy 3	42-30-31.000N 070-50-21.200W				Green can.	Maintained from 1 May to 1 Nov.
10451.12	Marblehead Harbor Fairway Buoy 4	42-30-32.700N 070-50-22.500W				Red nun.	Maintained from 1 May to 1 Nov.
10451.13	Marblehead Harbor Fairway Buoy 5	42-30-26.500N 070-50-26.900W				Green can.	Maintained from 1 May to 1 Nov.
10451.14	Marblehead Harbor Fairway Buoy 6	42-30-29.300N 070-50-25.700W				Red nun.	Maintained from 1 May to 1 Nov.
10451.15	Marblehead Harbor Fairway Buoy 7	42-30-24.600N 070-50-30.100W				Green can.	Maintained from 1 May to 1 Nov.
10451.16	Marblehead Harbor Fairway Buoy 8	42-30-26.000N 070-50-30.000W				Red nun.	Maintained from 1 May to 1 Nov.
10451.17	Marblehead Harbor Fairway Buoy 9	42-30-22.200N 070-50-33.400W				Green can.	Maintained from 1 May to 1 Nov.
10451.18	Marblehead Harbor Fairway Buoy 10	42-30-23.700N 070-50-33.100W				Red nun.	Maintained from 1 May to 1 Nov.
10451.19	Marblehead Harbor Fairway Buoy 11	42-30-18.100N 070-50-37.600W				Green can.	Maintained from 1 May to 1 Nov.
10451.21	Marblehead Harbor Fairway Buoy 13	42-30-16.500N 070-50-40.200W				Green can.	Maintained from 1 May to 1 Nov.
10455	Kettle Bottom Ledge Daybeacon 1	42-31-08.872N 070-50-10.800W				SG on monopole.	
10465	Marblehead Channel Lighted Buoy 3	42-31-07.869N 070-49-28.201W	FI G 4s		4	Green.	

10470	Marblehead Channel Lighted Buoy 4	42-31-17.439N 070-49-05.961W	FI R 4s		3	Red.	
10475	Marblehead Channel Buoy 5	42-31-39.758N 070-49-46.542W				Green can.	
10480	Marblehead Channel Buoy 6	42-31-47.749N 070-49-16.902W				Red nun.	
10485	Little Haste Daybeacon	42-32-07.518N 070-50-34.147W				NR on spindle.	
10490	Marblehead Channel Buoy 7	42-32-09.759N 070-50-01.033W				Green can.	
10495	Roaring Bull Daybeacon 2	42-28-46.654N 070-50-12.822W				TR on spindle.	
10500	Pitchers Shoal Buoy PS	42-28-03.615N 070-51-19.886W				Green can with red bands.	
10505	Middle Ground Buoy 4	42-28-08.048N 070-51-26.368W				Red nun.	
10510	Sammy Rock Buoy 6	42-28-16.161N 070-51-58.183W				Red nun.	
10520	Great Pig Rocks Buoy 6	42-27-29.082N 070-51-28.181W				Red nun.	
10525	Dolphin Rock Buoy 10	42-27-58.432N 070-51-59.783W				Red nun.	
10530	Dread Ledge Daybeacon 2	42-27-22.864N 070-53-41.776W				TR on spindle.	
10535	Fishing Point Rock Buoy 2	42-27-40.381N 070-54-27.186W				Red nun.	
10540	Shag Rocks Lighted Buoy 2	42-24-43.284N 070-54-21.564W	FI R 4s		4	Red.	Replaced by nun when endangered by ice.
10545	Joe Beach Isolated Danger Buoy DJB	42-24-53.624N 070-54-54.945W				Black and red bands with two black spherical topmarks; can.	
10550	Bass Rock Isolated Danger Buoy DBR	42-24-43.384N 070-55-22.685W				Black and red bands with two black spherical topmarks; can.	
10555	Flip Rock Gong Buoy FR	42-24-08.571N 070-55-27.257W				Red with green bands.	
10560	Nahant Rock Buoy 1	42-24-22.034N 070-56-46.512W				Green can.	
10563	ARII Broad Sound Wave Research Lighted Buoy	42-23-27.000N 070-57-24.000W				Yellow.	
10565	Lynn Harbor Channel Lighted Bell Buoy 2	42-25-11.633N 070-57-10.488W	FI R 2.5s		4	Red.	Replaced by nun when endangered by ice.
10570	Lynn Harbor Channel Buoy 4	42-25-30.709N 070-57-10.876W				Red nun.	
10575	Lynn Harbor Channel Buoy 6	42-25-47.843N 070-56-56.081W				Red nun.	
10580	White Rocks Light 7	42-25-33.613N 070-57-14.500W	FI G 2.5s	49	4	SG on multi-pile.	
10585	Black Rocks Light 9	42-25-59.162N 070-56-52.621W	FI G 6s	49	4	SG on multi-pile.	
10590	Lynn Harbor Channel Lighted Buoy 10	42-26-04.472N 070-56-43.758W	FI R 6s		3	Red.	Replaced by nun from Oct. 15 to Apr. 15.
10595	Sandy Point Light 11	42-26-34.276N 070-56-32.673W	FI G 2.5s	45	4	SG on multi-pile.	
10600	Lynn Harbor Channel Buoy 12	42-26-28.961N 070-56-31.742W				Red nun.	
10605	Lynn Harbor Channel Buoy 13	42-26-47.206N 070-56-28.530W				Green can.	
10610	Lynn Harbor Channel Lighted Buoy 14	42-26-52.382N 070-56-26.188W	FI R 4s		3	Red.	Replaced by nun from Oct. 15 to Apr. 15.
10615	Black Marsh Channel Light 15	42-26-54.370N 070-56-31.509W	FI G 4s	35	4	SG on multi-pile.	
10620	Upper Turn Light 16	42-27-10.819N 070-56-31.123W	FI R 2.5s	28	4	TR on skeleton tower.	
10625	Lynn Harbor Channel Lighted Buoy 17	42-27-14.261N 070-56-38.689W	FI G 2.5s		3	Green.	Replaced by can from Oct.15 to Apr. 15.
10630	Lynn Harbor Channel Buoy 18	42-27-18.111N 070-56-41.039W				Red nun.	

10635	Lynn Harbor Channel Buoy 19	42-27-15.441N 070-56-44.259W				Green can.	
10640	Lynn Harbor Channel Buoy 21	42-27-13.692N 070-56-53.113W				Green can.	
10645	Saugus River Approach Channel Lighted Buoy 2	42-25-34.913N 070-57-36.879W	FI R 4s		3	Red.	Replaced by nun from Oct. 15 to Apr. 15.
10650	Saugus River Approach Channel Buoy 3	42-25-54.612N 070-57-32.499W				Green can.	
10655	Saugus River Approach Channel Lighted Buoy 5	42-26-16.380N 070-57-20.598W	FI G 4s		4	Green.	Replaced by can from Oct. 15 to Apr. 15.
10657	Saugus River Approach Channel Buoy 5A	42-26-26.050N 070-57-25.574W				Green can.	
10660	Saugus River Approach Channel Lighted Buoy 6	42-26-26.576N 070-57-24.565W	FI R 2.5s		3	Red.	Replaced by nun from Oct. 15 to Apr. 15.
10665	Saugus River Approach Channel Buoy 7	42-26-29.573N 070-57-30.521W				Green can.	
10670	Saugus River Approach Channel Buoy 8	42-26-33.092N 070-57-35.490W				Red nun.	
10675	Saugus River Approach Channel Buoy 10	42-26-35.742N 070-57-48.362W				Red nun.	
10676	Boston Lighted Whistle Buoy B	42-22-42.189N 070-46-58.171W	Mo (A) W		6	Red and white stripes with red spherical topmark.	AIS: MMSI 993672065
10677	Boston Approach Lighted Buoy BG	42-23-24.555N 070-51-29.648W	Mo (A) W		4	Red and white stripes with red spherical topmark.	AIS: MMSI 993672145 (21)
10678	The Graves Lighted Whistle Buoy 5	42-22-32.857N 070-51-28.458W	FI G 4s		4	Green.	
10679	The Graves Light	42-21-53.634N 070-52-08.712W	FI (2)W 12s	98	14	On light gray conical granite tower.	Emergency light of reduced intensity when main light is extinguished. HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s sj). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 60 minutes.
10680	Boston North Channel AIS NC	42-22-32.117N 070-54-17.842W					Virtual AIS with safe water mark function. AIS: MMSI 993672151 (21)
10685	Boston North Channel Lighted Bell Buoy 2	42-22-10.667N 070-55-09.383W	Q R		4	Red.	AIS: MMSI 993672841
10690	Boston North Channel Lighted Buoy 3	42-22-04.898N 070-54-55.519W	Q G		4	Green.	AIS: MMSI 993672842
10695	Boston North Channel Lighted Buoy 4	42-21-38.997N 070-55-46.954W	FI R 2.5s		4	Red.	
10700	Boston North Channel Lighted Buoy 5	42-21-39.788N 070-55-24.437W	FI G 2.5s		4	Green.	
10705	Boston North Channel Lighted Buoy 6	42-21-16.797N 070-56-02.444W	FI R 4s		4	Red.	
10710	Great Faun Bar Buoy 6A	42-21-16.491N 070-56-24.393W				Red nun.	
10712	Boston North Channel Lighted Buoy 7	42-21-10.634N 070-55-44.812W	FI G 4s		4	Green.	
10715	Boston North Channel Lighted Buoy 8	42-20-56.634N 070-56-17.012W	FI R 6s		3	Red.	
10720	Boston North Channel Lighted Buoy 9	42-20-48.634N 070-56-00.812W	FI G 6s		4	Green.	
10730	Boston North Channel Lighted Bell Buoy 10	42-20-36.721N 070-56-31.688W	Q R		3	Red.	
10735	President Roads Junction Lighted Buoy PR	42-20-29.388N 070-56-13.593W	FI (2+1)G 6s		4	Green and red bands.	
10736	Boston Pilots Mooring Buoy	42-25-00.384N 070-55-00.685W				White with blue band.	

10740	Boston South Channel Entrance Lighted Buoy 1	42-21-52.634N 070-53-49.812W	Q G		3	Green.	
10745	Boston South Channel Buoy 3	42-21-24.418N 070-54-13.351W				Green can.	
10750	Boston South Channel Lighted Buoy 5	42-21-06.634N 070-54-33.812W	FI G 4s		4	Green.	
10755	Boston South Channel Lighted Buoy 6	42-21-14.634N 070-54-46.812W	FI R 4s		4	Red.	
10760	Boston South Channel Buoy 7	42-20-47.068N 070-54-51.912W				Green can.	
10765	Boston South Channel Lighted Buoy 9	42-20-39.034N 070-55-01.012W	Q G		4	Green.	
10768	Boston South Channel Lighted Buoy 10	42-20-46.034N 070-55-10.012W	Q R		4	Red.	
10769	Stone Living Lab Harbor Entrance Lighted Research Buoy BC	42-20-27.200N 070-55-11.100W	FI Y 2.5s			Yellow.	
10770	Boston South Channel Buoy 11	42-20-30.134N 070-55-27.812W				Green can.	
10780	Boston South Channel Buoy 13	42-20-21.993N 070-55-55.187W				Green can.	
10785	Half Tide Rocks Buoy 2	42-20-48.388N 070-54-04.181W				Red nun.	
10790	Nixes Mate Lighted Buoy 15	42-20-02.559N 070-56-40.514W	Q G		4	Green.	
10795	Deer Island Light	42-20-22.462N 070-57-16.302W	AI WR 10s	53	9		HORN: 1 blast ev 10s (1s bl). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 60 minutes.
10800	Long Island Head Light	42-19-48.813N 070-57-27.636W	FI W 2.5s	120	6	White cylindrical tower.	
10805	Long Island Head Lighted Buoy 17	42-19-57.368N 070-57-31.445W	FI G 2.5s		4	Green.	
10815	President Roads Anchorage Gong Buoy A	42-20-35.533N 070-57-33.798W				Yellow.	AIS: MMSI 993672071 (21)
10820	President Roads Anchorage Lighted Buoy B	42-20-42.972N 070-57-50.393W	FI Y 4s		3	Yellow.	AIS: MMSI 993672072 (21)
10830	Deer Island Pier Outer Light	42-20-48.000N 070-57-35.300W	F Y	13	3	On pier.	
10840	Deer Island Pier Inner Light	42-20-48.550N 070-57-35.850W	F Y	13		On pier.	
10852	President Roads Anchorage Buoy C	42-20-38.911N 070-58-18.868W				Yellow can.	AIS: MMSI 993672073 (21). Removed when endangered by ice.
10855	President Roads Anchorage Lighted Buoy D	42-20-32.863N 070-58-51.017W	FI Y 4s		3	Yellow.	AIS: MMSI 993672074 (21). Removed when endangered by ice.
10860	President Roads Anchorage Buoy E	42-20-12.808N 070-58-46.737W				Yellow nun.	AIS: MMSI 993672075 (21)
10865	Boston Main Channel Lighted Buoy 1	42-19-52.662N 070-58-44.147W	FI G 4s		3	Green.	
10870	Boston Main Channel Lighted Buoy 2	42-20-04.738N 070-58-57.167W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
10875	Boston Main Channel Lighted Buoy 3	42-19-51.692N 070-59-27.436W	Q G		3	Green.	Replaced by can when endangered by ice.
10885	Boston Main Channel Lighted Bell Buoy 4	42-20-04.134N 070-59-27.512W	Q R		3	Red.	Replaced by nun when endangered by ice.
10890	Boston Main Channel Light 5	42-20-00.196N 071-00-03.744W	FI G 2.5s	32	5	SG on pile.	
10895	Boston Main Channel Lighted Buoy 6	42-20-12.117N 070-59-54.038W	FI R 2.5s		3	Red.	Replaced by nun when endangered by ice.
10897	Boston Main Channel Lighted Buoy 5A	42-20-12.830N 071-00-19.628W	Q G		3	Green.	Replaced by can when endangered by ice.
10900	Boston Main Channel Light 7	42-20-17.234N 071-00-29.012W	FI G 4s	26	5	SG on pile.	

10905	Boston Main Channel Lighted Buoy 8	42-20-26.834N 071-00-17.512W	FI R 4s		3	Red.	
10909	Logan Airport Security Zone Lighted Buoy 24	42-20-45.060N 071-00-28.860W	FI W 4s			White and orange .	Marked RESTRICTED AREA.
10910	Boston Main Channel Lighted Buoy 10	42-20-39.801N 071-00-37.869W	FI R 6s		3	Red.	Replaced by nun when endangered by ice. AIS: MMSI 993672067
10911	Hydronet Research Lighted Buoy B	42-20-30.558N 071-01-55.044W	FI Y 2s			Yellow.	
10912	Logan Airport Security Zone Buoy 25	42-20-49.200N 071-00-35.400W				White and orange.	Marked RESTRICTED AREA.
10919	Logan Airport Security Zone Buoy 26	42-21-02.880N 071-00-56.880W				White and orange.	Marked RESTRICTED AREA.
10920	Boston Main Channel Lighted Buoy 12	42-20-57.934N 071-01-08.012W	FI R 2.5s		3	Red.	Replaced by nun when endangered by ice.
10921	Logan Airport Security Zone Buoy 27	42-21-06.960N 071-01-07.920W				White and orange.	Marked RESTRICTED AREA.
10922	Logan Airport Security Zone Buoy 28	42-21-15.360N 071-01-19.320W				White and orange.	Marked RESTRICTED AREA.
10923.1	Logan Airport Security Zone Lighted Buoy 30	42-21-26.040N 071-01-42.060W	FI W 4s			White and Orange.	Marked RESTRICTED AREA.
10923	Logan Airport Security Zone Buoy 29	42-21-19.400N 071-01-27.800W				White and orange.	Marked RESTRICTED AREA.
10924	Boston Anchorage One CG Mooring Buoy	42-21-08.379N 071-01-16.091W				White with blue band.	Marked CG
10925.5	Hydronet Research Lighted Buoy A	42-21-10.043N 071-02-10.691W	FI Y 2.5s			Yellow.	
10925	Boston Main Channel Lighted Buoy 13	42-21-11.186N 071-02-07.363W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
10926	Fan Pier South Hazard Lighted Buoy	42-21-16.900N 071-02-29.700W	FI W 2.5s			White and orange buoy.	Marks south end of mooring field.
10927	Fan Pier North Hazard Lighted Buoy	42-21-20.100N 071-02-39.000W	FI W 4s			White and orange buoys.	Marks north end of mooring field.
10950	New England Aquarium Intake Buoy	42-21-32.000N 071-02-54.000W				White with orange bands.	
10951	CBI Lighted No Wake Buoy	42-21-37.141N 071-04-25.172W	FI W 15s				
10952	Community Boating Entrance Lighted Buoy 2	42-21-35.752N 071-04-26.000W	FI R 6s				
10953	Commissioner's Landing Lighted Buoy 1	42-21-31.601N 071-04-29.261W	FI G 4s				
10954	Commissioner's Landing Lighted Buoy 2	42-21-31.085N 071-04-29.384W	FI R 4s				
10957	Boston Main Channel Light 14	42-22-17.344N 071-02-44.632W	Q R	26	4	TR on skeleton tower.	
10960	Boston Main Channel Lighted Buoy 16	42-23-03.217N 071-02-31.917W	Q R		3	Red.	
10965	Chelsea River Light 1	42-23-09.730N 071-01-24.942W	FI G 2.5s	20	3	SG on wood multi-pile.	
10967	Chelsea River Light 2	42-23-07.920N 071-01-23.200W	FI R 2.5s	20	3	TR on wood multi-pile.	
10969	Chelsea River Light 3	42-23-10.617N 071-01-23.363W	Q G	20	3	SG on wood multi-pile.	
10970	Chelsea River Light 4	42-23-09.758N 071-01-20.460W	Q R	20	3	TR on wood multi-pile.	
10971	Chelsea River Light 5	42-23-11.776N 071-01-21.156W	Oc G 4s	20	3	SG on wood multi-pile.	
10972	Chelsea River Light 6	42-23-10.850N 071-01-18.546W	Oc R 4s	20	3	TR on wood multi-pile.	
10973	Chelsea Street	42-23-10.000N	Q Y				

	Bridge Northside Bulkhead Light	071-01-25.000W					
10973.1	Chelsea Street Bridge Southside Bulkhead Light	42-23-08.000N 071-01-23.000W	Q Y				
10975	Chelsea River Channel Lighted Buoy 8	42-23-19.365N 071-01-06.853W	FI R 2.5s		3	Red.	
10980	Chelsea River Channel Lighted Buoy 10	42-23-28.930N 071-01-00.001W	FI R 4s		3	Red.	
10985	Chelsea River Channel Lighted Buoy 12	42-23-39.371N 071-00-58.283W	FI R 6s		3	Red.	
10990	Chelsea River Channel Lighted Buoy 13	42-23-54.643N 071-00-52.213W	FI G 2.5s		3	Green.	
10995	Island End Flats Lighted Buoy 2	42-23-11.629N 071-03-09.492W	FI R 4s		3	Red.	
11000	Island End Point Buoy 4	42-23-14.882N 071-03-17.195W				Red nun.	
11005	Mystic River Buoy 5	42-23-31.894N 071-04-25.198W				Green can.	
11010	Encore Casino Channel Lighted Buoy 2	42-23-30.336N 071-04-19.956W	FI R 2.5s			Red.	
11010.1	Encore Casino Channel Lighted Buoy 3	42-23-31.674N 071-04-21.036W	FI G 2.5s			Green.	
11010.2	Encore Casino Channel Lighted Buoy 4	42-23-30.806N 071-04-19.642W	FI R 2.5s			Red.	
11010.3	Encore Casino Channel Lighted Buoy 5	42-23-34.044N 071-04-18.186W	FI G 2.5s			Green.	
11010.4	Encore Casino Channel Lighted Buoy 6	42-23-35.754N 071-04-14.190W	FI R 2.5s			Red.	
11010.5	Encore Casino Channel Lighted Buoy 8	42-23-37.500N 071-04-12.768W	FI R 2.5s			Red.	
11011	Encore Casino Outer Channel Lighted Buoy	42-23-30.270N 071-04-21.294W	FI W 3s			White with Orange bands.	
11012	Encore Casino Inner Channel Lighted Buoy	42-23-34.044N 071-04-16.530W	FI W 3s			White with Orange bands.	
11015	Island End River Daybeacon 4	42-23-25.000N 071-03-10.300W				TR on pile.	
11020	Island End River Daybeacon 6	42-23-29.200N 071-03-04.100W				TR on pile.	
11033	Logan Airport Security Zone Buoy 16	42-21-37.200N 070-59-08.400W				White and orange.	Marked RESTRICTED AREA.
11034	Logan Airport Security Zone Buoy 15	42-21-46.500N 070-59-13.920W				White and orange.	Marked RESTRICTED AREA.
11035	Winthrop Harbor Approach Buoy 1	42-20-34.837N 070-58-55.838W				Green can.	
11040	Winthrop Harbor Approach Buoy 3	42-20-57.046N 070-58-44.995W				Green can.	
11045	Winthrop Harbor Approach Buoy 4	42-21-01.127N 070-58-42.208W				Red nun.	
11050	Winthrop Harbor Approach Lighted Buoy 5	42-21-15.996N 070-58-42.156W	FI G 4s		4	Green.	Replaced by can when endangered by ice.
11055	Winthrop Harbor Approach Buoy 6	42-21-25.478N 070-58-44.982W				Red nun.	
11056	Logan Airport Security Zone Lighted Buoy 17	42-21-27.540N 070-59-06.660W	FI W 5s			White and orange.	Marked RESTRICTED AREA.
11060	Winthrop Harbor Approach Buoy 7	42-21-24.315N 070-58-49.059W				Green can.	
11065	Winthrop Light 1	42-21-42.400N 070-58-46.920W	FI G 6s	24	5	SG on skeleton tower on piles.	
11067	Winthrop Channel Buoy 1A	42-21-49.425N 070-58-38.844W				Green can.	Removed when endangered by ice.

11070	Winthrop Channel Buoy 2	42-21-47.422N 070-58-36.621W				Red nun.	
11075	Winthrop Channel Buoy 3	42-21-58.766N 070-58-29.751W				Green can.	
11077	Cottage Park Buoy 2	42-21-52.990N 070-59-17.028W				Red nun.	
11080	Cottage Park Buoy 4	42-21-58.071N 070-59-14.009W				Red nun.	
11085	Chelsea Point Channel Buoy 1	42-21-48.666N 070-59-15.089W				Green can.	
11094	Logan Airport Security Zone Buoy 14	42-21-51.600N 070-59-30.300W				White and orange.	Marked RESTRICTED AREA.
11095	Chelsea Point Channel Buoy 4	42-21-55.090N 070-59-31.050W				Red nun.	
11099	Logan Airport Security Zone Buoy 13	42-21-57.600N 070-59-42.960W				White and orange.	Marked RESTRICTED AREA.
11100	Chelsea Point Channel Buoy 5	42-21-59.477N 070-59-42.910W				Green can.	
11106	Logan Airport Security Zone Buoy 12	42-22-04.560N 070-59-51.840W				White and orange.	Marked RESTRICTED AREA.
11109	Logan Airport Security Zone Buoy 11	42-22-12.060N 070-59-57.360W				White and orange.	Marked RESTRICTED AREA.
11110	Chelsea Point Channel Buoy 7	42-22-15.515N 070-59-56.770W				Green can.	
11115	Chelsea Point Channel Buoy 8	42-22-16.565N 070-59-55.050W				Red nun.	
11116	Logan Airport Security Zone Buoy 10	42-22-22.500N 070-59-56.100W				White and orange.	Marked RESTRICTED AREA.
11119	Logan Airport Security Zone Buoy 9	42-22-30.600N 070-59-53.160W				White and orange.	Marked RESTRICTED AREA.
11120	Chelsea Point Channel Buoy 9	42-22-37.855N 070-59-48.690W				Green can.	
11125.1	Logan Airport Security Zone Lighted Buoy 8	42-22-39.840N 070-59-50.041W	Fl W 5s		2	White and orange.	Marked RESTRICTED AREA.
11125	Chelsea Point Channel Buoy 10	42-22-36.405N 070-59-46.190W				Red nun.	
11126.1	Logan Airport Security Zone Buoy 2	42-22-26.220N 071-00-39.120W				White and orange.	Marked RESTRICTED AREA.
11126	Logan Airport Security Zone Buoy 1	42-22-27.780N 071-00-44.640W				White and orange.	Marked RESTRICTED AREA.
11127.1	Logan Airport Security Zone Buoy 4	42-22-41.220N 071-00-30.840W				White and orange.	Marked RESTRICTED AREA.
11127	Logan Airport Security Zone Buoy 3	42-22-33.540N 071-00-34.560W				White and orange.	Marked RESTRICTED AREA.
11128.1	Logan Airport Security Zone Buoy 6	42-22-47.160N 071-00-14.580W				White and orange.	Marked RESTRICTED AREA.
11128	Logan Airport Security Zone Buoy 5	42-22-49.800N 071-00-22.860W				White and orange.	Marked RESTRICTED AREA.
11129	Logan Airport Security Zone Buoy 7	42-22-42.660N 071-00-01.560W				White and orange.	Marked RESTRICTED AREA.
11130	Lower Middle Channel Buoy 1	42-20-18.897N 070-59-14.708W				Green can.	
11135	Lower Middle Channel Buoy 4	42-20-28.451N 070-59-36.769W				Red nun.	
11140	Lower Middle Channel Lighted Buoy 3	42-20-23.725N 070-59-40.458W	Fl G 2.5s		3	Green.	
11145	Lower Middle Channel Buoy 5	42-20-29.547N 070-59-57.309W				Green can.	
11146.1	Logan Airport Security Zone Buoy 19	42-21-09.360N 070-59-32.160W				White and orange.	Marked RESTRICTED AREA.
11146	Logan Airport	42-21-22.200N				White and	Marked RESTRICTED AREA.

	Security Zone Buoy 18	070-59-13.620W				orange.	
11147	Logan Airport Security Zone Buoy 20	42-21-02.040N 070-59-44.640W				White and orange.	Marked RESTRICTED AREA.
11148	Logan Airport Security Zone Buoy 21	42-20-59.400N 070-59-55.380W				White and orange.	Marked RESTRICTED AREA.
11149.1	Logan Airport Security Zone Buoy 23	42-20-46.140N 071-00-18.300W				White and orange.	Marked RESTRICTED AREA.
11149	Logan Airport Security Zone Buoy 22	42-20-52.500N 071-00-05.820W				White and orange.	Marked RESTRICTED AREA.
11150	Bird Island Flats Anchorage Buoy A	42-21-12.266N 071-01-12.612W				Yellow can.	
11170	Bird Island Flats Buoy 2	42-21-30.035N 071-01-45.831W				Red nun.	
11175	Bird Island Flats Buoy 3	42-21-37.535N 071-01-45.453W				Green can.	
11195	Dorchester Bay Buoy 2	42-19-38.538N 071-00-01.899W				Red nun.	
11200	Dorchester Bay Buoy 3	42-19-28.018N 071-00-08.129W				Green can.	
11205	Dorchester Bay Buoy 4	42-19-17.688N 071-00-48.030W				Red nun.	
11210	Dorchester Bay Lighted Buoy 5	42-19-02.568N 071-01-15.640W	FI G 4s		4	Green.	Replaced by can when endangered by ice.
11215	Dorchester Bay Buoy 6	42-19-01.758N 071-01-21.430W				Red nun.	
11220	Dorchester Bay Buoy 8	42-18-48.048N 071-01-33.901W				Red nun.	
11225	Dorchester Bay Buoy 10	42-18-37.928N 071-01-44.991W				Red nun.	
11230	Dorchester Bay Lighted Buoy 12	42-18-28.428N 071-01-57.650W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
11235	Pleasure Bay Light	42-19-50.600N 071-00-54.500W	FI W 2.5s		4	On top of cupola.	
11236	Columbia Point Channel Buoy 1C	42-18-59.181N 071-01-28.316W				Green can.	
11237	Columbia Point Channel Buoy 2C	42-19-00.386N 071-01-28.427W				Red nun.	
11238	Columbia Point Channel Buoy 3	42-18-57.663N 071-01-50.956W				Green can.	
11239	Columbia Point Channel Buoy 4	42-18-58.840N 071-01-51.200W				Red nun.	
11240	UMass Buoy 1	42-18-25.300N 071-02-32.400W				Green can.	
11240.1	UMass Buoy 2	42-18-25.494N 071-02-31.542W				Red nun.	
11240.2	UMass Buoy 3	42-18-28.134N 071-02-34.644W				Green can.	
11240.3	UMass Buoy 4	42-18-28.806N 071-02-33.654W				Red nun.	
11240.4	UMass Buoy 5	42-18-30.966N 071-02-33.282W				Green can.	
11240.5	UMass Buoy 6	42-18-32.820N 071-02-30.396W				Red nun.	
11240.6	UMass Buoy 7	42-18-35.800N 071-02-27.900W				Green can.	
11240.7	UMass Buoy 8	42-18-35.202N 071-02-27.798W				Red nun.	
11240.8	UMass Buoy 9	42-18-38.220N 071-02-25.704W				Green can.	
11240.9	UMass Buoy 10	42-18-38.500N 071-02-24.000W				Red nun.	
11245	Squantum Channel Buoy 1SC	42-18-27.668N 071-01-54.420W				Green can.	
11250	Squantum Channel Buoy 2	42-18-17.034N 071-01-55.012W				Red nun.	
11252	Squantum Channel Buoy 3	42-18-11.054N 071-01-52.010W				Green can.	
11260	Dorchester Bay Basin Channel	42-18-15.300N 071-03-00.200W				Green can.	

	Buoy 1						
11265	Dorchester Bay Basin Channel Buoy 2	42-18-15.300N 071-02-55.500W				Red nun.	
11275	Dorchester Bay Basin Channel Buoy 4	42-18-18.800N 071-03-02.200W				Red nun.	
11280	Dorchester Bay Basin Channel Buoy 5	42-18-17.400N 071-03-05.200W				Green can.	
11285	Dorchester Bay Basin Channel Buoy 6	42-18-18.700N 071-03-05.600W				Red nun.	
11290	Neponset River Buoy 1	42-18-21.911N 071-02-18.501W				Green can.	
11292	Neponset River Buoy 2	42-18-24.178N 071-02-19.531W				Red nun.	
11295	Neponset River Buoy 3	42-18-17.138N 071-02-29.061W				Green can.	
11300	Neponset River Buoy 5	42-18-12.938N 071-02-31.351W				Green can.	
11305	Neponset River Lighted Buoy 7	42-17-49.089N 071-02-35.282W	FI G 4s		4	Green.	Removed when endangered by ice.
11310	Neponset River Buoy 9	42-17-41.918N 071-02-30.471W				Green can.	
11315	Neponset River Buoy 11	42-17-32.123N 071-02-11.053W				Green can.	
11320	Neponset River Buoy 13	42-17-25.309N 071-02-05.780W				Green can.	
11325	Neponset River Buoy 14	42-17-21.259N 071-02-06.247W				Red nun.	
11330	Neponset River Buoy 16	42-17-15.569N 071-02-08.508W				Red nun.	
11333	Thieves Ledge Lighted Whistle Buoy 1	42-19-34.101N 070-49-49.343W	Q G		3	Green.	
11334	Three and One-Half Fathom Ledge Lighted Bell Buoy 2	42-21-05.009N 070-50-29.796W	FI R 4s		4	Red.	
11335	Martin Ledge Buoy 4	42-20-45.739N 070-51-12.086W				Red nun.	
11336	Boston Ledge Buoy 6	42-20-04.679N 070-51-49.706W				Red nun.	
11337	Harding Ledge Lighted Bell Buoy 1HL	42-18-34.222N 070-50-37.883W	FI G 4s		4	Green.	
11340	Boston Light	42-19-40.889N 070-53-24.278W	FI W 10s	102	27	On white conical tower.	Emergency light of reduced intensity when main light is extinguished. Two emergency lights may be visible from 336° to 001° and from 156° to 181°. HORN: 1 blast ev 30s (3s bl). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 60 minutes.
11348	Little Brewster Island Dock Light	42-19-40.034N 070-53-34.012W	FI Y 2.5s	15	3	Spindle on dock.	
11350	Nantasket Roads Channel Lighted Buoy 4	42-19-10.480N 070-53-18.118W	FI R 4s		4	Red.	
11355	Nantasket Roads Channel Lighted Bell Buoy 3	42-19-07.161N 070-52-47.008W	FI G 4s		4	Green.	Replaced by can when endangered by ice.
11360	Nantasket Roads Channel Lighted Buoy 6	42-19-09.700N 070-53-56.209W	FI R 2.5s		4	Red.	Replaced by nun when endangered by ice.
11365	Nantasket Roads Channel Lighted Buoy 7	42-19-04.190N 070-54-07.369W	FI G 2.5s		4	Green.	Replaced by can when endangered by ice.
11370	Nantasket Roads Channel Lighted Buoy 9	42-19-00.867N 070-54-30.650W	FI G 4s		4	Green.	Replaced by can when endangered by ice.
11380	Toddy Rocks Buoy 9A	42-18-48.919N 070-54-35.089W				Green can.	
11385	Nantasket Roads Channel Lighted Buoy TN	42-18-59.138N 070-54-47.144W	FI (2+1)R 6s		4	Red and green bands.	Replaced by nun when endangered by ice.
11390	Nantasket Roads Channel Buoy 10	42-18-52.970N 070-55-14.211W				Red nun.	
11395	Nantasket Roads	42-18-40.410N	FI G 2.5s		4	Green.	Replaced by can when endangered by ice.

	Channel Lighted Buoy 11	070-55-15.961W						
11397	Nantasket Roads Bell Buoy 10A	42-18-44.079N 070-55-41.935W					Red.	
11410	Nantasket Roads Channel Lighted Buoy 14	42-18-15.130N 070-55-33.791W	FI R 2.5s		4		Red.	Replaced by nun when endangered by ice.
11411	Nantasket Roads DRC Lighted Hazard Buoy A	42-18-56.700N 070-55-38.500W	FI W 4s				White with orange bands.	
11411.1	Nantasket Roads DRC Lighted Hazard Buoy B	42-18-52.300N 070-55-34.500W	FI W 4s				White with orange bands.	
11411.2	Nantasket Roads DRC Lighted Hazard Buoy C	42-18-32.940N 070-55-19.140W	FI W 4s				White with orange bands.	
11411.3	Nantasket Roads DRC Lighted Hazard Buoy D	42-18-29.900N 070-55-18.300W	FI W 4s				White with orange bands.	
11415	Kelly Rock Bell Buoy 2	42-19-14.190N 070-54-42.151W					Red.	
11420	The Narrows Daybeacon 2A	42-19-22.576N 070-54-46.182W					TR on dolphin.	
11425	Georges Island Rocks Lighted Buoy 3	42-19-07.390N 070-55-02.061W	Q G		3		Green.	Replaced by can when endangered by ice.
11430	The Narrows Light 4	42-19-20.535N 070-55-10.876W	FI R 4s	35	6		TR on pile structure.	
11435	The Narrows Bell Buoy 5	42-19-17.162N 070-55-24.320W					Green.	
11437	The Narrows Buoy 6	42-19-25.533N 070-55-27.932W					Red nun.	
11440	Gallops Island Light 7	42-19-32.234N 070-55-57.112W	FI G 4s	29	5		SG on skeleton tower.	HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 60 minutes.
11441	Georges Island Lighted Hazard Buoy A	42-19-25.968N 070-55-48.738W	FI W 4s				White with orange bands.	Seasonal May 1 - Oct 31.
11442	Georges Island Lighted Hazard Buoy B	42-19-16.277N 070-56-02.458W	FI W 4s				White with orange bands.	Seasonal May 1 - Oct 31.
11443	Georges Island Lighted Hazard Buoy C	42-19-10.816N 070-55-54.480W	FI W 4s				White with orange bands.	Seasonal May 1 - Oct 31.
11445	The Narrows Buoy 10	42-19-58.519N 070-56-14.463W					Red nun.	
11450	Nixes Mate Daybeacon	42-19-53.266N 070-56-39.288W					Black white band midway of height; octagonal pyramid on square granite base.	
11455	Black Rocks Channel Buoy 2B	42-19-38.042N 070-55-10.161W					Red nun.	
11470	Quincy Bay Approach Buoy 1	42-19-01.380N 070-56-17.313W					Green can.	
11475	Quincy Bay Approach Buoy 3	42-18-53.034N 070-57-18.012W					Green can.	
11477	Quincy Bay Approach Buoy 4	42-18-47.034N 070-57-48.012W					Red nun.	
11480	Stone Living Lab Rainsford Island Lighted Research Buoy A	42-18-55.000N 070-57-03.900W	FI Y 2.5s				Yellow.	
11485	Nubble Channel Buoy 1	42-19-31.439N 070-56-50.534W					Green can.	
11490	Nubble Channel Buoy 2	42-19-33.578N 070-56-45.307W					Red nun.	
11492	Nubble Channel Buoy 3	42-19-43.928N 070-56-56.566W					Green can.	
11495	Nubble Channel Buoy 4	42-19-45.255N 070-56-52.556W					Red nun.	
11500	Nubble Channel Buoy 5	42-19-51.011N 070-57-02.350W					Green can.	
11502	Nubble Channel Buoy 6	42-19-53.197N 070-56-57.424W					Red nun.	

11504	Peddocks Island Channel Hospital Shoal Buoy HS	42-18-44.034N 070-56-15.012W				Green and red bands; can.	
11507	Rainsford Island Shoal Danger Buoy	42-18-37.670N 070-56-43.323W				White can with orange bands.	
11514	Peddocks Island Channel Buoy 2P	42-17-58.034N 070-57-12.012W				Red nun.	
11519	Peddocks Island Channel Lighted Buoy 4P	42-17-36.863N 070-57-26.520W	FI R 6s		4	Red.	Removed when endangered by ice.
11524	Peddocks Island Channel Buoy 5P	42-17-27.034N 070-57-11.012W				Green can.	
11529	Western Way Light 1	42-16-47.470N 070-56-20.970W	FI G 4s	31	5	SG on pile.	
11533	Nut Island Pier Light	42-16-53.200N 070-57-13.100W	STROBE		4	On pier.	
11537	Western Way Lighted Buoy 2	42-17-00.321N 070-56-59.692W	FI R 2.5s		3	Red.	Replaced by nun when endangered by ice.
11539	Western Way Lighted Buoy 3	42-17-12.034N 070-57-28.012W	FI G 2.5s		3	Green.	Replaced by can when endangered by ice.
11544	Hangman Island Ledge Daybeacon HM	42-17-19.493N 070-58-32.697W				NG on spindle.	
11549	Sunken Ledge Daybeacon SL	42-17-44.570N 070-57-37.425W				NB on spindle.	
11554	Western Way Lighted Buoy 4	42-17-48.034N 070-57-56.512W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
11564.1	Western Way Channel Obstruction Light 6A	42-18-34.017N 070-58-45.200W	F R			On pole.	
11564.2	Western Way Channel Obstruction Light 6B	42-18-34.431N 070-58-45.501W	F R			On pole.	
11564	Western Way Buoy 6	42-18-23.632N 070-58-33.283W				Red nun.	
11566.1	Western Way Channel Obstruction Light 5A	42-18-32.841N 070-58-48.125W	F G			On pole.	
11566.2	Western Way Channel Obstruction Light 5B	42-18-33.254N 070-58-48.430W	F G			On pole.	
11566	Western Way Buoy 5	42-18-21.034N 070-58-40.012W				Green can.	
11567	Western Way Obstruction Light A1	42-18-23.474N 070-59-11.564W	F W				
11567.1	Western Way Obstruction Light A2	42-18-23.808N 070-59-11.806W	F W				
11567.2	Western Way Obstruction Light B1	42-18-24.650N 070-59-08.641W	F W				
11567.3	Western Way Obstruction Light B2	42-18-24.985N 070-59-08.880W	F W				
11567.4	Western Way Obstruction Light C1	42-18-25.796N 070-59-05.691W	F W				
11567.5	Western Way Obstruction Light C2	42-18-26.189N 070-59-05.979W	F W				
11567.6	Western Way Obstruction Light D1	42-18-27.003N 070-59-02.787W	F W				
11567.7	Western Way Obstruction Light D2	42-18-27.335N 070-59-03.027W	F W				
11567.8	Western Way Obstruction Light E1	42-18-28.179N 070-58-59.860W	F W				
11567.9	Western Way Obstruction Light E2	42-18-28.510N 070-59-00.101W	F W				
11568	Western Way Buoy	42-18-40.563N				Green can.	

	7	070-58-58.872W					
11569	Western Way Obstruction Light F1	42-18-29.322N 070-58-56.913W	F W				
11569.1	Western Way Obstruction Light F2	42-18-29.719N 070-58-57.201W	F W				
11569.2	Western Way Obstruction Light G1	42-18-30.541N 070-58-54.017W	F W				
11569.3	Western Way Obstruction Light G2	42-18-30.861N 070-58-54.250W	F W				
11569.4	Western Way Obstruction Light H1	42-18-31.710N 070-58-51.085W	F W				
11569.5	Western Way Obstruction Light H2	42-18-32.038N 070-58-51.324W	F W				
11569.6	Western Way Obstruction Light K1	42-18-35.235N 070-58-42.304W	F W				
11569.7	Western Way Obstruction Light K2	42-18-35.566N 070-58-42.546W	F W				
11569.8	Western Way Obstruction Light L1	42-18-36.409N 070-58-39.375W	F W				
11569.9	Western Way Obstruction Light L2	42-18-36.747N 070-58-39.612W	F W				
11574	Western Way Buoy 8	42-19-04.249N 070-59-12.261W				Red nun.	
11575	Western Way Buoy 8A	42-18-54.389N 070-58-51.186W				Red nun.	
11579	Western Way Buoy 9	42-19-15.388N 070-59-42.188W				Green can.	
11580	Spectacle Island Lighted No Wake Buoy A	42-19-25.440N 070-59-29.220W	FI W 5s			White with orange bands.	
11581	Spectacle Island Lighted No Wake Buoy B	42-19-16.620N 070-59-25.020W	FI W 5s			White with orange bands.	
11582	Spectacle Island Lighted No Wake Buoy C	42-19-09.120N 070-59-18.600W	FI W 5s			White with orange bands.	
11583	Spectacle Island Lighted No Wake Buoy D	42-19-03.780N 070-59-07.380W	FI W 5s			White with orange bands.	
11584	Spectacle Island Lighted Danger Buoy A	42-19-11.580N 070-59-18.600W	FI W 5s			White with orange bands.	Marks rocks.
11585	Spectacle Island Lighted Hazard Buoy A	42-19-28.520N 070-59-30.397W	FI W 4s			White with orange bands.	Seasonal May 1 - Oct 31.
11586	Spectacle Island Lighted Hazard Buoy B	42-19-24.488N 070-59-30.415W	FI W 4s			White with orange bands.	Seasonal May 1 - Oct 31.
11587	Spectacle Island Lighted Hazard Buoy C	42-19-19.492N 070-59-23.586W	FI W 4s			White with orange bands.	Seasonal May 1 - Oct 31.
11599	Wollaston Channel Buoy 2	42-17-17.850N 071-00-11.107W				Red nun.	
11601	Wollaston Channel Buoy 4	42-16-56.018N 071-00-34.150W				Red nun.	Maintained from Apr. 1 to Nov. 1.
11620	Houghs Neck Channel Buoy 1	42-16-31.222N 070-56-37.922W				Green can.	
11625	Houghs Neck Channel Buoy 2	42-16-32.092N 070-56-39.492W				Red nun.	
11635	Spiers Stand Daybeacon	42-16-17.290N 070-56-36.582W				NW on pile worded DANGER ROCKS.	
11645	Weymouth Fore River Channel Lighted Buoy 2	42-18-08.446N 070-55-30.563W	FI R 4s		3	Red.	Replace by nun when endangered by ice. AIS: MMSI 993672282 (21)
11650	Windmill Point Light WP	42-18-11.015N 070-55-19.267W	Q W	20	6	NR on gray skeleton tower.	Horn: 1 Blast ev 10s. MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key

							microphone 5 times consecutively to activate fog signal for 45 minutes.
11655	Weymouth Fore River Channel Lighted Buoy 4	42-17-51.674N 070-55-24.457W	Q R		3	Red.	Replaced by nun when endangered by ice. AIS: MMSI 993672102 (21)
11660	Weymouth Fore River Channel Lighted Buoy 5	42-17-37.991N 070-55-24.271W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
11665	Weymouth Fore River Channel Lighted Buoy 6	42-17-39.143N 070-55-30.189W	FI R 4s		3	Red.	Replaced by nun when endangered by ice. AIS: MMSI 993672283 (21)
11670	Weymouth Fore River Channel Lighted Buoy 8	42-17-12.939N 070-55-48.004W	FI R 2.5s		3	Red.	Replaced by nun when endangered by ice.
11675	Harry's Rock Light HR	42-17-13.291N 070-55-54.280W	FI W 4s	26	4	NR on gray skeleton tower on pile structure.	
11685	Weymouth Fore River Channel Lighted Buoy 9	42-17-03.098N 070-55-47.249W	FI G 2.5s		3	Green.	Replaced by can when endangered by ice. AIS: MMSI 993672284 (21)
11690	Weymouth Fore River Channel Lighted Buoy 10	42-16-51.392N 070-55-57.181W	Q R		3	Red.	Replaced by nun when endangered by ice. AIS: MMSI 993672675 (21)
11695	Western Way Lighted Buoy WW	42-16-38.850N 070-55-55.829W	FI (2+1)R 6s		3	Red and green bands.	Replaced by nun when endangered by ice. AIS: MMSI 993672281 (21)
11700	Weymouth Fore River Channel Lighted Buoy 11	42-16-49.392N 070-55-51.181W	FI G 4s		3	Green.	Replaced by can when endangered by ice. AIS: MMSI 993672674 (21)
11706	Weymouth Fore River Channel Lighted Buoy 12	42-16-23.499N 070-55-54.127W	FI R 2.5s		3	Red.	Replaced by nun when endangered by ice. AIS: MMSI 993672285 (21)
11710	Weymouth Fore River Channel Light 13	42-16-16.270N 070-55-47.010W	Q G	28	4	SG on black skeleton tower on pile structure.	
11712	Weymouth Fore River Channel Lighted Buoy 14	42-16-11.771N 070-55-58.465W	FI R 4s		3	Red.	Replaced by nun when endangered by ice. AIS: MMSI 993672286 (21)
11715	Weymouth Fore River Channel Light 16	42-16-03.129N 070-56-06.484W	FI R 2.5s	28	4	TR on skeleton tower on a pile structure.	
11720	Weymouth Back River Lighted Buoy BR	42-16-00.192N 070-56-00.150W	FI (2+1)G 6s		3	Green and red bands.	Replaced by can when endangered by ice.
11725	Weymouth Fore River Channel Lighted Buoy 17	42-15-44.213N 070-56-14.250W	FI G 6s		3	Green.	Replaced by can when endangered by ice.
11730	Weymouth Fore River Channel Lighted Buoy 18	42-15-43.417N 070-56-20.875W	FI R 6s		3	Red.	Replaced by nun when endangered by ice. AIS: MMSI 993672287 (21)
11735	Weymouth Fore River Channel Lighted Buoy 19	42-15-24.066N 070-56-29.431W	FI G 2.5s		3	Green.	Replaced by can when endangered by ice. AIS: MMSI 993672288 (21)
11737	Weymouth Fore River Channel Buoy 21	42-15-15.369N 070-56-34.923W				Green can.	Replaced by can when endangered by ice.
11740	Weymouth Fore River Channel Lighted Buoy 22	42-15-18.047N 070-56-41.993W	Q R		3	Red.	Replaced by nun when endangered by ice. AIS: MMSI 993672289 (21)
11746	Weymouth Fore River Channel Buoy 23	42-15-08.975N 070-56-47.070W				Green can.	
11750	Weymouth Fore River Channel Lighted Buoy 25	42-15-06.172N 070-56-59.557W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
11755	Weymouth Fore River Channel Lighted Buoy 26	42-15-04.053N 070-57-14.471W	FI R 4s		3	Red.	Replaced by nun when endangered by ice. AIS: MMSI 993672290 (21)
11757	Weymouth Fore River Channel Buoy 27	42-14-53.407N 070-57-31.009W				Green can.	Replaced by ice can if endangered by ice.
11760	Weymouth Fore River Channel Lighted Buoy 28	42-14-53.138N 070-57-43.117W	FI R 2.5s		3	Red.	Replaced by nun when endangered by ice. AIS: MMSI 993672291 (21)
11765	Weymouth Fore River Channel Buoy 31	42-14-11.197N 070-57-55.859W				Green can.	Aid maintained from May 1 to Oct 15.
11770	Weymouth Fore River Channel Buoy 33	42-14-09.989N 070-57-41.033W				Green can.	Maintained from 1 Apr to 1 Nov.
11775	Weymouth Fore	42-14-09.986N				Red nun.	Maintained from 1 Apr to 1 Nov.

	River Channel Buoy 32	070-57-44.832W					
11780	Weymouth Fore River Channel Buoy 34	42-14-05.733N 070-57-36.669W				Red nun.	Maintained from 1 Apr to 1 Nov.
11785	Weymouth Fore River Channel Buoy 36	42-14-02.077N 070-57-34.371W				Red nun.	Maintained from 1 Apr to 1 Nov.
11790	Weymouth Fore River Channel Buoy 38	42-13-57.639N 070-57-34.597W				Red nun.	Maintained from 15 Apr to 30 Nov.
11794	Braintree Yacht Club Channel Lighted Buoy 40	42-13-40.320N 070-57-40.500W	FI R 4s			Red.	
11795	Braintree Yacht Club Channel Buoy 42	42-13-39.900N 070-57-40.020W				Red nun.	
11805	Braintree Yacht Club Channel Lighted Buoy 44	42-13-36.700N 070-57-41.100W	FI R 4s			Red.	
11810	Braintree Yacht Club Channel Buoy 46	42-13-34.800N 070-57-43.860W				Red nun.	
11815	Braintree Yacht Club Channel Lighted Buoy 48	42-13-31.860N 070-57-48.180W	FI R 4s			Red nun.	
11820	Braintree Yacht Club Channel Lighted Buoy 50	42-13-28.200N 070-57-54.360W	FI R 4s			Red nun.	
11825	Town River Bay Channel Buoy 2	42-14-57.098N 070-57-59.906W				Red nun.	AIS: MMSI 993672292 (21)
11830	Town River Bay Channel Buoy 3	42-14-58.367N 070-58-15.784W				Green can.	
11835	Town River Bay Channel Buoy 4	42-15-02.289N 070-58-16.909W				Red nun.	AIS: MMSI 993672293 (21)
11840	Town River Bay Channel Buoy 6	42-15-10.904N 070-58-27.052W				Red nun.	
11845	Town River Bay Channel Buoy 7	42-15-09.785N 070-58-31.843W				Green can.	AIS: MMSI 993672294 (21)
11850	Town River Bay Channel Buoy 9	42-15-13.836N 070-58-35.962W				Green can.	AIS: MMSI 993672295 (21)
11855	Town River Bay Channel Buoy 11	42-15-15.829N 070-58-42.574W				Green can.	AIS: MMSI 993672296 (21)
11860	Town River Bay Channel Buoy 12	42-15-21.342N 070-58-44.340W				Red nun.	
11865	Town River Bay Channel Buoy 14	42-15-22.220N 070-58-54.909W				Red nun.	
11870	Town River Bay Channel Buoy 16	42-15-16.713N 070-59-03.450W				Red nun.	AIS: MMSI 993672297 (21)
11875	Yacht Yard Channel Buoy 2	42-15-21.772N 070-58-40.260W				Red nun.	
11880	Yacht Yard Channel Buoy 3	42-15-22.918N 070-58-40.914W				Green can.	
11885	Weymouth Back River Channel Lighted Buoy 1	42-15-56.253N 070-55-50.850W	FI G 2.5s		3	Green.	Replaced by can when endangered by ice. AIS: MMSI 993672298 (21)
11890	Weymouth Back River Channel Buoy 2	42-15-49.273N 070-55-42.770W				Red nun.	
11895	Weymouth Back River Channel Buoy 3	42-15-54.724N 070-55-28.775W				Green can.	AIS: MMSI 993672299 (21)
11900	Weymouth Back River Channel Lighted Buoy 4	42-15-52.415N 070-55-25.697W	FI R 2.5s		3	Red.	Replaced by nun when endangered by ice. AIS: MMSI 993672302 (21)
11905	Weymouth Back River Channel Buoy 6	42-15-44.331N 070-55-16.507W				Red nun.	AIS: MMSI 993672303 (21)
11910	Weymouth Back River Channel Buoy 7	42-15-42.263N 070-55-12.249W				Green can.	AIS: MMSI 993672304 (21)
11915	Weymouth Back River Channel Lighted Buoy 8	42-15-30.587N 070-55-07.091W	FI R 4s		3	Red.	Replaced by nun when endangered by ice. AIS: MMSI 993672305 (21)
11920	Weymouth Back River Channel Buoy 10	42-15-25.084N 070-55-08.329W				Red nun.	AIS: MMSI 993672306 (21)

11925	Weymouth Back River Channel Buoy 12	42-15-19.334N 070-55-11.179W				Red nun.	AIS: MMSI 993672307 (21)
11930	Weymouth Back River Channel Buoy 13	42-15-06.845N 070-55-57.512W				Green can.	
11931	Weymouth Back River Boat Ramp Buoy 2	42-15-05.500N 070-56-05.500W				Red nun.	
11933	Point Allerton North Breakwater Light	42-18-06.879N 070-54-59.340W	FI W 2.5s	20	3	On pile.	
11934	Point Allerton South Breakwater Light	42-18-05.728N 070-54-56.940W	FI W 2.5s	20	3	On pile.	
11935	Inner Seal Rock Channel Buoy 1	42-17-52.831N 070-54-33.399W				Green can.	
11940	Outer Seal Rock Isolated Danger Buoy DSR	42-17-48.041N 070-54-29.679W				Black and red bands with two black spherical topmarks; can.	
11945	Bumkin Island Lighted Buoy 1	42-17-25.092N 070-54-51.560W	FI G 4s		3	Green.	
11970	Crow Point Flats Buoy CF	42-16-55.536N 070-54-35.933W				Red nun with green bands.	
11971	Sheep Island Buoy 1	42-16-40.034N 070-55-04.012W				Green can.	
11973	Sheep Island Buoy 2	42-16-41.034N 070-55-18.012W				Red nun.	
11975	Bumkin Island Lighted Bell Buoy 3	42-16-50.959N 070-54-19.026W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
11980	Crow Flats Middle Buoy 4	42-16-40.130N 070-54-14.599W				Red nun.	
11985	Hingham Harbor Approach Lighted Buoy HH	42-16-27.983N 070-53-51.447W	FI (2+1)G 6s		3	Green and red bands.	Removed when endangered by ice.
11990	Hingham Harbor Approach Buoy 6	42-16-26.363N 070-53-55.918W				Red nun.	
11995	Hingham Harbor Approach Buoy 7	42-16-00.047N 070-53-40.652W				Green can.	
12000	Hingham Harbor Approach Buoy 8	42-15-58.334N 070-53-45.147W				Red nun.	
12005	Hingham Harbor Approach Buoy 9	42-15-36.394N 070-53-24.176W				Green can.	
12010	Hingham Harbor Approach Buoy 10	42-15-33.139N 070-53-18.020W				Red nun.	
12015	Hingham Harbor Approach Buoy 11	42-15-34.614N 070-53-21.532W				Green can.	
12020	Hingham Harbor Channel Buoy 12	42-15-33.705N 070-53-03.114W				Red nun.	
12025	Hingham Harbor Channel Buoy 13	42-15-32.244N 070-53-00.112W				Green can.	
12030	Hingham Harbor Channel Buoy 14	42-15-27.919N 070-52-58.913W				Red nun.	
12035	Hingham Harbor Channel Buoy 15	42-15-22.513N 070-52-57.283W				Green can.	
12040	Hingham Harbor Channel Buoy 16	42-15-18.941N 070-52-57.997W				Red nun.	
12045	Hingham Harbor Channel Buoy 17	42-15-19.182N 070-52-56.199W				Green can.	
12050	Hingham Harbor Channel Buoy 18	42-15-16.893N 070-52-42.702W				Red nun.	
12055	Hingham Harbor Channel Buoy 19	42-15-17.062N 070-52-41.329W				Green can.	
12060	Hingham Harbor Channel Buoy 20	42-15-12.991N 070-52-40.388W				Red nun.	
12065	Hingham Harbor Channel Buoy 21	42-15-06.658N 070-52-43.553W				Green can.	
12070	Hingham Harbor Channel Buoy 22	42-15-02.534N 070-52-47.712W				Red nun.	
12073	Weir River Buoy 1	42-16-29.055N 070-53-41.010W				Green can.	
12075	Weir River Buoy 3	42-16-29.873N 070-53-05.186W				Green can.	
12078	Weir River Buoy 4	42-16-29.607N 070-52-57.031W				Red nun.	

12080	Weir River Buoy 6	42-16-29.773N 070-52-43.186W				Red nun.	
12085	Weir River Buoy 7	42-16-28.972N 070-52-33.114W				Green can.	
12090	Weir River Buoy 8	42-16-19.893N 070-52-28.409W				Red nun.	
12095	Weir River Buoy 9	42-16-14.346N 070-52-14.123W				Green can.	
12100	Weir River Buoy 10	42-16-10.415N 070-52-13.725W				Red nun.	
12105	Weir River Buoy 11	42-16-06.913N 070-52-00.240W				Green can.	
12110	Weir River Buoy 12	42-16-03.446N 070-51-58.862W				Red nun.	
12125	Allerton Harbor Buoy 1	42-17-55.300N 070-53-19.000W			2	Green.	
12130	Allerton Harbor Buoy 2	42-17-56.100N 070-53-17.800W			2	Red.	
12135	Allerton Harbor Buoy 3	42-18-06.900N 070-53-15.480W				Green can.	
12140	Allerton Harbor Buoy 4	42-18-07.600N 070-53-14.100W				Red nun.	
12145	Allerton Harbor Buoy 5	42-18-12.180N 070-53-17.280W				Green can.	
12150	Allerton Harbor Buoy 6	42-18-12.800N 070-53-17.100W				Red nun.	
12151	Allerton Harbor Buoy 7	42-18-15.720N 070-53-23.280W				Green can.	
12152	Allerton Harbor Buoy 8	42-18-16.800N 070-53-23.800W				Red nun.	
12153	Allerton Harbor Buoy 9	42-18-17.820N 070-53-27.120W				Green can.	
12154	Allerton Harbor Buoy 10	42-18-18.600N 070-53-28.000W				Red nun.	
12155	Cohasset Western Channel Buoy 2W	42-15-47.886N 070-47-42.487W				Red nun.	
12160	Cohasset Western Channel Buoy 3	42-15-41.466N 070-47-10.596W				Green can.	
12165	Cohasset Western Channel Buoy 4	42-15-34.726N 070-47-17.916W				Red nun.	
12170	Cohasset Western Channel Daybeacon 5	42-15-30.825N 070-47-06.024W				SG on spindle.	
12175	Cohasset Western Channel Buoy 6W	42-15-22.057N 070-47-00.246W				Red nun.	
12185	Cohasset Channel Light 8	42-15-05.497N 070-47-00.665W	FI R 2.5s	29	4	TR on skeleton tower on pile structure.	
12190	Cohasset Channel Buoy 9	42-14-56.508N 070-46-59.274W				Green can.	
12195	Cohasset Channel Light 10	42-14-56.646N 070-47-00.844W	FI R 4s	16	3	TR on skeleton tower on cylindrical base.	
12200	Cohasset Channel Buoy 11	42-14-51.022N 070-47-02.981W				Green can.	
12205	Cohasset Channel Light 12	42-14-48.155N 070-47-05.846W	FI R 6s	16	3	TR on skeleton tower on cylindrical base.	
12210	Cohasset Channel Buoy 13	42-14-37.222N 070-47-11.411W				Green can.	
12215	Cohasset Channel Light 14	42-14-34.538N 070-47-13.861W	FI R 2.5s	16	3	TR on skeleton tower on cylindrical base.	
12220	Cohasset Gangway Lighted Bell Buoy 1G	42-16-08.081N 070-46-22.646W	FI G 6s		3	Green.	
12225	Cohasset Gangway Buoy 2	42-16-04.851N 070-46-41.879W				Red nun.	
12227	Cohasset Gangway Buoy 4	42-15-54.562N 070-46-34.586W				Red nun.	
12230	Cohasset Shag Rock Buoy 1S	42-15-50.547N 070-46-05.615W				Green can.	
12235	Cohasset Harbor Buoy 5	42-15-31.177N 070-46-25.065W				Green can.	

12240	Cohasset Harbor Buoy 6	42-15-22.596N 070-46-46.785W				Red nun.	
12243	Cohasset Eastern Channel Buoy 1E	42-15-40.164N 070-45-39.763W				Green can.	
12245	Cohasset Eastern Channel Buoy 2	42-15-48.307N 070-45-48.224W				Red nun.	
12256	Tar Pouch Buoy 2	42-13-10.269N 070-42-13.386W				Red nun.	
12258	Scituate Approach Lighted Gong Buoy SA	42-12-07.579N 070-41-49.355W	Mo (A) W		4	Red and white stripes with red spherical topmark.	AIS: MMSI 993672146 (21)
12260	Scituate Harbor Channel Buoy 1	42-12-07.789N 070-42-39.656W				Green can.	
12265	Scituate Harbor Channel Buoy 2	42-12-09.579N 070-42-39.546W				Red nun.	
12270	Scituate North Jetty Light 2A	42-12-11.356N 070-42-47.495W	FI R 4s	23	4	TR on white skeleton tower.	Higher intensity beam eastward.
12275	Old Scituate Light	42-12-17.200N 070-42-56.700W	FI W 15s			White tower with dwelling.	
12280	Scituate Harbor Channel Buoy 3	42-12-08.069N 070-42-51.276W				Green can.	
12285	Scituate Harbor Channel Buoy 4	42-12-10.000N 070-42-55.219W				Red nun.	
12290	Scituate Harbor Channel Buoy 5	42-12-08.299N 070-43-01.397W				Green can.	
12295	Scituate Harbor Channel Buoy 6	42-12-09.985N 070-43-02.355W				Red nun.	
12300	Scituate Harbor Channel Buoy 7	42-12-06.128N 070-43-08.960W				Green can.	
12305	Scituate Harbor Channel Buoy 8	42-12-02.733N 070-43-18.099W				Red nun.	
12310	Scituate Harbor Channel Buoy 9	42-12-02.002N 070-43-16.025W				Green can.	
12315	Scituate Harbor Channel Buoy 11	42-11-53.910N 070-43-26.009W				Green can.	
12320	Scituate Harbor Channel Buoy 13	42-11-51.709N 070-43-25.815W				Green can.	
12324	ARII Lighted Research Buoy NI	42-10-48.000N 070-42-36.000W	Q Y			Yellow.	
12325	New Inlet Lighted Bell Buoy 1	42-10-13.660N 070-41-58.407W	FI G 2.5s		3	Green.	
12330	New Inlet Buoy 2	42-10-04.806N 070-42-17.357W				Red nun.	
12332	New Inlet Buoy 3	42-09-56.479N 070-42-18.468W				Green can.	
12335	New Inlet Buoy 4	42-09-56.671N 070-42-22.593W				Red nun.	Removed when endangered by ice.
12340	New Inlet Buoy 6	42-09-49.855N 070-42-32.825W				Red nun.	
12342	New Inlet Buoy 7	42-09-47.136N 070-42-34.199W				Green can.	
12345	New Inlet Buoy 8	42-09-41.070N 070-42-47.320W				Red nun.	
12350	New Inlet Buoy 9	42-09-39.385N 070-42-46.341W				Green can.	
12355	North River Junction Buoy NR	42-09-38.689N 070-42-49.766W				Green can with red bands.	
12360	South River Buoy 2	42-09-27.168N 070-42-44.756W				Red nun.	
12361.2	South River Buoy 4	42-09-22.980N 070-42-39.000W				Red nun.	
12365	South River Buoy 6	42-09-20.900N 070-42-23.900W				Red nun.	
12369	South River Buoy 7	42-09-11.300N 070-42-08.900W				Green can.	
12370	South River Buoy 8	42-09-06.200N 070-42-02.000W				Red nun.	
12374	South River Buoy 9	42-09-05.000N 070-42-00.900W				Green can.	
12375	South River Buoy 10	42-08-54.400N 070-42-07.600W				Red nun.	
12380	South River Buoy	42-08-46.400N				Red nun.	

	12	070-42-09.900W					
12381	South River Buoy 13	42-08-42.000N 070-42-09.000W				Green can.	
12385	South River Buoy 14	42-08-39.200N 070-42-08.200W				Red nun.	
12390	South River Buoy 16	42-08-32.000N 070-41-51.000W				Red nun.	
12392	South River Buoy 18	42-08-20.000N 070-41-39.000W				Red nun.	
12395	New Inlet Buoy 10	42-09-40.497N 070-42-55.457W				Red nun.	
12397	New Inlet Buoy 11	42-09-40.409N 070-43-02.815W				Green can.	Removed when endangered by ice.
12400	New Inlet Buoy 12	42-09-42.654N 070-43-04.236W				Red nun.	
12403	North River Buoy 12A	42-09-43.800N 070-43-09.000W				Red nun.	
12405	North River Buoy 13	42-09-51.300N 070-43-20.300W				Green can.	
12407	North River Buoy 14	42-09-53.400N 070-43-23.500W				Red nun.	
12410	North River Buoy 15	42-09-53.300N 070-43-30.900W				Green can.	
12412	North River Buoy 16	42-09-54.500N 070-43-28.500W				Red nun.	
12415	North River Buoy 17	42-09-51.400N 070-43-41.700W				Green can.	
12418	North River Buoy 18	42-09-52.200N 070-43-42.000W				Red nun.	
12424	North River Buoy 20	42-09-49.600N 070-43-46.700W				Red nun.	
12425	North River Buoy 21	42-09-44.500N 070-43-52.400W				Green can.	
12430	North River Daybeacon 23	42-09-37.600N 070-43-58.000W				SG on pile.	
12432	North River Daybeacon 24	42-09-38.300N 070-43-58.600W				TR on pile.	
12435	North River Buoy 25	42-09-40.700N 070-44-03.600W				Green can.	
12436	North River Buoy 27	42-09-43.000N 070-44-06.900W				Green can.	
12438	North River Buoy 29	42-09-42.500N 070-44-15.800W				Green can.	
12440	Herring River Buoy 1	42-09-55.800N 070-43-23.800W				Green can.	
12445	Herring River Buoy 2	42-09-56.100N 070-43-23.800W				Red nun.	
12450	Herring River Buoy 3	42-09-59.500N 070-43-26.800W				Green can.	
12455	Herring River Buoy 4	42-09-57.500N 070-43-24.900W				Red nun.	
12465	Herring River Buoy 6	42-10-16.700N 070-43-56.000W				Red Nun.	
12475	Herring River Buoy 9	42-10-28.400N 070-44-07.800W				Green can.	
12480	Herring River Buoy 10	42-10-31.740N 070-44-12.540W				Red nun.	
12485	Herring River Buoy 12	42-10-32.300N 070-44-19.500W				Red nun.	
12490	Farnham Rock Lighted Bell Buoy 6	42-05-35.899N 070-36-23.488W	FI R 4s		4	Red.	
12495	Green Harbor Approach Buoy 2GH	42-04-35.034N 070-36-50.011W				Red nun.	
12500	Bartlett Rock Isolated Danger Buoy BR	42-04-43.989N 070-37-48.912W				Black and red bands with two black spherical topmarks; can.	
12505	Green Harbor Approach Buoy 4	42-04-28.104N 070-37-42.540W					
12510	Green Harbor Entrance Lighted Buoy 3	42-04-20.903N 070-38-21.141W	FI G 4s		4	Green.	Replaced by can when endangered by ice.

12515	Green Harbor Entrance Buoy 6	42-04-33.450N 070-38-32.673W					Red nun.	
12520	Green Harbor Breakwater Light 8	42-04-38.590N 070-38-35.351W	FI R 2.5s		3		TR on spindle.	
12523	Green Harbor Channel Buoy 8A	42-04-47.674N 070-38-44.531W					Red nun.	
12525	Green Harbor Buoy 9	42-04-50.699N 070-38-47.455W					Green can.	
12530	High Pine Ledge Buoy 10	42-02-04.425N 070-36-18.945W					Red nun.	
12531	Green Harbor Buoy 11	42-05-02.484N 070-38-53.927W					Green can.	
12535	Plymouth Bay Entrance Lighted Bell Buoy 1	41-59-42.869N 070-35-24.319W	Q G		3		Green.	
12540	Gurnet Rock Buoy 2	42-00-05.861N 070-35-39.827W					Red nun.	
12545	Plymouth Light	42-00-13.428N 070-36-02.178W	FI (3)W 30s	102	17		White octagonal pyramidal tower white dwelling.	Red from 323° to 352° covers Mary Ann Rocks. Emergency light of reduced intensity when main light is extinguished. HORN: 2 blasts ev 15s (3s bl). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 45 minutes.
12550	ARII Plymouth Bay Wave Research Lighted Buoy	41-57-37.000N 070-34-47.000W	Q Y				Yellow.	
12555	Plymouth Bay Channel Lighted Buoy 3	41-59-42.014N 070-36-06.007W	FI G 4s		4		Green.	Replaced by can when endangered by ice.
12560	Plymouth Bay Channel Buoy 4	41-59-50.940N 070-35-53.286W					Red nun.	
12565	Plymouth Bay Channel Lighted Buoy 5	41-59-43.182N 070-36-53.669W	FI G 2.5s		4		Green.	
12570	Plymouth Bay Channel Buoy 6	41-59-20.914N 070-37-55.676W					Red nun.	
12575	Plymouth Bay Channel Buoy 7	41-59-22.515N 070-37-24.059W					Green can.	
12580	Duxbury Pier Light	41-59-14.766N 070-38-54.784W	FI (2)R 5s	35	6		Brown conical tower; upper half white.	Higher intensity beam seaward. HORN: 1 blast ev 15s (2s bl). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 60 minutes.
12582	USGS Lighted Research Buoy A	41-59-34.570N 070-39-45.209W	FI Y 4s				Yellow.	Seasonal Apr 15 to Nov 15.
12585	Duxbury Bay Channel Buoy 1	41-59-22.026N 070-39-10.678W					Green can.	
12590	Duxbury Bay Channel Buoy 2	41-59-30.356N 070-39-01.558W					Red nun.	
12595	Duxbury Bay Channel Buoy 2A	41-59-17.473N 070-39-04.371W					Red nun.	
12600	Duxbury Bay Channel Buoy 4	42-00-00.506N 070-38-50.288W					Red nun.	
12605	Duxbury Bay Channel Buoy 5	42-00-15.195N 070-38-52.198W					Green can.	
12610	Duxbury Bay Channel Lighted Buoy 6	42-00-19.265N 070-38-51.058W	FI R 4s		3		Red.	Replaced by nun from Oct. 15 to Mar. 15.
12615	Duxbury Bay Channel Buoy 7	42-00-32.225N 070-39-04.839W					Green can.	
12620	Duxbury Bay Channel Buoy 8	42-00-47.437N 070-39-14.720W					Red nun.	
12625	Duxbury Bay Channel Buoy 9	42-00-58.125N 070-39-27.540W					Green can.	
12630	Duxbury Bay Channel Lighted Buoy 10	42-01-08.995N 070-39-28.090W	FI R 4s		3		Red.	Replaced by nun from Oct. 15 to Mar. 15.
12635	Duxbury Bay Channel Buoy 11	42-01-32.553N 070-39-31.182W					Green can.	
12640	Duxbury Bay Channel Buoy 12	42-01-33.676N 070-39-28.936W					Red nun.	
12645	Duxbury Bay Channel Buoy 13	42-01-35.553N 070-39-35.318W					Green can.	
12650	Duxbury Bay Channel Buoy 14	42-01-39.515N 070-39-51.780W					Red nun.	
12655	Duxbury Bay Channel Buoy 15	42-01-42.221N 070-39-58.104W					Green can.	
12660	Duxbury Bay	42-01-41.720N					Red nun.	

	Channel Buoy 16	070-39-55.713W					
12665	Duxbury Bay Channel Buoy 18	42-01-44.190N 070-39-56.762W				Red nun.	
12670	Duxbury Bay Channel Buoy 19	42-01-52.194N 070-39-56.208W				Green can.	
12675	Duxbury Bay Channel Buoy 20	42-01-52.557N 070-39-54.908W				Red nun.	
12680	Duxbury Bay Channel Buoy 21	42-02-11.470N 070-40-00.540W				Green can.	
12685	Duxbury Bay Channel Buoy 22	42-02-09.302N 070-39-58.791W				Red nun.	
12690	Duxbury Bay Beach Channel Buoy 2BC	42-01-02.460N 070-38-17.280W				Red nun.	
12695	Duxbury Bay Beach Channel Buoy 4	42-01-13.560N 070-38-16.320W				Red nun.	
12700	Duxbury Bay Beach Channel Buoy 6	42-01-28.800N 070-38-18.180W				Red nun.	
12705	Duxbury Bay Beach Channel Buoy 8	42-01-39.660N 070-38-14.400W				Red nun.	
12710	Duxbury Bay Beach Channel Buoy 10	42-01-45.840N 070-38-11.100W				Red nun.	
12715	Duxbury Bay Beach Channel Buoy 12	42-01-55.080N 070-38-07.560W				Red nun.	
12720	Duxbury Bay Beach Channel Buoy 14	42-02-10.860N 070-38-15.180W				Red nun.	
12725	Duxbury Bay Beach Channel Buoy 16	42-02-28.260N 070-38-17.340W				Red nun.	
12727	Duxbury Bay Beach Channel Buoy 17	42-02-31.100N 070-38-22.900W				Green can.	
12730	Duxbury Bay Beach Channel Buoy 18	42-02-41.100N 070-38-29.900W				Red nun.	
12735	Duxbury Bay Beach Channel Buoy 20	42-02-42.800N 070-38-44.300W				Red nun.	
12740	Duxbury Bay Beach Channel Buoy 22	42-02-51.600N 070-38-55.680W				Red nun.	
12744	The Nummet Channel Buoy NC	41-59-03.395N 070-39-19.779W				Red and green bands.	
12745	The Nummet Channel Buoy 2	41-59-05.406N 070-39-31.139W				Red nun.	
12750	The Nummet Channel Buoy 4	41-59-13.406N 070-39-59.140W				Red nun.	
12755	The Nummet Channel Buoy 6	41-59-21.406N 070-40-16.511W				Red nun.	
12760	The Nummet Channel Buoy 7	41-59-26.262N 070-40-40.943W				Green can.	
12764	The Nummet Channel Buoy 8	41-59-27.760N 070-40-41.464W				Red nun.	
12765	The Nummet Channel Buoy 9	41-59-19.515N 070-40-49.797W				Green can.	
12770	Kingston Channel Buoy 2	41-59-34.600N 070-39-38.800W				Red nun.	
12775	Kingston Channel Buoy 4	41-59-41.700N 070-39-53.500W				Red nun.	
12780	Kingston Channel Buoy 6	41-59-47.400N 070-40-09.900W				Red nun.	
12785	Standish Shore Guzzle Buoy 2S	42-00-07.800N 070-40-14.400W				Red nun.	
12790	Standish Shore Guzzle Buoy 4	42-00-08.440N 070-40-12.560W				Red nun.	
12795	Standish Shore Guzzle Buoy 6	42-00-20.810N 070-40-06.310W				Red nun.	
12800	Kingston Channel Buoy 8	41-59-51.800N 070-40-20.900W				Red nun.	
12805	Kingston Channel	41-59-55.100N				Red nun.	

	Buoy 10	070-40-29.700W					
12815	Kingston Channel Buoy 12	42-00-05.000N 070-40-35.400W				Red nun.	
12820	Kingston Channel Buoy 14	42-00-06.000N 070-40-35.400W				Red nun.	
12825	Kingston Channel Buoy 16	42-00-16.200N 070-41-00.300W				Red nun.	
12830	Kingston Channel Buoy 18	42-00-15.800N 070-41-04.300W				Red nun.	
12835	Kingston Channel Buoy 20	42-00-20.800N 070-41-21.200W				Red nun.	
12840	Kingston Channel Buoy 22	42-00-26.400N 070-41-31.600W				Red nun.	
12845	Kingston Channel Buoy 24	42-00-26.700N 070-41-41.700W				Red nun.	
12850	Kingston Channel Buoy 26	42-00-22.800N 070-41-52.300W				Red nun.	
12855	Kingston Channel Buoy 28	42-00-20.800N 070-42-02.800W				Red nun.	
12860	Kingston Channel Buoy 30	42-00-14.700N 070-42-09.700W				Red nun.	
12865	Kingston Channel Buoy 32	42-00-11.200N 070-42-12.900W				Red nun.	
12870	Kingston Channel Buoy 34	42-00-09.300N 070-42-17.300W				Red nun.	
12875	Kingston Channel Buoy 36	42-00-10.600N 070-42-22.000W				Red nun.	
12885	Kingston Channel Buoy 38	42-00-11.500N 070-42-24.800W				Red nun.	
12890	Kingston Channel Buoy 40	42-00-16.100N 070-42-35.300W				Red nun.	
12895	Kingston Channel Buoy 42	42-00-09.700N 070-42-33.000W				Red nun.	
12905	The Nummet Channel Buoy NC	41-59-03.395N 070-39-19.779W				Red and green bands.	
12910	Plymouth Harbor Channel Lighted Bell Buoy 9	41-59-06.806N 070-39-15.388W	FI G 4s		4	Green.	Removed when endangered by ice.
12915	Plymouth Harbor Channel Buoy 10	41-58-53.986N 070-39-23.238W				Red nun.	
12920	Plymouth Harbor Channel Buoy 11	41-58-54.086N 070-39-20.318W				Green can.	
12925	Plymouth Harbor Channel Light 12	41-58-47.304N 070-39-24.426W	Q R	16	3	TR on skeleton tower on black cylindrical pier.	
12930	Plymouth Harbor Channel Buoy 13	41-58-44.536N 070-39-18.948W				Green can.	
12935	Plymouth Beach Jetty Daybeacon	41-58-46.325N 070-39-11.597W				NW on spindle on granite cribwork worded DANGER SUBMERGED JETTY.	
12940	Plymouth Harbor Channel Buoy 14	41-58-31.136N 070-39-10.448W				Red nun.	
12945	Plymouth Harbor Channel Buoy 15	41-58-20.677N 070-38-56.518W				Green can.	
12950	Plymouth Harbor Channel Buoy 16	41-58-05.986N 070-38-46.767W				Red nun.	
12955	Plymouth Harbor Channel Light 17	41-58-03.130N 070-38-41.723W	FI G 4s	16	5	SG on skeleton tower on black cylindrical pier.	
12960	Plymouth Harbor Channel Buoy 18	41-57-59.306N 070-38-50.007W				Red nun.	
12965	Plymouth Harbor Channel Buoy 19	41-57-55.376N 070-38-50.897W				Green can.	
12980	Plymouth Harbor Channel Buoy 20	41-57-44.926N 070-39-12.057W				Red nun.	
12985	Plymouth Harbor Channel Buoy 21	41-57-42.846N 070-39-10.807W				Green can.	
12990	Plymouth Harbor Channel Buoy 22	41-57-41.984N 070-39-19.587W				Red nun.	
13005	Plymouth Harbor Channel Buoy 23	41-57-34.046N 070-39-31.298W				Green can.	

13010	Plymouth Harbor Channel Buoy 24	41-57-36.468N 070-39-34.849W					Red nun.	
13015	Plymouth Harbor Channel Buoy 25	41-57-35.756N 070-39-38.666W					Green can.	
13020	Plymouth Harbor Channel Buoy 27	41-57-39.120N 070-39-47.421W					Green can.	
13025	Plymouth Harbor Channel Buoy 29	41-57-41.296N 070-39-53.319W					Green can.	
13035	Mary Ann Rocks Lighted Whistle Buoy 12	41-55-06.651N 070-30-22.138W	FI R 2.5s			4	Red.	
13037	WHG Research Lighted Buoy W NERACOOS 44090	41-50-53.900N 070-19-47.800W	FI Y 5s				Yellow.	
13038	WHOI Cape Cod Bay Lighted Research Buoy DMON	41-55-04.092N 070-19-56.052W	FI Y 4s				Yellow.	
13040	Cape Cod Canal Approach Lighted Bell Buoy CC	41-48-52.926N 070-27-38.810W	Mo (A) W			4	Red and white stripes with red spherical topmark.	AIS: MMSI 993672152 (21)
13045	Cape Cod Canal Approach Lighted Buoy 1	41-47-05.817N 070-28-06.509W	FI G 2.5s			4	Green.	
13050	Cape Cod Canal Breakwater Light 6	41-46-47.254N 070-29-23.291W	FI R 5s	43		9	TR on red cylindrical.	HORN: 1 blast ev 15s (2s bl). Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 45 minutes.
13060	Cape Cod Canal Eastern Entrance Lighted Bell Buoy 3	41-46-48.908N 070-28-55.983W	Q G			3	Green.	
13065	Cape Cod Canal Eastern Entrance Lighted Buoy 4	41-46-49.716N 070-29-17.314W	Q R			3	Red.	
13070	Cape Cod Canal Eastern Entrance Buoy 5	41-46-38.853N 070-29-24.514W					Green can.	
13075	Cape Cod Canal Eastern Entrance Buoy 7	41-46-34.811N 070-29-36.385W					Green can.	
13077	ARII Town Neck Wave Research Lighted Buoy	41-46-10.000N 070-28-43.000W	Q Y				Yellow.	
13080	Cape Cod Canal Eastern Entrance Range Front Light	41-46-17.748N 070-30-32.526W	Oc G 4s	38			KRW on skeleton tower.	Visible 4° each side of range line.
13085	Cape Cod Canal Eastern Entrance Range Rear Light	41-46-14.390N 070-30-42.094W	F G	51			KRW on skeleton tower.	Visible 4° each side of range line.
13090	Barnstable Harbor Entrance Lighted Bell Buoy BH	41-45-16.424N 070-16-25.689W	Mo (A) W			4	Red and white stripes with red spherical topmark.	
13095	Barnstable Harbor Entrance Buoy 1	41-44-42.710N 070-16-22.476W					Green can.	
13100	Barnstable Harbor Entrance Buoy 2	41-44-25.415N 070-16-19.947W					Red nun.	
13105	Barnstable Harbor Entrance Buoy 3	41-44-09.693N 070-16-15.522W					Green can	
13106	Barnstable Harbor Entrance Buoy 4	41-43-51.700N 070-16-17.370W					Red nun.	
13110	Barnstable Harbor Entrance Lighted Buoy 6	41-43-26.678N 070-16-11.869W	FI R 2.5s			3	Red.	Replaced by nun from Oct. 15 to Apr. 15.
13115	Barnstable Harbor Buoy 7	41-43-16.147N 070-16-44.788W					Green can.	
13117	Sandy Neck Light	41-43-22.000N 070-16-52.000W	FI W 6s			10	Brick structure.	
13120	Barnstable Harbor Lighted Buoy 8	41-43-15.627N 070-17-04.488W	FI R 4s			3	Red.	Replaced by can from Oct. 15 to Apr. 15.
13125	Barnstable Harbor Lighted Buoy 9	41-42-56.901N 070-17-25.241W	FI G 4s			3	Green.	Replaced by nun from Oct. 15 to Apr. 15.
13130	Barnstable Harbor Buoy 11	41-42-50.217N 070-17-41.910W					Green can.	
13135.1	Maraspin Creek Daybeacon 2	41-42-39.300N 070-18-04.400W					TR	Maintained from Jun 1 to Nov 1.
13135.2	Maraspin Creek	41-42-36.100N					SG	Maintained from Jun 1 to Nov 1.

	Daybeacon 3	070-18-04.400W					
13135.3	Maraspin Creek Daybeacon 4	41-42-34.700N 070-18-06.200W				TR	Maintained from Jun 1 to Nov 1.
13135.4	Maraspin Creek Daybeacon 5	41-42-34.400N 070-18-04.800W				SG	Maintained from Jun 1 to Nov 1.
13135.5	Maraspin Creek Daybeacon 6	41-42-32.100N 070-18-05.000W				TR	Maintained from Jun 1 to Nov 1.
13135.6	Maraspin Creek Daybeacon 7	41-42-31.900N 070-18-03.600W				SG	Maintained from Jun 1 to Nov 1.
13135.7	Maraspin Creek Daybeacon 8	41-42-30.100N 070-18-03.900W				TR	Maintained from Jun 1 to Nov 1.
13135.8	Maraspin Creek Daybeacon 9	41-42-30.100N 070-18-02.800W				SG	Maintained from Jun 1 to Nov 1.
13135	Maraspin Creek Lighted Buoy 1	41-42-43.500N 070-17-58.900W	FI G 4s			Green	Maintained from Jun 1 to Nov 1.
13136	Salten Point Buoy 1	41-42-45.400N 070-18-12.000W				Green can.	
13137	Salten Point Buoy 2	41-42-44.900N 070-18-17.900W				Red nun.	
13137.5	Salten Point Buoy 4	41-42-44.200N 070-18-28.700W				Red nun.	
13138	Salten Point Buoy 5	41-42-41.800N 070-18-43.300W				Green can.	
13139	Salten Point Buoy 6	41-42-41.100N 070-19-01.400W				Red nun.	
13140	Sesuit Harbor Approach Lighted Bell Buoy 1S	41-46-27.134N 070-09-48.910W	FI G 4s		4	Green.	
13150	Sesuit Harbor West Jetty Light 2	41-45-31.554N 070-09-22.390W	FI R 2.5s	12	5	TR on modular tower.	
13153	Sesuit Harbor Buoy 2A	41-45-26.000N 070-09-18.000W				Red nun.	
13155	Sesuit Harbor East Jetty Daybeacon 3	41-45-30.554N 070-09-18.310W				SG on pile.	
13158	Sesuit Harbor Buoy 4	41-45-24.300N 070-09-16.300W				Red nun.	
13159	Sesuit Harbor Buoy 5	41-45-20.300N 070-09-13.500W				Green can.	
13160	Billingsgate Shoal Lighted Bell Buoy 1	41-48-52.741N 070-10-47.856W	FI G 4s		3	Green.	
13161	Rock Harbor East Jetty Light	41-48-02.360N 070-00-32.730W	FI G 4s			Steel tower.	
13162	Rock Harbor West Jetty Light	41-48-00.540N 070-00-31.620W	FI R 4s			Steel tower.	
13174	James Longstreet Isolated Danger Lighted Buoy DJ	41-49-52.611N 070-02-40.465W	FI (2)W 5s		4	Black and red bands with two black spherical topmarks.	Replaced by can when endangered by ice.
13180	Billingsgate Flat Lighted Buoy 3	41-50-48.813N 070-02-53.378W	FI G 2.5s		4	Green.	Replaced by LIB when endangered by ice.
13185	Billingsgate Lighted Buoy 5	41-51-59.955N 070-03-18.560W	FI G 4s		4	Green.	Replaced by can from Oct. 15 to Apr. 15.
13190	Billingsgate Island Buoy 6	41-52-18.202N 070-03-37.756W				Red nun.	
13195	Billingsgate Island Lighted Buoy 8	41-52-31.772N 070-03-39.418W	FI R 2.5s		4	Red.	Replaced by nun from Oct. 15 to Apr. 15.
13200	Wellfleet Harbor Channel Lighted Buoy 10	41-53-49.870N 070-02-20.977W	FI R 4s		4	Red.	Replaced by nun from Oct. 15 to Apr. 15.
13205	Wellfleet Harbor Channel Buoy 11	41-54-31.714N 070-02-22.336W				Green can.	
13210	Wellfleet Harbor Channel Buoy 12	41-55-06.360N 070-02-19.360W				Red nun.	
13215	Wellfleet Harbor Channel Buoy 13	41-55-16.613N 070-02-15.557W				Green can.	
13220	Wellfleet Harbor Breakwater Light 14	41-55-31.511N 070-02-07.000W	FI R 2.5s	16	5	TR on spindle.	
13221	Wellfleet Harbor Buoy 14A	41-55-30.000N 070-02-08.000W				Red nun.	
13222	Wellfleet Harbor Buoy 14B	41-55-38.800N 070-02-01.300W				Red nun.	
13225	Wellfleet Harbor Channel Buoy 15	41-55-36.186N 070-02-08.027W				Green can.	

13226	Wellfleet Harbor Channel Buoy 15A	41-55-41.280N 070-02-01.260W					Green can.	
13230	Wellfleet Harbor Channel Buoy 16	41-55-41.008N 070-01-55.120W					Red nun.	
13235	Duck Creek Buoy 1	41-55-42.600N 070-01-38.700W					Green can.	
13240	Duck Creek Buoy 2	41-55-41.600N 070-01-36.600W					Red nun.	
13245	Duck Creek Buoy 3	41-55-43.900N 070-01-30.600W					Green can.	
13250	Duck Creek Buoy 4	41-55-43.200N 070-01-29.600W					Red nun.	
13255	Duck Creek Buoy 5	41-55-47.300N 070-01-26.900W					Green can.	
13260.4	Pammet River Buoy 4	41-59-30.600N 070-04-45.700W					Red nun.	
13260.7	Pammet River Buoy 7	41-59-31.600N 070-04-34.000W					Green can.	
13260.9	Pammet River Buoy 10	41-59-30.300N 070-04-27.300W						
13260.1	Pammet River North Breakwater Light 1	41-59-32.100N 070-04-48.000W	FI G 4s					
13260.2	Pammet River Entrance Lighted Buoy 2	41-59-30.000N 070-04-49.900W	FI R 4s				Red.	
13260	Duck Creek Buoy 6	41-55-46.900N 070-01-25.700W					Red nun.	
13265	Provincetown Harbor Approach Lighted Bell Buoy 1	42-00-21.993N 070-11-33.359W	FI G 4s		4		Green.	
13267	Race Point Coast Guard Station Mooring Buoy C	42-02-00.548N 070-10-39.267W					White with blue band.	
13270	Wood End Light	42-01-16.834N 070-11-36.511W	FI R 10s	45	3		White square tower.	Light may also be displayed during daytime when sound signal is in operation. HORN: 1 blast ev 30s (3s bl). Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 45 minutes.
13275	Long Point Light	42-01-59.264N 070-10-07.161W	Oc G 4s	36	8		White square tower.	HORN: 1 blast ev 15s (2s bl). Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 45 minutes.
13280	Long Point Shoal Lighted Bell Buoy 3	42-02-02.595N 070-09-40.424W	Q G		3		Green.	
13283	Provincetown Harbor Mooring Buoy E	42-02-10.335N 070-10-43.665W					White with blue band.	
13285	Provincetown Harbor Breakwater West End Light 4	42-02-45.567N 070-10-52.036W	FI R 2.5s	32	5		TR on spindle.	
13290	Provincetown Harbor Breakwater East End Light 5	42-03-05.114N 070-10-32.718W	FI G 6s	32	5		SG on spindle.	
13305	Chatham Inlet Bar Guide Light	41-40-17.634N 069-57-00.210W	FI Y 2.5s	62	11		NW on Pole worded DANGER ROUGH BAR.	Light flashing: bar condition two foot breaking seas or greater. Light extinguished: lesser sea conditions but with no guarantee that bar is safe.
13306.9	Southway Mid-Channel Buoy J	41-39-05.700N 069-57-50.400W					Red and white sphere.	
13306.8	Southway Mid-Channel Buoy I	41-39-13.400N 069-58-25.300W					Red and white sphere.	
13306.7	Southway Mid-Channel Buoy H	41-39-14.500N 069-58-42.700W					Red and white sphere.	
13306.6	Southway Mid-Channel Buoy G	41-39-07.600N 069-58-16.100W					Red and white sphere.	
13306.5	Southway Mid-Channel Buoy F	41-39-57.000N 069-58-34.100W					Red and white sphere.	
13306.4	Southway Mid-Channel Buoy E	41-39-00.600N 069-58-44.500W					Red and white sphere.	
13306.3	Southway Mid-Channel Buoy D	41-39-10.400N 069-58-44.900W					Red and white sphere.	
13306.2	Southway Mid-Channel Buoy	41-39-16.700N 069-58-48.800W					Red and white sphere.	

	C						
13306.1	Southway Mid-Channel Buoy B	41-39-14.400N 069-58-54.800W				Red and white sphere.	
13306	Southway Mid-Channel Buoy A	41-39-24.300N 069-58-54.200W				Red and white sphere.	
13308.95	Outermost Harbor Mid Channel Buoy A	41-39-29.000N 069-57-18.000W				Red and white sphere.	Positions of buoys frequently shifted with changing conditions.
13308.51	Outermost Mid-Channel Buoy OMH	41-39-43.100N 069-57-13.700W				Red and white.	
13309	Chatham Harbor Buoy 1	41-39-43.500N 069-56-46.700W				Green can.	Positions of buoys frequently shifted with changing conditions.
13310	Chatham Harbor Buoy 2	41-39-56.900N 069-56-38.100W				Red nun.	Positions of buoys frequently shifted with changing conditions.
13315	Chatham Harbor Buoy 3	41-40-13.800N 069-56-40.100W				Green can.	Positions of buoys frequently shifted with changing conditions.
13320	Chatham Harbor Buoy 4	41-40-23.700N 069-56-41.000W				Red nun.	Positions of buoys frequently shifted with changing conditions.
13325	Chatham Harbor Buoy 5	41-40-40.100N 069-56-42.100W				Green can.	
13330	Chatham Harbor Buoy 6	41-40-05.940N 069-56-39.000W				Red nun.	
13335	Bassing Harbor Buoy 2	41-42-46.000N 069-57-52.500W				Red nun.	
13336	Bassing Harbor Buoy 3	41-42-49.600N 069-57-59.500W				Green can.	
13337	Bassing Harbor Buoy 4	41-42-39.660N 069-58-17.460W				Red nun.	
13340	Aunt Lydias Cove Buoy 1	41-40-49.600N 069-56-48.300W				Green can.	
13350	Aunt Lydias Cove Buoy 2	41-40-54.000N 069-56-49.500W				Red nun.	
13355	Aunt Lydias Cove Buoy 3	41-40-58.100N 069-56-52.100W				Green can.	
13360	Aunt Lydias Cove Buoy 4	41-41-00.200N 069-56-51.900W				Red nun.	
13365	Aunt Lydias Cove Buoy 5	41-41-05.200N 069-56-54.900W				Green can.	
13370	Aunt Lydias Cove Buoy 6	41-41-07.700N 069-56-55.300W				Red nun.	
13390	Round Cove Channel Buoy 1	41-43-02.700N 069-59-40.600W				Green can.	
13391	Round Cove Channel Buoy 2	41-43-04.300N 069-59-41.200W				Red nun.	
13392	Round Cove Channel Buoy 3	41-43-03.500N 069-59-42.400W				Green can.	
13393	Round Cove Channel Buoy 4	41-43-04.500N 069-59-43.500W				Red nun.	
13394	Round Cove Channel Buoy 6	41-43-04.140N 069-59-46.500W				Red nun.	
13395	Round Cove Channel Buoy 7	41-43-10.600N 069-59-49.000W				Green can.	
13398	Strong Island Rock Buoy	41-43-30.900N 069-56-59.220W					Marked DANGER ROCKS
13399	Pleasant Bay Junction Buoy	41-42-46.200N 069-57-45.700W				Red green bands: nun.	
13400	Pleasant Bay Buoy 6	41-40-45.000N 069-56-34.700W				Red nun.	
13405	Pleasant Bay Buoy 7	41-40-54.200N 069-56-26.900W				Green can.	
13410	Pleasant Bay Buoy 8	41-41-05.300N 069-56-20.300W				Red nun.	
13415	Pleasant Bay Buoy 9	41-41-25.600N 069-56-17.900W				Green can.	
13420	Pleasant Bay Buoy 10	41-41-38.900N 069-56-08.700W				Red nun.	
13425	Pleasant Bay Buoy 11	41-41-42.800N 069-56-11.300W				Green can.	
13430	Pleasant Bay Buoy 12	41-41-47.200N 069-56-16.800W				Red nun.	

13435	Pleasant Bay Buoy 13	41-41-50.800N 069-56-34.600W				Green can.	
13437	Pleasant Bay Buoy 14	41-41-59.900N 069-56-32.400W				Red nun.	
13440	Pleasant Bay Buoy 15	41-42-08.300N 069-56-34.100W				Green can.	
13445	Pleasant Bay Buoy 16	41-42-33.200N 069-56-44.800W				Red nun.	
13450	Pleasant Bay Buoy 17	41-42-35.000N 069-57-51.000W				Green can.	
13455	Pleasant Bay Buoy 18	41-42-45.900N 069-57-57.600W				Red nun.	
13460	Pleasant Bay Buoy 19	41-42-33.400N 069-57-06.200W				Green can.	
13465	Pleasant Bay Buoy 20	41-42-39.600N 069-57-21.300W				Red nun.	
13470	Pleasant Bay Buoy 21	41-42-41.800N 069-57-38.000W				Green can.	
13475.5	Pleasant Bay Buoy 27	41-43-23.400N 069-58-12.000W				Green can.	
13475.8	Pleasant Bay Buoy 30	41-43-24.100N 069-58-15.600W				Red nun.	
13475.9	Pleasant Bay Buoy 31	41-43-23.900N 069-58-24.500W				Green can.	
13475.1	Pleasant Bay Buoy 23	41-42-58.100N 069-57-45.500W				Green can.	
13475.2	Pleasant Bay Buoy 24	41-43-09.800N 069-57-48.600W				Red nun.	
13475.3	Pleasant Bay Buoy 25	41-43-27.500N 069-57-55.700W				Green can.	
13475.4	Pleasant Bay Buoy 26	41-43-26.200N 069-58-02.900W				Red nun.	
13475.6	Pleasant Bay Buoy 28	41-43-25.700N 069-58-22.100W				Red nun.	
13475.7	Pleasant Bay Buoy 29	41-43-25.300N 069-58-23.900W				Green can.	
13475.91	Quanset Pond Buoy 2	41-44-10.000N 069-58-53.000W				Red nun.	
13475.92	Quanset Pond Buoy 4	41-44-14.800N 069-58-53.700W				Red nun.	
13475	Pleasant Bay Buoy 22	41-42-49.500N 069-57-43.600W				Red nun.	
13476.27	Paw Wah Pond Entrance Buoy 2	41-45-09.800N 069-58-02.000W				Red nun.	
13476	Pleasant Bay Buoy 32	41-43-25.800N 069-58-25.400W				Red nun.	
13476.25	Paw Wah Pond Entrance Buoy 1	41-45-12.000N 069-58-06.000W				Green can.	
13476.2	Little Pleasant Bay Buoy 42	41-44-36.200N 069-57-49.200W				Red nun.	
13476.13	Little Pleasant Bay Buoy 35	41-44-03.200N 069-57-59.400W				Green can.	
13476.43	Little Pleasant Bay Buoy 65	41-46-45.700N 069-58-06.100W				Green can.	
13476.42	Little Pleasant Bay Buoy 64	41-46-45.200N 069-58-05.400W				Red nun.	
13476.41	Little Pleasant Bay Buoy 63	41-46-25.200N 069-57-57.000W				Green can.	
13476.39	Little Pleasant Bay Buoy 61	41-46-20.700N 069-57-52.900W				Green can.	
13476.38	Little Pleasant Bay Buoy 60	41-46-15.900N 069-57-57.500W				Red nun.	
13476.37	Little Pleasant Bay Buoy 59	41-46-10.100N 069-57-57.100W				Green can.	
13476.36	Little Pleasant Bay Buoy 58	41-46-02.800N 069-57-51.600W				Red nun.	
13476.35	Little Pleasant Bay Buoy 57	41-45-56.200N 069-57-48.900W				Green can.	
13476.34	Little Pleasant Bay Buoy 56	41-45-49.900N 069-57-44.900W				Red nun.	
13476.33	Little Pleasant Bay Buoy 55	41-45-43.200N 069-57-43.500W				Green can.	
13476.32	Little Pleasant Bay	41-45-36.400N				Red nun.	

	Buoy 54	069-57-40.200W					
13476.31	Little Pleasant Bay Buoy 53	41-45-31.200N 069-57-29.400W				Green can.	
13476.3	Little Pleasant Bay Buoy 52	41-45-31.400N 069-57-27.500W				Red nun.	
13476.29	Little Pleasant Bay Buoy 51	41-45-23.000N 069-57-29.200W				Green can.	
13476.28	Little Pleasant Bay Buoy 50	41-45-12.500N 069-57-38.400W				Red nun.	
13476.26	Little Pleasant Bay Buoy 48	41-45-08.400N 069-57-49.000W				Red nun.	
13476.24	Little Pleasant Bay Buoy 46	41-45-01.600N 069-58-00.400W				Red nun.	
13476.22	Little Pleasant Bay Buoy 44	41-44-52.300N 069-58-03.800W				Red nun.	
13476.21	Little Pleasant Bay Buoy 43	41-44-42.900N 069-57-54.700W				Green can.	
13476.19	Little Pleasant Bay Buoy 41	41-44-28.300N 069-57-54.700W				Green can.	
13476.18	Little Pleasant Bay Buoy 40	41-44-23.100N 069-57-57.000W				Red nun.	
13476.17	Little Pleasant Bay Buoy 39	41-44-13.100N 069-57-56.900W				Green can.	
13476.16	Little Pleasant Bay Buoy 38	41-44-06.000N 069-57-54.700W				Red nun.	
13476.15	Little Pleasant Bay Buoy 37	41-44-06.000N 069-57-55.800W				Green can.	
13476.14	Little Pleasant Bay Buoy 36	41-44-01.700N 069-57-59.700W				Red nun.	
13476.12	Little Pleasant Bay Buoy 34	41-43-51.200N 069-58-14.100W				Red nun.	
13476.1	Little Pleasant Bay Buoy 32A	41-43-39.700N 069-58-23.000W				Red nun.	
13477	Ryder Cove Buoy 1	41-42-45.000N 069-57-47.300W				Green can.	
13480	Ryder Cove Buoy 2	41-42-43.700N 069-57-50.900W				Red nun.	
13485	Ryder Cove Buoy 3	41-42-33.700N 069-57-54.500W				Green can.	
13486	Ryder Cove Buoy 4	41-42-40.700N 069-58-01.100W				Red nun.	
13487	Ryder Cove Buoy 5	41-42-32.900N 069-58-06.500W				Green can.	
13495	Ryder Cove Buoy 6	41-42-25.200N 069-58-14.200W				Red nun.	
13500	Ryder Cove Buoy 7	41-42-25.100N 069-58-21.500W				Green can.	
13501	Ryder Cove Buoy 8	41-42-16.700N 069-58-35.900W				Red nun.	
13505	Ryder Cove Buoy 9	41-42-24.360N 069-58-21.600W				Green can.	
13506	Ryder Cove Buoy 10	41-42-17.100N 069-58-36.060W				Red nun.	
13510	Ryder Cove Buoy 11	41-42-24.500N 069-58-22.700W				Green can.	
13515	Ryder Cove Buoy 12	41-42-17.300N 069-58-35.400W				Red nun.	
13520	Town Cove Buoy 1	41-48-33.800N 069-57-01.300W				Green can.	
13520.11	Town Cove Buoy 1A	41-48-03.700N 069-57-03.900W				Green can.	
13520.5	Town Cove Buoy 2	41-48-44.100N 069-57-12.900W				Red nun.	
13521	Town Cove Buoy 3	41-48-49.200N 069-57-20.600W				Green can.	
13521.5	Town Cove Buoy 4	41-48-54.100N 069-57-30.000W				Red nun.	
13522	Town Cove Buoy 5	41-48-52.700N 069-57-38.900W				Green can.	
13522.5	Town Cove Buoy 6	41-48-46.900N 069-57-49.000W				Red can.	
13523	Town Cove Buoy 7	41-48-37.900N 069-57-55.700W				Green can.	

13523.5	Town Cove Buoy 8	41-48-29.100N 069-57-56.800W				Red nun.	
13524	Town Cove Buoy 9	41-48-24.200N 069-57-56.800W				Green can.	
13524.5	Town Cove Buoy 10	41-48-18.900N 069-58-06.100W				Red nun.	
13524.51	Town Cove Buoy 10A	41-48-21.300N 069-58-17.500W				Red nun.	
13525	Town Cove Buoy 11	41-48-19.000N 069-58-19.500W				Green can.	
13525.5	Town Cove Buoy 12	41-48-12.200N 069-58-25.700W				Red nun.	
13526	Town Cove Buoy 13	41-48-06.900N 069-58-27.200W				Green can.	
13526.5	Town Cove Buoy 14	41-48-03.000N 069-58-31.000W				Red nun.	
13527	Town Cove Buoy 15	41-47-57.800N 069-58-32.200W				Green can.	
13527.5	Town Cove Buoy 16	41-47-54.000N 069-58-36.700W				Red nun.	
13527.7	Town Cove Buoy 17	41-47-51.200N 069-58-36.500W				Green can.	
13535	Pollock Rip Channel Lighted Gong Buoy 4	41-33-08.295N 069-55-23.730W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
13540	Pollock Rip Channel Buoy 5	41-32-54.520N 069-56-02.700W				Green can.	
13545	Pollock Rip Channel Lighted Buoy 6	41-32-59.246N 069-57-11.364W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
13550	Pollock Rip Channel Lighted Buoy 8	41-32-42.763N 069-58-55.557W	FI R 6s		3	Red.	
13555	Pollock Rip Channel Lighted Buoy 9	41-32-06.568N 069-59-27.223W	FI G 4s		3	Green.	
13565	Pollock Rip Channel Lighted Buoy 10	41-31-51.450N 070-00-31.064W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
13570	Stone Horse Shoal Buoy 11	41-30-40.455N 070-00-17.978W				Green can.	
13575	Handkerchief Shoal Buoy 12	41-30-04.620N 070-03-14.702W				Red nun.	
13580	Handkerchief Shoal Buoy 14	41-29-06.555N 070-05-05.029W				Red nun.	
13586	Great Round Shoal Channel Lighted Buoy 2	41-26-11.039N 069-44-33.001W	FI R 2.5s		3	Red.	
13590	Great Round Shoal Channel Lighted Buoy 3	41-25-34.501N 069-44-55.432W	FI G 2.5s		4	Green.	Replaced by can when endangered by ice.
13595	Great Round Shoal Channel Lighted Buoy 4	41-25-52.538N 069-46-02.400W	FI R 4s		3	Red.	
13600	Great Round Shoal Channel Lighted Buoy 5	41-24-58.212N 069-48-26.120W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
13605	Great Round Shoal Channel Lighted Buoy 6	41-25-16.085N 069-50-51.997W	FI R 2.5s		3	Red.	Replaced by nun when endangered by ice.
13610	Great Round Shoal Channel Lighted Buoy 7	41-24-11.463N 069-52-21.471W	FI G 2.5s		3	Green.	Replaced by can when endangered by ice.
13615	Great Round Shoal Channel Lighted Buoy 8	41-24-49.171N 069-52-57.084W	FI R 4s		3	Red.	
13620	Great Round Shoal Channel Lighted Buoy 10	41-24-49.349N 069-54-32.497W	FI R 2.5s		3	Red.	
13625	Great Round Shoal Channel Buoy 9	41-23-51.803N 069-54-57.825W				Green can.	
13635	Point Rip Shoal Buoy 11	41-25-06.098N 069-58-08.269W				Green can.	
13640	Great Round Shoal Channel Lighted Buoy 13	41-25-55.360N 069-58-54.411W	FI G 2.5s		3	Green.	Replaced by can when endangered by ice.

13645	Point Rip Buoy 1	41-25-13.041N 069-59-49.102W					Green can.	
13650	Nantucket (Great Point) Light	41-23-24.634N 070-02-53.810W	FI W 5s	71	14		On white tower.	Red from 084° to 106°. Covers Cross Rip and Tuckernuck Shoals.
13655	Great Round Shoal Channel Lighted Buoy 15	41-26-12.139N 070-05-04.617W	FI G 4s		3		Green.	
13660	Tuckernuck Shoal Lighted Bell Buoy 1	41-24-18.744N 070-09-47.744W	FI G 4s		4		Green.	Replaced by lighted ice buoy when endangered by ice.
13665	Nantucket Sound Main Channel Lighted Buoy 17	41-26-34.842N 070-11-13.597W	FI G 6s		4		Green.	
13670	Tuckernuck Shoal Buoy 3	41-24-54.592N 070-12-55.141W					Green can.	Removed when endangered by ice.
13675	Halfmoon Shoal Lighted Bell Buoy 18	41-27-14.406N 070-14-04.207W	FI R 4s		4		Red.	Replaced by nun when endangered by ice.
13680	Cross Rip Shoal South End Buoy 4	41-26-05.217N 070-17-04.952W					Red nun.	
13685	Cross Rip Lighted Gong Buoy 21	41-26-51.474N 070-17-29.723W	FI G 2.5s		4		Green.	
13690	Horseshoe Shoal Lighted Buoy 20	41-27-33.160N 070-16-54.921W	FI R 4s		4		Red.	Replaced by nun when endangered by ice.
13695	Norton Shoal Northeast Buoy 5	41-26-09.956N 070-19-50.428W					Green can.	
13700	NOAA Data Lighted Buoy 44020	41-29-50.000N 070-16-59.000W	FI Y 4s		3		Yellow.	Marked NOAA 44020.
13705	Horseshoe Shoal West Part South End Buoy 2	41-30-03.101N 070-23-25.078W					Red nun.	
13715	Cape Poge Light	41-25-10.026N 070-27-08.359W	FI W 6s	65	9		White conical tower.	
13717	Nantucket Sound Channel Lighted Buoy 21A	41-26-54.634N 070-25-12.011W	FI G 4s		4		Green	Replaced by can when endangered by ice.
13720	Hedge Fence Lighted Gong Buoy 22	41-28-21.361N 070-29-00.759W	FI R 4s		4		Red.	
13725	Squash Meadow East End Bell Buoy	41-27-17.794N 070-30-06.011W					Green and red bands.	Removed when endangered by ice.
13730	Squash Meadow West End Buoy W	41-27-52.569N 070-31-59.281W					Green and red bands; can.	Bouy marked with letter W.
13735	East Chop Flats Lighted Bell Buoy 23	41-28-22.805N 070-33-26.803W	FI G 4s		4		Green.	Removed when endangered by ice.
13740	East Chop Shoal Buoy 23A	41-28-22.266N 070-34-05.913W					Green can.	
13745	East Chop Light	41-28-12.984N 070-34-02.836W	Iso G 6s	79	9		White tower.	
13755	Hedge Fence West End Buoy	41-30-02.744N 070-33-55.459W					Red and green bands; nun.	
13760	West Chop Lighted Gong Buoy 2	41-29-10.563N 070-35-30.885W	FI R 4s		4		Red.	
13775	West Chop Light	41-28-50.899N 070-35-59.221W	Oc W 4s	84	14		White conical tower.	Red from 281° to 331° covers Squash Meadow and Norton Shoal. HORN: 1 blast ev 30s (3s bl). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 45 minutes.
13780	Alleghany Rock Buoy 25	41-29-11.609N 070-36-02.964W					Green can.	
13785	Handkerchief Shoal Buoy 2	41-33-50.346N 070-03-39.758W					Red nun.	
13790.2	Monomoy Island Western Light	41-32-24.600N 070-00-35.160W	FI W 10s				On piling.	
13790.3	Monomoy Island Eastern Light	41-32-59.820N 070-00-03.600W	FI W 15s				On piling.	
13800	Chatham Roads Bell Buoy 3	41-38-18.205N 070-02-52.550W					Green.	Removed when endangered by ice.
13845	Chatham Roads Buoy 4	41-38-36.879N 070-01-23.608W					Red nun.	Maintained year round.
13855	Stage Harbor Entrance Lighted Bell Buoy SH	41-39-10.198N 069-59-58.963W	Mo (A) W		4		Red and white stripes with red spherical topmark.	Removed when endangered by ice.
13860	Stage Harbor Light	41-39-30.299N 069-59-04.105W	FI W 6s	28	7		Modular tower.	

13865	Stage Harbor Lighted Buoy 1	41-39-14.019N 069-59-27.406W	FI G 4s		4	Green.	Removed when endangered by ice.
13870	Stage Harbor Buoy 2	41-39-11.978N 069-59-26.585W				Red nun.	
13875	Stage Harbor Buoy 4	41-39-13.239N 069-59-22.196W				Red nun.	
13880	Stage Harbor Buoy 5	41-39-27.420N 069-58-54.198W				Green can.	
13885	Stage Harbor Buoy 6	41-39-15.582N 069-59-14.760W				Red nun.	
13890	Stage Harbor Lighted Buoy 7	41-39-20.219N 069-59-10.494W	FI G 4s		3	Green can.	Removed when endangered by ice.
13895	Stage Harbor Lighted Buoy 8	41-39-27.420N 069-58-54.198W	FI R 4s		3	Red.	Removed when endangered by ice.
13900	Stage Harbor Buoy 10	41-39-36.910N 069-58-38.723W				Red nun.	Removed when endangered by ice.
13905	Stage Harbor Buoy 11	41-39-43.109N 069-58-33.950W				Green can.	Removed when endangered by ice.
13910	Stage Harbor Buoy 12	41-39-51.898N 069-58-17.895W				Red nun.	Removed when endangered by ice.
13915	Stage Harbor Buoy 13	41-39-53.564N 069-58-18.471W				Green can.	Removed when endangered by ice.
13920	Stage Harbor Buoy 15	41-39-57.200N 069-58-08.500W				Green can.	Maintained from Apr. 15 to Dec.01.
13925	Stage Harbor Buoy 14	41-39-56.000N 069-58-08.000W				Red nun.	Maintained from Apr. 15 to Dec. 1.
13927	Stage Harbor Buoy 16	41-39-57.200N 069-58-03.080W				Red nun.	Maintained from Apr. 15 to Dec.01.
13930.2	Stage Harbor Buoy 19	41-40-07.320N 069-57-42.480W				Green can.	Maintained from Apr. 15 to Dec.01.
13930.3	Stage Harbor Buoy 20	41-40-07.960N 069-57-42.494W				Red nun.	Maintained from Apr. 15 to Dec.01.
13930.1	Stage Harbor Buoy 18	41-39-57.000N 069-57-49.000W				Red nun.	Maintained from Apr. 15 to Dec.01.
13930	Stage Harbor Buoy 17	41-39-57.000N 069-57-57.000W				Green can.	Maintained from Apr. 15 to Dec. 1.
13931	Oyster Pond River Buoy 1	41-39-40.446N 069-58-38.726W				Green can.	Positions of buoys frequently shifted with changing conditions.
13932	Oyster Pond River Buoy 2	41-39-41.940N 069-58-38.400W				Red nun.	Positions of buoys frequently shifted with changing conditions.
13933	Oyster Pond River Buoy 3	41-39-48.429N 069-58-46.772W				Green can.	
13934	Oyster Pond River Buoy 4	41-39-58.400N 069-59-04.100W				Red nun.	
13935	Oyster Pond River Buoy 5	41-40-02.851N 069-59-11.273W				Green can.	
13936	Oyster Pond River Buoy 6	41-40-08.696N 069-58-22.679W				Red nun.	
13937	Oyster Pond River Buoy 7	41-40-20.631N 069-59-12.764W				Green can.	
13938	Oyster Pond River Buoy 8	41-40-40.893N 069-58-44.464W				Red nun.	
13939	Oyster Pond River Buoy 9	41-40-45.480N 069-58-35.400W				Green can.	
13939.1	Oyster Pond River Buoy 10	41-40-48.432N 069-58-22.619W				Red nun.	
13945.1	Outermost Harbor Channel Buoy 1	41-39-42.700N 069-57-13.600W				Green can.	
13945.2	Outermost Harbor Channel Buoy 2	41-39-43.200N 069-57-13.500W				Red nun.	
13945.3	Outermost Harbor Channel Buoy 3	41-39-46.100N 069-57-12.000W				Green can.	
13945.4	Outermost Harbor Channel Buoy 4	41-39-48.800N 069-57-13.400W				Red nun.	
13945.5	Outermost Harbor Channel Buoy 5	41-39-40.800N 069-57-15.500W				Green can.	
13945.6	Outermost Harbor Channel Buoy 6	41-39-49.800N 069-57-13.200W				Red nun.	
13945.7	Outermost Harbor Channel Buoy 7	41-39-51.400N 069-57-18.000W				Green can.	
13960	Mill Pond Buoy 2	41-40-12.769N 069-57-40.553W				Red nun.	
13965	Mill Pond Buoy 4	41-40-13.860N				Red nun.	

		069-57-43.860W					
13970	Mill Pond Buoy 6	41-40-15.368N 069-57-44.871W				Red nun.	
13975	Mill Pond Buoy 8	41-40-16.779N 069-57-44.397W				Red nun.	
13980	Mill Pond Buoy 10	41-40-18.000N 069-57-42.720W				Red nun.	
13985	Mill Pond Buoy 11	41-40-19.098N 069-57-42.464W				Green can.	
13990	Mill Pond Buoy 12	41-40-18.141N 069-57-37.281W				Red nun.	
13995	Mill Pond Buoy 14	41-40-20.400N 069-57-33.600W				Red nun.	
14000	Mill Pond Buoy 15	41-40-19.718N 069-57-35.758W				Green can.	
14003	Mill Pond Buoy 16	41-40-21.593N 069-57-32.983W				Red nun.	
14005	Mill Pond Buoy 17	41-40-30.300N 069-57-19.260W				Green can.	
14030	Saquatucket Harbor Buoy 1	41-39-23.960N 070-03-35.728W				Green can.	
14035	Saquatucket Harbor Buoy 2	41-39-27.372N 070-03-33.749W				Red nun.	Removed when endangered by ice.
14037	Saquatucket Harbor Buoy 3	41-39-29.941N 070-03-37.211W				Green can.	
14040	Saquatucket Harbor Junction Buoy S	41-39-39.254N 070-03-41.090W				Green and red bands.	
14045	Saquatucket Harbor Buoy 4	41-39-39.971N 070-03-38.919W				Red nun.	
14050	Saquatucket Harbor East Jetty Light 6	41-39-48.640N 070-03-39.570W	FI R 4s	20	6	TR on white skeleton tower.	
14053	Saquatucket Harbor Lighted Buoy 6A	41-39-46.534N 070-03-40.100W	Q R		3	Red	Marks old light structure.
14055	Saquatucket Harbor Buoy 8	41-39-52.969N 070-03-41.293W				Red nun.	
14060	Saquatucket Harbor Buoy 9	41-39-58.331N 070-03-39.069W				Green can.	Removed when endangered by ice.
14065	Wychmere Harbor Jetty Light 1	41-39-37.847N 070-03-47.861W	FI G 4s	25	5	SG on spindle.	
14070	Wychmere Harbor Buoy 2	41-39-40.937N 070-03-49.121W				Red nun.	
14085	Allen Harbor Entrance Breakwater Light	41-39-40.000N 070-05-22.600W	Q G	20		On tower.	
14090	Allen Harbor Entrance Lighted Buoy 1	41-39-20.100N 070-05-04.100W	FI G 4s			Green.	
14095	Allen Harbor Entrance Buoy 2	41-39-23.800N 070-05-06.600W				Red nun.	
14100	Allen Harbor Entrance Buoy 3	41-39-28.300N 070-05-12.600W				Green can.	
14105	Allen Harbor Entrance Buoy 4	41-39-32.500N 070-05-14.100W				Red nun.	
14110	Allen Harbor Entrance Buoy 5	41-39-34.800N 070-05-19.300W				Green can.	
14115	Allen Harbor Entrance Buoy 6	41-39-39.200N 070-05-19.500W				Red nun.	
14140	Herring River Entrance Buoy 1	41-39-02.520N 070-06-53.880W				Green can.	
14145	Herring River Entrance Buoy 2	41-39-05.220N 070-06-53.340W				Red nun.	
14150	Herring River Entrance Buoy 3	41-39-07.980N 070-06-55.560W				Green can.	
14155	Herring River Entrance Buoy 4	41-39-09.600N 070-06-54.800W				Red nun.	
14160	Herring River Entrance Buoy 5	41-39-13.440N 070-06-56.520W				Green can.	
14165	Herring River Entrance Buoy 6	41-39-18.720N 070-06-55.560W				Red nun.	
14170	Herring River West Breakwater Light 7	41-39-16.500N 070-06-57.500W	FI G 4s	14		On skeleton tower.	

14175	West Dennis Light	41-39-07.000N 070-10-13.000W	Fl W 6s	44	7	On white wooden building.	Maintained from May 1 to Oct. 31.
14180	Kill Pond Bar Lighted Whistle Buoy KP	41-37-26.418N 070-06-29.216W	Fl (2+1)R 6s		4	Red and green bands.	Replaced by nun when endangered by ice.
14190	Kill Pond Bar Fish Trap Light S	41-37-00.000N 070-07-38.000W	Fl Y 6s	10		On pile at offshore end of weir.	Maintained from Mar. 1 to Oct. 1.
14205	Bass River Entrance Lighted Buoy 2	41-37-35.118N 070-11-30.308W	Fl R 2.5s		3	Red.	Replaced by nun when endangered by ice.
14215	Bass River Entrance Buoy 4	41-38-09.300N 070-11-44.400W				Red nun.	
14220	Bass River Entrance Buoy 5	41-38-12.900N 070-11-45.700W				Green can.	
14225	Bass River Entrance Buoy 6	41-38-13.900N 070-11-44.000W				Red nun.	
14230	Bass River Entrance Buoy 7	41-38-19.700N 070-11-46.300W				Green can.	
14235	Bass River Entrance Buoy 8	41-38-23.500N 070-11-44.600W				Red nun.	
14240	Bass River Entrance Buoy 9	41-38-26.800N 070-11-45.800W				Green can.	
14245	Bass River Entrance Buoy 10	41-38-32.300N 070-11-44.900W				Red nun.	
14250	Bass River Buoy 12	41-38-54.600N 070-11-49.600W				Red nun.	
14255	Bass River Buoy 14	41-39-02.700N 070-11-49.300W				Red nun.	
14256	Bass River Buoy 14A	41-39-14.100N 070-11-46.300W				Red nun.	
14260	Bass River Buoy 16	41-39-18.400N 070-11-41.000W				Red nun.	
14265	Bass River Buoy 16A	41-39-22.100N 070-11-32.200W				Red nun.	
14270	Bass River Buoy 18	41-39-26.600N 070-11-23.800W				Red nun.	
14275	Bass River Buoy 20	41-39-36.300N 070-11-16.900W				Red nun.	
14280	Bass River Buoy 22	41-39-41.100N 070-11-12.600W				Red nun.	
14281	Bass River Buoy 22A	41-39-45.400N 070-11-02.900W				Red nun.	
14285	Bass River Buoy 24	41-40-03.100N 070-10-50.100W				Red nun.	
14290	Bass River Buoy 25	41-40-08.200N 070-10-46.700W				Green can.	
14295	Bass River Buoy 26	41-40-11.700N 070-10-30.500W				Red nun.	
14300	Bass River Buoy 28	41-40-21.400N 070-10-19.100W				Red nun.	
14301	Bass River Buoy 28A	41-40-27.600N 070-10-15.800W				Red nun.	
14305	Bass River Buoy 30	41-40-32.900N 070-10-08.600W				Red nun.	
14310	Bass River Buoy 32	41-40-49.700N 070-09-44.300W				Red nun.	
14315	Bass River Buoy 33	41-40-57.300N 070-09-45.300W				Green can.	
14325	Bass River Buoy 35	41-41-03.800N 070-09-33.800W				Green can.	
14330	Bass River Buoy 36	41-41-09.800N 070-09-38.800W				Red nun.	
14335	Bass River Buoy 37	41-41-16.300N 070-09-43.300W				Green can.	
14340	Bass River Buoy 38	41-41-16.900N 070-09-44.700W				Red nun.	
14345	Bass River Buoy 39	41-41-17.200N 070-09-56.400W				Green can.	
14350	Bass River Buoy 40	41-41-21.700N 070-10-00.600W				Red nun.	
14355	Bass River Buoy 41	41-41-22.900N 070-10-03.800W				Green can.	

14360	Bass River Buoy 41A	41-41-24.800N 070-10-05.500W				Green can.	
14365	Bass River Buoy 42	41-41-25.600N 070-10-05.800W				Red nun.	
14370	Bass River Buoy 43	41-41-33.600N 070-10-08.000W				Green can.	
14375	Bass River Buoy 44	41-41-39.900N 070-10-11.200W				Red nun.	
14380	Bass River Buoy 45	41-41-39.300N 070-10-11.600W				Green can.	
14385	Bass River Buoy 46	41-41-41.500N 070-10-11.400W				Red nun.	
14390	Bass River Buoy 47	41-41-41.700N 070-10-12.000W				Green can.	
14393	Bass River Buoy 48	41-41-47.400N 070-10-12.000W				Red nun.	
14395	Bass River Buoy 49	41-41-48.200N 070-10-13.100W				Green can.	
14400	Bass River Buoy 51	41-41-55.000N 070-10-23.000W				Green can.	
14405	Bass River Buoy 52	41-41-52.500N 070-10-21.600W				Red nun.	
14410	Bass River Buoy 53	41-42-01.100N 070-10-28.500W				Green can.	
14415	Bass River Buoy 54	41-42-02.900N 070-10-33.000W				Red nun.	
14416	Weir Creek Buoy 1	41-39-05.200N 070-11-43.100W				Green can.	
14417	Weir Creek Buoy 2	41-39-04.400N 070-11-43.900W				Red nun.	
14417.1	Weir Creek Buoy 3	41-39-09.500N 070-11-30.000W				Green can.	
14417.2	Weir Creek Buoy 3A	41-39-14.700N 070-11-19.600W				Green can.	
14417.3	Weir Creek Buoy 4	41-39-13.400N 070-11-16.000W				Red nun.	
14417.4	Weir Creek Buoy 5	41-39-11.200N 070-11-05.100W				Green can.	
14417.5	Weir Creek Buoy 6	41-39-10.700N 070-11-09.700W				Red nun.	
14417.55	Weir Creek Buoy 7	41-39-14.000N 070-11-00.100W				Green can.	
14417.6	Weir Creek Buoy 8	41-39-15.400N 070-10-58.700W				Red nun.	
14420	Grand Cove Channel Buoy 2	41-40-22.800N 070-10-13.400W				Red nun.	
14420.5	Grand Cove Channel Buoy 3	41-40-23.700N 070-10-13.800W				Green can.	
14421	Grand Cove Channel Buoy 3A	41-40-23.800N 070-10-07.500W				Green can.	
14425	Grand Cove Buoy 4	41-40-17.700N 070-10-02.400W				Red nun.	
14430	Grand Cove Buoy 5	41-40-15.000N 070-09-57.200W				Green can.	
14450	Bass River West Jetty Light 11	41-38-38.236N 070-11-50.969W	FI G 6s	33	6	SG on skeleton tower.	Maintained year round.
14460	Parkers River Buoy 2	41-37-43.700N 070-12-58.000W				Red nun.	Maintained from Apr. 1 to Nov. 1.
14461	Parkers River Buoy 3	41-37-46.300N 070-13-01.500W				Green can.	
14462	Parkers River Buoy 4	41-37-52.700N 070-13-02.800W				Red nun.	
14463	Parkers River Buoy 5	41-37-57.600N 070-13-08.400W				Green can.	
14464	Parkers River Buoy 6	41-38-01.200N 070-13-09.000W				Red nun.	
14465	Parkers River Buoy 7	41-38-14.900N 070-13-18.650W				Green can.	
14485	Bishop And Clerks Lighted Bell Buoy 1	41-34-43.999N 070-14-07.037W	FI G 4s		4	Green.	Replaced by can when endangered by ice.
14490	Bishop And Clerks Light	41-34-27.470N 070-15-00.425W	FI W 6s	45	14	White and red cylindrical tower.	
14495	Bishop And Clerks	41-33-21.444N	FI R 4s		4	Red.	

	South Approach Lighted Gong Buoy 2	070-14-37.080W					
14500	Bishop And Clerks South Approach Buoy 4	41-34-28.441N 070-15-58.083W				Red nun.	
14510	Gazelle Rock Lighted Buoy 2	41-36-06.269N 070-15-48.503W	FI R 2.5s		4	Red.	Replaced by nun when endangered by ice.
14515	Hyannis Harbor Approach Lighted Bell Buoy HH	41-35-57.438N 070-17-22.086W	Mo (A) W		4	Red and white stripes with red spherical topmark.	
14520	Halftide Rock Buoy HR	41-36-52.000N 070-16-05.000W				White can with orange bands.	Maintained from June 1 to Sept. 30.
14525	Hyannis Harbor Lighted Buoy 4	41-37-03.717N 070-17-25.305W	FI R 2.5s		3	Red.	Removed when endangered by ice.
14530	Great Rock Daybeacon 4A	41-37-03.350N 070-17-08.571W				TR on spindle.	
14540	Hyannis Harbor Breakwater Light H	41-37-27.162N 070-17-32.514W	FI W 6s	31	7	NB on black skeleton tower.	
14541	Hyannis Harbor Danger Buoy A	41-37-48.547N 070-17-55.415W				White can with orange bands worded ROCKS.	Marks Rocks. Maintained Jun. 1 to Nov. 1
14542	Hyannis Harbor Danger Buoy B	41-37-48.271N 070-17-53.077W				White can with orange bands worded ROCKS	Marks Rocks. Maintained Jun. 1 to Nov. 1
14543	Hyannis Harbor Danger Buoy C	41-37-45.964N 070-17-53.901W				White can with orange bands worded ROCKS	Marks Rocks. Maintained Jun. 1 to Nov. 1
14550	Hyannis Harbor Wreck Buoy	41-37-50.176N 070-17-26.941W				White can with orange bands.	
14553	Lewis Bay Approach Channel Lighted Buoy 5	41-37-14.878N 070-17-22.438W	FI G 4s		4	Green.	Replaced by can when endangered by ice. AIS: MMSI 993672423 (21)
14555	Lewis Bay Approach Channel Lighted Buoy 6	41-37-12.034N 070-17-19.090W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
14560	Lewis Bay Approach Channel Buoy 7	41-37-29.350N 070-16-51.166W				Green can.	
14565	Lewis Bay Approach Channel Buoy 8	41-37-28.727N 070-16-43.985W				Red nun.	
14570	Lewis Bay Approach Channel Lighted Buoy 10	41-37-39.184N 070-16-24.742W	FI R 2.5s		4	Red.	Replaced by nun from Dec. 1 to Apr. 1. AIS: MMSI 993672519 (21)
14575	Lewis Bay Approach Channel Lighted Buoy 9	41-37-39.343N 070-16-28.384W	FI G 2.5s		4	Green.	Replaced by can from Dec. 1 Apr. 1. AIS: MMSI 993672520 (21)
14580	Lewis Bay Approach Channel Lighted Buoy 11	41-37-52.014N 070-16-19.520W	FI G 4s		4	Green.	Replaced by can from Dec. 1 to Apr. 1. AIS: MMSI 993672516 (21)
14585	Lewis Bay Approach Channel Buoy 12	41-37-49.165N 070-16-17.445W				Red nun.	
14590	Lewis Bay Approach Channel Buoy 13	41-38-01.335N 070-16-16.075W				Green can.	
14592	Lewis Bay Approach Channel Lighted Buoy 14	41-38-05.484N 070-16-11.151W	FI R 4s		4	Red.	Replaced by nun Dec. 1 to Apr. 1. AIS: MMSI 993672592 (21)
14600	Fiddle Head Rock Danger Buoy	41-38-15.318N 070-15-55.546W					
14601	Fiddle Head Rock Daybeacon	41-38-20.100N 070-15-54.200W				On wood pile.	
14605	Hyannis Yacht Club Channel Buoy 1A	41-38-20.200N 070-16-23.400W				Green can.	
14610	Hyannis Yacht Club Channel Buoy 2A	41-38-20.800N 070-16-18.400W				Red nun.	
14615	Hyannis Yacht Club Channel Buoy 3A	41-38-20.900N 070-16-28.000W				Green can.	
14620	Hyannis Yacht Club Channel Buoy 4A	41-38-21.600N 070-16-27.500W				Red nun.	
14625	Lewis Bay Approach Channel Buoy 15	41-38-20.975N 070-16-11.425W				Green can.	
14630	Lewis Bay Approach Channel	41-38-31.963N 070-16-09.871W				Green can.	

	Buoy 19						
14635	Lewis Bay Approach Channel Lighted Buoy 18	41-38-31.627N 070-16-06.097W	Q R		4	Red.	Replaced by nun from Dec. 1 to Apr. 1. AIS: MMSI 993672589 (21)
14637	Lewis Bay Approach Channel Buoy 20	41-38-40.324N 070-16-14.938W				Red nun.	
14640	Lewis Bay Approach Channel Buoy 21	41-38-41.591N 070-16-20.704W				Green can.	AIS: MMSI 993672536 (21)
14645	Lewis Bay Approach Channel Buoy 22	41-38-51.417N 070-16-29.366W				Red nun.	
14646	Mill Creek Entrance Buoy 1	41-38-40.356N 070-15-29.888W				Green can.	Maintained from May 15 to Nov. 15.
14647	Mill Creek Entrance Buoy 2	41-38-42.695N 070-15-28.367W				Red nun.	Maintained from May 15 to Nov. 15.
14650	Englewood Channel Buoy 1	41-38-09.274N 070-15-03.538W				Green can.	
14650.1	Englewood Channel Buoy 2	41-38-09.300N 070-15-00.240W				Red nun.	
14650.2	Englewood Channel Buoy 3	41-38-10.300N 070-14-58.600W				Green can.	
14650.3	Englewood Channel Buoy 4	41-38-10.600N 070-14-56.200W				Red nun.	
14650.4	Englewood Channel Buoy 5	41-38-12.240N 070-14-53.460W				Green can.	
14650.5	Englewood Channel Buoy 6	41-38-12.780N 070-14-49.980W				Red nun.	
14650.6	Englewood Channel Buoy 7	41-38-13.600N 070-14-48.000W				Green can.	
14675	Hodges Rock Buoy 2	41-35-23.337N 070-18-58.438W				Red nun.	
14680	Gallatin Rock Buoy 3	41-35-47.936N 070-20-01.090W				Green can.	
14685	Collier Ledge Lighted Isolated Danger Buoy DCL	41-35-44.449N 070-21-08.210W	Fl (2)W 5s		3	Black and red bands with two black spherical topmarks.	Replaced by can when endangered by ice.
14686	Collier Ledge Isolated Danger VAIS	41-35-49.654N 070-21-03.979W					VAIS MMSI: 993672629
14687	Collier Ledge Hazard Buoy	41-35-47.473N 070-20-58.419W				White and orange can marked DANGER ROCKS.	Removed when endangered from ice.
14705	Bearse Rock Buoy 4	41-36-09.965N 070-19-48.140W				Red nun.	
14710	Channel Rock Buoy	41-36-05.865N 070-20-13.602W				Green can with red bands.	
14712	Southwest Rock Lighted Hazard Buoy	41-36-25.586N 070-19-10.513W	Fl W 2.5s		3	White and orange marked DANGER ROCKS.	Removed when endangered by ice.
14725.1	Centerville River Buoy 1	41-37-32.800N 070-22-04.300W				Green can.	
14725.2	Centerville River Buoy 2	41-37-33.300N 070-22-05.100W				Red nun.	
14725	Spindle Rock Hazard Buoy	41-37-53.647N 070-20-17.000W				White with Orange Bands.	Marks rocks.
14726.91	East Bay Light	41-37-23.300N 070-21-48.025W	Fl G 4s	15		On monopole.	
14726.9	Centerville River Buoy 14	41-38-01.697N 070-21-27.789W				Red nun.	
14726.8	Centerville River Buoy 13	41-38-03.000N 070-21-26.100W				Green can.	
14726.7	Centerville River Buoy 12	41-38-02.000N 070-21-29.300W				Red nun.	
14726.6	Centerville River Buoy 11	41-38-01.800N 070-21-30.230W				Green can.	
14726.5	Centerville River Buoy 10	41-37-54.100N 070-21-42.500W				Red nun.	
14726.4	Centerville River Buoy 8	41-37-46.845N 070-21-52.758W				Red nun.	
14726.3	Centerville River	41-37-51.400N				Green can.	

	Buoy 7	070-21-48.200W					
14726.2	Centerville River Buoy 6	41-37-43.790N 070-21-57.450W				Red nun.	
14726.1	Centerville River Buoy 4	41-37-38.800N 070-22-00.500W				Red nun.	
14726	Centerville River Buoy 3	41-37-38.500N 070-22-01.100W				Green can.	
14727.3	East Bay Buoy 3	41-37-19.600N 070-21-38.960W				Green can.	
14727.5	East Bay Buoy 6	41-37-30.200N 070-21-59.594W				Red nun.	
14727.4	East Bay Buoy 4	41-37-20.200N 070-21-36.300W				Red nun.	
14727.2	East Bay Buoy 2	41-37-16.300N 070-21-28.500W				Red nun.	
14727.1	East Bay Buoy 1	41-37-16.100N 070-21-31.700W				Green can.	
14727	Dowses Rock Danger Buoy DR	41-37-12.607N 070-21-43.870W				White with Orange bands; can.	Maintained from Jun. 1 to Nov. 1.
14735	Cotuit Anchorage Shoal Buoy 3	41-35-32.410N 070-23-33.924W				Green can.	
14741.21	West Bay Entrance Light	41-36-20.139N 070-24-02.720W	FI R 2.5s			On monopole.	
14741.73	West Bay Inside Buoy 21	41-37-13.100N 070-23-45.100W				Green can.	
14741.7	West Bay Inside Buoy 20	41-37-09.200N 070-23-44.000W				Red nun.	
14741.69	West Bay Inside Buoy 19	41-37-10.000N 070-23-44.400W				Green can.	
14741.66	West Bay Inside Buoy 18	41-37-09.100N 070-23-51.700W				Red nun.	
14741.63	West Bay Inside Buoy 17	41-37-09.700N 070-23-51.900W				Green can.	
14741.6	West Bay Inside Buoy 16	41-37-08.500N 070-23-56.500W				Red nun.	
14741.59	West Bay Inside Buoy 15	41-37-09.500N 070-23-56.500W				Green can.	
14741.56	West Bay Inside Buoy 14	41-37-07.000N 070-23-59.000W				Red nun.	
14741.53	West Bay Inside Buoy 13	41-37-07.500N 070-24-00.100W				Green can.	
14741.5	West Bay Inside Buoy 12	41-37-04.600N 070-24-01.600W				Red nun.	
14741.49	West Bay Inside Buoy 11	41-37-05.300N 070-24-02.400W				Green can.	
14741.46	West Bay Inside Buoy 10	41-37-00.100N 070-24-02.310W				Red nun.	
14741.43	West Bay Inside Buoy 9	41-37-00.100N 070-24-04.300W				Green can.	
14741.4	West Bay Inside Buoy 8	41-36-55.400N 070-24-01.500W				Red nun.	
14741.39	West Bay Inside Buoy 7	41-36-55.200N 070-24-02.300W				Green can.	
14741.36	West Bay Inside Buoy 6	41-36-51.800N 070-24-01.200W				Red nun.	
14741.33	West Bay Inside Buoy 5	41-36-52.100N 070-24-02.000W				Green can.	
14741.3	West Bay Inside Buoy 4	41-36-42.600N 070-24-01.300W				Red nun.	
14741.29	West Bay Inside Buoy 3	41-36-43.000N 070-24-02.400W				Green can.	
14741.28	West Bay Inside Buoy 2	41-36-39.500N 070-24-01.300W				Red nun.	
14741.23	West Bay Inside Buoy 1	41-36-38.900N 070-24-03.000W				Green can.	
14741.2	West Bay Entrance Buoy 10	41-36-13.400N 070-24-03.300W				Red nun.	
14741.19	West Bay Entrance Buoy 9	41-36-09.140N 070-24-09.000W				Green can.	
14741.16	West Bay Entrance Buoy 8	41-36-06.720N 070-24-04.020W				Red nun.	
14741.13	West Bay Entrance	41-36-04.100N				Green can.	

	Buoy 7	070-24-08.200W				
14741.1	West Bay Entrance Lighted Buoy 6	41-36-00.960N 070-24-04.440W	FI R 4s		Red.	
14741	West Bay Entrance Buoy 5	41-36-01.400N 070-24-08.100W			Green can.	
14742.7	North Bay Channel Buoy 26	41-37-37.500N 070-23-45.600W			Red nun.	
14742.5	North Bay Channel Buoy 25	41-37-35.700N 070-23-42.900W			Green can.	
14742.3	North Bay Channel Buoy 23	41-37-41.100N 070-23-49.300W			Green can.	
14742.1	North Bay Channel Buoy 22	41-37-48.100N 070-24-03.500W			Red nun.	
14742	North Bay Channel Buoy 21	41-37-49.100N 070-24-02.100W			Green can.	
14743.9	Marstons Mills River Buoy 13	41-38-31.660N 070-24-22.202W			Green can.	
14743.8	Marstons Mills River Buoy 12	41-38-28.087N 070-24-21.113W			Red nun.	
14743.7	Marstons Mills River Buoy 11	41-38-24.500N 070-24-18.600W			Green can.	
14743.6	Marstons Mills River Buoy 9	41-38-23.437N 070-24-17.809W			Green can.	
14743.5	Marstons Mills River Buoy 7	41-38-22.190N 070-24-18.231W			Green can.	
14743.4	Marstons Mills River Buoy 6	41-38-18.500N 070-24-20.869W			Red nun.	
14743.3	Marstons Mills River Buoy 4	41-38-14.300N 070-24-22.500W			Red nun.	
14743.2	Marstons Mills River Buoy 2	41-38-08.300N 070-24-23.700W			Red nun.	
14743.1	Marstons Mills River Buoy 1	41-38-08.400N 070-24-24.500W			Green can.	
14744.5	Marstons Mills River Buoy 16	41-38-41.678N 070-24-31.806W			Red nun.	
14744.1	Marstons Mills River Buoy 15	41-38-40.914N 070-24-32.434W			Green can.	
14744	Marstons Mills River Buoy 14	41-38-38.000N 070-24-27.000W			Red nun.	
14755	Lone Rock Buoy	41-35-11.433N 070-24-18.100W			Red and green bands; nun.	
14756	Cotuit Harbor Junction Buoy CS	41-36-43.450N 070-25-40.090W			Red and green bands; nun.	Maintained from Jun. 1 to Dec. 1.
14756.8	Seapuit River Buoy 5	41-36-43.125N 070-25-23.515W			Green can.	
14756.6	Seapuit River Buoy 3	41-36-43.700N 070-25-34.400W			Green can.	
14756.4	Seapuit River Buoy 4	41-36-42.700N 070-25-34.500W			Red nun.	
14756.2	Seapuit River Buoy 1	41-36-44.100N 070-25-40.300W			Green can.	
14757.8	Seapuit River Buoy 12	41-36-32.500N 070-24-39.100W			Red nun.	
14757.6	Seapuit River Buoy 10	41-36-32.547N 070-24-52.068W			Red nun.	
14757.4	Seapuit River Buoy 9	41-36-31.800N 070-25-04.800W			Green can.	
14757.2	Seapuit River Buoy 8	41-36-37.700N 070-25-16.300W			Red nun.	
14757	Seapuit River Buoy 6	41-36-42.176N 070-25-21.389W			Red nun.	
14758.8	Seapuit River Buoy 17	41-36-32.165N 070-24-31.884W			Green can.	
14758.6	Seapuit River Buoy 16	41-36-31.543N 070-24-32.176W			Red nun.	
14758.4	Seapuit River Buoy 15	41-36-33.330N 070-24-35.700W			Green can.	
14758.2	Seapuit River Buoy 14	41-36-32.316N 070-24-35.768W			Red nun.	
14759.8	Seapuit River Buoy 24	41-36-28.450N 070-24-05.000W			Red nun.	
14759.6	Seapuit River Buoy 23	41-36-30.012N 070-24-09.977W			Green can.	

14759.4	Seapuit River Buoy 21	41-36-30.515N 070-24-23.219W				Green can.	
14759.2	Seapuit River Buoy 19	41-36-31.100N 070-24-26.900W				Green can.	
14759	Seapuit River Buoy 18	41-36-30.300N 070-24-26.600W				Red nun.	
14760.1	Cotuit Entrance Channel Buoy 1	41-35-55.100N 070-25-52.000W				Green can.	
14760.33	Cotuit Entrance Channel Buoy 10	41-36-25.900N 070-26-04.900W				Red nun.	
14760.92	Popponesett Bay Channel Lighted Buoy 13	41-35-14.040N 070-27-26.500W	FI G 2.5s			Green.	
14760.93	Popponesett Bay Channel Buoy 14	41-35-18.140N 070-27-26.400W				Red nun.	
14760.91	Popponesett Bay Channel Buoy 12	41-35-16.300N 070-27-19.100W				Red nun.	
14760.3	Cotuit Entrance Channel Buoy 9	41-36-26.200N 070-26-07.100W				Green can.	
14760.29	Cotuit Entrance Channel Buoy 8	41-36-19.700N 070-26-03.500W				Red nun.	
14760.26	Cotuit Entrance Channel Buoy 7	41-36-19.100N 070-26-04.700W				Green can.	
14760.23	Cotuit Entrance Channel Buoy 6	41-36-08.100N 070-25-59.700W				Red nun.	
14760.2	Cotuit Entrance Channel Buoy 5	41-36-08.900N 070-26-00.400W				Green can.	
14760.19	Cotuit Entrance Channel Buoy 4	41-36-00.800N 070-25-54.500W				Red nun.	
14760.16	Cotuit Entrance Channel Buoy 3	41-36-01.100N 070-25-56.200W				Green can.	
14760.13	Cotuit Entrance Channel Buoy 2	41-35-56.000N 070-25-50.800W				Red nun.	
14760.9	Popponesett Bay Channel Buoy 11	41-35-15.600N 070-27-19.000W				Green can.	
14760.89	Popponesett Bay Approach Lighted Buoy 10	41-35-14.700N 070-27-14.200W	FI R 2.5s			Red.	
14760.88	Popponesett Bay Approach Buoy 9	41-35-13.640N 070-27-14.180W				Green can.	
14760.87	Popponesett Bay Approach Lighted Buoy 8	41-35-19.580N 070-27-06.170W	FI R 2.5s			Red.	
14760.86	Popponesett Bay Approach Lighted Buoy 7	41-35-19.800N 070-26-58.300W	FI G 2.5s			Green.	
14760.85	Popponesett Bay Approach Lighted Buoy 6	41-35-18.826N 070-26-49.647W	FI R 2.5s			Red.	
14760.84	Popponesett Bay Approach Buoy 5	41-35-18.000N 070-26-50.680W				Green can.	
14760.83	Popponesett Bay Approach Buoy 4	41-35-16.790N 070-26-47.870W				Red nun.	
14760.82	Popponesett Bay Approach Buoy 3	41-35-15.820N 070-26-48.640W				Green can.	
14760.81	Popponesett Bay Approach Lighted Buoy 2	41-35-12.000N 070-26-44.340W	FI R 2.5s			Red.	
14760.8	Popponesett Bay Approach Buoy 1	41-35-11.900N 070-26-45.600W				Green can.	
14760.79	Cotuit Harbor Buoy 20	41-37-50.600N 070-24-26.800W				Red nun.	
14760.76	Cotuit Harbor Buoy 19	41-37-51.300N 070-24-27.200W				Green can.	
14760.73	Cotuit Harbor Buoy 18	41-37-47.476N 070-24-34.657W				Red nun.	
14760.7	Cotuit Harbor Buoy 17	41-37-47.906N 070-24-35.410W				Green can.	
14760.69	Cotuit Harbor Buoy 16	41-37-43.425N 070-24-43.662W				Red nun.	
14760.66	Cotuit Harbor Buoy 15	41-37-44.066N 070-24-44.495W				Green can.	
14760.63	Cotuit Harbor Buoy 14	41-37-37.552N 070-24-53.443W				Red nun.	

14760.6	Cotuit Harbor Buoy 13	41-37-38.339N 070-24-54.099W				Green can.	
14760.59	Cotuit Harbor Buoy 12	41-37-30.120N 070-25-03.800W				Red nun.	
14760.56	Cotuit Harbor Buoy 11	41-37-30.900N 070-25-03.800W				Green can.	
14760.53	Cotuit Harbor Buoy 10	41-37-22.600N 070-25-17.600W				Red nun.	
14760.5	Cotuit Harbor Buoy 8	41-36-50.410N 070-25-41.950W				Red nun.	
14760.49	Cotuit Harbor Buoy 7	41-36-39.200N 070-25-41.800W				Green can.	
14760.46	Cotuit Harbor Buoy 5	41-36-34.100N 070-25-44.100W				Green can.	
14760.43	Cotuit Harbor Buoy 4	41-36-33.140N 070-25-43.310W				Red nun.	
14760.4	Cotuit Harbor Buoy 3	41-36-32.600N 070-25-46.900W				Green can.	
14760.39	Cotuit Harbor Buoy 2	41-36-31.500N 070-25-57.300W				Red nun.	
14760.36	Cotuit Harbor Buoy 1	41-36-31.900N 070-25-57.600W				Green can.	
14761.55	Popponesett Spit Channel Buoy S5A	41-35-00.840N 070-27-20.210W				Green can.	
14761.8	Popponesett Spit Channel Buoy S8	41-34-57.800N 070-27-23.700W				Red nun.	
14761.7	Popponesett Spit Channel Lighted Buoy S7	41-34-57.400N 070-27-22.700W	FI G 2.5s			Green.	
14761.6	Popponesett Spit Channel Buoy S6	41-35-03.470N 070-27-18.520W				Red nun.	
14761.5	Popponesett Spit Channel Buoy S5	41-35-02.980N 070-27-17.410W				Green can.	
14761.4	Popponesett Spit Channel Lighted Buoy S4	41-35-05.000N 070-27-16.600W	FI R 2.5s			Red.	
14761.3	Popponesett Spit Channel Buoy S3	41-35-05.600N 070-27-14.300W				Green can.	
14761.2	Popponesett Spit Channel Lighted Buoy S2	41-35-12.100N 070-27-11.400W	FI R 2.5s			Red.	
14761.1	Popponesett Spit Channel Buoy S1	41-35-11.300N 070-27-10.680W				Green can.	
14762.6	Popponesett Bay Mid-Channel Buoy B	41-35-19.000N 070-27-32.300W				Red and white sphere.	
14762.9	Popponesett Bay Mid-Channel Buoy E	41-35-33.950N 070-27-47.280W				Red and white sphere.	
14762.8	Popponesett Bay Mid-Channel Buoy D	41-35-33.700N 070-27-47.000W				Red and white sphere.	
14762.7	Popponesett Bay Mid-Channel Buoy C	41-35-22.750N 070-27-38.200W				Red and white sphere.	
14762.5	Popponesett Bay Mid-Channel Buoy A	41-35-17.700N 070-27-28.830W				Red and white sphere.	
14763.4	Santuit River Mid-Channel Buoy J	41-36-02.700N 070-27-53.900W				Red and white sphere.	
14763.3	Santuit River Mid-Channel Buoy I	41-35-57.250N 070-27-56.610W				Red and white sphere.	
14763.2	Santuit River Mid-Channel Buoy H	41-35-52.200N 070-27-56.930W				Red and white sphere.	
14763.1	Santuit River Mid-Channel Buoy G	41-35-48.780N 070-27-52.050W				Red and white sphere.	
14763	Santuit River Mid-Channel Buoy F	41-35-41.900N 070-27-49.420W				Red and white sphere.	
14765	Nantucket Sound North Side Lighted Bell Buoy 5	41-33-05.221N 070-20-48.466W	FI G 2.5s		4	Green.	

14770	Horseshoe Shoal Buoy 7	41-32-18.842N 070-23-06.835W				Green can.	
14775	Horseshoe Shoal Wreck Buoy WR	41-30-52.171N 070-22-24.531W				Green can with red bands.	
14780	Wreck Shoal Lighted Bell Buoy 8	41-32-26.005N 070-24-01.978W	FI R 2.5s		4	Red.	
14785	Eldridge Shoal Buoy 9	41-31-57.917N 070-24-58.841W				Green can.	
14790	Wreck Shoal West Lighted Bell Buoy 10	41-31-58.652N 070-26-24.439W	FI R 4s		4	Red.	Replaced by nun buoy when endangered by ice.
14795	Succonneset Shoal South Buoy	41-31-50.734N 070-27-58.878W				Green can with red bands.	
14800	Succonneset Shoal Lighted Buoy 12	41-32-24.433N 070-29-26.111W	FI R 2.5s		4	Red.	
14805	L'Hommedieu Shoal Buoy 11	41-30-59.655N 070-28-24.899W				Green can.	
14810	L'Hommedieu Shoal Buoy 13	41-31-58.404N 070-30-45.719W				Green can.	
14815	L'Hommedieu Shoal Buoy 15	41-31-16.250N 070-34-27.855W				Green can.	
14820	Davis Neck Shoal Buoy 14	41-32-00.066N 070-34-40.054W				Red nun.	
14825	Waquoit Bay Entrance Lighted Bell Buoy 2	41-32-19.569N 070-32-23.291W	FI R 4s		3	Red.	Removed when endangered by ice.
14830	Waquoit Bay East Jetty Light	41-32-42.000N 070-31-48.400W	FI R 6s			Red.	
14833	Waquoit Bay West Jetty Light	41-32-44.300N 070-31-50.200W	FI G 6s			On wood dolphin.	
14834	Waquoit Bay Lighted Buoy 1	41-33-06.090N 070-31-41.400W	FI G 4s			Green.	
14835	Waquoit Bay Buoy 2	41-33-06.500N 070-31-40.100W				Red nun.	
14840	Waquoit Bay Buoy 3	41-33-24.480N 070-31-35.760W				Green can.	
14845	Waquoit Bay Lighted Buoy 4	41-33-24.200N 070-31-33.100W	FI R 4s			Red.	
14850	Waquoit Bay Buoy 5	41-33-36.500N 070-31-31.000W				Green can.	
14855	Waquoit Bay Buoy 6	41-33-36.000N 070-31-28.000W				Red nun.	
14860	Waquoit Bay Buoy 7	41-33-49.700N 070-31-28.900W				Green can.	
14865	Waquoit Bay Buoy 9	41-34-03.360N 070-31-26.700W				Green can.	
14870.5	Little River Entrance Buoy 1	41-33-30.300N 070-31-09.200W				Green can.	
14870	Waquoit Bay Buoy 11	41-34-22.800N 070-31-27.100W				Green can.	
14871.7	Little River Buoy 10	41-33-42.200N 070-30-48.300W				Red nun.	
14871.65	Little River Lighted Buoy 9	41-33-42.500N 070-30-49.700W	FI G 2.5s			Green.	
14871.6	Little River Lighted Buoy 8	41-33-38.800N 070-30-52.400W	FI R 2.5s			Red.	
14871.4	Little River Entrance Lighted Buoy 6	41-33-30.400N 070-31-00.800W	FI R 2.5s			Red.	
14871.3	Little River Entrance Buoy 5	41-33-31.900N 070-31-00.700W				Green can.	
14871.2	Little River Entrance Buoy 4	41-33-29.600N 070-31-04.100W				Red nun.	
14871.1	Little River Entrance Buoy 3	41-33-30.700N 070-31-05.800W				Green can.	
14871	Little River Entrance Lighted Buoy 2	41-33-28.690N 070-31-09.210W	FI R 2.5s			Red.	
14872.3	Great River Buoy G4	41-33-51.500N 070-30-24.500W				Red nun.	
14872.2	Great River Buoy G2	41-33-38.650N 070-30-43.800W				Red nun.	
14872.1	Great River Lighted	41-33-39.400N	FI G 2.5s			Green.	

	Buoy G1	070-30-44.000W					
14875	Seapit River Buoy 1	41-34-08.580N 070-32-01.260W				Green can.	
14880	Seapit River Buoy 2	41-34-08.220N 070-31-59.520W				Red nun.	
14885	Seapit River Buoy 3	41-34-17.700N 070-31-51.300W				Green can.	
14890	Seapit River Buoy 4	41-34-17.400N 070-31-50.100W				Red nun.	
14892	Seapit River Buoy 5	41-34-21.600N 070-31-46.980W				Green can.	
14895	Seapit River Buoy 6	41-34-21.360N 070-31-46.020W				Red nun.	
14900	Seapit River Buoy 7	41-34-23.760N 070-31-45.540W				Green can.	
14905	Seapit River Buoy 8	41-34-24.480N 070-31-44.160W				Red nun.	
14910	Seapit River Buoy 9	41-34-28.020N 070-31-40.140W				Green can.	
14915	Seapit River Buoy 10	41-34-27.360N 077-31-40.440W				Red nun.	
14920	Eel Pond Buoy 2	41-33-02.580N 070-32-51.060W				Red nun.	
14925	Eel Pond West Jetty Light 3	41-33-03.000N 070-32-52.000W	FI G 4s			SG on pile.	
14935	Eel Pond Buoy 6	41-33-06.770N 070-32-52.790W				Red nun.	
14950	Eel Pond Buoy 9	41-33-14.100N 070-32-53.600W				Green can.	
14955	Eel Pond Buoy 11	41-33-17.700N 070-32-36.600W				Green can.	
14965	Eel Pond Buoy 15	41-33-22.760N 070-32-31.690W				Green can.	
14966	Eel Pond Buoy 16	41-33-22.920N 070-32-30.780W				Red nun.	
15030	Green Pond Harbor Approach Lighted Buoy 2	41-32-38.156N 070-34-10.547W	FI R 2.5s		3	Red.	Removed when endangered by ice.
15035	Green Pond Harbor Light 3	41-32-50.280N 070-34-14.760W	FI G 4s			SG on pile.	
15037	Green Pond Buoy 2	41-32-58.400N 070-34-15.700W				Red nun.	
15038	Green Pond Buoy 3A	41-32-59.460N 070-34-16.200W				Green can.	
15065	Great Pond West Jetty Light	41-32-38.530N 070-34-50.350W	FI G 3s			On wood pile.	
15070	Great Pond Buoy 3	41-32-51.200N 070-34-55.600W				Green can.	
15075	Great Pond Buoy 4	41-32-51.180N 070-34-54.600W				Red nun.	
15095	Great Pond Buoy 8	41-32-56.300N 070-34-58.700W				Red nun.	
15100	Great Pond Buoy 9	41-32-56.040N 070-34-59.340W				Green can.	
15105	Falmouth Lighted Bell Buoy 16	41-32-02.798N 070-36-28.997W	FI R 6s		4	Red.	
15110	Falmouth Inner Harbor Light 1	41-32-31.474N 070-36-29.831W	FI G 2.5s	20	6	SG on white skeleton tower.	
15112	Falmouth Inner Harbor Light 2	41-32-33.000N 070-36-27.000W	FI R 2.5s	12		TR on pile.	
15115	Falmouth Harbor East Shoal Buoy 17	41-31-05.179N 070-36-41.800W				Green can.	
15120	Falmouth Harbor West Shoal Buoy FW	41-31-13.708N 070-37-43.217W				Red nun with green bands.	
15125	Nobska Point Ledge Buoy 18	41-31-00.567N 070-39-02.518W				Red nun.	
15130	Nobska Point Ledge Buoy 20	41-30-49.850N 070-39-17.529W				Red nun.	
15134	Nantucket Sound Coast Guard Mooring Buoy	41-21-00.034N 070-05-00.010W				White with blue band.	

15135	Nantucket Bar Lighted Bell Buoy NB	41-19-01.223N 070-06-13.308W	Mo (A) W		4	Red and white stripes with red spherical topmark.	Removed when endangered by ice.
15140	Nantucket Harbor Channel Buoy 1	41-18-43.343N 070-06-04.778W				Green can.	
15145	Nantucket Harbor Channel Lighted Buoy 2	41-18-39.294N 070-06-07.458W	FI R 4s		4	Red.	Replaced by nun when endangered by ice.
15150	Nantucket East Breakwater Light 3	41-18-37.092N 070-06-00.122W	FI G 4s	30	3	SG on skeleton tower.	
15155	Nantucket Harbor West Breakwater Buoy	41-18-29.862N 070-06-10.271W				White can with orange bands and diamond worded DANGER SUBMERGED JETTY.	
15160	Nantucket Harbor Range Front Light	41-17-23.626N 070-05-32.371W	Q W	35	9	KRW on white wooden skeleton tower.	Higher intensity beam to seaward. Lighted throughout 24 hours.
15165	Nantucket Harbor Range Rear Light	41-17-21.352N 070-05-31.387W	F W	51		KRW on white wooden skeleton tower.	Higher intensity beam to seaward. Lighted throughout 24 hours.
15170	Nantucket Harbor Channel Buoy 4	41-18-18.374N 070-05-58.298W				Red nun.	
15175	Nantucket Harbor Channel Buoy 5	41-18-18.704N 070-05-53.998W				Green can.	
15180	Nantucket Harbor Channel Buoy 6	41-17-55.455N 070-05-48.388W				Red nun.	
15185	Nantucket Harbor Channel Buoy 7	41-17-57.625N 070-05-44.968W				Green can.	
15190	Nantucket Harbor Channel Buoy 8	41-17-45.325N 070-05-43.958W				Red nun.	
15195	Nantucket Harbor Channel Buoy 9	41-17-44.175N 070-05-38.978W				Green can.	
15200	Nantucket Harbor Channel Lighted Buoy 10	41-17-36.584N 070-05-40.447W	Q R		3	Red.	Replaced by Nun from Nov. 1 to May 1.
15205	Brant Point Light	41-17-24.094N 070-05-24.970W	Oc R 4s	26	9	White cylindrical tower footbridge to shore.	HORN: 1 blast ev 10s (1s bl). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 45 minutes.
15213	Nantucket Ferry Slip 1 Light 1	41-17-10.560N 070-05-42.960W	F G	14		Green.	
15214	Nantucket Ferry Slip 2 Light 2	41-17-08.880N 070-05-42.240W	F R	14		Red.	
15225	Nantucket Harbor Channel Lighted Buoy 11	41-17-30.755N 070-05-25.390W	FI G 2.5s		3	Green.	Replaced by can from Nov. 1 to May 1.
15230	Nantucket Harbor Channel Buoy 13	41-17-23.534N 070-05-16.110W				Green can.	
15250	Nantucket Harbor Obstruction Buoy NH	41-17-08.564N 070-05-36.591W				Yellow can.	
15260	Head of Harbor Buoy 2	41-17-27.900N 070-04-43.300W				Red nun.	
15261	Nantucket Head of Harbor Buoy 2A	41-17-49.100N 070-04-27.300W				Red nun.	
15262	Nantucket Head of Harbor Buoy 3	41-17-35.100N 070-04-38.400W				Green can.	
15263	Nantucket Head of Harbor Buoy 3A	41-17-49.900N 070-04-29.100W				Green can.	
15264	Nantucket Head of Harbor Buoy 3B	41-18-01.900N 070-03-42.800W				Green can.	
15270	Head of Harbor Buoy 4	41-17-59.000N 070-03-38.200W				Red nun.	
15275	Head of Harbor Buoy 5	41-18-06.400N 070-03-14.300W				Green can.	
15280	Head of Harbor Buoy 6	41-18-03.900N 070-03-14.200W				Red nun.	
15290	Head of Harbor Buoy 8	41-18-47.500N 070-02-02.400W				Red nun.	
15290.1	Nantucket Head of Harbor Buoy 8A	41-19-13.200N 070-02-15.000W				Red nun.	
15290.2	Nantucket Head of Harbor Buoy 8B	41-19-16.900N 070-02-15.400W				Red nun.	

15291	Head of Harbor Buoy 9	41-19-23.300N 070-02-15.600W				Green can.	
15292	Head of Harbor Buoy 10	41-19-21.700N 070-02-06.700W				Red nun.	
15292.1	Nantucket Head of Harbor Buoy 10A	41-19-07.800N 070-01-45.900W				Red nun.	
15293.2	Polpis Harbor Lighted Buoy 2	41-18-19.500N 070-01-44.800W	FI R 4s			Red.	
15293.4	Polpis Harbor Lighted Buoy 4	41-18-18.000N 070-01-37.000W	FI R 4s			Red	
15293.5	Polpis Harbor Buoy 5	41-18-18.800N 070-01-35.700W				Green can.	
15293.6	Polpis Harbor Buoy 6	41-18-20.600N 070-01-30.100W				Red nun.	
15293.7	Polpis Harbor Buoy 7	41-18-19.900N 070-01-23.800W				Green can.	
15293.3	Polpis Harbor Buoy 3	41-18-18.700N 070-01-35.600W				Green can.	
15297	Eel Point Channel Buoy 3	41-18-21.800N 070-11-24.000W				Green can.	
15301	Eel Point Channel Lighted Buoy 4	41-18-18.300N 070-11-30.200W	Q R			Red.	
15301.5	Eel Point Channel Lighted Buoy 5	41-18-30.500N 070-12-03.600W	Q G			Green.	
15301.1	Eel Point Channel Buoy 4A	41-18-24.200N 070-11-42.600W				Red nun.	
15302	Eel Point Channel Buoy 6	41-18-34.100N 070-12-03.600W				Red nun.	
15302.1	Eel Point Channel Buoy 6A	41-18-13.100N 070-12-17.600W				Red nun.	
15302.2	Eel Point Channel Buoy 7	41-18-24.300N 070-12-12.500W				Green can.	
15302.3	Eel Point Buoy 7A	41-18-06.700N 070-12-10.600W				Green can.	
15303	Eel Point Channel Buoy 8	41-17-57.500N 070-12-12.300W				Red nun.	
15303.1	Eel Point Buoy 8A	41-17-38.600N 070-12-22.800W				Red nun.	
15305	Madaket Harbor Lighted Buoy MH	41-17-22.800N 070-14-21.500W	Mo (A) W			Red and white stripes.	
15310	Madaket Harbor Lighted Buoy 4	41-17-12.900N 070-13-52.200W	FI R 4s			Red.	
15311	Madaket Harbor Buoy 6	41-17-07.700N 070-13-30.000W				Red nun.	
15312	Madaket Harbor Buoy 8	41-17-05.000N 070-12-58.400W				Red nun.	
15314	Madaket Harbor Lighted Buoy 10	41-17-17.600N 070-12-27.200W	FI R 4s			Red.	
15315	Madaket Harbor Buoy 11	41-17-14.700N 070-12-18.700W				Green can.	
15316	Madaket Harbor Buoy 12	41-17-12.800N 070-12-15.400W				Red nun.	
15317	Madaket Harbor Buoy 13	41-17-16.400N 070-12-06.400W				Green can.	
15318	Madaket Harbor Buoy 14	41-17-15.100N 070-12-05.000W				Red nun.	
15319	Madaket Harbor Buoy 15	41-17-17.770N 070-11-50.520W				Green can.	
15320	Madaket Harbor Lighted Buoy 16	41-17-16.100N 070-11-50.800W	FI R 4s			Red.	
15321	Madaket Harbor Buoy 17	41-17-07.200N 070-11-41.600W				Green can.	
15322	Madaket Harbor Buoy 18	41-17-05.400N 070-11-44.000W				Red nun.	
15323	Madaket Harbor Buoy 19	41-16-54.900N 070-11-42.600W				Green can.	
15324	Madaket Harbor Lighted Buoy 20	41-16-56.200N 070-11-44.100W	FI R 4s			Red.	
15325	Madaket Harbor Buoy 21	41-16-47.700N 070-11-52.200W				Green can.	
15326	Madaket Harbor Buoy 22	41-16-50.200N 070-11-50.800W				Red nun.	
15327	Madaket Harbor	41-16-42.900N				Green can.	

	Buoy 23	070-11-58.000W					
15328	Madaket Harbor Lighted Buoy 24	41-16-42.700N 070-11-59.500W	FI R 4s			Red.	
15329	Madaket Harbor Buoy 25	41-16-38.000N 070-11-58.000W				Green can.	
15330	Madaket Harbor Buoy 26	41-16-37.400N 070-11-59.300W				Red nun.	
15350	Muskeget Channel Lighted Whistle Buoy MC	41-15-00.479N 070-26-10.092W	Mo (A) W		4	Red and white stripes with red spherical topmark.	
15355	Muskeget Channel Buoy 1	41-17-29.152N 070-26-38.750W				Green can.	
15360	Muskeget Channel Lighted Bell Buoy 2	41-19-31.966N 070-25-22.194W	FI R 4s		4	Red.	
15365	Muskeget Channel Buoy 3	41-19-49.605N 070-25-40.202W				Green can.	
15370	Muskeget Channel Buoy 4	41-22-57.347N 070-25-06.144W				Red nun.	
15380	Muskeget Channel Buoy 6	41-26-01.303N 070-25-15.749W				Red nun.	
15390	Outer Flats Bell Buoy 2	41-26-17.015N 070-29-22.025W				Red.	
15395	Edgartown Harbor Channel Buoy 3	41-25-23.399N 070-28-19.704W				Green can.	
15400	Edgartown Harbor Channel Buoy 4	41-25-19.017N 070-29-18.000W				Red nun.	
15405	Edgartown Harbor Channel Lighted Buoy 6	41-24-26.940N 070-29-13.984W	FI R 4s		4	Red.	Removed when endangered by ice.
15410	Edgartown Harbor Channel Buoy 7	41-23-45.403N 070-28-58.344W				Green can.	
15415	Edgartown Harbor Channel Buoy 8	41-23-23.038N 070-29-52.561W				Red nun.	
15420	Edgartown Harbor Light	41-23-27.150N 070-30-11.024W	FI R 6s	45	5	White conical tower.	
15425	Edgartown Harbor Channel Buoy 9	41-23-11.483N 070-30-39.726W				Green can.	
15426	Edgartown Harbor Channel Buoy 11	41-23-02.220N 070-30-33.600W				Green can.	
15427	Edgartown Harbor Channel Buoy 13	41-22-25.080N 070-30-16.800W				Green can.	
15447	Oak Bluffs Ferry Slip Light 2	41-27-32.820N 070-33-15.900W	F R	14		Wharf end dolphin.	
15448	Oak Bluffs Ferry Slip Light 1	41-27-32.340N 070-33-14.520W	F G	14		Wharf end dolphin.	
15460	Oak Bluffs North Breakwater Light 2	41-27-39.752N 070-33-24.840W	FI R 4s	30	5	TR on white skeleton tower.	
15465	Vineyard Haven Buoy 4	41-28-44.434N 070-35-17.114W				Red nun.	
15470	Vineyard Haven Buoy 6	41-27-45.436N 070-35-32.113W				Red nun.	
15475	Vineyard Haven Light 7	41-27-38.919N 070-35-19.033W	FI G 4s	20	4	SG on spindle.	
15480	Vineyard Haven Breakwater Light 10	41-27-27.043N 070-35-46.893W	FI R 4s	25	4	TR on spindle.	
15490	Vineyard Haven Ferry Slip 2 Light 1	41-27-19.080N 070-35-58.560W	F G			Wharf end dolphin.	
15491	Vineyard Haven Ferry Slip 2 Light 2	41-27-19.980N 070-35-57.840W	F R	14		Wharf end dolphin.	
15493	Vineyard Haven Ferry Slip 1 Light 1	41-27-20.640N 070-35-58.080W	F G	14		Wharf end dolphin.	
15494	Vineyard Haven Ferry Slip 1 Light 2	41-27-21.540N 070-35-58.920W	F R	14		Wharf end dolphin.	
15495	Lagoon Pond Daybeacon 2	41-27-34.300N 070-35-25.460W				On pile.	
15500	Lagoon Pond Daybeacon 4	41-27-25.900N 070-35-08.600W				TR on pile.	
15505	Lagoon Pond Daybeacon 6	41-27-10.560N 070-35-13.140W				TR on pile.	
15510	Lagoon Pond Daybeacon 8	41-26-35.520N 070-35-43.260W				Red.	

15521	Maciel Marine Channel Buoy 1	41-27-15.900N 070-35-10.620W				Green can.	
15521.2	Maciel Marine Channel Buoy 2	41-27-16.680N 070-35-10.440W				Red nun.	
15521.5	Maciel Marine Channel Buoy 4	41-27-16.020N 070-35-17.460W				Red nun.	
15521.7	Maciel Marine Channel Buoy 5	41-27-13.500N 070-35-29.100W				Green can.	
15521.8	Maciel Marine Channel Buoy 6	41-27-14.000N 070-35-28.800W				Red nun.	
15521.9	Maciel Marine Channel Buoy 7	41-27-10.300N 070-35-33.100W				Green can.	
15521.3	Maciel Marine Channel Buoy 3	41-27-15.900N 070-35-16.900W				Green can.	
15522	Maciel Marine Channel Buoy 8	41-27-10.800N 070-35-33.200W				Red nun.	
15522.1	Maciel Marine Channel Buoy 9	41-27-04.500N 070-35-39.480W				Green can.	
15522.3	Maciel Marine Channel Buoy 10	41-27-04.800N 070-35-39.180W				Red nun.	
15522.5	Maciel Marine Channel Buoy 11	41-27-03.700N 070-35-51.400W				Green can.	
15522.6	Maciel Marine Channel Buoy 12	41-27-03.800N 070-35-51.600W				Red nun.	
15525	Lake Tashmoor East Jetty Light	41-28-04.100N 070-37-58.100W	FI W 3s	13		Single metal post.	Maintained from Apr. 1 to Dec. 1.
15530	Lake Tashmoor Buoy 1	41-27-57.800N 070-37-51.400W				Green can.	
15532	Lake Tashmoor Buoy 2	41-28-05.800N 070-37-58.710W				Red nun.	
15535	Lake Tashmoor Buoy 2A	41-27-54.300N 070-37-49.800W				Red nun.	
15540	Lake Tashmoor Buoy 3	41-27-53.194N 070-37-46.179W				Green can.	
15546	Lake Tashmoor Channel Daybeacon 4A	41-27-51.300N 070-37-44.520W				TR on pile.	
15547	Lake Tashmoor Buoy 5	41-27-51.100N 070-37-42.300W				Green can.	
15548	Lake Tashmoor Buoy 6	41-27-50.000N 070-37-42.100W				Red nun.	
15548.1	Lake Tashmoor Buoy 7	41-27-50.300N 070-37-40.800W				Green can.	
15548.2	Lake Tashmoor Buoy 8	41-27-46.350N 070-37-38.480W				Red nun.	
15548.3	Lake Tashmoor Buoy 9	41-27-46.850N 070-37-37.420W				Green can.	
15548.4	Lake Tashmoor Buoy 10	41-27-44.930N 070-37-37.490W				Red nun.	
15550	Middle Ground East End Buoy	41-29-07.426N 070-36-26.544W				Green can with red bands.	
15555	Nobska Point Lighted Bell Buoy 26	41-30-19.418N 070-38-43.057W	FI R 4s		4	Red.	Replaced by nun when endangered by ice.
15560	Nobska Point Light	41-30-56.850N 070-39-18.409W	FI W 6s	87	13	White tower.	Obscured from 125° to 195°. Red from 263° to 289° covers Hedge Fence and L'Hommedieu Shoal. Lighted throughout 24 hours. HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 45 minutes.
15575	Middle Ground Lighted Bell Buoy 27	41-28-28.017N 070-41-07.930W	FI G 4s		4	Green.	Replaced by can when endangered by ice.
15577	Vineyard Sound Lighted Buoy 29	41-25-08.426N 070-48-04.990W	FI G 4s		4	Green.	Replaced by can when endangered by ice.
15580	Tarpaulin Cove Light	41-28-07.774N 070-45-27.002W	FI W 6s	78	9	White tower; small white building attached to west side of tower.	
15597	Vineyard Sound Entrance Lighted Buoy 30	41-24-00.105N 070-50-11.015W	FI R 4s		4	Red.	Replaced by nun when endangered by ice.
15605	Gay Head Lighted Gong Buoy 31	41-21-49.431N 070-51-47.626W	FI G 4s		4	Green.	Replaced by can when endangered by ice.
15610	Gay Head Light	41-20-54.454N 070-50-03.687W	FI (3+1) WR 30s	175	14	Red brick tower.	Obscured from 342° to 359° by Nomans Land; light occasionally visible through notches in hilltop.

15613	Vineyard Sound Entrance Lighted Whistle Buoy 32	41-22-04.951N 070-57-25.102W	FI R 2.5s		4	Red.	Replaced by nun when endangered by ice.
15615	DUO-DS Temporary Research Buoy	41-23-42.550N 070-55-55.580W				Yellow.	
15617	Sow and Pigs Buoy 34	41-23-45.762N 070-57-46.371W				Red nun.	
15618	Sow and Pigs Lighted Bell Buoy 36	41-23-48.420N 070-59-04.143W	FI R 4s		4	Red.	
15650	Coffin Rock Lighted Buoy 1	41-30-41.401N 070-39-38.437W	Q G		3	Green.	
15655	Little Harbor Channel Lighted Buoy 2	41-30-46.537N 070-39-30.965W	FI R 2.5s		3	Red.	
15660	Little Harbor Channel Lighted Buoy 4	41-30-54.644N 070-39-49.263W	FI R 4s		4	Red.	
15665	Little Harbor Channel Lighted Buoy 6	41-31-00.567N 070-39-54.339W	FI R 2.5s		4	Red.	
15670	Little Harbor Lighted Buoy 7	41-31-00.357N 070-39-56.819W	FI G 2.5s		4	Green.	
15695	Great Harbor Channel Entrance Gong Buoy 1	41-30-31.234N 070-40-13.835W				Green.	
15700	Great Harbor Channel Entrance Lighted Bell Buoy 2	41-30-34.236N 070-40-05.903W	FI R 4s		4	Red.	Replaced by nun when endangered by ice.
15705	Great Harbor Channel Buoy 4	41-30-42.628N 070-40-09.045W				Red nun	
15710	Great Ledge Buoy	41-30-49.309N 070-40-01.376W				White with orange bands and orange diamond.	Marked ROCKS. Removed when endangered by ice.
15715	Great Harbor Channel Lighted Buoy 5	41-30-56.394N 070-40-19.421W	FI G 4s		4	Green.	Replaced by can when endangered by ice.
15720	Great Harbor Channel Buoy 6	41-30-59.729N 070-40-08.481W				Red nun.	
15725	Juniper Point Light 6A	41-31-02.626N 070-40-05.618W	Q R	12	4	TR on spindle.	
15730	Great Harbor Channel Buoy 8	41-31-15.105N 070-40-19.759W				Red nun.	
15737	Great Harbor Ferry Slip 1 Light 2	41-31-22.171N 070-40-17.308W	F R	14		Red. On dolphin.	Marks ferry slip.
15740	Great Harbor Ferry Slip 1 Light 1	41-31-23.297N 070-40-15.860W	F G	14		Green. On dolphin.	Marks ferry slip.
15740.8	Great Harbor Ferry Slip 3 Light 1	41-31-20.029N 070-40-16.724W	F G	14		Green. On dolphin.	Marks ferry slip.
15740.9	Great Harbor Ferry Slip 3 Light 2	41-31-19.219N 070-40-15.484W	F R	14		Red. On dolphin.	Marks ferry slip.
15740.3	Great Harbor Ferry Slip 2 Light 1	41-31-21.540N 070-40-17.229W	F G	14		Green. On dolphin.	Marks ferry slip.
15740.4	Great Harbor Ferry Slip 2 Light 2	41-31-20.584N 070-40-17.139W	F R	14		Red. On dolphin.	Marks ferry slip.
15745	Great Harbor Channel Buoy 9	41-31-22.125N 070-40-30.959W				Green can.	
15750	Timber Pier Light	41-31-28.398N 070-40-23.008W	F R	14			
15755	Broadway Buoy 1	41-31-02.230N 070-40-32.853W				Green can.	
15760	Broadway Daybeacon 3	41-31-08.905N 070-40-48.062W				SG on pile.	
15765	Broadway Buoy 2	41-31-04.561N 070-40-30.791W				Red nun.	
15767	Broadway Buoy 2A	41-31-07.272N 070-40-35.946W				Red nun.	
15770	Broadway Buoy 4	41-31-08.574N 070-40-39.135W				Red nun.	
15773	Woods Hole Pass Directional Light	41-31-17.252N 070-40-16.524W	Oc W 4s	30		NR on dolphin.	Visible on course to steer 077°T.
15775	Grassy Island Ledge Light	41-31-16.231N 070-40-33.257W	Q W	26	4	NR on white skeleton tower.	
15780	Woods Hole	41-31-13.266N				Green can.	

	Passage Buoy 1	070-40-30.179W					
15783	Woods Hole Pass Buoy 1A	41-31-11.914N 070-40-39.551W				Green can.	
15785	Woods Hole Passage Buoy 2	41-31-15.946N 070-40-30.154W				Red nun.	
15788	Woods Hole Pass Buoy 2A	41-31-14.347N 070-40-40.280W				Red nun.	
15790	Woods Hole Passage Junction Lighted Buoy SB	41-31-10.856N 070-40-44.008W	FI (2+1)G 6s		3	Green can with red band.	
15795	Woods Hole Passage Buoy 7	41-31-07.570N 070-41-04.493W				Green can.	
15800	Woods Hole Passage Buoy 5	41-31-09.612N 070-40-51.634W				Green can.	
15805	Woods Hole Passage Light 4	41-31-13.522N 070-40-51.563W	FI R 2.5s	28	4	TR on skeleton tower.	
15807	Woods Hole Passage Buoy 4A	41-31-12.646N 070-40-50.840W				Red nun.	
15810	Woods Hole Passage Light W	41-31-06.836N 070-41-01.021W	FI W 2.5s	34	6	NG on skeleton tower.	
15815	Woods Hole Passage Buoy 6	41-31-10.495N 070-41-05.190W				Red nun.	
15820	Woods Hole Passage Buoy 8	41-31-11.825N 070-41-12.720W				Red nun.	
15825	Woods Hole Passage Lighted Buoy 10	41-31-14.521N 070-41-24.805W	FI R 4s		4	Red.	Replaced by nun when endangered by ice.
15830	Woods Hole Passage Buoy 11	41-31-26.485N 070-41-38.610W				Green can.	
15835	Woods Hole Passage Lighted Bell Buoy 13	41-31-41.034N 070-41-51.611W	FI G 4s		5	Green.	Replaced by can when endangered by ice.
15840	Hadley Rock Buoy	41-31-03.535N 070-41-21.130W				White can with orange bands worded ROCK.	
15845	Hadley Harbor Bouy 3	41-30-53.401N 070-41-52.514W				Green can.	
15850	Hadley Harbor Buoy 2	41-30-54.357N 070-41-52.520W				Red. nun.	
15867	Tarpaulin Cove CG Mooring Buoy	41-28-25.938N 070-45-08.542W				White with blue band.	
15870	Tarpaulin Cove Rock Buoy	41-28-26.650N 070-45-27.629W				White can with orange bands worded ROCK.	
15875	Robinsons Hole Buoy 1	41-26-46.526N 070-48-14.124W				Green can.	
15880	Robinsons Hole Buoy 3	41-26-57.665N 070-48-23.046W				Green can.	
15885	Robinsons Hole Rock Buoy 4	41-27-01.916N 070-48-25.776W				Red nun.	
15890	Robinsons Hole Buoy 6	41-27-07.632N 070-48-29.725W				Red nun.	
15895	Robinsons Hole Rock Buoy 8	41-27-12.845N 070-48-34.265W				Red nun.	
15900	Robinsons Hole Buoy 10	41-27-18.016N 070-48-35.681W				Red nun.	
15905	Robinsons Hole Rock Buoy 11	41-27-20.486N 070-48-36.689W				Green can.	
15910	Quicks Hole Entrance Lighted Bell Buoy 1	41-25-48.426N 070-50-22.127W	FI G 4s		4	Green.	Replaced by can when endangered by ice.
15915	Quicks Hole Ledge Lighted Buoy 2	41-26-39.499N 070-50-41.901W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
15920	Felix Ledge Buoy 3	41-26-46.944N 070-50-56.719W				Green can.	
15930	Canapitsit Channel Buoy 1	41-25-13.778N 070-54-24.667W				Green can.	
15935	Canapitsit Channel Buoy 2	41-25-20.287N 070-54-22.973W				Red nun.	
15940	Canapitsit Channel Buoy 3	41-25-21.266N 070-54-24.556W				Green can.	
15945	Canapitsit Channel Buoy 5	41-25-28.814N 070-54-31.690W				Green can.	
15947	Menemsha Bight	41-21-22.041N				White with blue	

	CG Mooring Buoy	070-47-10.126W				band.	
15950	Menemsha Creek Entrance Lighted Bell Buoy 1	41-21-21.907N 070-46-15.017W	FI G 2.5s		3	Green.	
15955	Menemsha Creek Entrance Jetty Light 3	41-21-16.079N 070-46-06.903W	FI G 4s	25	5	SG on spindle.	
15960	Menemsha Creek Entrance Jetty Light 2	41-21-15.184N 070-46-08.501W	FI R 4s	13	4	TR on spindle.	
15965	Menemsha Creek Buoy 4	41-21-05.100N 070-45-58.917W				Red nun.	
15966	Menemsha Creek Buoy 4A	41-20-53.218N 070-46-04.949W				Red nun.	Maintained from May 1 to Oct. 15.
15967	Menemsha Creek Buoy 5	41-20-32.671N 070-46-06.237W				Green can.	Maintained from May 1 to Oct. 15.
15968	Menemsha Creek Buoy 6	41-20-30.880N 070-46-08.322W				Red nun.	Maintained from May 1 to Oct. 15.
15970	Menemsha Creek Daybeacon 7	41-20-20.340N 070-46-12.060W				SG on pile.	
15975	Menemsha Creek Daybeacon 8	41-20-20.860N 070-46-12.990W				TR on pile.	
15985	Buzzards Bay Entrance Light	41-23-49.152N 071-02-04.877W	FI W 2.5s	67	14	Tower on red square on 3 red piles with large red tube in center worded BUZZARDS on sides.	HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 45 minutes.
15990	Buzzards Bay Wave Lighted Buoy	41-23-13.441N 071-01-58.861W				Yellow.	Property of Woods Hole Group Inc.
16000	Buzzards Bay Lighted Buoy 1	41-25-50.525N 071-02-15.881W	FI G 2.5s		3	Green.	
16005	Buzzards Bay Lighted Bell Buoy 2	41-26-08.466N 071-00-39.328W	FI R 2.5s		3	Red.	
16010	Buzzards Bay Lighted Gong Buoy 3	41-27-15.034N 071-00-34.011W	FI G 4s		4	Green.	
16015	Hen and Chickens Buoy 1	41-27-33.733N 071-01-48.352W				Green can.	
16025	Buzzards Bay Lighted Bell Buoy 4	41-27-01.916N 070-59-13.646W	Q R		3	Red.	
16030	Buzzards Bay Lighted Gong Buoy 5	41-28-58.135N 070-57-22.294W	FI G 6s		4	Green.	Replaced by can when endangered by ice.
16035	Buzzards Bay Lighted Buoy 6	41-28-04.063N 070-56-41.063W	FI R 4s		4	Red.	
16040	Dumpling Rocks Light 7	41-32-17.834N 070-55-17.111W	FI G 6s	52	8	SG on skeleton tower.	
16043	EOM Lighted Research Buoy A	41-30-48.239N 070-55-22.155W	FI Y 20s			Yellow.	
16045	Buzzards Bay Lighted Buoy 7	41-30-25.022N 070-54-18.894W	FI G 2.5s		3	Green.	Replaced by can when endangered by ice.
16050	Buzzards Bay Lighted Buoy 8	41-28-57.526N 070-53-50.038W	FI R 2.5s		3	Red.	Replaced by LIB when endangered.
16055	Buzzards Bay Midchannel Lighted Buoy BB	41-30-33.034N 070-49-54.011W	Mo (A) W		4	Red and white stripes with red spherical topmark.	Removed when endangered by ice.
16058	Buzzards Bay Lighted Bell Buoy 9	41-32-52.034N 070-46-27.011W	FI G 4s		4	Green.	Replaced by LIB when endangered by ice.
16060	Buzzards Bay Lighted Buoy 10	41-34-24.020N 070-43-11.954W	FI R 4s		4	Red.	Replaced by LIB when endangered by ice.
16075	Bird Island Bell Buoy 3	41-39-59.424N 070-42-23.310W				Green.	Removed when endangered by ice.
16080	Cleveland East Ledge Light	41-37-51.504N 070-41-39.057W	FI W 10s	74	14	White cylindrical tower and dwelling on red caisson.	HORN: 1 blast ev 15 (2s bl). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 45 minutes.
16085	Cleveland Ledge Channel Precision Directional Light	41-41-32.975N 070-40-27.516W					Inbound from Cleveland Ledge Light light shows FI G from 016.4T to 016.7T F G from 016.1T to 016.4T Alternating G W from 015.8T to 016.1T F W from 015.6T to 015.8T centered on channel centerline Alternating W R from 015.3T to 015.6T F R from 015.0T to 015.3T FI R from 014.7T to 015.0T. Lighted 24 hours.
16095	Cleveland Ledge Channel Lighted Buoy 2	41-36-38.696N 070-42-11.007W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
16100	Cleveland Ledge	41-37-19.034N	Q G		3	Green.	Replaced by nun when endangered by ice.

	Channel Lighted Buoy 3	070-42-10.011W					
16105	Cleveland Ledge Channel Lighted Buoy 4	41-37-17.625N 070-41-56.564W	Q R		3	Red.	Replaced by nun when endangered by ice.
16120	Cleveland Ledge Channel Lighted Buoy 7	41-39-07.076N 070-41-27.507W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
16125	Cleveland Ledge Channel Lighted Buoy 8	41-39-05.657N 070-41-17.192W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
16130	Hog Island Channel Lighted Buoy 1	41-40-55.434N 070-40-46.711W	Q G		3	Green.	Replaced by can when endangered by ice.
16135	Hog Island Channel Lighted Bell Buoy 2	41-41-03.634N 070-40-30.251W	Q R		3	Red.	Replaced by a nun when endangered by ice.
16140	Hog Island Channel Lighted Bell Buoy 3	41-41-16.730N 070-40-26.479W	FI G 4s		3	Green.	Replaced by a can when endangered by ice.
16145	Hog Island Channel Light 5	41-41-24.491N 070-40-20.654W	FI G 6s	32	5	SG on skeleton tower on cylindrical pier.	
16150	Hog Island Channel Light 4	41-41-20.503N 070-40-12.478W	FI R 6s	24	5	TR on skeleton tower on cylindrical pier.	
16155	Hog Island Channel Lighted Buoy 6	41-41-36.034N 070-39-59.611W	FI R 4s		3	Red.	Replaced by a nun when endangered by ice.
16160	Hog Island Channel Lighted Buoy 7	41-41-39.134N 070-40-05.411W	FI G 4s		3	Green.	Replaced by a can when endangered by ice.
16165	Hog Island Channel Light 9	41-41-57.071N 070-39-50.518W	FI G 6s	24	5	SG on skeleton tower on cylindrical pier.	
16170	Hog Island Channel Light 8	41-41-53.097N 070-39-42.462W	FI R 6s	24	5	TR on skeleton tower on cylindrical pier.	
16175	Hog Island Channel Lighted Buoy 10	41-42-09.934N 070-39-28.211W	FI R 4s		3	Red.	Replaced by a nun when endangered by ice.
16180	Hog Island Channel Lighted Buoy 11	41-42-12.834N 070-39-33.811W	FI G 4s		4	Green.	Replaced by a can when endangered by ice.
16185	Hog Island Channel Light 13	41-42-29.542N 070-39-20.123W	FI G 6s	24	5	SG on skeleton tower on cylindrical pier.	
16195	Hog Island Channel Lighted Buoy 12	41-42-26.534N 070-39-13.011W	FI R 4s		3	Red.	Replaced by a nun when endangered by ice.
16200	Hog Island Channel Lighted Bell Buoy 15	41-42-46.434N 070-39-02.511W	FI G 4s		3	Green.	Replaced by a can when endangered by ice.
16205	Hog Island Channel Light 17	41-42-59.343N 070-38-52.116W	FI G 6s	24	5	SG on skeleton tower on cylindrical tower.	
16210	Hog Island Channel Lighted Buoy 16	41-42-43.507N 070-38-56.859W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
16215	Hog Island Channel Lighted Buoy 19	41-43-16.534N 070-38-34.111W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
16220	Hog Island Channel Lighted Bell Buoy 18	41-43-13.734N 070-38-28.711W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
16225	Hog Island Channel Light 21	41-43-28.163N 070-38-25.385W	Q G	35	5	SG on skeleton tower.	
16230	Hog Island Channel Lighted Buoy 23	41-43-52.689N 070-37-59.908W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
16240	Hog Island Channel Lighted Bell Buoy 26	41-44-00.520N 070-37-39.622W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
16245	Hog Island Channel Lighted Buoy 27	41-44-03.814N 070-37-45.131W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
16250	Hog Island Channel Light 28	41-44-12.143N 070-37-22.094W	FI R 6s	15	4	TR on white skeleton tower.	
16251	Gray Gables Buoy	41-44-09.660N				Green can.	

	1	070-37-24.120W					
16252	Gray Gables Buoy 2	41-44-09.000N 070-37-24.660W				Red nun.	
16260	Middle Ground Buoy MG	41-26-24.410N 070-55-43.910W				Red and green bands; nun.	
16265	Cuttyhunk Harbor West Entrance Buoy 1W	41-26-40.420N 070-55-30.138W				Green can.	
16270	Whale Rock Danger Buoy	41-26-02.220N 070-55-12.637W				White with orange bands worded DANGER ROCK.	
16275	Cuttyhunk Harbor West Entrance Buoy 3W	41-26-25.060N 070-54-51.756W				Green can.	
16280	Cuttyhunk Harbor West Entrance Buoy 2W	41-26-04.792N 070-55-02.519W				Red nun.	
16285	Pease Ledge Buoy 4	41-25-46.281N 070-54-58.316W				Red nun.	
16290	Cuttyhunk Harbor North Jetty Bell Buoy 6	41-25-34.482N 070-54-51.676W				Red.	
16295	Cuttyhunk Harbor North Jetty Light 8	41-25-30.534N 070-55-00.911W	Fl R 6s	29	5	TR on gray skeleton tower on concrete base.	Obscured from 284° to 044°.
16300	Cuttyhunk Harbor Buoy 9	41-25-29.747N 070-54-57.281W				Green can.	
16301.3	Cuttyhunk Pond Inner Channel Buoy 1	41-25-28.800N 070-55-27.600W				Green can.	
16301.5	Cuttyhunk Pond Inner Channel Buoy 3	41-25-29.700N 070-55-36.240W				Green can.	
16302.1	Cuttyhunk Pond Upper Channel Buoy 1	41-25-31.440N 070-55-24.690W				Green can.	
16302.2	Cuttyhunk Pond Upper Channel Buoy 2	41-25-31.380N 070-55-22.938W				Red nun.	
16302.3	Cuttyhunk Pond Upper Channel Buoy 3	41-25-33.600N 070-55-24.660W				Green can.	
16302.4	Cuttyhunk Pond Upper Channel Buoy 4	41-25-33.254N 070-55-22.450W				Red nun.	
16305	Cuttyhunk Harbor East Entrance Buoy 1E	41-26-13.133N 070-54-08.137W				Green can.	
16310	Cuttyhunk Harbor East Entrance Buoy 2E	41-26-26.761N 070-54-12.125W				Red nun.	
16315	Cuttyhunk East Entrance Lighted Bell Buoy CH	41-26-34.105N 070-53-21.816W	Mo (A) W		4	Red and white stripes with red spherical topmark.	Replaced by can when endangered by ice.
16320	Lone Rock Lighted Buoy LR	41-27-39.380N 070-51-08.843W	Fl (2+1)G 6s		4	Green and red bands.	Replaced by can when endangered by ice.
16325	Weepecket Rock Lighted Gong Buoy 8	41-31-48.493N 070-43-26.402W	Fl R 2.5s		3	Red.	
16330	Quisset Harbor Entrance Lighted Buoy 2	41-32-31.196N 070-39-56.433W	Fl R 4s		4	Red.	Replaced by nun from Dec. 1 to Apr. 1.
16335	Quisset Harbor Buoy 4	41-32-25.460N 070-39-46.887W				Red nun.	
16340	Quisset Harbor Buoy 3	41-32-30.004N 070-39-52.020W				Green can.	
16345	Quisset Harbor Buoy 5	41-32-26.762N 070-39-45.887W				Green can.	
16350	Quisset Harbor Buoy 6	41-32-24.923N 070-39-40.831W				Red nun.	
16355	Quisset Harbor Buoy 7	41-32-25.793N 070-39-36.658W				Green can.	
16360	Quisset Harbor Buoy 8	41-32-32.880N 070-39-19.020W				Red nun.	

16365	Quisset Harbor Buoy 9	41-32-34.573N 070-39-16.275W					Green can.	
16375	Great Sippewissett Rock Daybeacon	41-35-17.500N 070-39-13.500W					TR on spindle.	Maintained from May 15 to Oct. 15.
16380	West Falmouth Harbor Entrance Buoy 1	41-36-34.870N 070-39-29.192W					Green can.	
16385	West Falmouth Harbor Entrance Lighted Bell Buoy 2	41-36-22.613N 070-39-30.260W	FI R 4s		3		Red.	Removed when endangered by ice.
16390	West Falmouth Harbor Entrance Buoy 4	41-36-24.840N 070-39-09.514W					Red nun.	
16395	West Falmouth Harbor Buoy 6	41-36-24.000N 070-39-00.000W					Red nun.	
16400	West Falmouth Harbor Buoy 7	41-36-21.860N 070-39-03.540W					Green can.	
16405	West Falmouth Harbor Buoy 8	41-36-12.300N 070-38-32.160W					Red nun.	
16410	West Falmouth Harbor Buoy 9	41-36-21.720N 070-38-53.100W					Green can.	
16420	West Falmouth Harbor Buoy 13	41-36-15.480N 070-38-35.520W					Green can.	
16425	West Falmouth Harbor Buoy 14	41-36-14.700N 070-38-36.120W					Red nun.	
16450	Wild Harbor Lighted Buoy 1	41-38-08.029N 070-39-16.964W	FI G 4s		4		Green.	Removed when endangered by ice.
16460	Wild Harbor Buoy 4	41-38-06.742N 070-38-55.401W					Red nun.	
16461	Megansett Harbor Lighted Buoy 1	41-39-07.071N 070-40-04.914W	FI G 4s		4		Green.	Maintained from Apr. 1 to Nov. 30.
16465	Seal Rocks Buoy 3	41-39-27.657N 070-39-29.225W					Green can.	
16475	Fiddlers Cove Marina Buoy 4FC	41-39-02.040N 070-38-08.040W					Red nun.	
16480	Fiddlers Cove Marina Buoy 5FC	41-39-01.860N 070-38-07.020W					Green can.	
16490	Megansett Harbor Buoy 4	41-39-11.856N 070-38-48.141W					Red nun.	
16495	Megansett Harbor Buoy 5	41-39-24.588N 070-38-19.463W					Green can.	
16497	Megansett Harbor Lighted Buoy 6	41-39-11.206N 070-38-08.105W	FI R 2.5s		4		Red.	Replaced by nun from Dec. 1 to Apr. 1.
16500	Megansett Harbor Buoy 7	41-39-29.636N 070-37-47.676W					Green can.	
16501	Megansett Harbor Breakwater Light 8	41-39-28.622N 070-37-34.814W	FI R 6s	25	5		TR on spindle on timber structure.	
16502	Megansett Harbor Channel Buoy 8A	41-39-30.180N 070-37-36.600W					Red nun.	Maintained from May 1 to Oct. 15.
16510	Megansett Harbor Buoy 9	41-39-30.889N 070-37-33.474W					Green can.	
16512	Megansett Harbor Buoy 10	41-39-30.262N 070-37-34.379W					Red nun.	
16515	Megansett Harbor Buoy 11	41-39-30.000N 070-37-31.100W					Green can.	Maintained from May 15 to Oct. 15.
16517	Squeteague Harbor Buoy 2	41-39-33.300N 070-37-16.920W					Red nun.	
16518	Squeteague Harbor Buoy 3	41-39-39.085N 070-37-12.097W					Green can.	
16530	Southwest Ledge Buoy 2	41-40-02.113N 070-40-09.928W					Red nun.	
16535	Eustis Rock Buoy ER	41-40-28.730N 070-38-42.781W					Red and green; nun.	
16540	Bassetts Island Shoal South Buoy 1	41-40-19.998N 070-38-15.660W					Green can.	
16543	Hospital Cove Buoy 1A	41-40-11.400N 070-38-09.600W					Green can.	
16545	Scraggy Rocks Buoy 2	41-40-14.758N 070-38-12.402W					Red nun.	
16550	Hospital Cove Buoy 3	41-40-05.974N 070-38-06.830W					Green can.	
16555	Hospital Cove	41-40-03.562N					Green can.	

	Buoy 5	070-38-02.319W					
16557	Hospital Cove Buoy 5A	41-40-03.934N 070-37-57.125W				Green can.	
16560	Hospital Cove Buoy 6	41-40-01.504N 070-37-59.859W				Red nun.	
16565	Red Brook Harbor South Channel Buoy 7	41-40-07.126N 070-37-52.073W				Green can.	
16570	Red Brook Harbor South Channel Buoy 8	41-40-08.016N 070-37-50.026W				Red nun.	
16575	Red Brook Harbor South Channel Buoy 9	41-40-18.028N 070-37-46.949W				Green can.	
16580	Red Brook Harbor South Channel Buoy 10	41-40-26.908N 070-37-44.171W				Red nun.	
16585	Red Brook Harbor South Channel Buoy 12	41-40-38.044N 070-37-40.805W				Red nun.	
16590	Red Brook Harbor South Channel Buoy 11	41-40-33.639N 070-37-43.161W				Green can.	
16595	Red Brook Harbor Buoy 14	41-40-39.118N 070-37-37.673W				Red nun.	
16601	Red Brook Harbor Buoy 16	41-40-30.600N 070-37-27.000W				Red nun.	
16602	Red Brook Harbor Buoy 18	41-40-30.400N 070-37-17.400W				Red nun.	
16603	Red Brook Harbor Buoy 20	41-40-30.000N 070-37-09.400W				Red nun.	
16604.1	Hen Cove Channel Buoy 1	41-40-53.940N 070-37-24.660W				Green can.	
16604.2	Hen Cove Channel Buoy 2	41-40-52.320N 070-37-22.560W				Red nun.	
16604	Red Brook Harbor Buoy 22	41-40-29.600N 070-37-01.700W				Red nun.	
16604.3	Hen Cove Channel Buoy 4	41-40-57.500N 070-37-20.400W				Red nun.	
16605	Bassetts Island Buoy 2	41-40-47.465N 070-38-41.424W				Red nun.	
16610	Pocasset Harbor Buoy 1	41-41-05.034N 070-38-14.011W				Green can.	
16615	Pocasset Harbor Buoy 2	41-41-04.132N 070-38-10.133W				Red nun.	
16620	Pocasset Harbor Buoy 3	41-41-05.451N 070-38-07.040W				Green can.	
16625	Pocasset Harbor Buoy 4	41-41-14.834N 070-38-07.124W				Red nun.	
16630	Pocasset Harbor Buoy 5	41-41-19.158N 070-37-59.007W				Green can.	
16635	Pocasset Harbor Buoy 7	41-41-17.740N 070-37-51.143W				Green can.	
16640	Pocasset Harbor Buoy 8	41-41-14.421N 070-37-50.114W				Red nun.	
16645	Pocasset Harbor Buoy 9	41-41-13.416N 070-37-48.123W				Green can.	
16646	Bassetts Island East Shoals Danger Buoy	41-41-11.940N 070-37-49.320W				White with orange bands.	
16647	Red Brook Harbor Buoy 11	41-41-06.450N 070-37-50.678W				Green can.	
16648	Red Brook Harbor Buoy 12	41-40-55.495N 070-37-51.068W				Red nun.	
16649	Red Brook Harbor Buoy 13	41-40-48.929N 070-37-40.052W				Green can.	
16650	Phinneys Harbor Buoy 2	41-41-19.234N 070-39-23.716W				Red nun.	
16655	Phinneys Harbor Buoy 3	41-41-26.958N 070-39-17.432W				Green can.	
16660	Phinneys Harbor Buoy 5	41-41-56.538N 070-38-24.935W				Green can.	
16665	Phinneys Harbor Buoy 6	41-42-15.196N 070-37-50.201W				Red nun.	

16670	Phinneys Harbor Light 7	41-42-16.155N 070-37-56.393W	Fl G 4s	26	5	SG on spindle.	
16670.5	Little Bay Channel Buoy 1	41-42-09.790N 070-37-16.240W				Green Can.	
16671	Little Bay Channel Buoy 2	41-42-08.580N 070-37-15.540W				Red nun.	
16672	Little Bay Channel Buoy 3	41-42-10.580N 070-37-14.510W				Green can.	
16673	Little Bay Channel Buoy 4	41-42-10.800N 070-37-11.760W				Red nun.	
16675	Phinneys Harbor Buoy 9	41-42-36.964N 070-37-52.343W				Green can.	
16680	Phinneys Harbor Buoy 10	41-42-56.714N 070-37-33.054W				Red nun.	
16685	Phinneys Harbor Buoy 12	41-42-59.629N 070-37-15.336W				Red nun.	
16690	Phinneys Harbor Buoy 11	41-43-04.054N 070-37-24.813W				Green can.	
16695	Phinneys Harbor Buoy 13	41-43-01.983N 070-37-15.050W				Green can.	
16700	Phinneys Harbor Buoy 14	41-43-17.484N 070-37-24.704W				Red nun.	
16705	Slocums Ledge Buoy 2	41-30-53.912N 070-58-05.147W				Red nun.	
16711	Salter's Point Ledge Buoy 1	41-31-30.044N 070-56-08.472W				Green can.	
16716	Southwest Approach Buoy 2	41-31-37.778N 070-55-23.046W				Red nun.	
16721	The Sandspit Lighted Bell Buoy 4	41-31-53.085N 070-54-58.658W	Fl R 4s		4	Red.	Replaced by nun when endangered by ice.
16726	Dumpling Rocks Gong Buoy 5	41-32-05.004N 070-55-12.913W				Green.	
16731	Dumpling Rocks Light 7	41-32-17.834N 070-55-17.111W	Fl G 6s	52	8	SG on skeleton tower.	
16736	Southwest Approach Lighted Bell Buoy 8	41-32-20.058N 070-54-24.989W	Fl R 2.5s		3	Red.	
16738	Great Ledge Buoy 8A	41-32-25.687N 070-53-55.843W				Red nun.	
16741	Apponaganset Bay Lighted Gong Buoy AB	41-33-10.024N 070-54-42.068W	Fl (2+1)R 6s		4	Red and green bands.	
16742	Fatal Rock Buoy DF	41-32-44.682N 070-55-34.063W				Black and red bands with two black spherical topmarks.	
16745	Hussey Rock Buoy 1	41-33-21.242N 070-55-17.473W				Green can.	
16747	Barekneed Rocks Daybeacon B	41-33-19.604N 070-55-54.604W				NB on spindle.	
16750	Keel Rock Buoy 3	41-33-24.799N 070-55-43.507W				Green can.	
16756	Lone Rock Buoy 4	41-33-38.142N 070-54-55.573W				Red nun.	
16760	Bents Ledge Buoy 6	41-34-03.742N 070-54-52.893W				Red nun.	
16765	Padanaram Breakwater Light 8	41-34-26.858N 070-56-21.381W	Fl R 4s	25	5	TR on spindle.	
16771	Dartmouth Rock Buoy 10	41-34-36.368N 070-56-33.273W				Red nun.	
16774	South Dartmouth Channel Buoy 12	41-34-50.841N 070-56-45.242W				Red nun.	
16775	Apponaganset Bay Buoy 13	41-35-03.000N 070-56-46.000W				Green can.	
16780	Southwest Approach Buoy 10	41-33-43.013N 070-53-34.218W				Red nun.	
16791	Southwest Approach Buoy 12	41-34-26.040N 070-53-35.032W				Red nun.	
16793	Vineyard Wind Feeder Barge Lighted Mooring Buoy	41-34-48.619N 070-54-05.499W	Q Y			Yellow.	
16796	Old Bartlemy Buoy 13	41-35-38.367N 070-53-43.816W				Green can.	

16805	New Bedford Channel Lighted Buoy 1	41-31-44.029N 070-50-46.003W	Q G		3	Green.	
16810	New Bedford Channel Lighted Buoy 2	41-31-46.003N 070-50-32.031W	Q R		4	Red.	
16815	New Bedford Channel Buoy 3	41-32-56.340N 070-51-47.976W				Green can.	
16817	Phinney Rock Lighted Buoy DP	41-33-06.177N 070-53-05.189W	FI (2)W 5s		4	Black and red bands with two black spherical topmarks.	
16820	New Bedford Channel Lighted Buoy 4	41-33-36.059N 070-51-41.970W	FI R 4s		3	Red.	
16825	New Bedford Channel Lighted Buoy 5	41-33-30.063N 070-51-54.068W	FI G 4s		3	Green.	
16830	New Bedford Channel Lighted Buoy 6	41-34-12.964N 070-52-15.912W	FI R 2.5s		3	Red.	
16835	New Bedford Channel Lighted Gong Buoy 7	41-34-09.302N 070-52-28.734W	FI G 2.5s		3	Green.	
16845	New Bedford Channel Lighted Buoy 8	41-35-13.065N 070-52-55.534W	FI R 6s		3	Red.	
16851	New Bedford Channel Lighted Buoy 9	41-35-11.842N 070-53-00.359W	FI G 6s		3	Green.	
16855	New Bedford Channel Lighted Buoy 10	41-36-16.723N 070-53-32.577W	FI R 2.5s		3	Red.	
16860	New Bedford Channel Lighted Buoy 11	41-36-15.220N 070-53-36.500W	FI G 2.5s		3	Green.	
16870	New Bedford Channel Buoy 12	41-36-38.791N 070-53-47.041W				Red nun.	
16875	New Bedford Channel Buoy 13	41-36-38.166N 070-53-51.923W				Green can.	
16880	New Bedford Channel Lighted Buoy 14	41-36-57.418N 070-53-59.091W	FI R 4s		3	Red.	
16885	New Bedford Channel Lighted Buoy 15	41-36-58.229N 070-54-04.487W	FI G 4s		3	Green.	
16890	New Bedford Channel Buoy 16	41-37-21.408N 070-54-14.504W				Red nun.	
16895	New Bedford Channel Buoy 17	41-37-20.120N 070-54-18.907W				Green can.	
16896	New Bedford East Barrier Light	41-37-28.934N 070-54-19.411W	Q R	33	8	On pile.	
16897	New Bedford West Barrier Light	41-37-27.234N 070-54-22.011W	Q G	48	8	On pile.	HORN: 1 blast ev 10s (1s bl). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 45 minutes.
16898	Palmer's Island Light	41-37-37.020N 070-54-32.910W	FI W 4s			White conical tower on stone pier.	
16910	New Bedford Harbor Channel Lighted Buoy 2	41-37-40.180N 070-54-26.816W	FI R 4s		3	Red.	
16915	New Bedford Harbor Channel Lighted Buoy 3	41-37-47.700N 070-54-39.277W	FI G 4s		3	Green.	
16917	South Terminal Hurricane Barrier Front Range	41-37-13.420N 070-54-46.650W	F W	19			
16918	South Terminal Hurricane Barrier Rear Range	41-37-07.210N 070-54-45.250W	F W	19			
16920	South Terminal Approach Buoy 1	41-37-44.410N 070-54-50.147W				Green can.	
16925	South Terminal Approach Buoy 2	41-37-44.535N 070-54-59.307W				Red nun.	
16926	New Bedford South Terminal Buoy 1	41-37-17.580N 070-54-46.020W				Green can.	
16926.1	New Bedford South Terminal Buoy 2	41-37-16.405N 070-54-48.106W				Red nun.	

16926.2	New Bedford South Terminal Buoy 3	41-37-15.960N 070-54-46.860W				Green can.	
16926.3	New Bedford South Terminal Buoy 4	41-37-15.240N 070-54-48.900W				Red nun.	
16926.4	New Bedford South Terminal Buoy 5	41-37-14.940N 070-54-48.300W				Green can.	
16926.5	New Bedford South Terminal Buoy 6	41-37-14.203N 070-54-50.461W				Red nun.	
16926.6	New Bedford South Terminal Buoy 7	41-37-13.188N 070-54-49.914W				Green can.	
16926.7	New Bedford South Terminal Buoy 8	41-37-13.590N 070-54-51.624W				Red nun.	
16930	New Bedford Harbor Channel Buoy 4	41-37-54.390N 070-54-26.216W				Red nun.	
16935	New Bedford Harbor Channel Lighted Buoy 6	41-38-05.109N 070-54-48.857W	FI R 4s		3	Red.	
16940	Crow Island Buoy 1	41-38-11.016N 070-54-33.208W				Green can.	
16945	New Bedford Harbor Channel Lighted Buoy 8	41-38-14.579N 070-54-56.837W	FI R 4s		3	Red.	
16950	Fish Island Flats Buoy 2	41-38-11.079N 070-55-06.947W				Red nun.	
16955	New Bedford Harbor Channel Lighted Buoy 9	41-38-14.749N 070-55-02.748W	FI G 2.5s		3	Green.	
16960	New Bedford Southeast Approach Bell Buoy 2SE	41-34-04.135N 070-48-45.226W				Red.	Removed when endangered by ice.
16963	Buzzards Bay Environmental Monitoring Lighted Buoy	41-33-59.400N 070-49-32.500W	FI Y 4s			Yellow.	Marked: ENVIRONMENTAL MONITORING MODULE. Maintained 01 May - 31 Oct.
16965	New Bedford Southeast Approach Buoy 4SE	41-34-00.615N 070-50-31.796W				Red nun.	
16970	New Bedford Southeast Approach Buoy 5SE	41-34-07.034N 070-51-19.011W				Green can.	
16975	New Bedford Southeast Approach Daybeacon 6SE	41-34-41.364N 070-51-44.805W				TR on spindle.	
16980	New Bedford Southeast Approach Buoy 8SE	41-34-38.863N 070-52-11.579W				Red nun.	
17026.1	Brant Island Cove Channel Lighted Buoy 1	41-36-39.780N 070-48-10.020W	FI G 2s			Green.	
17026.2	Brant Island Cove Channel Lighted Buoy 2	41-36-42.060N 070-48-07.620W	FI R 2s			Red.	
17026.3	Brant Island Cove Channel Lighted Buoy 3	41-37-00.300N 070-48-32.040W	FI G 2s			Green.	
17026.4	Brant Island Cove Channel Lighted Buoy 4	41-37-03.000N 070-48-27.780W	FI R 2s			Red.	
17026.5	Brant Island Cove Channel Buoy 5	41-37-09.480N 070-48-39.540W				Green can.	
17026.6	Brant Island Cove Channel Buoy 6	41-37-11.580N 070-48-35.580W				Red nun.	
17026.7	Brant Island Cove Channel Buoy 7	41-37-32.220N 070-48-54.360W				Green can.	
17026.8	Brant Island Cove Channel Buoy 8	41-37-34.080N 070-48-53.220W				Red nun.	
17030	Nasketucket Bay Aquaculture Lighted Buoy NW	41-36-35.820N 070-50-37.560W	FI Y 4s			Yellow.	Seasonal May-Sep.
17035	Nasketucket Bay Aquaculture Lighted Buoy NE	41-36-50.100N 070-50-26.040W	FI Y 4s			Yellow.	Seasonal May-Sep.

17040	Nasketucket Bay Aquaculture Lighted Buoy SE	41-36-42.900N 070-50-13.380W	FI Y 4s			Yellow.	Seasonal May-Sep.
17045	Nasketucket Bay Aquaculture Lighted Buoy SW	41-36-27.540N 070-50-25.320W	FI Y 4s			Yellow.	Seasonal May-Sep.
17045.5	Blue Stream Shellfish North Lighted Buoy	41-36-41.910N 070-48-36.950W				Yellow.	
17045.6	Blue Stream Shellfish East Lighted Buoy	41-36-30.960N 070-48-16.920W	FI Y 2.5s			Yellow.	
17045.7	Blue Stream Shellfish South Lighted Buoy	41-36-33.690N 070-48-39.160W				Yellow.	
17045.8	Blue Stream Shellfish West Lighted Buoy	41-36-39.240N 070-48-43.920W	FI Y 2.5s			Yellow.	
17046.9	West Island Channel Buoy 10	41-36-14.170N 070-50-37.960W				Red nun.	
17046.8	West Island Channel Buoy 9	41-36-14.910N 070-50-35.430W				Green can.	
17046.7	West Island Channel Buoy 8	41-36-15.000N 070-50-36.600W				Red nun.	
17046.6	West Island Channel Buoy 7	41-36-15.600N 070-50-34.800W				Green can.	
17046.5	West Island Channel Buoy 6	41-36-17.000N 070-50-34.300W				Red nun.	
17046.4	West Island Channel Buoy 5	41-36-16.500N 070-50-33.600W				Green can.	
17046.3	West Island Channel Buoy 4	41-36-18.300N 070-50-32.100W				Red nun.	
17046.2	West Island Channel Buoy 3	41-36-17.600N 070-50-32.000W				Green can.	
17046.1	West Island Channel Lighted Buoy 2	41-36-20.800N 070-50-29.600W	Q R			Red.	
17046	West Island Channel Lighted Buoy 1	41-36-19.800N 070-50-28.270W	Q G			Green.	
17047.4	West Island Channel Buoy 15	41-36-09.860N 070-50-38.500W				Green can.	
17047.3	West Island Channel Buoy 14	41-36-11.480N 070-50-40.030W				Red nun.	
17047.2	West Island Channel Buoy 13	41-36-11.100N 070-50-39.270W				Green can.	
17047.1	West Island Channel Buoy 12	41-36-12.800N 070-50-39.700W				Red nun.	
17047	West Island Channel Buoy 11	41-36-13.300N 070-50-38.500W				Green can.	
17047.5	West Island Channel Buoy 16	41-36-09.810N 070-50-39.600W				Red nun.	
17050	Cormorant Rock Daybeacon	41-36-17.026N 070-47-30.428W				NG on spindle.	
17055	NYE Ledge Lighted Bell Buoy 1	41-37-02.932N 070-46-10.278W	FI G 4s		4	Green	Replaced by can when endangered by ice.
17065	Mattapoisett Harbor Approach Buoy 3	41-37-35.094N 070-46-48.194W				Green Can.	
17070	Angelica Point Light 2	41-38-20.517N 070-45-45.996W	FI R 2.5s	24	3	TR on spindle.	
17075	Mattapoisett Harbor Approach Buoy 5	41-37-58.283N 070-47-11.894W				Green can.	
17080	Mattapoisett Harbor Approach Buoy 6	41-38-15.468N 070-47-30.917W				Red nun.	
17085	Mattapoisett Harbor Approach Buoy 7	41-38-10.562N 070-47-42.715W				Green can.	
17086	Mattapoisett Harbor Lighted Buoy 8	41-38-45.960N 070-48-00.600W	FI R 4s			Red.	Seasonal 01 Apr - 15 Nov.
17087.5	USGS Research Lighted Buoy MH	41-38-45.600N 070-48-06.480W	FI Y 6s			Yellow.	Property of USGS. Maintained 15 May - 31 Oct.
17087	Mattapoisett	41-38-42.810N	FI G 4s			Green.	Seasonal 01 Apr - 15 Nov.

	Harbor Lighted Buoy 9	070-48-02.940W					
17088	Mattapoissett Harbor Buoy 10	41-38-58.140N 070-48-16.620W				Red nun.	Seasonal 01 Apr - 15 Nov.
17089	Mattapoissett Harbor Buoy 11	41-38-57.780N 070-48-20.880W				Green can.	Seasonal 01 Apr - 15 Nov.
17090	Mattapoissett Harbor Buoy 12	41-39-11.480N 070-48-31.670W				Red nun.	Seasonal 01 Apr - 15 Nov.
17091	Mattapoissett Harbor Buoy 13	41-39-10.560N 070-48-33.540W				Green can.	Seasonal 01 Apr - 15 Nov.
17095	Ned Point Light	41-39-03.167N 070-47-44.347W	Iso W 6s	41	12	White tower.	
17096	Mattapoissett Town Landing Buoy 1	41-38-53.640N 070-48-51.990W				Green can.	Seasonal 01 Apr - 15 Nov.
17097	Mattapoissett Town Landing Buoy 2	41-38-56.270N 070-48-48.900W				Red nun.	Seasonal 01 Apr - 15 Nov.
17098	Mattapoissett Town Landing Buoy 3	41-39-04.440N 070-48-59.640W				Green can.	Seasonal 01 Apr - 15 Nov.
17099	Mattapoissett Town Landing Buoy 4	41-39-08.220N 070-49-02.520W				Red nun.	Seasonal 01 Apr - 15 Nov.
17105	Bird Island Light	41-40-10.020N 070-43-02.400W	Fl W 6s			White tower.	
17115	Sippican Harbor Lighted Buoy 2	41-39-44.004N 070-43-34.081W	Fl R 4s		4	Red.	Replaced by nun when endangered by ice.
17130	Sippican Harbor Lighted Buoy 3	41-40-29.042N 070-44-22.173W	Fl G 2.5s		4	Green.	Replaced by can when endangered by ice.
17135	Sippican Harbor Buoy 5	41-40-49.801N 070-44-23.703W				Green can.	
17140	Sippican Harbor Buoy 6	41-41-36.590N 070-45-00.135W				Red nun.	
17145	Sippican Harbor Buoy 7	41-41-47.619N 070-45-10.906W				Green can.	
17150	Sippican Harbor Lighted Buoy 8	41-41-54.352N 070-45-13.134W	Fl R 4s		4	Red.	Replaced by nun from Oct. 15 to May 1.
17155	Sippican Harbor Buoy 9	41-42-00.854N 070-45-14.170W				Green can.	
17156	Sippican Harbor Lighted Buoy 10	41-42-04.300N 070-45-13.320W	Fl R 4s			Red.	
17169	Sippican Harbor Upper Channel Lighted Buoy 11	41-42-11.460N 070-45-22.380W	Fl G 4s			Green.	
17170	Sippican Harbor Upper Channel Lighted Buoy 13	41-42-21.420N 070-45-29.520W	Fl G 4s			Green.	
17172	USGS Research Lighted Buoy SH	41-42-24.480N 070-45-19.969W	Fl Y 6s			Yellow.	Property of USGS. Maintained 15 May - 31 Oct.
17174	Sippican Harbor Upper Channel Mid-Channel Lighted Buoy	41-42-18.060N 070-45-27.600W	Fl W 4s			Red and white.	
17180	Sippican Harbor Upper Channel Lighted Buoy 15	41-42-26.000N 070-45-34.000W	Fl G 4s			Green can.	
17185	Sippican Harbor Upper Channel Lighted Buoy 17	41-42-29.000N 070-45-37.000W	Fl G 4s			Green can.	
17195	Sippican Harbor Upper Channel Lighted Buoy 19	41-42-37.000N 070-45-47.000W	Fl G 4s			Green can.	
17201	Burr Brothers Boatyard Channel Buoy 1	41-42-38.300N 070-45-48.100W				Green can.	
17201.05	Burr Brothers Boatyard Channel Buoy 2	41-42-43.490N 070-45-51.750W				Red nun.	
17202	Burr Brothers Boatyard Channel Buoy 3	41-42-44.460N 070-45-52.950W				Green can.	
17202.4	Burr Brothers Boatyard Channel Buoy 4	41-42-45.100N 070-45-54.300W				Red nun.	
17202.6	Burr Brothers Boatyard Channel Buoy 6	41-42-47.200N 070-45-55.000W				Red nun.	
17202.8	Burr Brothers Boatyard Channel	41-42-49.200N 070-45-54.700W				Red nun.	

	Buoy 8						
17205	Hammet Cove Buoy 2	41-42-38.760N 070-45-30.120W				Red nun.	Maintained from Apr. 15 to Oct. 15.
17210	Hammet Cove Buoy 4	41-42-39.900N 070-45-27.780W				Red nun.	Maintained from Apr. 15 to Oct. 15.
17215	Dry Ledge Buoy 2	41-42-05.172N 070-41-37.730W				Red nun.	
17220	Wareham River Entrance Buoy 4	41-42-54.939N 070-42-58.900W				Red nun.	
17225	Wareham River Entrance Buoy 6	41-43-14.947N 070-43-06.677W				Red nun.	
17230	Wareham River Entrance Buoy 7	41-43-18.593N 070-43-07.609W				Green can.	
17235	Wareham River Entrance Buoy 9	41-43-29.359N 070-43-04.849W				Green can.	
17240	Wareham River Entrance Buoy 10	41-43-44.868N 070-43-04.659W				Red nun.	
17247	Wareham River Buoy 12	41-43-56.510N 070-42-59.298W				Red nun.	
17250	Wareham River Buoy 13	41-44-06.977N 070-42-43.032W				green can.	
17255	Wareham River Buoy 15	41-44-15.201N 070-42-36.114W				Green can.	
17260	Wareham River Buoy 16	41-44-22.967N 070-42-31.283W				Red nun.	
17265	Wareham River Buoy 17	41-44-32.338N 070-42-27.324W				Green can.	
17270	Wareham River Buoy 19	41-44-39.668N 070-42-26.554W				Green can.	
17275	Wareham River Buoy 20	41-44-47.098N 070-42-23.139W				Red nun.	
17280	Wareham River Buoy 22	41-44-57.858N 070-42-15.264W				Red nun.	Removed when endangered by ice.
17290	Wareham River Buoy 26	41-45-07.476N 070-42-18.074W				Red nun.	
17295	Wareham River Buoy 28	41-45-12.508N 070-42-30.565W				Red nun.	
17296	Weweantic River Buoy 1	41-43-18.900N 070-43-26.280W				Green can.	
17296.2	Weweantic River Buoy 3	41-43-35.520N 070-43-43.620W				Green can.	
17296.3	Weweantic River Buoy 4	41-43-37.200N 070-43-47.760W				Red nun.	
17296.4	Weweantic River Buoy 5	41-43-36.660N 070-43-50.220W				Green can.	
17296.5	Weweantic River Buoy 6	41-43-37.080N 070-43-55.980W				Red nun.	
17296.8	Weweantic River Buoy 7	41-43-48.180N 070-44-10.290W				Green can.	
17297	Weweantic River Buoy 9	41-43-52.950N 070-44-15.920W				Green can.	
17297.2	Weweantic River Buoy 11	41-43-50.700N 070-44-27.830W				Green can.	
17297.4	Weweantic River Buoy 14	41-43-50.100N 070-44-36.660W				Red nun.	
17297.5	Weweantic River Buoy 15	41-43-56.580N 070-44-43.140W				Green can.	
17297.8	Weweantic River Buoy 16	41-44-01.290N 070-44-43.970W				Red nun.	
17300	Onset Bay Channel Buoy 1	41-43-25.722N 070-38-27.152W				Green can.	
17302	Onset Bay Channel Buoy 2	41-43-29.917N 070-38-28.690W				Red nun.	
17305	Onset Bay Channel Buoy 3	41-43-33.732N 070-38-34.196W				Green can.	
17310	Onset Bay Channel Buoy 4	41-43-33.942N 070-38-32.771W				Red nun.	
17315	Onset Bay Channel Buoy 5	41-43-44.741N 070-38-34.090W				Green can.	
17320	Onset Bay Channel Buoy 6	41-43-47.004N 070-38-32.780W				Red nun.	
17325	Onset Bay Channel Buoy 7	41-43-47.929N 070-38-36.237W				Green can.	

17330	Onset Bay Channel Buoy 8	41-43-50.986N 070-38-39.429W				Red nun.	
17335	Onset Bay Channel Buoy 9	41-43-54.694N 070-38-50.024W				Green can.	
17340	Onset Bay Channel Buoy 10	41-43-55.730N 070-38-48.979W				Red nun.	
17345	Onset Bay Channel Buoy 11	41-44-00.381N 070-39-00.706W				Green can.	
17350	Onset Bay Channel Buoy 12	41-44-05.707N 070-39-13.987W				Red nun.	
17355	Onset Bay Channel Buoy 13	41-44-04.552N 070-39-15.440W				Green can.	
17360	Onset Bay Channel Buoy 14	41-44-13.654N 070-39-19.125W				Red nun.	
17365	Onset Bay Channel Buoy 15	41-44-13.534N 070-39-21.006W				Green can.	
17370	Onset Bay Channel Buoy 16	41-44-21.666N 070-39-23.827W				Red nun.	
17375	Sunset Cove Approach Buoy 1	41-44-19.500N 070-39-40.560W				Green can.	Maintained from June 1 to Oct. 1.
17380	Sunset Cove Approach Buoy 2	41-44-24.170N 070-39-35.500W				Red nun.	Maintained from June 1 to Oct. 1.
17380.1	Shell Point Channel Buoy 4	41-44-15.780N 070-39-43.500W				Red nun.	Maintained May 1 to Nov 1.
17380.2	Shell Point Channel Buoy 6	41-44-10.680N 070-39-45.000W				Red nun.	Maintained May 1 to Nov 1.
17380.3	Shell Point Channel Buoy 8	41-44-07.440N 070-39-47.640W				Red nun.	Maintained May 1 to Nov 1.
17380.4	Shell Point Channel Buoy 10	41-44-06.660N 070-39-51.120W				Red nun.	Maintained May 1 to Nov 1.
17380.5	Shell Point Channel Buoy 12	41-44-09.600N 070-39-55.800W				Red nun.	Maintained May 1 to Nov 1.
17380.6	Shell Point Channel Buoy 13	41-44-15.960N 070-39-55.080W				Green can.	Maintained May 1 to Nov 1.
17380.7	Shell Point Channel Buoy 14	41-44-12.720N 070-39-55.860W				Red nun.	Maintained May 1 to Nov 1.
17381	Point Independence Yacht Club Buoy 1	41-44-10.940N 070-39-03.980W				Green can.	Maintained from 1 June to Oct 1.
17382	Point Independence Yacht Club Buoy 2	41-44-10.790N 070-39-01.660W				Red nun.	Maintained from 1 June to Oct 1.
17383.1	Onset Bay Marina Buoy 1	41-44-09.480N 070-38-56.220W				Green can.	Maintained 1 June to Oct 1.
17383.2	Onset Bay Marina Buoy 2	41-44-09.180N 070-38-54.840W				Red nun.	Maintained 1 June to Oct 1.
17384	East River Channel Buoy 2	41-44-23.178N 070-39-20.940W				Red Nun.	Maintained May 1 to Nov 1.
17384.1	East River Channel Buoy 3	41-44-25.578N 070-39-18.570W				Green can.	Maintained May 1 to Nov 1.
17384.2	East River Channel Buoy 4	41-44-25.536N 070-39-17.784W				Red nun.	Maintained May 1 to Nov 1.
17384.3	East River Channel Buoy 5	41-44-28.872N 070-39-14.502W				Green can.	Maintained May 1 to Nov 1.
17384.4	East River Channel Buoy 6	41-44-29.634N 070-39-13.542W				Red nun.	Maintained May 1 to Nov 1.
17384.5	East River Channel Buoy 7	41-44-31.104N 070-39-13.518W				Green can.	Maintained May 1 to Nov 1.
17385	Buttermilk Bay Approach Buoy 1	41-44-01.634N 070-37-57.969W				Green can.	
17390	Buttermilk Bay Approach Buoy 3	41-44-07.935N 070-38-04.036W				Green can.	
17395	Buttermilk Bay Approach Buoy 4	41-44-12.238N 070-38-02.507W				Red nun.	
17405	Buttermilk Bay Approach Buoy 5	41-44-16.807N 070-37-58.587W				Green can.	
17410	Buttermilk Bay Approach Buoy 7	41-44-19.833N 070-37-54.022W				Green can.	
17415	Buttermilk Bay Approach Daybeacon 9	41-44-34.123N 070-37-42.798W				SG on spindle.	
17421.2	Buttermilk Bay Buoy 2A	41-45-08.760N 070-37-29.700W				Red nun.	

17421.4	Buttermilk Bay Buoy 4	41-45-17.940N 070-37-21.420W				Red nun.	
17421.5	Buttermilk Bay Buoy 5	41-45-21.480N 070-37-17.880W				Green can.	
17421	Buttermilk Bay Buoy 2	41-45-05.051N 070-37-27.502W				Red nun.	
17422.2	Little Buttermilk Bay Buoy 2	41-45-45.600N 070-36-48.060W				Red nun.	
17422.3	Little Buttermilk Bay Buoy 3	41-45-51.420N 070-36-44.340W				Green can.	
17422.4	Little Buttermilk Bay Buoy 4	41-45-57.240N 070-36-37.920W				Red nun.	
17425	Gooseberry Neck Buoy 2	41-28-42.856N 071-01-33.423W				Red nun.	
17430	Gooseberry Rock Buoy 4	41-28-35.178N 071-02-07.338W				Red nun.	
17435	Lumber Rock Buoy 6	41-28-23.412N 071-02-52.005W				Red nun.	
17445	Westport Harbor Approach Lighted Bell Buoy 1	41-29-15.360N 071-04-04.377W	FI G 2.5s		4	Green.	
17450	Two Mile Rock Daybeacon 3	41-29-32.177N 071-04-34.126W				SG on spindle.	
17455	Westport Buoy 4	41-29-56.288N 071-04-23.284W				Red nun.	
17460	Dogfish Ledge Buoy 5	41-30-10.619N 071-04-58.363W				Green can.	
17462	Halfmile Rock Buoy 5A	41-30-20.125N 071-05-01.211W				Green can.	
17463	Halfmile Rock Buoy 5B	41-30-25.021N 071-05-05.045W				Green can.	
17465	Halfmile Rock Buoy 6	41-30-13.900N 071-04-54.506W				Red nun.	
17470	Westport Harbor Entrance Light 7	41-30-26.808N 071-05-16.962W	FI G 6s	35	6	SG on skeleton tower.	
17475	Westport Harbor Channel Buoy 8	41-30-27.995N 071-05-03.299W				Red nun.	
17480	Westport Harbor Channel Buoy 10	41-30-29.507N 071-05-18.918W				Red nun.	
17485	Westport Harbor Channel Lighted Buoy 12	41-30-32.313N 071-05-33.354W	Q R		3	Red.	Removed when endangered by ice.
17490	Westport Harbor Channel Buoy 14	41-30-40.733N 071-05-42.999W	FI R 2.5s		3	Red.	Replaced by nun when endangered by ice.
17495	Westport Harbor Channel Buoy 15	41-30-39.667N 071-05-45.407W				Green can.	Removed when endangered by ice.
17500	Westport Harbor Channel Buoy 16	41-30-44.446N 071-05-42.504W				Red nun.	Removed when endangered by ice.
17505	Westport Harbor Channel Buoy 17	41-30-44.425N 071-05-46.822W				Green can.	Maintained from 31 March to 01 December.
17507	Westport Harbor Channel Buoy 18	41-30-47.410N 071-05-42.479W				Red nun.	Removed when endangered by ice.
17510	Westport Harbor Channel Buoy 19	41-30-48.934N 071-05-44.410W				Green can.	Maintained from 31 March to 01 December.
17515	Westport Harbor Channel Buoy 20	41-30-51.708N 071-05-35.543W				Red nun.	Maintained from 31 March to 01 December.
17517	Westport Harbor Channel Buoy 21	41-30-53.874N 071-05-35.656W				Green can.	Removed when endangered by ice.
17520	Westport Harbor Channel Buoy 23	41-30-58.702N 071-05-27.798W				Green can.	Maintained from 31 March to 01 December.
17522	Westport Harbor Channel Buoy 24	41-31-00.578N 071-05-20.383W				Red nun.	Removed when endangered by ice.
17525	Westport Harbor Channel Buoy 26	41-31-01.378N 071-05-06.992W				Red nun.	Removed when endangered by ice.
17527	Westport Harbor Channel Daybeacon 27	41-31-01.248N 071-04-53.151W				SG on pile.	
17530	Westport Harbor Channel Buoy 29	41-30-54.258N 071-04-34.281W				Green can.	Removed when endangered by ice.
17535	Westport Harbor Channel Buoy 31	41-30-53.772N 071-04-22.012W				Green can.	Removed when endangered by ice.
17540	Westport Harbor Channel Buoy 32	41-30-52.905N 071-04-15.761W				Red nun.	Removed when endangered by ice.

17545	Westport Harbor Channel Buoy 34	41-30-54.209N 071-04-12.360W				Red nun.	Removed when endangered by ice.
17546	Westport Harbor Boat Ramp Entrance Buoy 2	41-30-54.700N 071-04-05.500W				Red nun.	
17547	Westport Harbor Boat Ramp Entrance Buoy 3	41-30-55.100N 071-04-05.000W				Green can.	
17548	Westport Harbor Boat Ramp Entrance Buoy 4	41-30-58.400N 071-04-07.700W				Red nun.	
17550	Westport River West Branch Channel Buoy 1	41-30-57.780N 071-05-34.080W				Green can.	
17550.1	Westport River West Branch Channel Buoy 2	41-30-57.600N 071-05-34.800W				Red nun.	
17550.2	Westport River West Branch Channel Buoy 3	41-30-59.700N 071-05-37.500W				Green can.	
17550.3	Westport River West Branch Channel Buoy 4	41-31-01.900N 071-05-36.900W				Red nun.	
17550.5	Westport River West Branch Channel Buoy 6	41-31-06.800N 071-05-35.800W				Red nun.	
17550.6	Westport River West Branch Channel Buoy 7	41-31-17.600N 071-05-38.600W				Green can.	
17550.7	Westport River West Branch Channel Buoy 8	41-31-20.400N 071-05-36.200W				Red nun.	
17550.8	Westport River West Branch Channel Buoy 9	41-31-27.800N 071-05-43.600W				Green can.	
17551.9	Westport River Channel Buoy 42	41-32-12.720N 071-03-27.000W				Red nun.	
17551.6	Westport River Channel Buoy 39	41-31-56.580N 071-03-46.020W				Green can.	
17551.5	Westport River Channel Buoy 38	41-31-51.000N 071-03-47.900W				Red nun.	
17551.3	Westport River Channel Buoy 35	41-31-33.400N 071-03-43.500W				Green can.	
17551.2	Westport River Channel Buoy 34B	41-31-25.560N 071-03-49.140W				Red nun.	
17551.7	Westport River Channel Buoy 40	41-32-01.300N 071-03-37.700W				Red nun.	
17551.4	Westport River Channel Buoy 36	41-31-40.020N 071-03-40.920W				Red nun.	
17551.18	Westport River Channel Buoy 34A	41-31-10.500N 071-03-57.100W				Red nun.	
17551	Westport River West Branch Channel Buoy 11	41-31-36.300N 071-05-51.100W				Green can.	
17551.1	Westport River West Branch Channel Buoy 12	41-31-45.600N 071-06-02.200W				Red nun.	
17552.9	Westport River Channel Buoy 52	41-32-44.700N 071-03-24.900W				Red nun.	
17552.7	Westport River Channel Buoy 50	41-32-44.600N 071-03-28.700W				Red nun.	
17552.6	Westport River Channel Buoy 49	41-32-43.800N 071-03-32.100W				Green can.	
17552.5	Westport River Channel Buoy 48	41-32-35.040N 071-03-36.300W				Red nun.	
17552.3	Westport River Channel Buoy 46	41-32-25.300N 071-03-35.300W				Red nun.	
17552.2	Westport River Channel Buoy 45	41-32-18.540N 071-03-32.760W				Green can.	
17552.1	Westport River Channel Buoy 44	41-32-12.200N 071-03-25.600W				Red nun.	
17553.9	Westport River Channel Buoy 67	41-33-17.200N 071-03-47.000W				Green can.	
17553.8	Westport River Channel Buoy 65	41-33-15.400N 071-03-38.800W				Green can.	
17553.7	Westport River	41-33-16.600N				Red nun.	

	Channel Buoy 64	071-03-32.100W					
17553.6	Westport River Channel Buoy 61	41-33-08.280N 071-03-15.480W				Green can.	
17553.5	Westport River Channel Buoy 59	41-32-59.500N 071-03-11.800W				Green can.	
17553.4	Westport River Channel Buoy 58	41-32-52.320N 071-03-07.860W				Red nun.	
17553.3	Westport River Channel Buoy 56	41-32-45.060N 071-03-06.780W				Red nun.	
17553.2	Westport River Channel Buoy 55	41-32-38.400N 071-03-09.240W				Green can.	
17553.1	Westport River Channel Buoy 54	41-32-37.600N 071-03-13.000W				Red nun.	
17553	Westport River Channel Buoy 53	41-32-45.500N 071-03-17.800W				Green can.	
17553.65	Westport River Channel Buoy 62	41-33-17.200N 071-03-25.500W				Red nun.	
17554.6	Westport River Channel Buoy 80	41-34-00.600N 071-04-20.940W				Red nun.	
17554.5	Westport River Channel Buoy 78	41-33-52.400N 071-04-22.400W				Red nun.	
17554.4	Westport River Channel Buoy 77	41-33-42.840N 071-04-24.840W				Green can.	
17554.3	Westport River Channel Buoy 75	41-33-38.100N 071-04-18.300W				Green can.	
17554.2	Westport River Channel Buoy 73	41-33-33.500N 071-04-16.800W				Green can.	
17554.1	Westport River Channel Buoy 71	41-33-26.600N 071-04-01.400W				Green can.	
17554	Westport River Channel Buoy 69	41-33-20.200N 071-03-54.400W				Green can.	
17555	Elisha Ledge Buoy EL	41-26-40.259N 071-09-27.825W				Green and red bands; can.	
17560	Schuyler Ledge Bell Buoy 2	41-26-24.369N 071-11-35.333W				Red.	
17577	Sakonnet Light	41-27-11.264N 071-12-08.781W	FI W 6s	70	7	White conical tower on granite base. b	Red from 195° to 350°.
17580	Cormorant Reef Bell Buoy 1	41-27-16.006N 071-14-41.592W				Green.	
17585	Sakonnet River Bell Buoy 2A	41-27-43.927N 071-12-54.588W				Red.	
17590	Sakonnet Breakwater Light 2	41-28-00.306N 071-11-43.182W	FI R 4s	29	6	TR on skeleton tower on concrete base.	
17595	Sakonnet River Buoy 3	41-29-13.205N 071-13-44.182W				Green can.	
17600	Sakonnet River Buoy 4	41-29-32.405N 071-12-42.180W				Red nun.	
17605	Sakonnet River Buoy 5	41-32-39.204N 071-13-31.592W				Green can.	
17610	Sakonnet River Buoy 6	41-33-10.513N 071-13-40.892W				Red nun.	
17615	Sakonnet River Buoy 7	41-34-39.323N 071-13-20.271W				Green can.	
17620	Sakonnet River Buoy 8	41-34-33.569N 071-13-10.071W				Red nun.	
17625	Sakonnet River Buoy 10	41-35-24.403N 071-13-06.181W				Red nun.	
17630	Sakonnet River Buoy 11	41-35-55.983N 071-13-11.081W				Green can.	
17635	Sakonnet River Buoy 12	41-36-11.423N 071-12-59.181W				Red nun.	
17640	Sakonnet River Buoy 13	41-36-46.391N 071-13-05.110W				Green can.	
17643	Gould Island Hazard Buoy	41-36-56.471N 071-13-18.248W				White and orange with diamond marked DANGER ROCKS can.	
17645	Sakonnet River Buoy 15	41-37-31.307N 071-13-02.639W				Green can.	
17650	Sakonnet River	41-37-31.003N				Red nun.	

	Buoy 16	071-12-59.853W						
17655	Sakonnet River Buoy 17	41-38-50.612N 071-12-51.260W					Green can.	
17660	Sakonnet River Buoy 19	41-39-23.812N 071-13-01.121W					Green can.	
17675	Narragansett Bay Entrance Lighted Whistle Buoy NB	41-23-00.034N 071-23-21.482W	Mo (A) W			6	Red and white stripes with red spherical topmark.	AIS: MMSI 993672153 (21)
17680	Seal Ledge Bell Buoy 2A	41-26-01.732N 071-20-48.247W					Red.	
17685	Brenton Point Lighted Whistle Buoy 2	41-25-56.664N 071-21-46.739W	Q R			3	Red.	
17775	East Passage Gong Buoy 4	41-26-34.724N 071-21-49.290W					Red.	
17780	Beavertail Light	41-26-57.750N 071-23-57.897W	FI W 10s	64		15	Square granite tower attached to white dwelling.	Obscured from 175° to 215°. Lighted throughout 24 hours. HORN: 1 blast ev 30s (3s bl). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 45 minutes.
17790	East Passage Bell Buoy 6	41-27-27.149N 071-21-58.989W					Red.	
17795	Castle Hill Light	41-27-43.834N 071-21-46.512W	Iso R 6s	40		9	Conical granite tower upper half white.	HORN: 1 blast ev 10s (1s bl). MRASS Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 45 minutes.
17800	East Passage Lighted Gong Buoy 7	41-28-18.402N 071-22-14.903W	FI G 4s			4	Green.	
17805	East Passage Lighted Gong Buoy 9	41-28-38.403N 071-21-14.204W	FI G 2.5s			4	Green.	
17810	East Passage Lighted Bell Buoy 11	41-29-00.402N 071-21-02.700W	Q G			4	Green.	
17815	Fort Adams Light 2	41-28-54.302N 071-20-12.397W	FI R 6s	32		7	TR on white skeleton tower.	HORN: 1 blast ev 15s (2s bl). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 45 minutes.
17820	Newport Harbor Buoy 4	41-28-52.003N 071-20-05.538W					Red nun.	
17825	Goat Island Southwest Buoy 1	41-28-56.903N 071-19-45.877W					Green can.	
17830	Goat Island Lighted Bell Buoy 3	41-28-54.133N 071-19-36.746W	FI G 2.5s			3	Green.	
17840	Little Ida Lewis Rock Daybeacon 6	41-28-47.473N 071-19-10.865W					TR on spindle.	
17845	Goat Island Southeast Lighted Buoy 7	41-29-00.913N 071-19-31.046W	FI G 4s			3	Green.	Removed when endangered by ice.
17846	RI State Pier Nine Light 1	41-29-16.900N 071-19-20.500W	FI G 5s				Wharf end dolphin.	
17847	RI State Pier Nine Light 2	41-29-17.100N 071-19-19.300W	FI R 5s					
17850	Newport Harbor Light	41-29-35.970N 071-19-37.416W	F G	33		9	White stone tower.	
17853	Newport Harbor North Channel Buoy 1	41-29-30.290N 071-19-32.520W					Green can.	Maintained 15 May - 15 Nov.
17853.1	Newport Harbor North Channel Buoy 2	41-29-30.920N 071-19-30.640W					Red nun.	Maintained 15 May - 15 Nov.
17853.2	Newport Harbor North Channel Buoy 3	41-29-33.760N 071-19-33.080W					Green can.	Maintained 15 May - 15 Nov.
17853.3	Newport Harbor North Channel Buoy 4	41-29-34.430N 071-19-31.200W					Red nun.	Maintained 15 May - 15 Nov.
17853.4	Newport Harbor North Channel Buoy 5	41-29-34.850N 071-19-34.408W					Green can.	Maintained 15 May - 15 Nov.
17853.5	Newport Harbor North Channel Buoy 6	41-29-39.306N 071-19-36.872W					Red nun.	Maintained 15 May - 15 Nov.
17855	East Passage Lighted Bell Buoy 12	41-29-40.232N 071-20-40.850W	FI R 4s			4	Red.	
17857	Rose Island Light	41-29-43.680N 071-20-33.780W	FI W 6s	48			White dwelling.	

17860	Rose Island South Point Buoy 1	41-29-35.972N 071-20-24.459W				Green can.	
17865	Mitchell Rock Gong Buoy 3	41-29-33.402N 071-20-11.099W				Green.	
17870	Tracey Ledge Buoy 5	41-29-53.272N 071-20-01.569W				Green can.	
17891	Jamestown Harbor Channel Buoy 1	41-29-42.781N 071-21-39.841W				Green can.	
17892	Jamestown Harbor Channel Lighted Buoy 2	41-29-44.520N 071-21-39.179W	FI R 4s			Red nun.	
17893	Jamestown Harbor Channel Buoy 3	41-29-43.680N 071-21-47.160W				Green can.	
17894	Jamestown Harbor Channel Buoy 4	41-29-45.359N 071-21-47.459W				Red nun.	
17900	Gull Rocks South Buoy	41-30-00.660N 071-19-58.158W				Green can with red bands.	
17905	East Passage Buoy 12A	41-29-59.721N 071-20-44.960W				Red nun.	
17906	Newport-Pell Bridge VAIS SW	41-30-19.943N 071-21-05.418W					AIS: MMSI 993672526 (21)
17907	Newport-Pell Bridge VAIS SE	41-30-15.300N 071-20-45.621W					AIS: MMSI 993672525 (21)
17908	Newport-Pell Bridge VAIS NW	41-30-20.697N 071-21-04.996W					AIS: MMSI 993672564 (21)
17909	Newport-Pell Bridge VAIS NE	41-30-16.190N 071-20-45.217W					AIS: MMSI 993672534 (21)
17910	Newport - Pell Bridge Racon	41-30-17.890N 071-20-55.320W				On bridge.	
17911	Newport - Pell Bridge Sound Signal	41-30-20.000N 071-21-05.000W				On bridge abutment.	HORN: 2 blasts ev 20s (1s bl-1s si-1s bl-17s si).
17913	Taylor's Point Outfall Buoy	41-30-26.000N 071-21-23.000W				White and orange can.	
17920	Gull Rocks Shoal Buoy 7	41-30-15.870N 071-19-58.753W				Green can.	
17925	Rose Island Shoal Northeast End Buoy 2	41-30-15.379N 071-20-12.547W				Red nun.	
17930	Seventeen-Foot Spot Buoy	41-30-24.466N 071-20-06.901W				Green can with red bands.	
17935	East Passage Channel Junction Lighted Bell Buoy EP	41-30-40.594N 071-20-49.812W	FI (2+1)G 6s		3	Green and red bands.	
17940	East Pass Lighted Bell Buoy 14	41-30-59.902N 071-20-03.199W	FI R 4s		4	Red.	
17945	East Passage Buoy 16	41-31-23.502N 071-19-44.948W				Red nun.	
17950	Coddington Point Buoy 2	41-31-27.401N 071-19-24.196W				Red nun.	
17960	Gould Island South Light	41-31-45.923N 071-20-38.472W	FI G 6s	34	6	NR on skeleton tower.	
17965	East Passage Lighted Buoy 17	41-31-46.851N 071-20-07.329W	Q G		4	Green.	
18005	Coddington Cove Breakwater Light 18	41-31-56.652N 071-19-28.980W	FI R 6s	30	7	TR on red skeleton tower.	White/orange dayboards for Naval Security Zone. HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si). Operates continuously.
18010	Coddington Cove Buoy 2	41-31-59.881N 071-18-55.845W				Red nun.	
18055	Halfway Rock Daybeacon	41-33-49.401N 071-19-56.198W				NR on spindle.	
18060	Fiske Rock Buoy	41-34-04.921N 071-19-42.158W				Green can with red bands.	
18062	Salt Water Farms Aquaculture Lighted Buoy A	41-33-29.280N 071-18-38.100W	Oc (4)W 30s			White with orange bands.	
18062.3	Salt Water Farms Aquaculture Lighted Buoy B	41-33-44.640N 071-18-30.180W	Oc (4)W 30s			White with orange bands.	
18065	Dyer Island East Shoal Buoy 5	41-35-04.001N 071-17-45.502W				Green can.	
18070	Dyer Island East Shoal Buoy 7	41-35-14.671N 071-17-50.673W				Green can.	
18080	Prudence Island	41-34-34.971N				Red nun with	

	Southend Buoy PI	071-19-40.128W				green bands.	
18084	East Passage Wreck Lighted Buoy WR21	41-34-32.034N 071-18-59.012W	Q G		3	Green.	
18085	East Passage Buoy 22	41-34-39.401N 071-18-25.694W				Red nun.	
18095	East Passage Lighted Bell Buoy 24	41-35-25.714N 071-18-15.552W	FI R 2.5s		3	Red.	Replaced by LIB when endangered by ice.
18100	East Passage Lighted Buoy 25	41-36-00.528N 071-18-08.520W	FI G 4s		3	Green.	
18105	East Passage Lighted Bell Buoy 26	41-35-58.851N 071-18-00.353W	FI R 4s		4	Red.	Replaced by LIB when endangered by ice.
18110	East Passage Buoy 27	41-36-19.711N 071-18-03.613W				Green can.	
18113	NEBW Daybeacon 1	41-35-29.781N 071-17-13.848W				SG on pole.	
18113.1	NEBW Daybeacon 2	41-35-28.734N 071-17-14.218W				TR on pole.	
18113.2	NEBW Daybeacon 3	41-35-27.729N 071-17-09.247W				SG on pole.	
18113.3	NEBW Daybeacon 4	41-35-26.188N 071-17-08.818W				TR on pole.	
18113.4	NEBW Daybeacon 5	41-35-27.542N 071-17-08.548W				SG on pole.	
18113.5	NEBW Daybeacon 6	41-35-24.457N 071-17-07.328W				TR on pole.	
18115	Coggeshall Point Buoy 10	41-35-32.046N 071-17-19.870W				Red nun.	
18120	Coggeshall Point Shoal Buoy 12	41-35-54.261N 071-17-15.351W				Red nun.	
18125	Prudence Island Light	41-36-21.134N 071-18-12.712W	FI G 6s	28	6	White octagonal tower.	
18130	Sandy Point Junction Lighted Bell Buoy SP	41-36-55.421N 071-17-35.552W	FI (2+1)R 6s		3	Red and green bands.	Replaced by LIB when endangered by ice.
18131	Carnegie Abbey Yacht Club Buoy 1	41-37-03.420N 071-16-33.080W					
18132	Carnegie Abbey Yacht Club Buoy 2	41-37-02.570N 071-16-33.050W					
18133	Carnegie Abbey Yacht Club Channel Light 3	41-37-03.240N 071-16-26.040W	F G		2		
18134	Carnegie Abbey Yacht Club Channel Light 4	41-37-02.400N 071-16-26.000W	F R				
18135	Mount Hope Bay Approach Lighted Buoy 2	41-37-07.834N 071-17-00.012W	FI R 2.5s		3		
18140	Mount Hope Bay Approach Lighted Bell Buoy 3	41-37-47.565N 071-16-17.416W	FI G 4s		3		
18143	Mount Hope Bay Approach Buoy 4	41-37-35.172N 071-16-25.363W					
18145	Hog Island Shoal Light	41-37-56.677N 071-16-23.686W	Iso W 6s	54	12	White conical tower on black cylindrical pier.	HORN: 2 blasts ev 30s (2sbl-2s si-2s bl-24s si) Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 45 minutes.
18150	Musselbed Shoals Light 6A	41-38-10.464N 071-15-36.076W	FI R 6s	26	6		
18155	Musselbed Shoals Gong Buoy 6	41-38-12.411N 071-15-38.196W				Red.	
18160	Musselbed Shoals Directional Light	41-38-10.454N 071-15-36.064W	F W	26			
18165	Bristol Point Rock Buoy 2	41-38-28.161N 071-15-57.097W				Red nun.	
18170	Hog Island Rock Buoy 3	41-38-44.741N 071-16-25.538W				Green can.	
18175	Middle Ground Buoy	41-39-40.211N 071-16-52.150W				Red nun with green bands.	
18180	Castle Island Light 2	41-39-13.826N 071-17-10.442W	FI R 6s	26	3	TR on skeleton tower.	
18185	Usher Rocks Buoy 3	41-39-31.751N 071-17-20.971W				Green can.	

18190	Bristol Harbor Light 4	41-39-58.200N 071-16-41.789W	F R	25	11	TR on skeleton tower.	
18191	Bristol Harbor Light 6	41-40-00.500N 071-16-47.100W	FI R 4s				Marks southwest corner of pier.
18192	Bristol Harbor Daybeacon 6A	41-40-03.900N 071-16-48.200W					Marks northwest corner of pier.
18194	Bristol Harbor East Channel Buoy 5	41-40-01.320N 071-16-49.020W				Green can.	
18194.1	Bristol Harbor East Channel Buoy 7	41-40-12.280N 071-16-51.900W				Green can.	
18194.2	Bristol Harbor East Channel Buoy 9	41-40-19.860N 071-16-53.640W				Green can.	
18195.6	Bristol Harbor East Channel Buoy 10	41-40-23.367N 071-16-52.718W				Red nun.	Private aid.
18195.4	Bristol Harbor Channel Daybeacon 8	41-40-15.900N 071-16-49.500W				TR on monopile.	
18196	Bristol Harbor West Channel Buoy 1	41-40-09.960N 071-17-05.400W				Green can.	
18196.1	Bristol Harbor West Channel Buoy 2	41-40-06.720N 071-17-01.380W				Red nun.	
18196.2	Bristol Harbor West Channel Buoy 3	41-40-17.160N 071-17-07.200W				Green can.	
18196.3	Bristol Harbor West Channel Buoy 4	41-40-19.740N 071-17-06.480W				Red nun.	
18196.4	Bristol Harbor West Channel Buoy 5	41-40-27.900N 071-17-12.600W				Green can.	
18196.5	Bristol Harbor West Channel Buoy 6	41-40-31.380N 071-17-12.720W				Red nun.	
18200	Providence River Approach Channel Lighted Buoy 1	41-37-42.571N 071-18-05.073W	FI G 2.5s		3	Green.	Replaced by can when endangered by ice.
18205	Hog Island Southwest Point Buoy 2	41-37-51.081N 071-17-21.451W				Red nun.	
18210	Providence River Approach Channel Lighted Buoy 2	41-38-14.331N 071-18-11.133W	FI R 2.5s		3	Red.	
18215	Potter Cove Buoy 2	41-38-32.480N 071-19-49.378W				Red nun.	
18220	Potter Cove Buoy 4	41-38-25.750N 071-20-05.709W				Red nun.	
18225	Potter Cove Buoy 6	41-38-28.060N 071-20-17.820W				Red nun.	
18230	Popasquash Point Lighted Bell Buoy PP	41-38-47.951N 071-17-58.433W	FI (2+1)R 6s		4	Red and green bands.	Replaced by nun when endangered by ice.
18235	Providence River Approach Channel Lighted Buoy 3	41-38-31.801N 071-18-27.074W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
18240	Providence River Approach Channel Lighted Buoy 4	41-38-52.333N 071-18-28.202W	Q R		3	Red.	Replaced by nun when endangered by ice.
18241	Prudence Island Monitoring Lighted Buoy	41-38-53.020N 071-19-09.420W	FI Y 4s			Yellow.	Property of URI. Maintained from May 1 to Nov 30.
18245	Providence River Approach Channel Lighted Buoy 5	41-39-05.440N 071-18-42.745W	Q G		3	Green.	Replaced by can when endangered by ice.
18250	Providence River Approach Channel Lighted Buoy 6	41-39-20.570N 071-18-35.955W	FI R 2.5s		3	Red.	Replaced by LIB when endangered by ice.
18255	Fork Rock Buoy	41-40-33.199N 071-20-51.251W				Red nun with green bands.	
18257	North Prudence Point Monitoring Lighted Buoy	41-40-14.040N 071-21-19.080W	FI Y 5s			Yellow.	Property of URI. Maintained from May 1 - Nov 30.
18260	Ohio Ledge Bell Buoy OL	41-40-56.200N 071-19-18.677W				Green and red bands.	Removed when endangered by ice.
18265	Providence River Approach Channel Lighted Buoy 7	41-40-19.370N 071-18-47.825W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
18270	Providence River Approach Channel Lighted Buoy 8	41-40-19.480N 071-18-39.725W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
18275	Providence River	41-41-19.250N	FI G 2.5s		3	Green.	Replaced by can when endangered by ice.

	Approach Channel Lighted Buoy 9	071-18-53.825W						
18280	Providence River Approach Channel Lighted Bell Buoy 10	41-41-21.080N 071-18-43.525W	Q R		3	Red.	Replaced by LIB when endangered by ice.	
18285	Providence River Approach Channel Lighted Buoy 11	41-41-54.129N 071-19-28.969W	FI G 2.5s		3	Green.	Replaced by can when endangered by ice.	
18290	Providence River Approach Channel Lighted Buoy 12	41-41-58.328N 071-19-21.721W	FI R 2.5s		3	Red.	Replaced by LIB when endangered by ice.	
18295	Providence River Approach Channel Lighted Buoy 13	41-42-41.545N 071-20-16.969W	FI G 4s		3	Green.	Replaced by can when endangered by ice.	
18300	Providence River Approach Channel Lighted Buoy 14	41-42-45.409N 071-20-10.187W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.	
18305	Conimicut Light	41-43-01.272N 071-20-42.546W	FI W 2.5s	58	8	White conical tower on cylindrical pier.	Red from 322° to 349° covers Ohio Ledge. HORN: 2 bl ev 30s (2s bl-2s si-2s bl-24s si). Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 45 minutes.	
18307	Conimicut Point Monitoring Lighted Buoy	41-42-49.870N 071-20-37.890W	FI Y 5s			Yellow.	Property of URI. Maintained May 1 - Nov 30.	
18310	Providence River Channel Lighted Buoy 15	41-43-05.331N 071-20-41.315W	Q G		3	Green.		
18315	Providence River Channel Lighted Buoy 16	41-43-08.849N 071-20-34.460W	Q R		3	Red.	Replaced by nun when endangered by ice.	
18320	Providence River Channel Buoy 17	41-43-22.295N 071-21-16.988W				Green can.		
18325	Providence River Channel Lighted Buoy 18	41-43-33.558N 071-21-24.533W	FI R 2.5s		3	Red.		
18330	Providence River Channel Lighted Buoy 19	41-43-39.168N 071-21-50.974W	Q G		3	Green.		
18335	Providence River Channel Lighted Buoy 20	41-43-44.438N 071-21-40.324W	Q R		3	Red.		
18340	Providence River Channel Lighted Buoy 22	41-43-58.258N 071-21-50.384W	FI R 2.5s		3	Red.		
18343	Bullocks Point Reach Lighted Research Buoy	41-43-57.700N 071-22-11.571W	Q Y			Yellow.	Seasonal from 15 May - 30 Nov.	
18345	Bullock Point Light BP	41-44-15.795N 071-21-51.114W	Oc W 4s	29	6	NR on skeleton tower.		
18350	Bullock Cove Entrance Lighted Buoy 1	41-44-15.790N 071-21-21.934W	FI G 2.5s		3	Green.	Replaced by can when endangered by ice.	
18360	Bullock Cove Entrance Buoy 2	41-44-16.418N 071-21-18.623W				Red nun.		
18370	Bullock Cove Entrance Buoy 3	41-44-25.647N 071-21-18.072W				Green can.	Removed when endangered by ice.	
18375	Bullock Cove Entrance Buoy 4	41-44-26.495N 071-21-16.578W				Red nun.	Removed when endangered by ice.	
18380	Bullock Cove Entrance Buoy 5	41-44-32.830N 071-21-16.254W				Green can.	Removed when endangered by ice.	
18385	Bullock Cove Entrance Buoy 6	41-44-33.194N 071-21-15.027W				Red nun.	Removed when endangered by ice.	
18390	Bullock Cove Daybeacon 7	41-44-37.700N 071-21-15.400W				SG on pile.		
18395	Bullock Cove Daybeacon 8	41-44-42.240N 071-21-12.600W				TR on pile.		
18400	Bullock Cove Daybeacon 9	41-44-45.180N 071-21-13.260W				SG on pile.		
18403	Bullock Cove Daybeacon 10	41-44-51.300N 071-21-12.420W				TR on pile.		
18405	Bullock Cove Daybeacon 11	41-44-51.300N 071-21-14.040W				SG on pile.		
18410	Bullock Cove Daybeacon 12	41-44-54.000N 071-21-13.400W				TR on pile.		
18415	Bullock Cove Daybeacon 13	41-44-55.860N 071-21-15.240W				SG on pile.		

18420	Bullock Cove Daybeacon 14	41-44-59.700N 071-21-14.900W				TR on pile.	
18425	Bullock Cove Daybeacon 15	41-45-00.660N 071-21-16.800W				SG on pile.	
18430	Bullock Cove Daybeacon 16	41-45-01.980N 071-21-15.360W				TR on pile.	
18431	Bullock Cove Daybeacon 17	41-45-09.480N 071-21-14.580W				SG on pile.	
18431.1	Bullock Cove Daybeacon 18	41-45-10.100N 071-21-13.300W				TR on pile.	
18431.2	Bullock Cove Daybeacon 19	41-45-14.160N 071-21-12.540W				SG on pile.	
18435	Providence River Channel Lighted Buoy 23	41-44-20.216N 071-22-07.760W	FI G 2.5s		3	Green.	
18440	Providence River Channel Lighted Buoy 25	41-44-47.396N 071-22-18.956W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
18445	Providence River Channel Lighted Buoy 26	41-44-47.798N 071-22-10.945W	FI R 4s		3	Red.	
18450	Providence River Channel Lighted Buoy 27	41-45-16.034N 071-22-30.944W	FI G 2.5s		3	Green.	
18455	Sabin Point Daybeacon SP	41-45-43.389N 071-22-27.250W				NR on dolphin.	
18460	Providence River Channel Lighted Buoy 28	41-45-28.410N 071-22-27.338W	FI R 6s		3	Red.	
18465	Pawtuxet Cove Channel Approach Buoy 1	41-45-36.875N 071-22-48.232W				Green can.	
18470	Pawtuxet Cove Channel Buoy 2	41-45-37.859N 071-22-54.290W				Red nun.	
18475	Pawtuxet Cove Channel Buoy 3	41-45-36.671N 071-22-53.636W				Green can.	
18480	Pawtuxet Cove Channel Buoy 4	41-45-36.155N 071-23-02.138W				Red nun.	Removed when endangered by ice.
18485	Pawtuxet Cove Channel Buoy 5	41-45-34.610N 071-23-06.573W				Green can.	Removed when endangered by ice.
18490	Pawtuxet Cove Channel Buoy 6	41-45-34.887N 071-23-09.929W				Red nun.	Removed when endangered by ice.
18500	Providence River Channel Lighted Buoy 29	41-45-43.977N 071-22-42.147W	Q G		3	Green.	
18505	Providence River Channel Lighted Buoy 30	41-45-43.427N 071-22-30.757W	Q R		3	Red.	
18510	Fields Point Channel Buoy 1	41-46-09.867N 071-22-51.418W				Green can.	
18515	Fields Point Channel Buoy 2	41-46-28.837N 071-22-57.129W				Red nun.	
18520	Fields Point Channel Buoy 3	41-46-47.277N 071-23-06.699W				Green can.	
18525	Fields Point Channel Buoy 5	41-46-52.946N 071-23-19.340W				Green can.	
18530	Providence River Channel Lighted Buoy 32	41-45-58.347N 071-22-27.257W	FI R 4s		3	Red.	
18535	Providence River Channel Lighted Buoy 33	41-46-17.657N 071-22-26.277W	FI G 4s		3	Green.	
18540	Providence River Channel Lighted Buoy 34	41-46-26.079N 071-22-13.805W	FI R 2.5s		3	Red.	
18550	Providence River Channel Lighted Buoy 35	41-46-30.397N 071-22-22.207W	Q G		3	Green.	
18555	Pomham Rocks Light	41-46-39.096N 071-22-10.406W	F R	54	6	White square tower.attached to dwelling.	
18560	Providence River Channel Lighted Buoy 37	41-46-45.897N 071-22-24.207W	FI G 2.5s		3	Green.	
18565	Providence River Channel Buoy 39	41-46-56.397N 071-22-29.708W				Green can.	

18570	Providence River Channel Buoy 41	41-47-17.086N 071-22-44.299W				Green can.	
18575	Providence River Channel Buoy 40	41-47-23.396N 071-22-34.208W				Red nun.	
18580	Providence River Channel Light 42	41-47-38.844N 071-22-46.712W	Iso R 6s	31	4	TR on skeleton tower on granite pier.	
18585	Green Jacket Shoal Buoy 2	41-48-50.656N 071-23-45.161W				Red nun.	
18590	Green Jacket Shoal Buoy 4	41-48-55.821N 071-23-39.938W				Red nun.	
18595	Green Jacket Shoal Buoy 6	41-48-59.336N 071-23-30.896W				Red nun.	
18599	MIS Seekonk River Research Lighted Buoy	41-49-56.400N 071-22-35.220W	Fl Y 4s			Yellow.	Seasonal. maintained from 15 Jun - 31 Dec.
18600	Seekonk River Channel Buoy 1	41-49-16.645N 071-23-13.811W				Green can.	
18605	Seekonk River Channel Buoy 2	41-49-20.833N 071-23-10.170W				Red nun.	
18620	Seekonk River Channel Buoy 6	41-50-04.775N 071-22-35.680W				Red nun.	Maintained from 1 May to 31 Oct.
18630	Seekonk River Channel Buoy 8	41-50-16.385N 071-22-28.180W				Red nun.	Maintained from 1 May to 31 Oct.
18640	Seekonk River Channel Buoy 13	41-50-36.765N 071-22-19.800W				Green can.	Maintained from 1 May to 31 Oct.
18650	Seekonk River Channel Buoy 18	41-51-00.695N 071-22-26.610W				Red nun.	Maintained from 1 May to 31 Oct.
18655	Seekonk River Channel Buoy 19	41-51-14.204N 071-22-32.191W				Green can.	Maintained from 1 May to 31 Oct.
18665	Seekonk River Channel Buoy 22	41-51-29.454N 071-22-35.081W				Red nun.	Maintained from 1 May to 31 Oct.
18670	Seekonk River Channel Buoy 23	41-51-39.944N 071-22-40.931W				Green can.	Maintained from 1 May to 31 Oct.
18675	Seekonk River Channel Buoy 27	41-51-56.324N 071-22-46.612W				Green can.	Maintained from 1 May 50 31 Oct.
18680	Warren River Entrance Lighted Buoy 1	41-41-51.850N 071-18-01.633W	Fl G 4s		3	Green.	Replaced by can when endangered by ice.
18685	Warren River Entrance Buoy 2	41-41-50.750N 071-17-40.512W				Red nun.	
18690	Warren River Buoy 3	41-42-13.960N 071-17-54.813W				Green can.	
18691	Rumstick Ledge Danger Buoy	41-42-12.138N 071-18-33.625W				White with orange bands worded ROCK.	Removed when endangered by ice.
18695	Warren River Buoy 5	41-42-20.120N 071-17-50.822W				Green can.	
18700	Warren River Buoy 6	41-42-23.900N 071-17-51.252W				Red nun.	
18705	Warren River Buoy 8	41-42-31.172N 071-17-52.116W				Red nun.	
18710	Warren River Buoy 9	41-42-40.030N 071-17-50.622W				Green can.	
18715	Warren River Buoy 10	41-42-39.340N 071-17-43.022W				Red nun.	
18720	Allen Rock Light 11	41-42-48.799N 071-17-35.191W	Fl G 6s	28	6	SG on spindle.	
18725	Warren River Buoy 12	41-42-49.400N 071-17-29.991W				Red nun.	
18730	Warren River Buoy 13	41-42-59.500N 071-17-18.191W				Green can.	
18735	Warren River Buoy 14	41-43-02.100N 071-17-12.390W				Red nun.	
18740	Warren River Buoy 15	41-43-09.000N 071-17-17.191W				Green can.	
18745	Warren River Buoy 16	41-43-14.000N 071-17-16.391W				Red nun.	
18750	Warren River Buoy 18	41-43-24.300N 071-17-16.391W				Red nun.	
18755	Warren River Buoy 21	41-43-49.600N 071-17-14.891W				Green can.	
18760	Warren River Buoy 23	41-43-53.500N 071-17-17.391W				Green can.	

18775	Barrington River Buoy 1	41-43-57.139N 071-17-27.816W				Green can.	
18776	Barrington River Buoy 2	41-43-57.574N 071-17-31.092W				Red nun.	Maintained from 31 March to 01 December.
18778	Barrington River Buoy 4	41-43-58.174N 071-17-36.132W				Red nun.	Maintained from 31 March to 01 December.
18779	Barrington River Fairway Channel Lighted Buoy 6	41-44-03.970N 071-17-40.670W	F R			Red.	Maintained 15 May to 1 Nov.
18779.1	Barrington River Fairway Channel Lighted Buoy 7	41-44-03.170N 071-17-40.870W	F G			Green.	Maintained 15 May to 1 Nov.
18779.2	Barrington River Lighted Buoy 7A	41-44-27.730N 071-17-58.310W	Q G			Green.	
18780	Barrington River Buoy 8	41-44-37.620N 071-18-28.220W				Red nun.	Maintained 15 May to 1 Nov.
18785	Mount Hope Bay Bridge Racon	41-38-23.640N 071-15-28.260W				On bridge.	
18786	Mount Hope Bay Bridge Fog Signal	41-38-28.920N 071-15-31.920W				On bridge abutment.	HORN: 1 blast ev 20s (2s bl). Private aid.
18788	Roger Williams Obstruction Buoy	41-38-55.920N 071-15-19.380W				White and orange.	Private aid.
18790	Mount Hope Bay Junction Lighted Gong Buoy MH	41-39-32.434N 071-14-02.637W	Fl (2+1)R 6s		3	Red and green bands.	
18795	Tiverton Channel Buoy 2	41-39-27.962N 071-14-02.022W				Red nun.	
18800	Tiverton Channel Buoy 3	41-39-36.032N 071-13-14.791W				Green can.	
18805	Tiverton Channel Lighted Bell Buoy 4	41-39-32.202N 071-13-08.291W	Fl R 4s		3	Red.	
18810	Tiverton Upper Channel Buoy 1	41-39-39.042N 071-12-38.330W				Green can.	
18815	Tiverton Upper Channel Buoy 2	41-39-31.902N 071-12-39.179W				Red nun.	
18820	Tiverton Upper Channel Buoy 4	41-39-43.002N 071-12-19.459W				Red nun.	
18825	Tiverton Upper Channel Lighted Gong Buoy 3	41-39-48.322N 071-12-24.700W	Fl G 4s		3	Green.	
18830	Tiverton Upper Channel Buoy 5	41-40-25.992N 071-12-08.109W				Green can.	
18835	Seal Rock Buoy 1	41-39-42.545N 071-14-46.486W				Green can.	
18840	Mount Hope Bay Lighted Buoy 1	41-39-48.769N 071-13-50.539W	Fl G 2.5s		3	Green.	
18845	Mount Hope Bay Buoy 2	41-39-45.322N 071-13-45.256W				Red nun.	
18850	Mount Hope Bay Channel Buoy 3	41-40-17.243N 071-13-12.007W				Green can.	
18855	Mount Hope Bay Lighted Bell Buoy 4	41-40-14.222N 071-13-07.728W	Fl R 4s		3	Red.	
18857	Mt Hope Bay Monitoring Lighted Buoy	41-40-48.840N 071-12-54.360W	Fl Y 5s			Yellow.	Property of URI. Maintained May 1 - Nov 30.
18860	Mount Hope Bay Lighted Buoy 5	41-40-44.197N 071-12-36.433W	Fl G 4s		3	Green.	
18865	Mount Hope Bay Buoy 6	41-40-40.755N 071-12-33.057W				Red nun.	
18870	Mount Hope Bay Buoy 7	41-41-10.693N 071-12-01.321W				Green can.	
18875	Mount Hope Bay Lighted Bell Buoy 8	41-41-07.902N 071-11-57.179W	Fl R 4s		3	Red.	
18880	Mount Hope Bay Buoy 9	41-41-32.601N 071-11-32.078W				Green can.	
18885	Mount Hope Bay Lighted Bell Buoy 10	41-41-39.262N 071-11-15.648W	Fl R 4s		3	Red.	
18890	Mount Hope Bay Lighted Buoy 11	41-41-54.242N 071-10-55.177W	Fl G 4s		3	Green.	Replaced by LIB when endangered by ice.
18895	Mount Hope Bay Buoy 12	41-41-51.232N 071-10-51.537W				Red nun.	
18900	Brayton Point Channel Lighted Buoy 1	41-42-04.260N 071-10-50.760W	Fl G 4s			Green.	

18905	Brayton Point Channel Lighted Buoy 2	41-42-23.280N 071-11-02.280W	FI R 4s			Red.	
18910	Brayton Point Channel Lighted Buoy 3	41-42-21.017N 071-11-06.526W	FI G 4s			Green.	
18915	Brayton Point Channel Front Range Light	41-42-43.036N 071-11-24.856W	F R	12		KRW on metal tower.	
18917	Brayton Point Channel Rear Range Light	41-42-46.121N 071-11-27.760W	F R	18		KRW on metal tower.	
18920	Mount Hope Bay Channel Lighted Buoy 13	41-42-00.542N 071-10-42.847W	FI G 2.5s		3	Green.	Removed when endangered by ice.
18925	Borden Flats Light	41-42-16.020N 071-10-27.837W	FI W 2.5s	47	9	White conical tower with red stripe on brown cylindrical pier.	
18930	Braga Bridge Sound Signal	41-42-24.534N 071-09-58.506W					HORN: 1 blast ev 20s (2s bl-18s si). Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 45 minutes.
18935	Mount Hope Bay Channel Lighted Buoy 15	41-42-27.602N 071-09-53.715W	FI G 2.5s		3	Green.	Replaced by can from Dec 1 to Apr 1.
18945	Mount Hope Bay Channel Buoy 18	41-43-16.202N 071-09-28.675W				Red nun.	
18950	Mount Hope Bay Channel Lighted Buoy 19	41-43-18.182N 071-09-32.545W	FI G 4s		3	Green.	Removed when endangered by ice.
18953	Mount Hope Bay Channel Buoy 20	41-43-40.534N 071-08-56.212W				Red nun.	
18955	Mount Hope Bay Channel Lighted Buoy 21	41-43-43.534N 071-08-59.412W	FI G 4s		3	Green.	Replaced by can from Dec 1 to Apr 1.
18960	Spar Island Buoy 2	41-41-13.351N 071-13-22.091W				Red nun.	
18965	Old Bay Rock Buoy 1	41-41-47.221N 071-13-29.811W				Green can.	
18966	URI Lighted Research Buoy CR	41-42-06.682N 071-12-56.264W	FI Y 5s			Yellow.	Property of URI. Maintained May 01 to Dec 01.
18967	URI Lighted Research Buoy TR	41-42-03.582N 071-11-14.298W	FI Y 2s			Yellow.	Property of URI. Maintained May 01 to Dec 01.
18968	USGS Research Lighted Buoy MHB	41-42-03.852N 071-11-15.648W	FI Y 6s			Yellow.	Property of USGS. Maintained 15 May - 31 Oct.
18970	Kickamuit River Buoy 1	41-41-37.801N 071-14-38.112W				Green can.	Maintained from April 1 to December 1.
18975	Kickamuit River Buoy 2	41-41-41.172N 071-14-40.848W				Red nun.	Maintained from April 1 to December 1.
18980	Kickamuit River Buoy 4	41-41-47.921N 071-14-41.493W				Red nun.	Maintained from April 1 to December 1.
18985	Kickamuit River Buoy 6	41-41-54.391N 071-14-39.094W				Red nun.	Maintained from April 1 to December 1.
18987	Kickamuit River Buoy 7	41-41-57.607N 071-14-39.828W				Green can.	Maintained from April 1 to December 1.
18995	Taunton River Buoy 1	41-44-29.942N 071-08-05.353W				Green can.	
19000	Taunton River Buoy 4	41-45-26.665N 071-07-48.996W				Red nun.	
19005	Taunton River Buoy 3	41-44-57.901N 071-07-50.672W				Green can.	
19010	Taunton River Buoy 6	41-46-06.621N 071-07-19.403W				Red nun.	
19015	Taunton River Channel Buoy 7	41-46-24.291N 071-07-03.172W				Green can.	
19020	Taunton River Channel Buoy 8	41-46-37.980N 071-07-06.616W				Red nun.	
19035	Taunton River Channel Buoy 12	41-47-09.421N 071-07-03.336W				Red nun.	Maintained from 15 Mar to 30 Nov.
19040	Taunton River Channel Buoy 14	41-47-27.115N 071-07-12.210W				Red nun.	Maintained from 15 Mar to 30 Nov.
19045	Taunton River Channel Buoy 15	41-47-39.319N 071-07-13.380W				Green can.	Maintained from 15 Mar to 30 Nov.
19050	Taunton River Channel Buoy 16	41-47-52.777N 071-07-06.246W				Red nun.	Maintained from 15 Mar to 30 Nov.
19055	Taunton River	41-48-12.851N				Green can.	Maintained from 15 Mar to 30 Nov.

	Channel Buoy 17	071-07-13.350W					
19060	Taunton River Channel Buoy 19	41-48-31.162N 071-07-05.736W				Green can.	Maintained from 15 Mar to 30 Nov.
19070	Taunton River Channel Buoy 22	41-48-48.683N 071-06-54.002W				Red nun.	Maintained from 15 Mar to 30 Nov.
19075	Cole River Buoy 2	41-42-48.020N 071-13-08.786W				Red nun.	Removed when endangered by ice.
19080	River Ledge Buoy 1	41-26-06.345N 071-26-08.194W				Green can.	
19085	Newton Rock Bell Buoy NR	41-26-38.243N 071-24-09.266W				Green and red bands.	
19090	Whale Rock Lighted Gong Buoy 3	41-26-39.572N 071-25-13.899W	FI G 4s		4	Green.	
19100	Jones Ledge Buoy 5	41-27-43.613N 071-25-01.065W				Green can.	
19101	Dutch Island Light	41-29-48.270N 071-24-15.350W	FI R 6s		4	Brick building.	White square brick tower with black cupola
19103	West Passage Wreck Lighted Buoy WR6	41-29-13.634N 071-24-20.512W	Q R		3	Red.	Removed when endangered by ice.
19105	Dutch Island South End Lighted Gong Buoy DI	41-29-42.241N 071-24-17.810W	FI (2+1)R 6s		4	Red and green bands.	
19110	Beaverhead Point Shoal Buoy 2	41-29-44.912N 071-23-53.566W				Red nun.	
19111	Dutch Island Harbor Channel Buoy 1	41-29-51.420N 071-23-27.660W				Green can.	
19112	Dutch Island Harbor Channel Buoy 2	41-29-50.280N 071-23-28.500W				Red nun.	
19113	Dutch Island Harbor Channel Buoy 3	41-29-49.980N 071-23-18.300W				Green can.	
19114	Dutch Island Harbor Channel Buoy 4	41-29-48.960N 071-23-18.600W				Red nun.	
19115	Dutch Island Bell Buoy 8	41-30-30.161N 071-24-08.090W				Red.	
19119	American Mussel Harvesters Aquaculture Lighted Buoy A	41-30-38.040N 071-23-31.200W	FI W 6s			White with Orange bands.	
19120	American Mussel Harvesters Aquaculture Lighted Buoy B	41-30-58.440N 071-23-40.380W	FI W 6s			White with Orange bands.	
19126	West Passage Buoy 10	41-32-06.034N 071-23-37.012W				Red nun.	
19130	Plum Beach Light	41-31-48.990N 071-24-18.810W	FI W 5s		3	Brown over white conical tower.	
19132	Poplar Point Light	41-34-15.780N 071-26-20.940W	FI W 6s			White conical tower.	
19135	Wickford Harbor Light 1	41-34-21.460N 071-26-12.552W	FI G 6s	40	6	SG on square skeleton tower.	
19140	Wickford Harbor Gong Buoy 2	41-34-24.864N 071-26-07.465W				Red.	
19143	Wickford Harbor Buoy 3	41-34-23.390N 071-26-15.650W				Green can.	Marks shoaling off Breakwater.
19145	Wickford Harbor North Breakwater Light 4	41-34-27.634N 071-26-15.712W	FI R 4s	16	5	TR on white skeleton tower.	
19150	Wickford Harbor Buoy 7	41-34-27.202N 071-26-35.388W				Green can.	Maintained from 1 May to 31 Oct.
19155	Wickford Harbor Buoy 8	41-34-30.238N 071-26-35.628W				Red nun.	
19160	Wickford Harbor Buoy 9	41-34-36.129N 071-26-45.538W				Green can.	
19165	Wickford Harbor Buoy 10	41-34-37.450N 071-26-45.540W				Red nun.	
19175	Quonset Channel Lighted Bell Buoy 2	41-34-40.250N 071-21-40.603W	FI R 4s		3	Red.	
19180	Quonset Channel Lighted Buoy 3	41-34-35.020N 071-22-06.575W	FI G 2.5s		3	Green.	Replaced by can when endangered by ice.

19185	Quonset Channel Buoy 4	41-34-51.200N 071-22-39.556W				Red nun.	
19190	Quonset Channel Buoy 5	41-34-44.510N 071-22-57.947W				Green can.	
19195	Quonset Channel Lighted Buoy 6	41-35-01.949N 071-23-35.074W	Q R		4	Red.	
19200	Quonset Channel Lighted Buoy 7	41-34-53.694N 071-23-49.253W	Q G		3	Green.	
19205	Ten-Foot Shoal Buoy	41-34-45.570N 071-23-55.880W				Red nun with green bands.	
19210	Quonset Channel Lighted Buoy 9	41-35-26.980N 071-23-48.969W	FI G 4s		4	Green.	
19215	Quonset Channel Lighted Buoy 8	41-35-10.068N 071-23-41.187W	FI R 2.5s		3	Red.	Replaced by nun when endangered by ice.
19220	Quonset Channel Buoy 10	41-35-52.409N 071-23-41.289W				Red nun.	
19225	Quonset Channel Lighted Buoy 11	41-35-54.902N 071-23-48.469W	FI G 6s		4	Green.	
19230	Quonset Channel Lighted Buoy 12	41-36-18.599N 071-23-41.279W	FI R 4s		4	Red.	
19235	Quonset Channel Lighted Buoy 13	41-36-16.959N 071-23-48.056W	FI G 2.5s		3	Green.	
19240	Quonset Channel Lighted Buoy 14	41-36-37.491N 071-23-41.332W	FI R 2.5s		4	Red.	
19241	Quonset Channel Buoy 15	41-36-25.998N 071-23-53.119W				Green can.	
19245	Quonset Channel Buoy 16	41-36-44.633N 071-23-57.947W				Red nun.	
19250	Davisville Turning Basin Buoy 18	41-36-51.858N 071-24-00.458W				Red nun.	
19255	Davisville Turning Basin Buoy 20	41-36-55.923N 071-24-05.218W				Red nun.	
19260	West Quonset Channel Lighted Buoy 2	41-34-52.753N 071-24-30.436W	FI R 4s			Red.	
19261	West Quonset Channel Lighted Buoy 3	41-34-49.115N 071-24-40.267W	FI G 4s			Green.	
19262	West Quonset Channel Lighted Buoy 4	41-34-52.704N 071-24-37.524W	FI R 4s			Red.	
19263	West Quonset Channel Lighted Buoy 5	41-34-51.789N 071-24-49.865W	FI G 2.5s			Green.	
19264	West Quonset Channel Lighted Buoy 6	41-34-54.977N 071-24-48.221W	FI R 2.5s			Red.	
19265	West Quonset Channel Lighted Buoy 7	41-34-56.423N 071-25-07.679W	FI G 2.5s			Green.	
19266	West Quonset Channel Lighted Buoy 8	41-34-59.547N 071-25-06.069W	FI R 2.5s			Red.	
19267	West Quonset Channel Lighted Buoy 9	41-34-59.552N 071-25-20.490W	FI G 2.5s			Green.	
19268	West Quonset Channel Lighted Buoy 10	41-35-01.012N 071-25-08.712W	FI R 2.5s			Red.	
19269	West Quonset Channel Lighted Buoy 12	41-35-06.064N 071-25-08.829W	FI R 4s			Red.	
19280	Hope Island Lighted Buoy 2	41-35-33.300N 071-22-47.406W	FI R 6s		3	Red.	Replaced by nun when endangered by ice.
19283	Quonset Point Monitoring Lighted Buoy	41-35-20.300N 071-22-47.940W	FI Y 5s			Yellow.	Property of URI. Maintained May 1 - Nov 30.
19285	Despair Island Lighted Buoy 1	41-36-29.180N 071-21-36.073W	FI G 4s		4	Green.	
19290	Allen Harbor Buoy 1	41-37-09.559N 071-24-08.800W				Green can.	
19295	Allen Harbor Lighted Buoy 2	41-37-10.877N 071-24-05.131W	FI R 4s		3	Red.	Replaced by nun from Dec. 1 to Mar. 15.
19300	Allen Harbor Buoy 3	41-37-13.922N 071-24-17.739W				Green can.	Maintained from 1 May to October 31.
19305	Allen Harbor Buoy	41-37-14.644N				Red nun.	Maintained from 1 May to October 31.

	4	071-24-16.878W					
19310	Allen Harbor Buoy 5	41-37-16.726N 071-24-25.572W				Green can.	Maintained from 1 May to October 31.
19315	Allen Harbor Buoy 6	41-37-17.569N 071-24-25.341W				Red nun.	Maintained from 1 May to October 31.
19320	Calf Pasture Shoal Buoy 3	41-37-25.269N 071-23-31.209W				Green can.	
19333	Mt. View Point Monitoring Lighted Buoy	41-38-21.720N 071-23-38.460W	FI Y 5s			Yellow.	Property of URI. Maintained from May 1 - Nov 30.
19335	Round Rock Lighted Buoy 1	41-39-24.424N 071-23-26.298W	FI G 2.5s		3	Green.	Replaced by can when endangered by ice.
19340	Patience Island Lighted Bell Buoy 8	41-39-39.399N 071-22-22.066W	FI R 4s		3	Red.	
19345	Warwick Light	41-40-01.834N 071-22-41.912W	Oc G 4s	66	10	White conical tower.	Lighted throughout 24 hours. HORN: 1 blast ev 15s (2s bl). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 81A/157.075Mhz. Key microphone 5 times consecutively to activate fog signal for 45 minutes.
19350	Warwick Cove Lighted Buoy 1	41-40-38.020N 071-23-32.261W	Q G		3	Green can.	
19355	Warwick Cove Buoy 2	41-40-38.678N 071-23-30.079W				Red nun.	
19360	Warwick Cove Buoy 3	41-40-54.421N 071-23-32.207W				Green can.	Removed when endangered by ice.
19365	Warwick Cove Lighted Buoy 4	41-40-54.507N 071-23-29.935W	FI R 2.5s		3	Red nun.	Removed when endangered by ice.
19370	Warwick Cove Lighted Buoy 5	41-40-58.864N 071-23-27.692W	FI G 2.5s		3	Green can.	Removed when endangered by ice.
19373	Warwick Cove Buoy 6	41-41-02.399N 071-23-25.244W					Removed when endangered by ice.
19375	Warwick Cove Buoy 7	41-41-02.483N 071-23-26.966W				Green can.	Removed when endangered by ice.
19380	Warwick Cove Buoy 9	41-41-22.603N 071-23-34.188W				Green can.	Removed When Endangered By Ice.
19385	Warwick Cove Buoy 10	41-41-37.543N 071-23-22.758W				Red nun.	Removed When Endangered By Ice.
19390	Warwick Cove Buoy 12	41-41-43.394N 071-23-22.624W				Red nun.	Removed When Endangered By Ice.
19395	Greenwich Bay Buoy 3	41-40-15.228N 071-23-57.240W				Green can.	
19400	Greenwich Bay Lighted Buoy 5	41-40-33.638N 071-25-28.205W	FI G 2.5s		3	Green can.	
19402	Sally Rock Monitoring Lighted Buoy	41-40-31.920N 071-25-27.480W	FI Y 4s			Yellow.	Property of URI.
19405	Greenwich Bay Buoy 6	41-40-14.431N 071-26-15.852W				Red nun.	
19410	Greenwich Bay Buoy 7	41-40-03.205N 071-26-36.342W				Green can.	
19415	Greenwich Bay Light 8	41-40-03.698N 071-26-41.423W	F R			On wooden pile.	
19420	Apponaug Cove Approach Buoy 1	41-40-42.398N 071-26-15.217W				Green can.	
19425	Apponaug Cove Channel Buoy 3	41-41-11.656N 071-26-43.752W				Green can.	
19426	Apponaug Cove Channel Buoy 4	41-41-16.594N 071-26-42.672W				Red nun.	Removed when endangered by ice.
19435	Apponaug Cove Channel Buoy 6	41-41-30.256N 071-26-41.712W				Red nun.	Removed when endangered by ice.
19440	Apponaug Cove Channel Buoy 7	41-41-34.930N 071-26-47.322W				Green can.	Removed when endangered by ice.
19445	Apponaug Cove Channel Buoy 8	41-41-39.888N 071-26-53.623W				Red nun.	Removed when endangered by ice.
19450	Point Judith Light	41-21-39.725N 071-28-53.037W	Oc (3)W 15s	65	16	Octagonal tower lower half white upper half brown.	HORN: 1 blast ev 15s (2s bl). Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 45 minutes.
19460	Point Judith Lighted Buoy 2	41-18-27.693N 071-28-20.832W	FI R 4s		4	Red.	
19465	Point Judith Bell Buoy 4	41-20-56.122N 071-30-25.505W				Red.	
19468	Quonochontaug Pond Buoy 1	41-20-15.900N 071-43-26.170W				Green can.	Maintained from Apr. 1 to Nov. 1
19469	Quonochontaug	41-20-20.420N				Red nun.	Maintained from Apr. 1 to Nov. 1

	Pond Buoy 2	071-43-26.420W						
19469.1	Quonochontaug Pond Buoy 3	41-20-21.880N 071-43-24.760W					Green can.	Maintained from Apr. 1 to Nov. 1
19469.2	Quonochontaug Pond Buoy 4	41-20-26.790N 071-43-25.540W					Red nun.	Maintained from Apr. 1 to Nov. 1
19469.3	Quonochontaug Pond Buoy 5	41-20-27.690N 071-43-28.980W					Green.	
19475	Block Island North Reef Lighted Bell Buoy 1BI	41-15-26.327N 071-34-33.358W	FI G 4s			4	Green.	
19481	Block Island North Light	41-13-39.410N 071-34-33.060W	FI W 5s	58			White tower atop a house structure.
19485	Point Judith Harbor Of Refuge East Entrance Lighted Buoy 2	41-21-28.520N 071-29-37.470W	FI R 4s			4	Red.	
19490	Point Judith Harbor of Refuge East Entrance Light 3	41-21-35.434N 071-29-52.712W	FI G 4s	39		5	SG on post on concrete base.	
19491	Point Judith Harbor of Refuge East Entrance Lighted Buoy 3	41-21-37.337N 071-29-50.399W					Green.	
19492	Point Judith Harbor of Refuge East Entrance Lighted Buoy 5	41-21-35.341N 071-30-11.412W	FI G 2.5s			3	Green.	
19500	Point Judith Harbor of Refuge West Entrance Light 2	41-21-41.134N 071-30-47.612W	FI R 4s	29		5	TR on post on concrete base.	
19501	Point Judith Harbor of Refuge West Entrance Lighted Buoy 2	41-21-43.378N 071-30-47.178W					Red.	
19505	Point Judith Harbor of Refuge West Entrance Light 3	41-21-56.234N 071-30-53.012W	FI G 6s	35		5	SG on post on concrete base.	HORN: 1 blast ev 30s (3s bl). Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 45 minutes.
19510	South Lump Buoy	41-21-48.673N 071-30-28.056W					Red nun with green bands.	
19515	Point Judith Harbor Buoy 2	41-22-02.845N 071-30-50.989W					Red nun.	
19520	Point Judith Harbor Buoy 4	41-22-07.506N 071-30-52.284W					Red nun.	
19525	Point Judith Harbor Buoy 6	41-22-19.607N 071-30-50.636W					Red nun.	
19530	Point Judith Inner Harbor Light 8	41-22-27.209N 071-30-47.687W	FI R 2.5s			4	TR on spindle.	
19535	Great Island Channel Buoy 1	41-22-53.651N 071-30-49.584W					Green can.	
19540	Great Island Channel Buoy 3	41-23-00.647N 071-30-45.459W					Green can.	
19545	Great Island Channel Buoy 5	41-23-03.858N 071-30-30.707W					Green can.	
19550	Point Judith Pond Junction Buoy	41-22-40.962N 071-30-50.278W					Red nun with green bands.	
19555	Point Judith Pond Channel Buoy 2	41-22-45.336N 071-30-52.822W					Red nun.	
19560	Point Judith Pond Channel Buoy 4	41-22-47.095N 071-30-54.925W					Red nun.	
19565	Point Judith Pond Channel Lighted Buoy 6	41-22-52.486N 071-30-57.090W	FI R 2.5s			3	Red nun.	Removed when endangered by ice.
19570	Point Judith Pond Channel Buoy 7	41-23-07.006N 071-30-59.674W					Green can.	Removed when endangered by ice.
19575	Point Judith Pond Channel Buoy 8	41-23-10.108N 071-30-55.518W					Red nun.	Removed when endangered by ice.
19580	Point Judith Pond Channel Buoy 9	41-23-23.802N 071-30-52.219W					Green can.	Removed when endangered by ice.
19582	Point Judith Pond Channel Buoy 11	41-23-27.133N 071-30-50.868W					Green can.	Removed when endangered by ice.
19585	Point Judith Pond Channel Buoy 12	41-23-32.545N 071-30-46.926W					Red nun.	Removed when endangered by ice.
19590	Point Judith Pond Channel Buoy 14	41-23-39.719N 071-30-44.269W					Red nun.	Removed when endangered by ice.
19592	Point Judith Pond	41-23-42.601N					Green can.	Removed when endangered by ice.

	Channel Buoy 15	071-30-44.419W					
19600	Point Judith Pond Channel Buoy 16	41-23-46.699N 071-30-41.418W				Red nun.	Removed when endangered by ice.
19602	Point Judith Pond Channel Buoy 17	41-23-54.401N 071-30-42.220W				Green can.	Removed when endangered by ice.
19605	Point Judith Pond Channel Buoy 18	41-23-56.497N 071-30-39.804W				Red nun.	Removed when endangered by ice.
19607	Point Judith Pond Channel Buoy 19	41-24-09.101N 071-30-39.238W				Green can.	Removed when endangered by ice.
19620	Point Judith Pond Channel Buoy 20	41-24-10.001N 071-30-38.020W				Red nun.	Removed when endangered by ice.
19630	Point Judith Pond Channel Buoy 22	41-24-15.241N 071-30-37.158W				Red nun.	Removed when endangered by ice.
19635	Point Judith Pond Channel Buoy 24	41-24-25.471N 071-30-27.328W				Red nun.	Removed when endangered by ice.
19636	Beach Island Oyster Culture Buoy NW	41-24-27.510N 071-30-10.190W				Yellow spar.	
19637	Beach Island Oyster Culture Buoy NE	41-24-27.160N 071-30-07.470W				Yellow spar.	
19638	Beach Island Oyster Culture Buoy SW	41-24-22.550N 071-30-11.570W				Yellow spar.	
19639	Beach Island Oyster Culture Buoy SE	41-24-21.190N 071-30-08.610W				Yellow spar.	
19640	Point Judith Pond Channel Buoy 25	41-24-34.058N 071-30-19.702W				Green can.	Maintained from Apr. 1 to Oct. 31.
19645	Point Judith Pond Channel Buoy 26	41-24-56.468N 071-30-09.432W				Red nun.	Maintained from Apr. 1 to Oct. 31.
19650	Point Judith Pond Channel Buoy 28	41-25-02.204N 071-30-07.918W				Red nun.	Maintained from Apr. 1 to Oct. 31.
19655	Point Judith Pond Channel Buoy 29	41-25-05.201N 071-30-02.282W				Green can.	Maintained from Apr. 1 to Oct. 31.
19660	Point Judith Pond Channel Buoy 30	41-25-02.506N 071-29-51.258W				Red nun.	Maintained from Apr. 1 to Oct. 31.
19665	Point Judith Pond Channel Buoy 31	41-25-03.844N 071-29-49.866W				Green can.	Maintained from Apr. 1 to Oct. 31.
19670	Point Judith Pond Channel Buoy 32	41-25-20.428N 071-29-47.271W				Red nun.	Maintained from Apr. 1 to Oct. 31.
19675	Point Judith Pond Channel Buoy 33	41-25-28.601N 071-29-47.209W				Green can.	Maintained from Apr. 1 to Oct. 31.
19676	Billington Cove Marina Channel Buoy 1	41-25-07.260N 071-30-09.300W				Green can.	
19677	Billington Cove Marina Channel Buoy 2	41-25-07.080N 071-30-08.040W				Red nun.	
19678	Billington Cove Marina Channel Buoy 3	41-25-14.100N 071-30-07.210W				Green can.	
19679	Billington Cove Marina Channel Buoy 4	41-25-14.820N 071-30-06.780W				Red nun.	
19685	Block Island Northeast Whistle Buoy 5	41-12-36.615N 071-32-01.889W				Green.	
19690	Block Island Old Harbor Channel Lighted Bell Buoy 1	41-11-06.542N 071-33-09.268W	FI G 2.5s		3	Green.	
19695	Block Island Old Harbor Channel Buoy 5	41-10-38.512N 071-33-16.575W				Green can.	Removed when endangered by ice.
19700	Block Island Old Harbor Channel Buoy 6	41-10-34.164N 071-33-19.611W				Red nun.	Removed when endangered by ice.
19705	Block Island Old Harbor Channel Buoy 7	41-10-30.770N 071-33-17.638W				Green can.	Removed when endangered by ice.
19718	Clay Head Buoy 7	41-13-16.634N 071-33-10.072W				Green can.	
19720	Block Island Old Harbor Channel Breakwater Light 3	41-10-38.525N 071-33-14.550W	Q G	27	6	SG on white skeleton tower on base.	HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 81A/157.075Mhz. Key microphone 5 times consecutively to activate fog signal for 45 minutes.

19725	Block Island Breakwater Outer Basin Light 8	41-10-30.972N 071-33-20.358W	FI R 2.5s	30	6	TR on skeleton tower.	
19730	Black Rock Point Buoy 2	41-08-25.406N 071-35-44.214W				Red nun.	
19735	Southwest Point Lighted Whistle Buoy 4	41-08-43.757N 071-37-20.888W	FI R 6s		4	Red.	
19740	Dickens Point Shoal Bell Buoy 6	41-09-33.844N 071-37-08.039W				Red.	
19745	Great Salt Pond Entrance Bell Buoy 2	41-12-05.403N 071-35-39.218W				Red.	
19750	Great Salt Pond Breakwater Light 4	41-11-57.518N 071-35-35.448W	F R	49	8	TR on skeleton tower.	HORN: 1 blast ev 10s (1s bl). Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 60 minutes.
19755	Great Salt Pond Entrance Buoy 5	41-11-59.734N 071-35-29.567W				Green can.	
19760	Great Salt Pond Entrance Lighted Buoy 7	41-11-51.594N 071-35-23.087W	FI G 4s		4	Green.	Replaced by unlighted buoy when endangered by ice.
19765	Great Salt Pond Entrance Lighted Buoy 8	41-11-51.294N 071-35-24.897W	FI R 4s		3	Red.	Replaced by unlighted buoy when endangered by ice.
19770	Great Salt Pond Buoy 10	41-11-42.654N 071-35-16.881W				Red nun.	
19775	Great Salt Pond Buoy 11	41-11-38.564N 071-35-09.546W				Green can.	
19780	Great Salt Pond Buoy 12	41-11-35.834N 071-35-11.716W				Red nun.	
19785	Great Salt Pond Buoy 13	41-11-11.808N 071-34-37.430W				Green can.	
19790	Great Salt Pond Buoy 14	41-11-11.385N 071-34-40.200W				Red nun.	
19795	Watch Hill Light	41-18-14.032N 071-51-30.312W	AI RW 5s	61	14	Square gray granite tower attached to white building.	Emergency light FI W 2.5s of reduced intensity when main light is extinguished. Lighted throughout 24 hours. HORN: 1 blast ev 30s (3s bl). Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 45 minutes.
19800	URI Coastal Monitoring Lighted Research Buoy	41-20-40.200N 071-40-00.840W	FI Y 2.5s			Yellow.	Property of URI
19810	Cerberus Shoal Lighted Gong Buoy 9	41-10-27.512N 071-57-03.965W	FI G 4s		4		
19815	Race Rock Light	41-14-36.542N 072-02-49.688W	FI R 10s	67	14	Granite tower attached to dwelling on granite pier.	Horn points southeast. HORN: 2 blasts ev 30s (2s bl-2s si-2s-bl-24s si). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 45 minutes.
19820	Race Point Buoy 2	41-14-45.709N 072-02-27.298W					
19825	Valiant Rock Lighted Whistle Buoy 11	41-13-46.388N 072-03-59.980W	Q G		3		
19830	Little Gull Island Light	41-12-22.933N 072-06-24.712W	FI (2)W 15s	91	14		HORN: 1 blast ev 15s (2s bl). Operates continuously.
19840	Little Gull Island Reef Buoy 1	41-12-29.695N 072-06-08.694W					
19845	Block Island Sound South Entrance Obstruction Lighted Buoy BIS	41-06-57.032N 071-43-06.330W	FI (2+1)G 6s		3	Green and red bands.	
19850	Endeavor Shoals Lighted Gong Buoy 1	41-06-05.900N 071-46-21.711W	FI G 4s		4	Green.	
19855	Blackfish Rock Buoy 3	41-04-56.010N 071-52-57.124W				Green can.	
19860	Shagwong Rock Lighted Buoy SR	41-05-30.399N 071-53-43.256W	FI (2+1)G 6s		3	Green and red bands.	
19865	Shagwong Reef Lighted Bell Buoy 7SR	41-07-02.256N 071-54-49.552W	FI G 2.5s		4	Green.	
19870	Montauk Harbor Entrance Lighted Bell Buoy M	41-05-06.548N 071-56-23.223W	Mo (A) W		4	Red and white stripes with red spherical topmark.	
19875	Montauk East Jetty Light 1	41-04-46.128N 071-56-14.180W	FI G 4s	33	4	SG on skeleton tower.	

19880	Montauk West Jetty Light 2	41-04-44.243N 071-56-20.320W	FI R 2.5s	36	5	TR on skeleton tower.	
19895	Montauk Harbor Buoy 1	41-04-23.220N 071-56-09.420W				Green can.	
19900	Montauk Harbor Buoy 3	41-04-20.280N 071-56-12.060W				Green can.	
19905	Montauk Harbor Buoy 4	41-04-13.080N 071-56-15.000W				Red nun.	
19910	Montauk Harbor Buoy 5	41-04-11.580N 071-56-13.080W				Green can.	
19915	Montauk Harbor Buoy 6	41-04-09.060N 071-56-14.580W				Red nun.	
19920	Montauk Harbor Buoy 8	41-04-05.640N 071-56-13.440W				Red nun.	
19925	Lake Montauk Buoy 1	41-04-20.040N 071-55-50.580W				Green can.	
19930	Lake Montauk Buoy 3	41-04-13.980N 071-55-40.260W				Green can.	
19940	Lake Montauk Buoy 5	41-04-08.460N 071-55-44.500W				Green can.	
19945	Lake Montauk Light 7	41-04-06.240N 071-55-50.220W	FI G 2.5s			Green.	
19950	Lake Montauk Daybeacon 8	41-04-06.240N 071-55-51.240W				TR on pile.	
19955	Lake Montauk Daybeacon 9	41-03-59.580N 071-55-49.620W				SG on pile.	
19960	Lake Montauk Light 10	41-03-58.980N 071-55-50.520W	FI R 4s			Red.	
19965	Lake Montauk Light 11	41-03-54.780N 071-55-48.900W	Q G			Green.	
19970	Lake Montauk Daybeacon 12	41-03-53.820N 071-55-49.200W				TR on pile.	
19975	Lake Montauk Lighted Buoy 13	41-03-48.000N 071-55-27.300W	FI G 4s			Green.	
19980	Lake Montauk Lighted Buoy 14	41-03-44.520N 071-55-27.240W	FI R 4s			Red.	
19981	Montauk Oyster Site 415 Lighted Aquaculture Buoy NW	41-04-17.040N 071-55-30.079W	FI Y 4s			Yellow.	
19981.1	Montauk Oyster Site 415 Lighted Aquaculture Buoy NE	41-04-17.169N 071-55-28.130W	FI Y 4s			Yellow.	
19981.2	Montauk Oyster Site 415 Lighted Aquaculture Buoy SE	41-04-13.590N 071-55-30.420W	FI Y 4s			Yellow.	
19981.3	Montauk Oyster Site 415 Lighted Aquaculture Buoy SW	41-04-13.470N 071-55-32.379W	FI Y 4s			Yellow.	
19990	Catumb Passage Buoy 1C	41-17-23.927N 071-52-48.991W				Green can.	
19995	Catumb Passage Buoy 3C	41-17-37.366N 071-52-58.001W				Green can.	
20000	Catumb Rocks Buoy 2	41-17-24.033N 071-53-12.012W				Red nun.	
20005	Lords Passage Lighted Whistle Buoy L	41-17-24.082N 071-54-19.775W	Mo (A) W		4	Red and white stripes with red spherical topmark.	
20010	Lords Passage Buoy 2L	41-17-32.222N 071-54-02.124W				Red nun.	
20015	Wicopesset Passage Bell Buoy W	41-17-28.661N 071-54-58.476W				Red and white stripes with red spherical topmark.	
20020	Wicopesset Passage Rock Buoy 1	41-17-34.091N 071-55-04.606W				Green can.	
20025	Watch Hill Lighted Bell Buoy 2	41-17-58.702N 071-51-33.251W	FI R 6s		4	Red.	Removed when endangered by ice.
20030	Watch Hill Reef Gong Buoy 1	41-17-43.953N 071-51-39.921W				Green.	
20035	Watch Hill Passage	41-17-53.582N				Green and red	

	Buoy WH	071-51-40.000W				can.	
20040	Sugar Reef Buoy 5	41-17-45.202N 071-52-36.682W				Green can.	
20045	Napatree Point Ledge Lighted Bell Buoy 6	41-18-01.332N 071-53-20.103W	FI R 4s		4	Red.	
20050	Wicopesset Rock Buoy 7	41-17-47.744N 071-54-20.574W				Green can.	
20055	Wicopesset Ledge Buoy 9	41-17-52.561N 071-54-38.836W				Green can.	
20060	Wicopesset Island Buoy 11	41-17-50.501N 071-55-05.237W				Green can.	
20065	Latimer Reef North Isolated Danger Buoy DL	41-18-33.578N 071-55-39.824W				Black and red bands with two black spherical topmarks; can.	
20070	Latimer Reef Buoy 12	41-18-15.429N 071-55-31.893W				Red nun.	
20075	Seal Rocks Northeast Buoy 13	41-17-57.421N 071-55-30.818W				Green can.	
20080	Seal Rocks Buoy 15	41-17-48.661N 071-55-42.838W				Green can.	
20085	Latimer Reef Light	41-18-16.260N 071-55-59.949W	FI W 6s	55	9	White conical tower brown midway of height; brown cylinder.	BELL: 2 strokes ev 15s. Operates continuously.
20090	Youngs Rock Buoy 17	41-17-45.690N 071-56-15.989W				Green can.	
20095	Eel Grass Ground Southeast Buoy 16	41-18-30.570N 071-56-42.391W				Red nun.	
20100	East Clump Buoy 19	41-17-51.020N 071-57-36.172W				Green can.	
20105	Eel Grass Ground Northwest Buoy 18	41-18-39.020N 071-57-08.902W				Red nun.	
20110	Ram Island Reef Lighted Bell Buoy 20	41-18-11.390N 071-58-23.314W	FI R 4s		4	Red.	
20115	Ram Island Reef Daybeacon RI	41-18-22.622N 071-58-27.519W				NW on pipe worded DANGER ROCKS.	
20120	Middle Clump Buoy 21	41-17-42.840N 071-58-38.975W				Green can.	
20130	Intrepid Rock Isolated Danger Buoy DIR	41-17-56.009N 072-00-15.117W				Black and red bands with two black spherical topmarks; can.	
20135	Groton Long Point Buoy 22	41-18-16.033N 072-00-21.012W				Red nun.	
20140	Groton Long Point Buoy 24	41-18-20.889N 072-00-48.278W				Red nun.	
20145	North Dumpling Light	41-17-16.708N 072-01-09.678W	F W	94	9	Square house with light tower.	Red from 257° to 023°. HORN: 1 blast ev 30s (3s bl). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 45 minutes.
20150	Horseshoe Reef Buoy 26	41-18-22.737N 072-01-32.098W				Red nun.	
20155	Seaflower Reef Light	41-17-45.643N 072-01-59.594W	FI W 4s	27	7	NG on skeleton tower.	
20158	Vixen Ledge Buoy 28VL	41-18-23.306N 072-02-54.436W				Red nun.	
20160	Stonington Harbor Approach Buoy 2	41-18-33.224N 071-54-35.884W				Red nun.	
20165	Stonington Harbor Approach Gong Buoy 3	41-18-46.141N 071-54-49.407W				Green.	
20170	Stonington Outer Breakwater Light 4	41-18-59.733N 071-54-28.412W	FI R 4s	46	5	TR on skeleton tower small house concrete base.	HORN: 1 blast ev 10s (1s bl). Operates continuously.
20175	Stonington Breakwater Light 5	41-19-30.463N 071-54-47.246W	FI G 4s	22	5	SG on skeleton tower concrete base.	
20180	Stonington Point Junction Buoy SP	41-19-29.231N 071-54-22.437W				Red and green bands; nun.	
20185	Stonington Inner	41-19-50.124N	FI R 4s	27	4	TR on skeleton	

	Breakwater Light 8	071-54-34.010W				tower concrete base.	
20190	Stonington Harbor Buoy 7	41-19-44.431N 071-54-41.428W				Green can.	
20195	Stonington Harbor Buoy 10	41-20-02.391N 071-54-39.268W				Red nun.	
20200	Academy Rock Lighted Buoy 2	41-19-34.291N 071-54-13.366W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
20205	Little Narragansett Bay Entrance Buoy 4	41-19-47.391N 071-54-05.266W				Red nun.	
20210	Little Narragansett Bay Entrance Lighted Buoy 5	41-19-58.215N 071-53-50.551W	FI G 4s		3	Green.	Removed when endangered by ice.
20211	Little Narragansett Bay Entrance Buoy 5A	41-19-55.260N 071-53-44.380W				Red nun.	
20215	Little Narragansett Bay Buoy 7	41-19-54.347N 071-53-37.545W				Green can.	
20220	Little Narragansett Bay Buoy 9	41-19-54.314N 071-53-24.047W				Green can.	
20225	Little Narragansett Bay Buoy 10	41-19-50.877N 071-53-13.586W				Red nun.	
20230	Little Narragansett Bay Channel Buoy 11	41-19-53.291N 071-53-08.465W				Green can.	
20235	Little Narragansett Bay Channel Lighted Buoy 13	41-19-50.891N 071-52-52.264W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
20240	Little Narragansett Bay Channel Buoy 14	41-19-41.391N 071-52-32.863W				Red nun.	Removed when endangered by ice.
20245	Little Narragansett Bay Channel Buoy 16	41-19-35.392N 071-52-17.263W				Red nun.	Removed when endangered by ice.
20250	Little Narragansett Bay Channel Buoy 16A	41-19-29.637N 071-52-00.668W				Red nun.	Removed when endangered by ice.
20255	Little Narragansett Bay Channel Buoy 17	41-19-30.818N 071-52-00.262W				Green can.	Removed when endangered by ice.
20260	Little Narragansett Bay Channel Buoy 18	41-19-27.392N 071-51-55.262W				Red nun.	Removed when endangered by ice.
20265	Little Narragansett Bay Channel Lighted Buoy 19	41-19-20.840N 071-51-42.575W	FI G 2.5s		3	Green.	Replaced by can from Nov. 15 to May 1.
20270	Little Narragansett Bay Channel Buoy 20	41-19-20.042N 071-51-43.454W				Red nun.	Removed when endangered by ice.
20275	Little Narragansett Bay Channel Buoy 22	41-19-16.361N 071-51-37.915W				Red nun.	Removed when endangered by ice.
20280	Little Narragansett Bay Channel Lighted Buoy 23	41-19-14.792N 071-51-32.521W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
20285	Little Narragansett Bay Buoy 24	41-19-02.612N 071-52-13.962W				Red nun.	Removed when endangered by ice.
20290	Pawcatuck River Buoy 1	41-19-20.564N 071-51-17.812W				Green can.	Removed when endangered by ice.
20295	Pawcatuck River Buoy 3	41-19-27.590N 071-51-09.523W				Green can.	Removed when endangered by ice.
20300	Pawcatuck River Channel Buoy 4	41-19-35.692N 071-50-58.399W				Red nun.	
20305	Pawcatuck River Channel Buoy 6	41-19-45.963N 071-50-46.863W				Red nun.	Removed when endangered by ice.
20310	Pawcatuck River Channel Buoy 7	41-19-55.212N 071-50-35.336W				Green can.	
20315	Pawcatuck River Channel Buoy 8	41-20-10.011N 071-50-13.299W				Red nun.	Removed when endangered by ice.
20320	Pawcatuck River Channel Buoy 10	41-20-16.963N 071-50-07.775W				Red nun.	Removed when endangered by ice.
20325	Pawcatuck River Channel Buoy 12	41-20-29.500N 071-49-54.812W				Red nun.	
20330	Pawcatuck River Channel Buoy 14	41-20-32.806N 071-49-47.561W				Red nun.	

20335	Pawcatuck River Channel Buoy 16	41-20-45.139N 071-49-46.609W				Red nun.	
20340	Pawcatuck River Channel Buoy 17	41-20-48.154N 071-49-47.802W				Green can.	
20342	Pawcatuck River Channel Daybeacon 18	41-20-56.000N 071-49-49.000W				TR on pile.	
20345	Pawcatuck River Channel Daybeacon 19	41-20-55.140N 071-49-49.800W				SG on pile.	
20350	Thompson Cove Buoy 1	41-20-49.900N 071-49-45.600W				Green can.	Maintained from May 1 to Nov. 30.
20355	Thompson Cove Buoy 3	41-20-50.800N 071-49-45.100W				Green can.	Maintained from May 1 to Nov. 30.
20356	Thompson Cove Buoy 5	41-20-51.700N 071-49-44.500W				Green can.	Maintained from May 1 to Nov. 30.
20357	Thompson Cove Buoy 7	41-20-52.900N 071-49-44.000W				Green can.	Maintained from May 1 to Nov. 30.
20360	Pawcatuck River Channel Daybeacon 20	41-21-00.900N 071-49-53.400W				TR on pile.	
20363	Pawcatuck River Channel Daybeacon 21	41-21-10.980N 071-50-07.680W				SG on pile.	
20365	Pawcatuck River Channel Daybeacon 22	41-21-06.420N 071-50-01.920W				TR on pile.	
20367	Pawcatuck River Channel Daybeacon 23	41-21-26.160N 071-50-14.760W				SG on pile.	
20370	Pawcatuck River Channel Daybeacon 24	41-21-10.900N 071-50-06.300W				TR on pile.	
20385	Pawcatuck River Channel Daybeacon 26	41-21-18.360N 071-50-10.200W				TR on pile.	
20405	Pawcatuck River Channel Daybeacon 28	41-21-25.800N 071-50-13.680W				TR on pile.	
20407	Pawcatuck River Channel Daybeacon 30	41-21-40.300N 071-50-16.500W				TR on pile.	
20410	Gavitt Point Outfall Buoy	41-21-09.000N 071-50-07.000W				White with orange bands and diamond worded DANGER SUB PIPE.	
20415	Watch Hill Cove Channel Lighted Buoy 2	41-18-53.042N 071-51-42.671W	FI R 4s		3	Red.	Removed when endangered by ice.
20420	Watch Hill Cove Channel Buoy 1	41-18-52.182N 071-51-40.621W				Green can.	Removed when endangered by ice.
20425	Watch Hill Cove Channel Buoy 3	41-18-45.507N 071-51-41.060W				Green can.	
20430	Watch Hill Cove Channel Buoy 4	41-18-45.188N 071-51-42.004W				Red nun.	
20435	Watch Hill Cove Channel Buoy 5	41-18-38.302N 071-51-32.970W				Green can.	Removed when endangered by ice.
20440	Rock Island South Buoy 2R	41-19-43.940N 071-56-00.540W				Red nun.	
20445	Red Reef Buoy 2	41-19-31.336N 071-56-23.082W				Red nun.	
20450	Dodge Island Buoy 4	41-19-26.390N 071-57-11.472W				Red nun.	
20455	Ellis Reef Daybeacon ER	41-19-00.624N 071-57-18.949W				NW on pipe tower worded DANGER ROCKS.	
20460	Enders Island Buoy 6	41-19-22.790N 071-57-30.573W				Red nun.	
20465	Mystic Harbor East Approach Buoy 7	41-19-09.569N 071-58-28.065W				Green can.	
20470	Mystic Harbor East Approach Buoy 7A	41-19-07.541N 071-58-37.237W				Green can.	
20475	Mystic Harbor East Approach Buoy 9	41-18-59.301N 071-58-50.213W				Green can.	

20480	Mystic Harbor East Approach Buoy 10	41-18-58.989N 071-58-58.276W				Red nun.	
20485	Mystic Harbor Junction Buoy MH	41-18-56.559N 071-59-06.086W				Red and green bands; nun.	
20490	Mystic Harbor West Approach Buoy 1	41-18-23.652N 071-59-25.006W				Green can.	
20495	Mystic Harbor West Approach Buoy 2	41-18-34.536N 071-59-25.311W				Red nun.	
20500	Mystic Harbor West Approach Buoy 3	41-18-38.389N 071-59-29.546W				Green can.	
20505	Mystic Harbor West Approach Lighted Buoy 4	41-18-50.979N 071-59-21.616W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
20510	Noank Light 5	41-18-58.814N 071-59-13.832W	Q G	17	4	SG on skeleton tower.	
20515	Mystic Harbor Buoy 6	41-19-00.659N 071-59-09.926W				Red nun.	
20520	Mystic Harbor Buoy 8	41-19-04.959N 071-59-13.856W				Red nun.	
20522	Mystic Harbor Buoy 10	41-19-08.440N 071-59-14.786W				Red nun.	
20523	Mystic Harbor Buoy 12	41-19-12.470N 071-59-14.826W				Red nun.	
20525	Mystic Harbor Buoy 14	41-19-17.122N 071-59-12.974W				Red nun.	
20530	Mystic Harbor Buoy 16	41-19-29.832N 071-59-00.940W				Red nun.	
20530.5	Mystic River Fairway Channel Daybeacon 1	41-19-25.318N 071-58-33.065W				SG on pile.	
20530.7	Mystic River Fairway Channel Daybeacon 2	41-19-25.861N 071-58-32.111W				TR on pile.	
20531	Mystic River Fairway Channel Daybeacon 3	41-19-32.400N 071-58-40.200W				SG on pole.	
20531.1	Mystic River Fairway Channel Daybeacon 4	41-19-32.520N 071-58-39.120W				TR on pole.	
20531.2	Mystic River Fairway Channel Daybeacon 5	41-19-39.120N 071-58-46.860W				SG on pole.	
20531.3	Mystic River Fairway Channel Daybeacon 6	41-19-39.300N 071-58-45.840W				TR on pole.	
20531.4	Mystic River Fairway Channel Daybeacon 7	41-19-47.040N 071-58-46.560W				SG on pole.	
20531.5	Mystic River Fairway Channel Daybeacon 8	41-19-47.460N 071-58-45.600W				TR on pole.	
20535	Mystic Harbor Buoy 18	41-19-42.706N 071-58-58.088W				Red nun.	
20540	Mystic Harbor Buoy 19	41-19-47.199N 071-58-58.328W				Green can.	
20542	Mystic Harbor Buoy 20	41-19-47.108N 071-58-54.609W				Red nun.	
20545	Mystic Harbor Buoy 21	41-19-51.426N 071-58-42.149W				Green can.	
20550	Mystic Harbor Buoy 22	41-19-49.394N 071-58-41.318W				Red nun.	
20555	Mystic Harbor Buoy 23	41-19-58.168N 071-58-35.900W				Green can.	
20560	Mystic Harbor Buoy 24	41-19-58.720N 071-58-33.044W				Red nun.	
20565	Mystic Harbor Buoy 26	41-20-07.779N 071-58-32.845W				Red nun.	
20570	Mystic Harbor Buoy 27	41-20-14.708N 071-58-33.620W				Green can.	
20575	Mystic Harbor Buoy 29	41-20-24.492N 071-58-27.042W				Green can.	
20580	Mystic Harbor Buoy 30	41-20-34.258N 071-58-20.395W				Red nun.	

20585	Mystic Harbor Buoy 31	41-20-38.965N 071-58-18.950W				Green can.	
20587	Little Gull Marina Daybeacon 2	41-20-40.700N 071-58-24.765W				TR on wood pile.	
20587.1	Little Gull Marina Daybeacon 3	41-20-41.422N 071-58-26.426W				SG on wood pile.	
20587.2	Little Gull Marina Daybeacon 4	41-20-41.708N 071-58-26.023W				TR on wood pile.	
20587.3	Little Gull Marina Daybeacon 6	41-20-42.664N 071-58-27.438W				TR on wood pile.	
20590	Mystic Harbor Buoy 33	41-20-45.921N 071-58-11.130W				Green can.	
20595	Mystic Harbor Buoy 35	41-20-50.132N 071-58-10.371W				Green can.	
20600	Mystic Harbor Outfall Buoy	41-20-54.700N 071-58-10.000W				White with orange bands and diamond worded DANGER SUBMERGED PIPE.	
20601	Mystic River Auxiliary Channel Daybeacon 1	41-20-33.720N 071-58-18.540W				SG on pile.	
20602	Mystic River Auxiliary Channel Daybeacon 2	41-20-33.120N 071-58-18.540W				TR on pile.	
20603	Mystic River Auxiliary Channel Daybeacon 3	41-20-32.280N 071-58-11.700W				SG on pile.	
20604	Mystic River Auxiliary Channel Daybeacon 4	41-20-30.660N 071-58-05.520W				TR on pile.	
20605	Mystic River Auxiliary Channel Daybeacon 5	41-20-31.700N 071-57-57.100W				SG on pile.	
20610	Mystic River Auxiliary Channel Daybeacon 7	41-20-32.615N 071-57-53.625W				SG on pile.	
20615	Mystic River Auxiliary Channel Daybeacon 8	41-20-36.383N 071-57-49.937W				TR on pile.	
20617	Mystic River Auxiliary Channel Daybeacon 9	41-20-36.600N 071-57-50.800W				SG on pile.	
20620	Mystic River Auxiliary Channel Daybeacon 10	41-20-40.505N 071-57-47.266W				TR on pile.	
20625	Mystic River Auxiliary Channel Daybeacon 11	41-20-40.733N 071-57-48.000W				SG on pile.	
20630	Mystic River Auxiliary Channel Daybeacon 12	41-20-45.494N 071-57-44.033W				TR on pile.	
20635	Mystic River Auxiliary Channel Daybeacon 13	41-20-45.747N 071-57-44.746W				SG on pile.	
20640	Mystic River Auxiliary Channel Daybeacon 14	41-20-49.037N 071-57-41.738W				TR on pile.	
20645	Mystic River Auxiliary Channel Daybeacon 15	41-20-49.247N 071-57-42.478W				SG on pile.	
20650	Mystic River Auxiliary Channel Daybeacon 16	41-20-51.212N 071-57-40.329W				TR on pile.	
20651	Mystic River Auxiliary Channel Daybeacon 17	41-20-51.426N 071-57-41.066W				SG on pile.	
20652	Mystic River Auxiliary Channel Daybeacon 18	41-20-52.869N 071-57-39.255W				TR on pile.	
20653	Mystic River Auxiliary Channel Daybeacon 19	41-20-53.095N 071-57-39.985W				SG on pile.	
20670	Mystic River Channel Buoy 37	41-21-22.808N 071-58-04.995W				Green can.	Removed when endangered by ice.
20675	Mystic River Channel Buoy 38	41-21-27.592N 071-57-59.442W				Red nun.	

20680	Mystic River Channel Buoy 39	41-21-31.461N 071-57-58.814W				Green can.	
20685	Mystic River Channel Buoy 41	41-21-34.489N 071-57-58.075W				Green can.	
20695	Mystic River Channel Buoy 43	41-21-37.092N 071-57-58.600W				Green can.	
20700	Mystic River Channel Buoy 45	41-21-39.489N 071-58-01.976W				Green can.	Removed when endangered by ice.
20705	Mystic River Channel Buoy 47	41-21-41.876N 071-58-03.804W				Green can.	
20715	Mystic River Channel Buoy 49	41-21-44.984N 071-58-00.321W				Green can.	
20720	Mystic River Channel Buoy 51	41-21-48.817N 071-57-55.232W				Green can.	
20725	Mystic River Channel Buoy 53	41-21-53.878N 071-57-52.185W				Green can.	Removed when endangered by ice.
20845	West Cove Daybeacon 1	41-18-57.660N 071-59-34.020W				SG on pile.	
20850	West Cove Daybeacon 3	41-18-59.220N 071-59-33.600W				SG on pile.	
20855	West Cove Daybeacon 5	41-19-13.260N 071-59-35.700W				SG on pile.	
20860	West Cove Daybeacon 8	41-19-19.680N 071-59-34.080W				TR on pile.	
20865	West Cove Daybeacon 10	41-19-21.360N 071-59-33.360W				TR on pile.	
20870	West Cove Daybeacon 12	41-19-25.140N 071-59-31.680W				TR on pile.	
20875	Venetian Harbor Entrance Light 1	41-18-53.806N 072-01-09.212W	FI G 4s	14	4	SG on pile.	
20876	Venetian Harbor Light 2	41-18-55.300N 072-01-06.100W	FI R 4s	6		Pile.	
20880	Mumford Cove Daybeacon 1	41-18-57.710N 072-01-12.220W				SB on pile.	
20885	Mumford Cove Daybeacon 2	41-18-57.160N 072-01-11.150W				TR on pile.	
20890	Mumford Cove Daybeacon 3	41-19-01.780N 072-01-09.700W				SG on pile.	
20895	Mumford Cove Daybeacon 4	41-19-01.250N 072-01-08.650W				TR on pile.	
20900	Mumford Cove Daybeacon 5	41-19-10.400N 072-01-04.680W				SG on pile.	
20905	Mumford Cove Daybeacon 6	41-19-09.200N 072-01-03.750W				TR on pile.	
20910	Mumford Cove Daybeacon 7	41-19-10.500N 072-01-03.420W				SG on pile.	
20925	Mumford Cove Daybeacon 8	41-19-10.560N 072-00-53.400W				TR on pile.	
20930	Mumford Cove Daybeacon 9	41-19-11.400N 072-00-53.340W				SG on pile.	
20970	East Harbor Buoy 1E	41-17-13.541N 071-56-50.130W				Green can.	
20975	East Harbor Buoy 2E	41-17-15.971N 071-57-04.481W				Red nun.	
20980	West Harbor East Channel Buoy 1W	41-17-09.860N 071-58-05.583W				Green can.	
20985	West Harbor East Channel Buoy 2W	41-17-17.330N 071-58-14.003W				Red nun.	
20990	West Harbor East Channel Buoy 4	41-17-07.380N 071-59-28.715W				Red nun.	
20995	West Harbor East Channel Buoy 5	41-16-53.290N 071-59-33.375W				Green can.	
21010	Lewis Rock Buoy 7	41-16-12.600N 072-00-09.046W				Green can.	
21015	Pulpit Rock Buoy 1	41-17-16.199N 071-59-50.616W				Green can.	
21020	Flat Hammock Buoy 2	41-17-10.689N 072-00-22.877W				Red nun.	
21025	West Harbor West Entrance Lighted Bell Buoy 2	41-16-47.609N 072-01-23.068W	FI R 2.5s		4	Red.	
21030	West Harbor West Entrance Buoy 3	41-16-52.159N 072-01-04.958W				Green can.	

21035	West Harbor West Entrance Channel Buoy 4	41-16-27.939N 072-00-50.667W					Red nun.	
21040	West Harbor Channel Lighted Buoy 6	41-16-18.279N 072-00-20.416W	FI R 4s		3		Red.	Replaced by nun when endangered by ice.
21045	West Harbor Channel Buoy 8	41-16-07.210N 072-00-20.336W					Red nun.	
21050	West Harbor Channel Buoy 10	41-15-59.535N 072-00-30.251W					Red nun.	
21055	Silver Eel Pond Entrance Lighted Whistle Buoy SE	41-15-37.026N 072-02-12.079W	Mo (A) W		4		Red and white stripes with red spherical topmark.	
21065	Bartlett Reef Lighted Buoy 4	41-15-34.206N 072-08-21.258W	FI R 4s		4		Red.	Removed when endangered by ice.
21070	Bartlett Reef Light	41-16-28.333N 072-08-14.113W	FI W 6s	35	7		NR on skeleton tower.	HORN: 2 blasts ev 60s (3s bl-3s si-3s bl-51s si). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 45 minutes.
21080	Plum Island Lighted Whistle Buoy PI	41-13-17.040N 072-10-18.160W	Mo (A) W		4		Red and white stripes with red spherical topmark.	
21085	Plum Gut Lighted Bell Buoy 2PG	41-10-33.566N 072-13-05.897W	FI R 4s		4		Red.	
21090	Plum Gut Light	41-10-25.778N 072-12-42.150W	FI W 2.5s	21	5		On skeleton tower.	
21095	Orient Point Light	41-09-48.426N 072-13-25.027W	FI W 5s	64	14		Black conical tower with white band in center.	HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 45 minutes.
21100	Hatchett Reef Buoy 6	41-15-52.658N 072-16-00.930W					Red nun.	
21105	Saybrook Bar Lighted Bell Buoy 8	41-14-51.285N 072-18-50.568W	FI R 4s		4		Red.	
21110	Long Sand Shoal East End Buoy E	41-14-38.766N 072-19-21.329W					Red and green bands; nun.	
21115	Saybrook Breakwater Light	41-15-47.633N 072-20-33.613W	FI G 6s	58	11		White conical tower on brown cylindrical pier.	HORN: 1 blast ev 30s (3s bl). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 45 minutes.
21125	Orient Shoal Buoy 3	41-08-58.450N 072-19-50.591W					Green can.	
21135	Long Sand Shoal Lighted Buoy 8A	41-13-30.388N 072-23-08.318W	Q R		3		Red.	
21145	Long Sand Shoal West End Lighted Gong Buoy W	41-13-35.461N 072-27-35.746W	FI (2+1)R 6s		4		Red and green bands.	
21150	Horton Point Light	41-05-06.093N 072-26-44.053W	FI G 10s	103	14		White square tower dwelling attached.	
21155	Sixmile Reef Lighted Buoy 8C	41-10-47.143N 072-29-26.151W	FI R 4s		4		Red.	
21160	Twenty-Eight Foot Shoal Lighted Whistle Buoy TE	41-09-15.953N 072-30-24.552W	FI (2+1)R 6s		4		Red and green bands.	
21165	Kimberly Reef Lighted Bell Buoy KR	41-12-50.387N 072-37-25.349W	FI (2+1)R 6s		3		Red and green bands.	
21170	Falkner Island Light	41-12-43.433N 072-39-13.113W	FI W 10s	94	13		White octagonal tower.	
21171	UCONN Central Long Island Sound Research Lighted Buoy	41-08-15.222N 072-39-19.254W	FI Y 4s		4		Yellow.	
21175	Goose Island Lighted Bell Buoy 10GI	41-12-07.985N 072-40-28.135W	FI R 4s		4		Red.	
21180	Sachem Head Breakwater Light	41-14-44.300N 072-42-39.000W	FI R 3s	8	3		Pile.	Maintained from June 1 to Oct. 1.
21185	Branford Reef Light	41-13-16.727N 072-48-19.228W	FI W 6s	22	7		NR on skeleton tower.	
21190	Townsend Ledge Lighted Buoy 10A	41-12-30.753N 072-51-47.174W	FI R 4s		4		Red.	
21210	Southwest Ledge Light	41-14-03.733N 072-54-43.813W	FI R 5s	57	14		White octagonal house on brown cylindrical pier.	HORN: 1 blast ev 15s (2s bl). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 45 minutes.
21215	New Haven Light	41-13-16.372N	FI W 4s	27	7		NG on skeleton	

		072-56-32.501W				tower.	
21220	Pond Point Shoal Buoy 12	41-11-52.555N 073-00-59.756W				Red nun.	
21225	Charles Island Lighted Buoy 16	41-11-01.444N 073-03-05.755W	FI R 4s		4	Red.	
21230	Stratford Point Light	41-09-07.333N 073-06-11.614W	FI (2)W 20s	52	14	White conical tower dark red band midway of height.	
21240	Stratford Point Buoy 20	41-07-50.334N 073-07-29.355W				Red nun.	
21245	Stratford Point Lighted Buoy 18	41-06-49.114N 073-08-09.417W	FI R 4s		4	Red.	Removed when endangered by ice.
21250	Stratford Shoal Buoy 1	41-04-11.226N 073-05-11.558W				Green can.	
21255	Stratford Shoal Buoy 3	41-04-35.936N 073-06-15.481W				Green can.	
21260	Stratford Shoal (Middle Ground) Light	41-03-35.333N 073-06-04.714W	FI W 5s	60	13	Gray granite octagonal tower projection from house on pier.	HORN: 1 blast ev 15s (2s bl). Operates continuously.
21265	Stratford Shoal Middle Ground Lighted Bell Buoy 2	41-03-04.036N 073-06-12.280W	FI R 4s		4	Red.	
21270	Mount Misery Shoal Buoy 11	40-59-12.255N 073-04-46.344W				Green can.	
21275	Old Field Point Light	40-58-37.246N 073-07-06.817W	AI RG 20s	74	14	Black tower on granite house.	
21285	Old Field Point Gong Buoy 11A	40-59-13.077N 073-07-17.432W				Green.	
21289	The Little Cows Lighted Bell Buoy LC	41-07-20.010N 073-12-52.016W	FI G 4s		4	Green.	
21290	Penfield Reef Light	41-07-01.542N 073-13-19.539W	FI R 6s	51	14	White tower on granite dwelling on pier.	HORN: 1 blast ev 15s (2s bl). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 45 minutes.
21295	Pine Creek Point Lighted Buoy 22	41-06-29.992N 073-15-47.005W	FI R 4s		4	Red.	
21300	Cockenoe Island Shoal Lighted Bell Buoy 24	41-04-31.692N 073-19-46.111W	FI R 2.5s		4	Red.	Removed when endangered by ice.
21305	Norwalk Islands Lighted Bell Buoy 26	41-03-41.152N 073-21-58.765W	FI R 4s		4	Red.	Removed when endangered by ice.
21310	Eatons Neck Point Lighted Gong Buoy 11B	41-00-01.254N 073-23-41.666W	FI G 4s		4	Green.	Replaced by smaller LIB when endangered by ice.
21312	Eatons Neck Lighted Research Buoy	41-00-37.434N 073-17-15.678W	FI Y 4s			Yellow.	Maintained 15 Apr-15 Dec. Property of UCONN.
21313	Eversource Energy Cable Marker NW1 VAIS	41-03-04.320N 073-24-26.760W					MMSI # - 993663039
21313.1	Eversource Energy Cable Marker NE2 VAIS	41-02-32.460N 073-23-50.400W					MMSI # - 993663040
21313.2	Eversource Energy Cable Marker E3 VAIS	41-00-10.980N 073-22-17.640W					MMSI # - 993663041
21313.3	Eversource Energy Cable Marker SE4 VAIS	40-57-30.720N 073-21-14.460W					MMSI # - 993663042
21313.4	Eversource Energy Cable Marker S5 VAIS	40-56-30.720N 073-20-42.000W					MMSI # - 993663043
21315	Eatons Neck Lump Buoy E	40-58-39.784N 073-24-32.159W				Green and red bands; can.	
21320	Eatons Neck Point Shoal Buoy 13	40-58-11.834N 073-23-38.628W				Green can.	
21325	Eatons Neck Light	40-57-14.433N 073-23-43.414W	F W	144	14	White stone tower.	
21330	Cable and Anchor Reef Lighted Bell Buoy 28C	41-00-33.403N 073-25-08.429W	FI R 4s		4	Red.	Replaced by smaller LIB when endangered by ice.
21335	Great Reef Lighted Buoy 28	41-02-23.853N 073-25-28.034W	FI R 6s		4	Red.	
21336	UCONN Western	40-57-20.142N	FI Y 4s		3	Yellow.	Maintained from 1 Apr. to 1 Oct.

	Long Island Sound Research Lighted Buoy	073-34-52.727W					
21340	Greens Ledge Light	41-02-30.333N 073-26-37.614W	AI WR 20s	62	14	Conical tower upper half white lower half brown on black cylindrical pier.	HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 45 minutes.
21355	Smith Reef Lighted Buoy 30	41-01-29.743N 073-29-30.929W	FI R 4s		3	Red.	Removed when endangered by ice.
21360	Lloyd Point Shoal Lighted Gong Buoy 15	40-57-40.845N 073-29-15.749W	FI G 4s		4	Green.	Removed when endangered by ice.
21361	UCONN Lighted Research Buoy Wire Walker	40-59-06.000N 073-30-25.200W				Yellow.	Property of UCONN.
21362	UConn Lighted Research Buoy Wave Catenary	40-59-03.120N 073-30-37.080W	FI Y 2s			Yellow.	Property of UCONN.
21365	The Cows Lighted Bell Buoy 32	41-00-12.913N 073-31-26.203W	FI R 2.5s		4	Red.	
21375	Stamford Harbor West Breakwater Light 3	41-00-53.915N 073-32-17.349W	FI G 2.5s	37	4	SG on tower.	
21380	Twenty-Six Foot Spot Lighted Bell Buoy 32A	40-58-07.075N 073-32-48.407W	FI R 2.5s		4	Red.	
21385	Centre Island Reef Bell Buoy 17	40-56-18.643N 073-31-57.923W				Green.	
21390	Oak Neck Point Buoy 19	40-55-27.407N 073-34-11.703W				Green can.	
21395	Woolsey Reef Buoy 34	40-59-56.384N 073-33-54.459W				Red nun.	
21400	Great Captain Island Light	40-58-56.984N 073-37-23.268W	AI WR 12s	62	14	NR on skeleton tower.	HORN: 1 blast ev 15s (2s bl). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 45 minutes.
21405	Bluefish Shoal Bell Buoy 36	40-58-07.536N 073-38-47.192W				Red.	
21410	Rye Beach Lighted Bell Buoy 38	40-57-30.987N 073-39-35.974W	FI R 4s		4	Red.	Replaced by nun if endangered by ice.
21415	Parsonage Point Lighted Buoy 40	40-56-49.697N 073-40-29.897W	FI R 6s		4	Red.	Removed when endangered by ice.
21420	Matinecock Point Shoal Lighted Gong Buoy 21	40-54-31.478N 073-38-11.172W	FI G 4s		4	Green.	Removed when endangered by ice.
21421	Webb Institute Lighted Research Buoy A	40-53-15.050N 073-39-12.200W	FI Y 4s			Yellow.	Maintained 01 Apr - 30 Aug. property of Webb Institute.
21422	UCONN MID4 ARC Research Lighted Buoy	40-55-24.522N 073-39-17.778W	FI Y 6s			Yellow.	Property of UCONN. Maintained 15 Apr - 31 Oct.
21425	Milton Point Buoy 40A	40-56-07.758N 073-41-16.979W				Red nun.	
21430	Scotch Caps Lighted Bell Buoy 42	40-55-28.759N 073-42-09.061W	FI R 2.5s		4	Red.	
21435	Prospect Point Lighted Gong Buoy 23	40-52-54.362N 073-42-58.940W	FI G 4s		4	Green.	
21436	UCONN Execution Rocks Research Lighted Buoy	40-53-06.089N 073-43-36.563W	FI Y 4s			Yellow.	
21440	Execution Rocks Light	40-52-41.333N 073-44-16.314W	FI W 10s	62	14	White stone tower brown band midway of height; granite dwelling attached.	
21450	Execution Rocks Shoal North End Buoy 1	40-53-27.632N 073-44-09.497W				Green can.	
21455	Execution Rocks Shoal East Side Buoy 44	40-52-46.892N 073-44-06.486W				Red nun.	
21460	Execution Rocks Lighted Gong Buoy 44A	40-52-23.513N 073-44-15.887W	FI R 4s		4	Red.	
21465	Execution Rocks Shoal Southwest	40-52-28.513N 073-44-33.488W				Red and green bands; nun.	

	End Buoy ER						
21470	Sands Point Daybeacon	40-52-01.733N 073-43-57.214W				NG on skeleton tower.	
21475	Sands Point Reef Lighted Buoy 25	40-52-07.293N 073-44-15.387W	FI G 2.5s		3	Green.	
21480	Gangway Rock Light 27A	40-51-29.232N 073-44-44.914W	FI G 6s	40	6	SG on skeleton tower.	
21485	Gangway Rock Gong Buoy 27	40-51-29.793N 073-44-48.488W				Green.	
21490	Success Rock Buoy	40-51-22.393N 073-44-35.488W				White with orange bands worded ROCK.	
21495	Hewlett Point Lighted Buoy 29	40-50-30.264N 073-45-20.000W	FI G 4s		4	Green.	
21500	Hart Island Light 46	40-50-41.932N 073-45-59.914W	FI R 4s	23	6	TR on skeleton tower concrete base on rocks.	
21505	Stepping Stones Light	40-49-28.142N 073-46-28.735W	Oc G 4s	46	8	Red brick on granite pier; white band on southwest face of pier.	
21510	Locust Point Buoy 46A	40-49-26.621N 073-47-09.881W				Red nun.	
21515	Throgs Neck Lighted Bell Buoy 48	40-48-11.032N 073-47-15.014W	FI R 4s		4	Red.	
21520	Throgs Neck Light	40-48-16.496N 073-47-26.126W	F R	60	9	NB on skeleton tower.	
21525	Hatchett Reef Buoy 1	41-16-14.484N 072-15-44.600W				Green can.	
21530	Cornfield Point Shoal Lighted Bell Buoy 2	41-15-01.358N 072-23-03.258W	FI R 4s		4	Red.	
21535	Hen and Chickens Buoy	41-15-09.989N 072-24-13.311W				White can with orange bands and diamond worded ROCKS.	
21560	Indian Town East Breakwater Light	41-16-34.406N 072-24-18.805W	FI W 2s	28		On pile.	
21565	Crane Reef Buoy 4	41-14-53.039N 072-25-22.324W				Red nun.	
21570	Duck Island Reef Buoy 6	41-14-51.031N 072-28-28.472W				Red nun.	
21575	Stone Island Reef Buoy 8	41-14-14.401N 072-30-43.217W				Red nun.	
21580	Hammonasset Point Reef Buoy 10	41-14-45.250N 072-33-13.822W				Red nun.	
21585	Charles Reef Buoy 14	41-14-50.677N 072-37-26.719W				Red nun.	
21590	Falkner Island Reef Lighted Gong Buoy 15	41-13-22.996N 072-39-15.372W	FI G 4s		4	Green.	
21595	Indian Reef Southwest Buoy 16	41-14-24.024N 072-41-04.856W				Red nun.	
21600	Chimney Corner Reef Buoy 20	41-14-19.914N 072-42-19.658W				Red nun.	
21610	Goose Rocks Shoal Lighted Bell Buoy 22	41-14-22.710N 072-43-28.245W	FI R 4s		4	Red.	
21615	Browns Reef Lighted Bell Buoy 26	41-13-48.372N 072-46-15.344W	FI R 4s		4	Red.	
21620	Totoket Bar Lighted Buoy 28	41-14-04.106N 072-48-05.027W	FI R 4s		4	Red.	Replaced by nun when endangered by ice.
21625	Five Foot Rock Buoy 32	41-14-25.403N 072-49-55.139W				Red nun.	
21630	Cow and Calf Lighted Bell Buoy 34	41-14-16.355N 072-50-33.184W	FI R 2.5s		4	Red.	
21635	Round Rock Buoy 36	41-13-43.611N 072-53-09.587W				Red nun.	
21645	Mattituck Gong Buoy 3A	41-01-50.913N 072-33-58.277W					
21650	Mattituck Breakwater Light	41-00-55.413N 072-33-39.553W	FI W 4s	25	6	NR on skeleton tower.	

	MI						
21653	Mattituck Inlet Buoy 1	41-00-55.588N 072-33-34.604W				Green Can.	
21655	Mattituck Inlet Lighted Buoy 2	41-00-55.656N 072-33-37.378W	FI R 4s		3	Red.	
21657	Mattituck Inlet Lighted Buoy 2A	41-00-48.726N 072-33-30.780W	Q R		3	Red.	Marks edge of encroaching shoal. Removed when endangered by ice.
21660	Mattituck Inlet Buoy 3	41-00-46.681N 072-33-26.755W				Green can.	
21665	Mattituck Inner Creek Buoy 2	41-00-47.700N 072-32-59.760W				Red nun.	Maintained from May 1 to Oct. 31.
21667	Mattituck Inner Creek Buoy 3	41-00-21.360N 072-32-49.140W				Green can.	Maintained from May 1 to Oct. 31.
21670	Mattituck Inner Creek Buoy 5	41-00-11.400N 072-32-46.620W				Green can.	Maintained from May 1 to Oct. 31.
21673	Mattituck Inner Creek Buoy 6	41-00-02.640N 072-32-42.600W				Red nun.	Maintained from May 1 to Oct. 31.
21675	Mattituck Inner Creek Buoy 8	40-59-54.840N 072-32-38.700W				Red nun.	Maintained from May 1 to Oct. 31.
21677	Mattituck Inner Creek Buoy 10	40-59-48.960N 072-32-35.460W				Red nun.	Maintained from May 1 to Oct. 31.
21680	Jacobs Point Platform Lights (4)	41-00-01.102N 072-38-47.688W	Q W	25	5	On platform.	Lights flash in unison.HORN: 1 blast ev 20s (2s bl).
21685	Jacobs Point Pipeline Buoy A	40-59-13.000N 072-38-43.000W				Yellow can.	
21690	Jacobs Point Pipeline Buoy B	40-59-47.000N 072-38-48.000W				Yellow can.	
21715	Roanoke Point Shoal Buoy 5	41-00-13.859N 072-42-16.690W				Green can.	
21720	Herod Point Shoal Buoy 7	40-59-41.686N 072-49-26.577W				Green can.	
21725	Rocky Point Buoy 9	40-59-34.389N 072-57-52.982W				Green can.	
21735	Pine Island Channel Lighted Bell Buoy 2	41-18-35.598N 072-03-40.881W	FI R 4s		3	Red.	
21740	Pine Island Channel Buoy 3	41-18-35.488N 072-04-09.033W				Green can.	
21742	Avery Point Light	41-18-54.900N 072-03-48.840W	FI G 4s			White octagonal concrete tower.	
21745	Pine Island Lighted Buoy 1	41-18-53.370N 072-03-40.562W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
21750	Avery Point Breakwater Light 1A	41-18-57.600N 072-03-36.300W	Q G		4	SG on spindle.	
21755	Pine Island Buoy 2	41-18-54.938N 072-03-33.663W				Red nun.	
21758	Bartlett Reef Buoy 1	41-16-28.966N 072-07-53.968W				Green can.	
21760	Little Goshen Reef Buoy 3	41-17-20.767N 072-06-43.107W				Green can.	
21765	Goshen Ledge Buoy 5	41-17-28.767N 072-06-17.385W				Green can.	
21770	Rapid Rock Buoy R	41-17-15.618N 072-06-05.567W				Green and red bands; can.	
21775	Cormorant Rock Ledge Buoy 7	41-17-56.967N 072-05-42.665W				Green can.	
21780	Sarah Ledge Buoy SL	41-17-42.387N 072-05-23.884W				Green and red bands; can.	
21790	New London Harbor Channel Lighted Buoy 2	41-17-37.409N 072-04-38.558W	FI R 2.5s		4	Red.	
21795	New London Harbor Channel Lighted Buoy 1	41-17-37.088N 072-04-46.783W	FI G 2.5s		4	Green.	
21800	New London Harbor Channel Lighted Buoy 3	41-18-28.387N 072-04-53.484W	FI G 4s		4	Green.	
21805	New London Harbor Channel Buoy 4	41-18-29.246N 072-04-44.786W				Red nun.	
21810	Black Ledge Buoy 2BL	41-18-01.178N 072-03-57.513W				Red nun.	
21815	Black Ledge Buoy	41-18-04.688N				Red nun.	

	4BL	072-04-15.843W					
21820	Black Ledge Buoy 6BL	41-18-17.493N 072-04-22.278W				Red nun.	
21825	New London Ledge Light	41-18-21.177N 072-04-38.793W	FI (3+1) WR 30s	58	14	Red brick dwelling on square pier.	HORN: 2 blast ev 20s (2s bl-2s si-2s bl-14s si). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 45 minutes.
21840	Frank Ledge Buoy F	41-18-40.667N 072-04-32.854W				Green and red bands; can.	
21845	New London Harbor Light	41-18-59.867N 072-05-23.135W	Iso W 6s	90	17	White octagonal pyramidal tower.	Red from 000° to 041°. Covers Sarah Ledge and shoals westward.
21850	New London Harbor Channel Lighted Buoy 5	41-19-19.594N 072-04-59.655W	FI G 2.5s		4	Green.	
21855	New London Harbor Channel Lighted Buoy 6	41-19-20.139N 072-04-51.258W	FI R 2.5s		4	Red.	
21859	Greens Harbor Obstruction Buoy 2A	41-20-03.693N 072-05-24.741W				Red nun.	
21860	New London Harbor Lower Wharf Light	41-20-06.900N 072-04-55.000W	FI R 15s	15	4	Pile.	
21865	New London Harbor Upper Wharf Light	41-20-11.300N 072-04-55.900W	FI R 15s		4	Pile.	
21870	Groton Outfall Hazard Buoy	41-20-16.000N 072-04-57.000W				White with orange bands.	
21875	New London Harbor Channel Lighted Buoy 7	41-20-19.234N 072-05-07.275W	FI G 6s		4	Green.	
21885	Melton Rocks Buoy	41-20-23.546N 072-05-24.754W				White can with orange bands and diamond worded ROCKS.	
21890	Graving Dock South Light	41-20-36.000N 072-04-58.860W	Q R	22		Pier dolphin.	
21895	Graving Dock Center Light	41-20-36.720N 072-04-59.940W	Q R	22		Pier dolphin.	
21900	Graving Dock North Light	41-20-37.800N 072-05-01.320W	Q R	22		Pier dolphin.	
21905	Graving Dock 3 South Light	41-20-50.220N 072-05-02.640W	Q R	24		Dual light fixture on pier.	
21910	Graving Dock 3 North Light	41-20-53.600N 072-05-03.100W	Q R				
21915	New London Harbor Buoy 9	41-20-35.287N 072-05-13.387W				Green can.	
21920	New London Harbor Buoy 11	41-20-46.887N 072-05-15.487W				Green can.	
21922	Thames River Buoy EP	41-22-26.801N 072-05-23.281W				Green and red; can.	
21935	New London Harbor Channel Lighted Buoy 13	41-21-05.987N 072-05-12.947W	FI G 4s		4	Green.	
21940	New London Harbor Buoy 14	41-21-06.698N 072-05-05.994W				Red nun.	
21943	New London Harbor Buoy 16	41-21-26.283N 072-05-09.109W				Red nun.	
21944	State Pier Light	41-21-26.600N 072-05-20.000W	F G	19		Green.	
21948	New London Harbor Leading Light	41-21-46.686N 072-05-14.287W	Oc R 4s	44	4	On southeast bridge abutment of railroad bridge.	Shows red from 353° to 356°. Higher intensity on 354.5°.
21956	Thames River Lower Range Front Light	41-23-26.952N 072-05-27.383W	Iso G 6s	26		On monopole.	Visible 5.5° each side of rangeline. Lighted throughout 24 hours.
21960	Thames River Lower Range Rear Light	41-23-40.288N 072-05-29.035W	F G	88		On skeleton tower.	Visible 4° each side of rangeline. Lighted throughout 24 hours. Note: Does not mark center of channel at far end of range.
21970	Greens Harbor Buoy	41-20-08.513N 072-05-35.013W				White can with orange bands and diamond worded ROCKS.	
21975	Shaw Cove Entrance Buoy 1	41-20-44.416N 072-05-24.800W				Green can.	
21980	Shaw Cove	41-20-50.737N				Green can.	

	Entrance Buoy 3	072-05-36.627W					
21985	Thames River Lighted Buoy 1	41-22-01.886N 072-05-20.887W	FI G 2.5s		4	Green.	Replaced by can when endangered by ice.
21990	Academy Buoy 1A	41-22-18.407N 072-05-36.878W				Green can.	
21995	Bailey Point Light 2	41-22-40.076N 072-05-16.057W	FI R 4s	13	3	TR on pile tower on concrete base.	
22000	Thames River Lighted Buoy 3	41-22-51.517N 072-05-25.547W	FI G 4s		4	Green.	Replaced by can when endangered by ice.
22010	Thames River Lighted Buoy 5	41-23-15.217N 072-05-33.339W	FI G 4s		3		
22020	Thames River Upper Directional Light	41-23-34.297N 072-05-46.475W	F W	21		On pile.	Shows green from 174.5 to 177.5; white from 177.5 to 180.5; red from 180.5 to 183.5; with a fixed white passing light.
22025	Thames River Lighted Buoy 7	41-23-45.700N 072-05-51.349W	FI G 4s		4	Green.	Replaced by can when endangered by ice.
22035	Thames River Light 7A	41-23-55.795N 072-05-51.754W	Q G	15		on pile.	
22036	Thames River Obstruction Light	41-24-01.133N 072-05-54.917W	FI W 4s	29	3	NG on pile.	
22040	Thames River Buoy 9	41-24-04.087N 072-05-50.163W				Green can.	
22055	Scotch Cap Light 11	41-24-21.701N 072-05-50.305W	FI G 4s	21	3	SG on skeleton tower on concrete base.	
22060	Thames River Buoy 13	41-24-36.497N 072-05-45.780W				Green can.	
22063	Thames River Buoy 14	41-25-00.043N 072-05-25.492W				Red nun.	
22065	Ice House Light 15	41-25-04.371N 072-05-33.720W	FI G 2.5s	13	3	SG on pipe tower on concrete base.	
22070	Thames River Buoy 16	41-25-26.967N 072-05-46.830W				Red nun.	
22075	Bartlett Point Light 17	41-25-33.565N 072-05-55.218W	FI G 4s	13	3	SG on pipe tower on concrete base.	
22078	Thames River Buoy 18	41-25-44.957N 072-05-48.350W				Red nun.	
22080	Thames River Buoy 20	41-26-05.214N 072-05-38.837W				Red nun.	
22105	Allyn Point Light 22	41-26-37.204N 072-05-02.611W	FI R 4s	21	3	TR on pipe tower on concrete base.	
22110	Thames River Buoy 23	41-26-49.657N 072-05-07.130W				Green can.	
22115	Long Reach Lower Light 24	41-26-53.894N 072-04-56.344W	FI R 4s	13	3	TR on pipe tower on concrete base.	
22120	Thames River Buoy 25	41-27-00.197N 072-04-57.220W				Green can.	
22125	Thames River Buoy 26	41-27-02.577N 072-04-41.350W				Red nun.	
22130	Long Reach Upper Light 27	41-27-10.828N 072-04-24.521W	FI G 4s	21	3	SG on pipe tower on concrete base.	
22135	Thames River Buoy 29	41-27-18.687N 072-04-16.089W				Green can.	
22140	Stoddards Old Dock Light 30	41-27-38.453N 072-04-03.063W	FI R 4s	21	3	TR on pipe tower on concrete base.	
22145	Thames River Buoy 31	41-27-48.896N 072-04-06.889W				Green can.	
22150	Walden Island Light 32	41-28-05.046N 072-04-06.789W	FI R 2.5s	14	3	TR on pipe tower on concrete base.	
22155	Thames River Buoy 33	41-28-05.756N 072-04-12.810W				Green can.	
22160	Thames River Buoy 34	41-28-22.076N 072-04-16.280W				Red nun.	
22165	Thames River Buoy 35	41-28-38.076N 072-04-23.010W				Green can.	
22170	Mohegan Dike Light 36	41-28-41.903N 072-04-19.865W	FI R 4s	13	3	TR on pipe tower on concrete base.	

22180	Thames River Buoy 38	41-28-59.756N 072-04-32.221W				Red nun.	
22195	Indian Hill Light 39	41-29-10.786N 072-04-46.658W	FI G 4s	13	3	SG on pipe tower on concrete base.	
22200	Pride Pier Light 40	41-29-28.678N 072-04-47.534W	FI R 4s	13	3	TR on pipe tower on concrete base.	
22205	Thames River Buoy 41	41-29-33.246N 072-04-51.211W				Green can.	
22210	Burnt House Pier Light 42	41-29-40.672N 072-04-48.560W	FI R 2.5s	16	3	TR on skeleton tower on concrete base.	
22215	Perche Rock Light 43	41-29-50.522N 072-04-57.117W	FI G 4s	21	3	SG on pipe tower on concrete base.	
22220	Thames River Channel Buoy 44	41-29-56.896N 072-04-57.831W				Red nun.	
22225	Thames River Channel Buoy 45	41-30-06.650N 072-05-03.758W				Green can.	
22230	Sand Pier Light 47	41-30-13.025N 072-05-05.031W	FI G 2.5s	13	3	SG on pipe tower on concrete base.	
22235	Thames River Channel Buoy 48	41-30-21.386N 072-04-59.162W				Red nun.	
22240	Lower Coal Dock Light 50	41-30-41.641N 072-04-40.134W	FI R 4s	21	3	TR on pipe tower on concrete base.	
22245	Thames River Channel Buoy 51	41-30-44.064N 072-04-43.894W				Green can.	
22250	Thames River Channel Buoy 53	41-31-00.669N 072-04-43.318W				Green can.	
22255	Bartlett Reef North End Buoy 1	41-17-45.406N 072-08-29.410W				Green can.	
22260	Two Tree Island Shoal Buoy 3	41-17-53.386N 072-09-15.691W				Green can.	
22265	Flat Rock Buoy 2	41-18-15.007N 072-09-02.865W				Red nun.	
22270	High Rock Buoy 4	41-18-17.096N 072-09-23.691W				Red nun.	
22275	White Rock Lighted Bell Buoy 6	41-18-00.375N 072-10-29.303W	FI R 4s		3	Red.	
22276	Millstone Security Zone Buoy A	41-18-30.480N 072-10-19.320W				White and orange can.	
22277	Millstone Security Zone Buoy B	41-18-27.900N 072-10-15.840W				White and orange can.	
22278	Millstone Security Zone Buoy C	41-18-25.380N 072-10-12.300W				White and orange can.	
22279	Millstone Security Zone Buoy D	41-18-22.860N 072-10-08.640W				White and orange can.	
22279.1	Millstone Power Plant CG Mooring Buoy	41-18-22.945N 072-10-28.938W				White with blue band.	
22279.2	Millstone Security Zone Buoy E	41-18-27.660N 072-09-36.720W				White and orange can.	
22279.3	Millstone Security Zone Buoy F	41-18-32.220N 072-09-37.380W				White and orange can.	
22279.4	Millstone Security Zone Buoy G	41-18-37.380N 072-09-38.040W				White and orange can.	
22279.5	Millstone Security Zone Buoy H	41-18-12.660N 072-09-59.280W				White and orange can.	
22279.6	Millstone Security Zone Buoy I	41-18-16.200N 072-10-02.880W				White and orange can.	
22280	Threefoot Rock Buoy 7	41-18-21.865N 072-11-46.645W				Green can.	
22285	Black Rock Buoy 8	41-18-34.675N 072-10-42.923W				Red nun.	
22290	Crescent Park Breakwater Light	41-18-39.480N 072-12-03.060W	FI W 6s	8	3	On pile.	Maintained from Apr. 15 to Nov. 15.
22300	Wigwam Rock Buoy 9	41-18-55.377N 072-11-45.879W				Green can.	Removed when endangered by ice.
22305	Niantic River Channel Buoy 1	41-19-10.247N 072-10-55.187W				Green can.	
22310	Niantic River Channel Buoy 3	41-19-16.191N 072-10-45.532W				Green can.	

22315	Niantic River Channel Buoy 4	41-19-15.318N 072-10-44.880W				Red nun.	
22320	Niantic River Channel Buoy 6	41-19-31.585N 072-10-41.813W				Red nun.	Removed when endangered by ice.
22321	Mago Point West Daybeacon	41-19-34.600N 072-10-39.000W				SG on pile.	
22322	Mago Point East Daybeacon	41-19-36.500N 072-10-33.300W				SG on pile.	
22325	Niantic River Channel Daybeacon 7	41-19-33.544N 072-10-49.316W				SG on pile.	
22330	Niantic River Channel Daybeacon 8	41-19-35.200N 072-10-49.242W				TR on pile.	
22335	Niantic Dockominium Light D	41-19-38.500N 072-11-00.400W	FI Y 2s	9		SY on pier.	
22340	Niantic River Channel Buoy 10	41-19-38.585N 072-10-58.093W				Red nun.	Removed when endangered by ice.
22345	Niantic River Channel Buoy 11	41-19-40.685N 072-11-01.294W				Green can.	Removed when endangered by ice.
22350	Niantic River Channel Buoy 12	41-19-41.475N 072-10-59.935W				Red nun.	
22355	Niantic River Channel Daybeacon 13	41-19-45.536N 072-10-57.432W				SG on pile.	
22360	Niantic River Channel Buoy 14	41-19-46.475N 072-10-54.973W				Red nun.	Removed when endangered by ice.
22365	Niantic River Channel Buoy 15	41-19-51.185N 072-10-52.802W				Green can.	Removed when endangered by ice.
22370	Niantic River Channel Buoy 16	41-19-52.585N 072-10-49.193W				Red nun.	Removed when endangered by ice.
22375	Niantic River Channel Daybeacon 17	41-19-55.720N 072-10-49.096W				SG on pile.	
22380	Niantic River Channel Buoy 18	41-20-01.118N 072-10-43.188W				Red nun.	Removed when endangered by ice.
22385	Niantic River Channel Buoy 19	41-20-01.331N 072-10-45.133W				Green can.	Removed when endangered by ice.
22390	Niantic River Channel Buoy 21	41-20-06.255N 072-10-43.423W				Green can.	Removed when endangered by ice.
22395	Niantic River Channel Buoy 21A	41-20-07.363N 072-10-53.070W				Green can.	Removed when endangered by ice.
22400	Niantic River Channel Buoy 22	41-20-06.711N 072-10-42.493W				Red nun.	Removed when endangered by ice.
22405	Niantic River Channel Buoy 22A	41-20-08.665N 072-10-52.484W				Red nun.	Removed when endangered by ice.
22410	Niantic River Channel Buoy 23	41-20-09.627N 072-10-56.766W				Green can.	Removed when endangered by ice.
22415	Niantic River Channel Buoy 24	41-20-09.873N 072-10-54.737W				Red nun.	Removed when endangered by ice.
22420	Niantic River Channel Buoy 25	41-20-11.435N 072-10-57.434W				Green can.	Removed when endangered by ice.
22425	Niantic River Channel Buoy 26	41-20-13.705N 072-10-55.774W				Red nun.	Removed when endangered by ice.
22430	Niantic River Channel Junction Daybeacon SC	41-20-18.685N 072-10-57.694W				JG on pile.	
22435	Niantic River Channel Daybeacon 28	41-20-22.315N 072-10-57.993W				TR on pile.	
22440	Niantic River Channel Buoy 29	41-20-25.945N 072-11-01.654W				Green can.	Removed when endangered by ice.
22445	Niantic River Channel Buoy 30	41-20-26.655N 072-10-59.944W				Red nun.	Removed when endangered by ice.
22449	Smith Cove Daybeacon 1	41-20-18.200N 072-10-57.500W				SG on pile.	
22450	Smith Cove Daybeacon 1A	41-20-17.400N 072-11-05.500W				SG on pile.	
22455	Smith Cove Daybeacon 2	41-20-18.000N 072-11-05.880W				TR on pile.	
22460	Smith Cove Daybeacon 4	41-20-16.680N 072-11-10.380W				TR on pile.	
22465	Smith Cove Daybeacon 6	41-20-15.660N 072-11-14.160W				TR on pile.	

22470	Smith Cove Daybeacon 8	41-20-16.080N 072-11-18.000W				TR on pile.	
22475	Smith Cove Daybeacon 9	41-20-16.140N 072-11-19.920W				SG on pile.	
22480	Blackboys Rocks Buoy 2	41-16-58.538N 072-13-29.108W				Red nun.	
22485	Long Rock Buoy 4	41-17-27.036N 072-13-48.236W				Red nun.	
22490	Seal Rock Buoy 5	41-17-40.517N 072-13-50.011W				Green can.	
22493	Rocky Neck Research Lighted Buoy	41-17-14.330N 072-14-12.130W	Q Y			Yellow.	Property of Woods Hole Group.
22495	Saybrook Breakwater Light	41-15-47.633N 072-20-33.613W	FI G 6s	58	11	White conical tower on brown cylindrical pier.	HORN: 1 blast ev 30s (3s bl). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 45 minutes.
22505	Connecticut River Lighted Buoy 2	41-15-42.610N 072-20-27.799W	FI R 2.5s		3	Red.	Replaced by nun when endangered by ice.
22510	Saybrook Daybeacon	41-16-07.382N 072-20-17.144W				White globe on granite structure.	
22515	Connecticut River Buoy 4	41-16-11.306N 072-20-26.252W				Red nun.	
22520	Lynde Point Light	41-16-17.333N 072-20-34.913W	F W	71	14	White stone tower.	
22525	Connecticut River Lighted Buoy 5	41-16-18.716N 072-20-30.001W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
22530	Connecticut River Buoy 6	41-16-31.716N 072-20-24.211W				Red nun.	
22535	Connecticut River Buoy 7	41-16-35.717N 072-20-37.162W				Green can.	
22540	Connecticut River Lighted Buoy 8	41-16-42.267N 072-20-37.432W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
22545	Connecticut River Buoy 10	41-16-58.845N 072-20-42.901W				Red nun.	
22547	Saybrook Point Marina Light	41-16-57.929N 072-20-56.983W	F W	36		Yellow wood tower on pier.	Property of Saybrook Point Marina.
22550	Connecticut River Lighted Buoy 14	41-17-20.418N 072-20-57.222W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
22555	Connecticut River Buoy 15	41-17-25.427N 072-21-03.863W				Green can.	
22565	Old Saybrook North Cove Buoy 2	41-17-27.000N 072-21-08.920W				Red nun.	
22570	Old Saybrook North Cove Buoy 3	41-17-25.140N 072-21-12.180W				Green can.	
22571	Old Saybrook North Cove Buoy 4	41-17-26.100N 072-21-15.060W				Red nun.	
22572	Old Saybrook North Cove Buoy 5	41-17-23.040N 072-21-32.760W				Green can.	
22573	Old Saybrook North Cove Buoy 6	41-17-24.360N 072-21-32.940W				Red nun.	
22575	Connecticut River Buoy 17	41-17-34.777N 072-21-01.923W				Green can.	
22580	Connecticut River Lighted Buoy 19	41-17-52.676N 072-21-01.853W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
22585	Calves Island Bar South Junction Buoy CI	41-19-19.887N 072-20-42.913W				Red and green bands; nun.	
22590	Connecticut River Buoy 20	41-19-38.687N 072-20-53.313W				Red nun.	
22595	Connecticut River Light 22	41-19-51.547N 072-20-59.822W	FI R 4s	26	3	TR on skeleton tower.	
22600	Connecticut River Lighted Buoy 23	41-19-57.697N 072-21-10.153W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
22605	Connecticut River Buoy 24	41-20-38.128N 072-22-16.436W				Red nun.	
22610	Connecticut River Light 25	41-20-42.541N 072-22-36.153W	FI G 4s	26	3	SG on skeleton tower concrete base.	
22615	Essex Anchorage Buoy A	41-20-43.320N 072-22-37.500W				Yellow can.	
22620	Essex Anchorage Buoy B	41-20-52.080N 072-22-48.600W				Yellow can.	
22625	Essex Anchorage	41-20-54.240N				Yellow square	

	Daybeacon C	072-23-02.400W				on pile.	
22630	Essex Anchorage Buoy D	41-20-55.140N 072-22-59.940W				Yellow can.	
22635	Essex Anchorage Buoy E	41-20-54.060N 072-22-50.460W				Yellow can.	
22640	Essex Anchorage Buoy F	41-21-03.840N 072-22-51.000W				Yellow can.	
22645	Essex Anchorage Buoy G	41-21-06.840N 072-23-00.120W				Yellow can.	
22650	Essex Anchorage Buoy H	41-21-08.340N 072-22-59.520W				Yellow can.	
22655	Essex Anchorage Buoy I	41-21-05.820N 072-22-51.240W				Yellow can.	
22660	Essex Anchorage Buoy J	41-21-22.440N 072-22-51.060W				Yellow can.	
22665	Connecticut River Lighted Buoy 26	41-20-55.877N 072-22-46.607W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
22670	Connecticut River Buoy 28	41-21-18.658N 072-22-46.248W				Red nun.	
22675	Connecticut River Light 29	41-22-07.567N 072-22-34.536W	FI G 4s	26	3	SG on skeleton tower.	
22680	Connecticut River Channel Buoy 29A	41-22-41.654N 072-22-39.899W				Green can.	
22685	Essex Meadows Anchorage Buoy A	41-22-21.540N 072-22-47.880W				White with Orange bands can.	Maintained from Apr. 1 to Dec. 1.
22690	Essex Meadows Anchorage Buoy B	41-22-29.220N 072-22-54.060W				Yellow can.	Maintained from Apr. 1 to Dec. 1.
22695	Hamburg Cove Entrance Buoy 1	41-22-28.245N 072-22-20.632W				Green can.	Maintained year round.
22700	Hamburg Cove Entrance Buoy 2	41-22-27.152N 072-22-19.783W				Red nun.	Maintained year round.
22705	Hamburg Cove Entrance Buoy 3	41-22-29.100N 072-22-11.760W				Green can.	
22710	Hamburg Cove Entrance Buoy 4	41-22-27.960N 072-22-14.940W				Red nun.	
22715	Hamburg Cove Entrance Buoy 5	41-22-29.880N 072-22-06.840W				Green can.	
22720	Hamburg Cove Entrance Buoy 6	41-22-28.860N 072-22-07.920W				Red nun.	
22723	Hamburg Cove Entrance Buoy 7	41-22-30.780N 072-22-01.740W				Green can.	
22725	Hamburg Cove Entrance Buoy 8	41-22-30.000N 072-22-03.060W				Red nun.	
22727	Hamburg Cove Entrance Buoy 9	41-22-34.800N 072-21-37.980W				Green can.	
22735	Hamburg Cove Entrance Buoy 11	41-22-38.640N 072-21-33.480W				Green can.	
22740	Hamburg Cove Entrance Buoy 13	41-22-40.740N 072-21-31.500W				Green can.	
22745	Hamburg Cove Buoy 15	41-22-44.400N 072-21-28.140W				Green can.	
22750	Hamburg Cove Buoy 17	41-22-48.060N 072-21-25.020W				Green can.	
22755	Hamburg Cove Buoy 19	41-22-54.840N 072-21-24.240W				Green can.	
22760	Hamburg Cove Buoy 21	41-23-01.920N 072-21-14.580W				Green can.	
22765	Hamburg Cove Buoy 23	41-23-01.680N 072-21-10.800W				Green can.	
22767	Hamburg Cove Buoy 24	41-22-57.360N 072-21-23.400W				Red nun.	
22769	Hamburg Cove Bouy 26	41-23-01.320N 072-21-18.360W				Red nun.	
22780	Hamburg Cove Daybeacon 29	41-23-02.040N 072-21-13.680W				SG on pile.	
22785	Hamburg Cove Daybeacon 31	41-23-02.040N 072-21-11.880W				SG on pile.	
22790	Hamburg Cove Daybeacon 33	41-23-02.040N 072-21-09.000W				SG on pile.	
22792	Hamburg Cove Daybeacon 35	41-23-04.200N 072-21-06.840W				SG on pile.	
22860	Connecticut River	41-23-04.241N				Red nun.	

	Buoy 30	072-22-45.068W					
22865	Connecticut River Buoy 31	41-23-03.248N 072-22-47.758W				Green can.	
22870	Connecticut River Light 32	41-23-09.689N 072-22-51.619W	FI R 4s	21	3	TR on skeleton tower.	
22875	Connecticut River Buoy 33	41-23-11.388N 072-23-13.448W				Green can.	
22880	Connecticut River Light 35	41-23-22.214N 072-24-50.523W	FI G 4s	26	3	SG on skeleton tower.	
22885	Connecticut River Buoy 34	41-23-23.049N 072-24-33.171W				Red nun.	
22890	Connecticut River Light 36	41-23-59.608N 072-25-11.912W	FI R 4s	21	3	TR on pipe tower on concrete base.	
22895	Connecticut River Buoy 37	41-24-28.239N 072-25-23.123W				Green can.	
22900	Connecticut River Range A Front Light 40	41-25-01.838N 072-25-34.959W	FI R 2.5s	36	4	KRW and TR on skeleton tower.	Visible all around higher intensity on range line.
22905	Connecticut River Range A Rear Light	41-25-04.506N 072-25-36.029W	F R	50		KRW on skeleton tower.	Visible 1.5° each side of range line.
22910	Connecticut River Buoy 39	41-24-42.939N 072-25-31.463W				Green can.	
22911	Chester Ferry Dock North Light A	41-25-10.500N 072-25-57.500W	FI W 2.5s	19	4	On dolphin center pile.	
22912	Chester Ferry Dock South Light B	41-25-09.000N 072-25-57.500W	FI Y 2.5s	20	4	On dolphin center pile.	
22913	Hadlyme Ferry Dock North Light A	41-25-12.500N 072-25-43.000W	FI Y 2.5s	21	4	On dolphin center pile.	
22914	Hadlyme Ferry Dock South Light B	41-25-12.000N 072-25-43.000W	FI W 2.5s	21	4	On dolphin center pile.	
22915	Connecticut River Light 42	41-25-44.823N 072-26-11.375W	FI R 4s	31	3	TR on skeleton tower.	
22920	Connecticut River Buoy 44	41-26-08.290N 072-27-18.137W				Red nun.	
22925	Connecticut River Light 45	41-26-12.552N 072-27-31.869W	FI G 4s	31	3	SG on skeleton tower.	
22930	Connecticut River Lighted Buoy 46	41-26-24.390N 072-27-41.327W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
22935	Connecticut River Buoy 47	41-27-44.400N 072-27-58.788W				Green can.	
22940	Connecticut River Light 48	41-27-53.893N 072-27-58.743W	FI R 4s	36	3	TR on pipe tower.	
22945	Connecticut River Buoy 49	41-27-54.240N 072-28-08.158W				Green can.	
22950	Connecticut River Buoy 50	41-28-19.009N 072-29-04.769W				Red nun.	Maintained from June 1 to Nov. 1.
22955	Connecticut River Buoy 52	41-28-31.590N 072-29-55.061W				Red nun.	
22960	Connecticut River Light 53	41-28-33.128N 072-30-03.548W	FI G 4s	26	3	SG on skeleton tower.	
22965	Connecticut River Hadam Island Light	41-29-36.623N 072-30-48.273W	FI W 2.5s	40	4	NR on skeleton tower.	Visible all around.
22975	Connecticut River Buoy 55	41-29-36.654N 072-30-55.081W				Green can.	Maintained from June 1 to Nov. 1.
22980	Connecticut River Buoy 57	41-29-43.509N 072-31-16.562W				Green can.	Maintained from June 1 to Nov. 1.
22985	Connecticut River Light 58	41-29-50.039N 072-31-23.463W	FI R 4s	31	3	TR on skeleton tower.	
23000	Connecticut River Buoy 59	41-29-49.968N 072-31-29.585W				Green can.	Maintained from June 1 to Nov. 1.
23005	Connecticut River Light 61	41-30-04.460N 072-32-59.609W	FI G 4s	31	3	SG on skeleton tower.	
23010	Connecticut River Buoy 62	41-30-24.334N 072-33-08.530W				Red nun.	Maintained from June 1 to Nov. 1.
23015	Connecticut River Buoy 64	41-30-41.778N 072-33-16.919W				Red nun.	Maintained from June 1 to Nov. 1.
23020	Connecticut River Buoy 66	41-30-58.494N 072-33-26.615W				Red nun.	Maintained from June 1 to Nov. 1.
23025	Connecticut River Light 67	41-31-12.374N 072-33-31.557W	Q G	31	4	SG on skeleton tower.	Visible all around.
23035	Connecticut River	41-31-34.749N				Green can.	Maintained from June 1 to Nov. 1.

	Buoy 69	072-33-19.197W					
23040	Connecticut River Light 70	41-32-04.845N 072-32-58.229W	FI R 4s	27	3	TR on skeleton tower.	Higher intensity beam up and down river.
23045	Maromas Pier South Light	41-32-28.800N 072-33-04.920W	F G	49	8	On pile.	
23050	Maromas Pier North Light	41-32-29.280N 072-33-04.800W	F W	35	8	On pile.	
23060	Connecticut River Buoy 71	41-32-55.299N 072-33-09.876W				Green can.	Maintained from June 1 to Nov. 1.
23065	Connecticut River Lighted Buoy 72	41-33-06.995N 072-33-15.328W	FI R 2.5s		3	Red.	Maintained from June 1 to Nov. 1.
23070	Connecticut River Buoy 73	41-33-08.268N 072-33-24.472W				Green can.	Maintained from June 1 to Nov. 1.
23075	Connecticut River Buoy 75	41-33-26.148N 072-34-21.298W				Green can.	Maintained from June 1 to Nov. 1.
23080	Connecticut River Light 76	41-33-32.279N 072-34-36.330W	FI R 4s	31	3	TR on skeleton tower.	
23085	Connecticut River Buoy 78	41-33-32.388N 072-35-50.841W				Red nun.	Maintained from June 1 to Nov. 1.
23090	Connecticut River Light 80	41-33-40.060N 072-36-09.349W	FI R 4s	21	3	TR on skeleton tower.	
23095	Straits Hill Light	41-33-49.001N 072-36-14.892W	Q W	23	7	NR on skeleton tower.	Higher intensity beam up river.
23100	Connecticut River Buoy 84	41-33-46.830N 072-36-24.730W				Red nun.	Maintained from June 1 to Nov. 1.
23105	Connecticut River Buoy 86	41-33-36.282N 072-37-11.176W				Red nun.	Maintained from June 1 to Nov. 1.
23110	Connecticut River Light 87	41-33-32.938N 072-37-15.254W	FI G 2.5s	32	3	SG on skeleton tower.	
23115	Connecticut River Buoy 88	41-33-38.466N 072-37-36.502W				Red nun.	Maintained from June 1 to Nov. 1.
23120	Connecticut River Buoy 89	41-33-36.184N 072-38-07.885W				Green can.	Maintained from June 1 to Nov. 1.
23125	Connecticut River Buoy 90	41-33-36.547N 072-38-21.039W				Red nun.	Maintained from June 1 to Nov. 1.
23130	Connecticut River Buoy 92	41-33-46.861N 072-38-42.189W				Red nun.	Maintained from June 1 to Nov. 1.
23135	Connecticut River Light 94	41-34-43.263N 072-38-40.736W	FI R 4s	14	3	TR on pipe tower on concrete base.	
23140	Connecticut River Light 95	41-35-46.826N 072-38-17.344W	FI G 4s	21	3	SG on skeleton tower.	
23145	Connecticut River Buoy 96	41-35-45.457N 072-38-08.871W				Red nun.	Maintained from June 1 to Nov. 1.
23150	Connecticut River Light 98	41-36-00.122N 072-37-30.551W	FI R 2.5s	21	3	TR on skeleton tower.	
23155	Connecticut River Buoy 99	41-36-02.219N 072-37-22.693W				Green can.	Maintained from June 1 to Nov. 1.
23160	Connecticut River Light 100	41-36-07.867N 072-36-56.183W	FI R 4s	36	3	TR on skeleton tower.	
23165	Connecticut River Light 102	41-36-40.167N 072-36-42.732W	FI R 2.5s	25	4	TR on skeleton tower.	Visible all around.
23175	Connecticut River Buoy 104	41-36-55.059N 072-37-07.142W				Red nun.	Maintained from June 1 to Nov. 1.
23180	Connecticut River Light 105	41-37-09.655N 072-37-39.042W	FI G 4s	21	3	SG on skeleton tower.	
23185	Connecticut River Buoy 106	41-37-39.390N 072-37-49.344W				Red nun.	Maintained from June 1 to Nov. 1.
23190	Connecticut River Light 107	41-37-49.702N 072-37-58.023W	FI G 2.5s	21	3	SG on skeleton tower.	
23195	Connecticut River Buoy 109	41-38-13.480N 072-37-47.163W				Green can.	Maintained from June 1 to Nov. 1.
23200	Connecticut River Range F Front Light 110	41-38-35.610N 072-37-24.697W	FI R 2.5s	26	4	KRW and TR on skeleton tower.	Visible all around; higher intensity on rangeline.
23205	Connecticut River Range F Rear Light	41-38-34.441N 072-37-24.619W	F R	53		KRW on skeleton tower.	Visible 1.5° each side of range line.
23206	Glastonbury Ferry Slip Light	41-39-56.000N 072-37-36.000W	F G	24		On wood dolphin.	
23207	RockyHill Ferry Slip South Light	41-39-58.500N 072-37-46.300W	F G	24		On wood dolphin.	
23208	RockyHill Ferry	41-39-58.900N	F R	24		On wood	

	Slip North Light	072-37-45.800W				dolphin.	
23210	Connecticut River Light 113	41-40-05.204N 072-37-43.773W	FI G 4s	15	3	SG on pile.	
23215	Connecticut River Buoy 115	41-40-16.489N 072-37-06.387W				Green can.	Maintained from June 1 to Nov. 1.
23220	Connecticut River Light 116	41-40-24.854N 072-36-29.983W	FI R 2.5s	47	4	TR on skeleton tower.	Visible all around.
23230	Glastonbury Bar Light	41-40-32.035N 072-36-25.255W	Q W	21	5	NR on skeleton tower.	
23235	Connecticut River Light 120	41-41-07.822N 072-36-36.084W	FI R 4s	36	3	TR on skeleton tower.	
23240	Connecticut River Buoy 121	41-41-11.891N 072-36-47.340W				Green can.	Maintained from June 1 to Nov. 1.
23245	Connecticut River Light 122	41-41-18.880N 072-36-53.214W	FI R 4s	36	3	TR on skeleton tower.	
23250	Connecticut River Buoy 123	41-41-21.049N 072-37-15.561W				Green can.	Maintained from June 1 to Nov. 1.
23255	Connecticut River Buoy 124	41-41-21.741N 072-37-34.271W				Red nun.	Maintained from June 1 to Nov. 1.
23260	Connecticut River Light 125	41-41-23.982N 072-38-09.039W	FI G 4s	26	3	SG on skeleton tower.	
23265	Connecticut River Buoy 126	41-41-51.727N 072-38-11.205W				Red nun.	Maintained from June 1 to Nov. 1.
23280	Connecticut River Buoy 127	41-42-43.927N 072-37-12.207W				Green can.	Maintained from June 1 to Nov. 1.
23285	Connecticut River Light 129	41-42-43.011N 072-37-53.281W	FI G 4s	31	3	SG on skeleton tower.	
23300	Connecticut River Light 135	41-43-27.142N 072-39-03.290W	FI G 2.5s	21	3	SG on skeleton tower.	
23305	Connecticut River Buoy 136	41-43-27.392N 072-38-57.344W				Red nun.	Maintained from June 1 to Nov. 1.
23310	Wethersfield Cove Daybeacon 1	41-43-31.364N 072-39-03.663W				SG on pile.	
23315	Wethersfield Cove Daybeacon 2	41-43-31.855N 072-39-03.297W				TR on pile.	
23320	Wethersfield Cove Daybeacon 3	41-43-30.614N 072-39-20.509W				SG on pile.	
23325	Wethersfield Cove Daybeacon 4	41-43-30.964N 072-39-23.280W				TR on pile.	
23335	Connecticut River Buoy 137	41-43-41.572N 072-38-51.783W				Green can.	Maintained from June 1 to Nov. 1.
23340	Connecticut River Light 138	41-43-49.905N 072-38-37.397W	FI R 4s	31	3	TR on skeleton tower.	
23345	Connecticut River Light 140	41-44-02.998N 072-38-26.700W	FI R 4s	36	3	TR on skeleton tower.	
23360	Connecticut River Light 142	41-44-53.645N 072-38-39.365W	FI R 4s	26	3	TR on skeleton tower.	
23365	Hartford Jetty Light 143	41-45-03.690N 072-39-02.765W	FI G 4s	26	3	SG on pipe tower.	
23375	Westbrook Harbor Buoy	41-16-11.216N 072-26-50.370W				Red with green band; nun.	
23380	West Beach Shoal Buoy	41-16-16.000N 072-27-08.000W				White with orange band; can.	Maintained from May. 1 to Nov. 1.
23385	Menunketesuck Island Shoal Buoy	41-15-32.000N 072-27-35.000W				White with orange band; can.	Maintained from May. 1 to Nov. 1.
23390	Menunketesuck Island Rock Buoy	41-15-39.000N 072-28-02.000W				White can with orange band.	Maintained from May. 1 to Nov. 1.
23395	Duck Island North Breakwater Light	41-15-36.851N 072-28-29.849W	FI W 4s	16	6	NR on skeleton tower.	
23400	Duck Island West Breakwater Light 2DI	41-15-22.719N 072-29-06.569W	FI R 4s	17	4	TR on skeleton tower.	
23405	Patchogue River Breakwater Light 3A	41-16-07.114N 072-28-22.816W	FI G 4s	21	4	SG on skeleton tower.	
23410	Patchogue River Channel Lighted Buoy 2	41-15-58.777N 072-28-21.978W	FI R 4s		3	Red.	Replaced by nun when edangered by ice.
23415	Patchogue River Channel Buoy 3	41-16-01.451N 072-28-22.807W				Green can.	
23420	Patchogue River Channel Buoy 4	41-16-05.056N 072-28-20.355W				Red nun.	

23425	Patchogue River Channel Daybeacon 5	41-16-13.200N 072-28-19.900W				SG on pile	
23430	Menunketesuck River Junction Daybeacon M	41-16-14.000N 072-28-20.000W				Green and red square.	Private aid. Maintained from Apr. 1 to Nov. 30.
23435	Patchogue River Channel Buoy 6	41-16-15.700N 072-28-17.700W				Red nun.	
23440	Patchogue River Daybeacon 7	41-16-26.300N 072-28-10.400W				SG on pile.	
23445	Patchogue River Daybeacon 8	41-16-30.850N 072-28-09.960W				TR on pile.	
23450	Patchogue River Channel Daybeacon 10	41-16-32.100N 072-28-03.800W				TR on pile.	
23455	Kelsey Point Breakwater Light	41-14-36.614N 072-30-28.956W	Fl W 2.5s	22	7	NG on skeleton tower.	
23460	Clinton Harbor Rock Buoy 2	41-15-07.341N 072-31-17.308W				Red nun.	
23465	Clinton Harbor Lighted Buoy 3	41-15-23.271N 072-31-39.783W	Fl G 4s		3	Green.	Removed when endangered by ice.
23466	Clinton Harbor Channel Buoy 4	41-15-24.071N 072-31-37.166W				Red nun.	
23470	Clinton Harbor Channel Buoy 6	41-15-39.186N 072-31-35.858W				Red nun.	
23475	Clinton Harbor Channel Buoy 5	41-15-39.414N 072-31-36.728W				Green can.	
23480	Clinton Harbor Channel Buoy 8	41-15-46.915N 072-31-34.026W				Red nun.	
23485	Clinton Harbor Channel Buoy 9	41-15-47.288N 072-31-34.671W				Green can.	
23487	Clinton Harbor Temporary Channel Buoy 10	41-15-54.180N 072-31-25.320W				Red nun.	
23490	Clinton Harbor Channel Buoy 11	41-15-56.341N 072-31-23.816W				Green can.	
23495	Clinton Harbor Channel Buoy 11A	41-16-01.533N 072-31-23.923W				Green can.	
23500	Clinton Harbor Channel Buoy 12	41-15-58.620N 072-31-21.480W				Red nun.	Maintained from May 1 to Dec. 1.
23505	Clinton Harbor Channel Buoy 13	41-16-03.180N 072-31-29.460W				Green can.	Maintained from May 1 to Dec. 1.
23510	Clinton Harbor Channel Buoy 14	41-16-03.300N 072-31-26.160W				Red nun.	Maintained from May 1 to Dec. 1.
23513	Clinton Harbor Channel Buoy 15	41-16-05.280N 072-31-33.960W				Green can.	
23515	Clinton Harbor Channel Buoy 16	41-16-06.600N 072-31-33.840W				Red nun.	Maintained from May 1 to Dec. 1.
23520	Hammonasset River Daybeacon 1	41-15-59.468N 072-32-02.688W				SG on pile.	
23530	Hammonasset River Daybeacon 3	41-15-57.260N 072-32-04.030W				SG on pile.	
23535	Hammonasset River Daybeacon 4	41-15-57.692N 072-32-05.141W				TR on pile	
23540	Hammonasset River Daybeacon 5	41-15-55.400N 072-32-06.083W				SG on pile.	
23545	Hammonasset River Daybeacon 6	41-15-56.281N 072-32-07.359W				TR on pile.	
23546	Hammonasset River Daybeacon 7	41-15-54.396N 072-32-08.296W				SG on pile.	
23550	Hammonasset River Daybeacon 8	41-15-54.900N 072-32-09.300W				TR on pile.	
23555	Hammonasset River Daybeacon 9	41-15-52.266N 072-32-10.841W				SG on pile.	
23560	Hammonasset River Daybeacon 10	41-15-53.119N 072-32-11.863W				TR on pile.	
23565	Hammonasset River Daybeacon 11	41-15-50.128N 072-32-14.080W				SG on pile.	
23570	Hammonasset River Daybeacon 12	41-15-50.828N 072-32-15.164W				TR on pile.	
23575	Hammonasset River Daybeacon	41-15-48.305N 072-32-15.508W				SG on pile.	

	13						
23580	Hammonasset River Daybeacon 14	41-15-48.936N 072-32-17.035W				TR on pile.	
23585	Hammonasset River Daybeacon 15	41-15-46.458N 072-32-17.472W				SG on pile.	
23590	Hammonasset River Daybeacon 16	41-15-47.006N 072-32-18.379W				TR on pile.	
23595	Hammonasset River Daybeacon 17	41-15-43.285N 072-32-20.994W				SG on pile.	
23600	Hammonasset River Daybeacon 18	41-15-44.079N 072-32-21.654W				TR on pile.	
23606	Hammonasset River Daybeacon 20	41-15-42.647N 072-32-22.963W				TR on pile.	
23610	Hammonasset River Daybeacon 21	41-15-40.880N 072-32-23.238W				SG on pile.	
23615	Hammonasset River Daybeacon 22	41-15-41.287N 072-32-24.223W				TR on pile.	
23620	Hammonasset River Daybeacon 23	41-15-38.087N 072-32-26.307W				SG on pile.	
23625	Hammonasset River Daybeacon 24	41-15-38.755N 072-32-26.612W				TR on pile.	
23630	Hammonasset River Daybeacon 25	41-15-37.400N 072-32-28.500W				SG on pile.	
23635	Hammonasset River Daybeacon 26	41-15-37.893N 072-32-28.866W				TR on pile.	
23640	Hammonasset River Daybeacon 27	41-15-36.678N 072-32-31.382W				SG on pile.	
23645	Hammonasset River Daybeacon 28	41-15-37.291N 072-32-31.419W				TR on pile.	
23650	Hammonasset River Daybeacon 29	41-15-35.830N 072-32-35.213W				SG on pile.	
23655	Hammonasset River Daybeacon 30	41-15-36.513N 072-32-35.275W				TR on pile.	
23660	Hammonasset River Daybeacon 31	41-15-35.630N 072-32-37.968W				SG on pile.	
23665	Hammonasset River Daybeacon 32	41-15-36.510N 072-32-38.025W				TR on pile.	
23670	Hammonasset River Daybeacon 33	41-15-36.424N 072-32-40.576W				SG on pile.	
23675	Hammonasset River Daybeacon 34	41-15-37.205N 072-32-40.472W				TR on pile.	
23680	Hammonasset River Daybeacon 35	41-15-36.940N 072-32-43.578W				SG on pile.	
23685	Hammonasset River Daybeacon 36	41-15-38.000N 072-32-43.460W				TR on pile.	
23690	Hammonasset River Daybeacon 37	41-15-38.249N 072-32-47.325W				SG on pile.	
23695	Hammonasset River Daybeacon 38	41-15-38.900N 072-32-47.100W				TR on pile.	
23700	Hammonasset River Daybeacon 39	41-15-39.710N 072-32-50.157W				SG on pile.	
23705	Hammonasset River Daybeacon 40	41-15-39.600N 072-32-48.900W				TR on pile.	

23706	Hammonasset River Daybeacon 41	41-15-40.690N 072-32-50.850W				SG on pile.	
23706.1	Hammonasset River Daybeacon 42	41-15-41.000N 072-32-50.500W				TR on pile.	
23706.2	Hammonasset River Daybeacon 43	41-15-42.319N 072-32-51.557W				SG on pile.	
23706.3	Hammonasset River Daybeacon 44	41-15-42.400N 072-32-50.900W				TR on pile. TR on pile.	
23706.4	Hammonasset River Daybeacon 45	41-15-45.542N 072-32-51.976W				SG on pile.	
23706.5	Hammonasset River Daybeacon 46	41-15-45.581N 072-32-51.332W				Tr on pile.	
23706.8	Hammonasset River Daybeacon 49	41-15-49.843N 072-32-52.266W				SG on pile.	
23706.9	Hammonasset River Daybeacon 50	41-15-49.907N 072-32-51.654W				TR on pile.	
23707	Hammonasset River Daybeacon 51	41-15-51.154N 072-32-52.496W				SG on pile.	
23707.1	Hammonasset River Daybeacon 52	41-15-51.124N 072-32-51.681W				TR on pile.	
23707.3	Hammonasset River Daybeacon 55	41-15-53.600N 072-32-50.800W				SG on pile.	
23707.4	Hammonasset River Daybeacon 56	41-15-52.210N 072-32-51.119W				TR on pile.	
23707.5	Hammonasset River Daybeacon 57	41-15-54.200N 072-32-49.800W				SG on pile.	
23707.6	Hammonasset River Daybeacon 58	41-15-52.863N 072-32-50.471W				TR on pile.	
23707.2	Hammonasset River Daybeacon 53	41-15-51.900N 072-32-52.100W				SG on pile.	
23708	Hammonasset River Daybeacon 60	41-15-54.300N 072-32-47.700W				TR on pile.	
23715	Guilford Harbor Lighted Bell Buoy 4	41-15-01.643N 072-39-13.320W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
23720	Indian Reef Buoy 1	41-14-38.584N 072-40-30.484W				Green can.	
23725	Guilford Harbor Buoy 3	41-15-03.745N 072-39-37.123W				Green can.	
23730	Guilford Harbor Buoy 5	41-15-27.834N 072-39-38.543W				Green can.	
23735	Guilford Harbor Channel Lighted Buoy 7	41-15-44.085N 072-39-50.453W	FI G 4s		3	Green.	Removed when endangered by ice.
23740	Guilford Harbor Channel Buoy 9	41-15-53.977N 072-39-59.336W				Green can.	
23745	Guilford Harbor Channel Buoy 10	41-15-55.132N 072-39-58.228W				Red nun.	
23750	Guilford Harbor Channel Buoy 11	41-15-58.263N 072-40-00.099W				Green can.	Removed when endangered by ice.
23755	Guilford Harbor Channel Buoy 12	41-15-57.875N 072-39-59.424W				Red nun.	
23760	Guilford Harbor Channel Buoy 13	41-16-05.386N 072-39-57.184W				Green can.	Removed when endangered by ice.
23765	Guilford Harbor Channel Buoy 14	41-16-12.249N 072-39-53.489W				Red nun.	Removed when endangered by ice.
23770	West River Entrance Buoy 1W	41-15-21.300N 072-39-56.400W				Green can.	
23775	West River Entrance Buoy 2W	41-15-23.600N 072-39-53.000W				Red nun.	
23780	West River Entrance Buoy 3W	41-15-32.400N 072-40-05.800W				Green can.	

23785	West River Entrance Buoy 4W	41-15-33.660N 072-40-04.080W				Red nun.	
23790	West River Entrance Buoy 5W	41-15-40.600N 072-40-13.100W				Green can.	
23795	West River Entrance Buoy 6W	41-15-41.200N 072-40-11.700W				Red nun.	
23800	West River Entrance Buoy 7W	41-15-45.800N 072-40-18.100W				Green can.	
23805	West River Entrance Buoy 8W	41-15-46.300N 072-40-17.000W				Red nun.	
23806	West River Entrance Daybeacon 9	41-15-48.800N 072-40-20.800W				SG on PVC pole.	
23806.1	West River Entrance Daybeacon 10	41-15-49.400N 072-40-20.400W				TR on PVC pole.	
23806.2	West River Entrance Daybeacon 11	41-15-50.000N 072-40-22.200W				SG on PVC pole.	
23806.3	West River Entrance Daybeacon 12	41-15-51.300N 072-40-22.700W				TR on PVC pole.	
23806.4	West River Entrance Daybeacon 13	41-15-51.800N 072-40-24.400W				SG on PVC pole.	
23806.5	West River Entrance Daybeacon 14	41-15-52.700N 072-40-24.100W				TR on PVC pole.	
23806.6	West River Entrance Daybeacon 15	41-15-53.600N 072-40-26.100W				SG on PVC pole.	
23806.7	West River Entrance Daybeacon 16	41-15-53.700N 072-40-25.100W				TR on PVC pole.	
23807	West River Entrance Daybeacon 17	41-15-54.900N 072-40-27.500W				SG on PVC pole.	
23807.1	West River Entrance Daybeacon 18	41-15-55.000N 072-40-26.600W				TR on PVC pole.	
23807.2	West River Entrance Daybeacon 19	41-15-56.000N 072-40-28.700W				SG on PVC pole.	
23807.3	West River Entrance Daybeacon 20	41-15-56.300N 072-40-28.100W				TR on PVC pole.	
23810	West River Range Front Light	41-16-07.600N 072-40-40.600W	Q W	16	3	KWR on pile.	Visible on range line only.
23815	West River Range Rear Light	41-16-13.600N 072-40-47.000W	Iso W 6s	30	4	KRW on pile.	Visible on range line only.
23820	Thimble Shoals Buoy 4	41-14-59.820N 072-44-31.340W				Red nun.	
23825	Thimble Shoals Buoy 6	41-15-09.110N 072-44-40.113W				Red nun.	
23830	Thimble Shoals Buoy 8	41-15-15.518N 072-44-46.897W				Red nun.	
23835	Thimble Shoals Buoy 10	41-15-12.576N 072-44-56.551W				Red nun.	
23840	Thimble Shoals Buoy 11	41-15-12.018N 072-45-04.787W				Green can.	
23845	Stony Creek Buoy 1	41-15-35.219N 072-45-15.140W				Green can.	
23850	Stony Creek Buoy 3	41-15-46.181N 072-45-13.563W				Green can.	
23855	Stony Creek Buoy 4	41-15-45.376N 072-45-12.280W				Red nun.	
23860	Stony Creek Buoy 5	41-15-53.281N 072-45-13.080W				Green can.	
23865	Commander Rocks Buoy 2CR	41-14-33.200N 072-45-04.389W				Red nun.	
23870	High Island East Shoal Buoy 1	41-14-52.148N 072-45-28.199W				Green can.	
23875	East Reef Buoy 1	41-13-57.852N 072-45-48.464W				Green can.	
23880	Wheaton Reef Buoy 3	41-14-12.282N 072-46-13.015W				Green can.	

23885	Inner Reef North Buoy 5	41-14-31.732N 072-46-03.364W				Green can.	
23890	Gangway Rock Buoy 1	41-14-19.438N 072-47-21.552W				Green can.	
23895	Northwest Reef Buoy 2NW	41-14-04.168N 072-46-37.227W				Red nun.	
23900	Hookers Rock Buoy 3	41-14-37.682N 072-46-57.366W				Green can.	
23905	Inner Reef South Buoy 4	41-14-26.892N 072-46-11.795W				Red nun.	
23910	Pine Orchard Approach Lighted Buoy 4A	41-14-33.452N 072-46-40.795W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
23915	Pork Rocks Buoy 5	41-15-07.381N 072-46-31.114W				Green can.	
23920	Dick Rocks Buoy 6	41-15-01.011N 072-45-51.783W				Red nun.	
23925	Pine Orchard Approach Lighted Buoy 8	41-15-17.852N 072-46-13.334W	FI R 4s		3	Red.	Replaced by nun from Nov. 15 to May 1.
23930	Juniper Point South Obstruction Light	41-15-51.800N 072-46-00.200W	Q Y	11		On wood dolphin.	
23931	Juniper Point Middle Obstruction Light	41-15-52.300N 072-45-59.500W	Q Y			On wood dolphin.	
23932	Juniper Point North Obstruction Light	41-15-52.800N 072-45-58.800W	Q Y			On wood dolphin.	
23935	Quarry Range Front Light	41-15-55.100N 072-45-56.400W	F R	20		KRW on metal pile.	
23940	Quarry Range Rear Light	41-15-56.300N 072-45-55.500W	F R			KRW attached to loading chute.	
23946.2	Pine Orchard Harbor Buoy 2	41-15-44.700N 072-46-11.300W				Red nun.	
23946.5	Pine Orchard Harbor Buoy 3	41-15-46.100N 072-46-16.700W				Green can.	
23946.1	Pine Orchard Harbor Buoy 1	41-15-43.500N 072-46-13.800W				Green can.	
23946	Pine Orchard Harbor Breakwater Light	41-15-44.000N 072-46-15.000W	FI G 6s	6		SG on pile.	
23947.3	Pine Orchard Harbor Buoy 5	41-15-48.700N 072-46-17.900W				Green can.	
23947.5	Pine Orchard Harbor Buoy 6	41-15-48.500N 072-46-16.800W				Red nun.	
23947	Pine Orchard Harbor Buoy 4	41-15-46.600N 072-46-15.900W				Red nun.	
23948	Pine Orchard Harbor East Channel Buoy 1E	41-15-47.400N 072-46-15.200W				Green can.	
23948.1	Pine Orchard Harbor East Channel Buoy 2E	41-15-47.600N 072-46-12.900W				Red nun.	
23948.2	Pine Orchard Harbor East Channel Buoy 4E	41-15-51.600N 072-46-14.000W				Red nun.	
23948.3	Pine Orchard Harbor East Channel Buoy 6E	41-15-53.400N 072-46-16.100W				Red nun.	
23950	Blyn Rock Lighted Buoy 2	41-14-48.939N 072-49-52.671W	FI R 4s		3	Red.	Replaced by nun from Nov. 15 to May 1.
23955	Bird Rock Buoy 4	41-15-00.551N 072-49-49.640W				Red nun.	
23960	Lovers Island Rock Buoy 5	41-15-14.208N 072-49-50.476W				Green can.	
23965	Little Mermaid Rock Buoy 6	41-15-19.892N 072-49-41.030W				Red nun.	
23970	Big Mermaid Light 7	41-15-22.720N 072-49-40.457W	FI G 4s	22	5	SG on skeleton tower.	
23975	Farm River Approach Buoy 1	41-14-27.602N 072-51-30.613W				Green can.	
23980	Farm River Approach Buoy 2	41-14-37.372N 072-51-29.193W				Red nun.	
23985	New Haven Harbor East Entrance Buoy 1	41-14-09.106N 072-53-47.453W				Green can.	

23990	New Haven Harbor East Entrance Buoy 2	41-14-12.813N 072-53-42.114W					Red nun.	
23995	New Haven Harbor East Entrance Buoy 4	41-14-22.463N 072-53-59.987W					Red nun.	
24000	New Haven Harbor East Entrance Buoy 5	41-14-26.276N 072-54-14.364W					Green can.	
24005	Adams Fall Buoy A	41-14-36.366N 072-54-39.163W					Red and green bands; nun.	
24010	New Haven Harbor East Entrance Channel Buoy 6	41-14-44.592N 072-54-22.747W					Red nun.	
24015	New Haven Harbor Lighted Whistle Buoy NH	41-12-07.503N 072-53-47.147W	Mo (A) W		4		Red and white stripes with spherical marks.	
24020	New Haven Harbor Outer Channel Range Front Light	41-15-38.776N 072-56-05.077W	F G	34			On skeleton tower.	Visible 0.5° each side of range line. Lighted throughout 24 hours.
24025	New Haven Harbor Outer Channel Range Rear Light	41-16-01.049N 072-56-19.754W	F G	68			On skeleton tower.	Visible 0.5° each side of range line. Lighted throughout 24 hours.
24030	New Haven Harbor Channel Lighted Gong Buoy 1	41-13-17.623N 072-54-35.918W	FI G 2.5s		3		Green.	
24035	New Haven Harbor Lighted Buoy 2	41-13-20.163N 072-54-30.268W	FI R 2.5s		3		Red.	
24040	New Haven Harbor Buoy 3	41-13-38.793N 072-54-49.899W					Green can.	
24045	New Haven Harbor Channel Lighted Buoy 4	41-13-41.063N 072-54-43.959W	FI R 4s		3		Red.	
24050	New Haven Harbor Channel Lighted Bell Buoy 6	41-14-00.273N 072-54-56.209W	FI R 2.5s		3		Red.	Replaced by LIB of reduced intensity when endangered by ice.
24055	New Haven Harbor Channel Lighted Buoy 7	41-14-02.923N 072-55-05.499W	FI G 2.5s		3		Green.	Replaced by smaller LIB of reduced intensity when endangered by ice.
24060	Southwest Ledge Light	41-14-03.733N 072-54-43.813W	FI R 5s	57	14		White octagonal house on cylindrical pier.	HORN: 1 blast ev 15s (2s bl). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 45 minutes.
24065	New Haven Middle Breakwater East End Light	41-13-53.018N 072-55-23.716W	FI G 4s	31	4		NG on skeleton tower.	
24070	New Haven Middle Breakwater West End Light	41-13-27.781N 072-56-09.545W	FI R 4s	26	4		NR on skeleton tower.	
24075	New Haven Light	41-13-16.372N 072-56-32.501W	FI W 4s	27	7		NG on skeleton tower.	
24080	New Haven West Breakwater West End Light 2	41-13-32.322N 072-57-21.977W	FI R 6s	21	4		TR on skeleton tower.	
24085	New Haven Harbor Channel Lighted Buoy 8	41-14-09.913N 072-54-58.809W	Q R		3		Red.	Replaced by smaller LIB of reduced intensity when endangered by ice.
24090	New Haven Harbor Channel Lighted Buoy 9	41-14-31.503N 072-55-00.499W	FI G 4s		3		Green.	Replaced by can when endangered by ice.
24095	New Haven Harbor Channel Buoy 9A	41-14-54.883N 072-54-56.519W					Green can.	
24100	New Haven Harbor Channel Lighted Buoy 10	41-14-30.883N 072-54-55.179W	FI R 4s		3		Red.	
24105	New Haven Harbor Channel Lighted Buoy 10A	41-14-54.611N 072-54-50.501W	FI R 2.5s		3		Red.	Replaced by smaller LIB of reduced intensity when endangered by ice.
24110	New Haven Harbor Channel Buoy 12	41-15-16.232N 072-54-47.039W					Red nun.	
24115	New Haven Harbor Channel Lighted Buoy 11	41-15-16.942N 072-54-52.189W	FI G 4s		3		Green.	Replaced by can when endangered by ice.
24120	New Haven Harbor Channel Buoy 13	41-15-47.344N 072-54-48.498W					Green can.	
24125	Sandy Point Breakwater Light	41-15-44.398N 072-55-04.406W	FI W 4s	17	7		NG on skeleton tower.	
24130	New Haven Harbor Channel Lighted	41-15-47.085N 072-54-43.293W	FI R 4s		3		Red.	Replaced by nun when endangered by ice.

	Bell Buoy 14						
24135	Black Rock Buoy	41-16-04.033N 072-54-17.135W				White can with orange bands and diamond worded ROCK.	Removed when endangered by ice.
24140	New Haven Harbor Channel Lighted Buoy 15	41-16-18.452N 072-54-44.719W	FI G 2.5s		3	Green.	Replaced by can when endangered by ice.
24145	New Haven Harbor Channel Buoy 16	41-16-22.315N 072-54-38.527W				Red nun.	
24150	Fort Hale Channel Buoy 1	41-16-17.371N 072-54-26.592W				Green can.	
24155	Fort Hale Channel Buoy 2	41-16-16.625N 072-54-25.918W				Red nun.	
24160	Fort Hale Channel Buoy 3	41-16-19.738N 072-54-23.124W				Green can.	
24165	Fort Hale Channel Buoy 4	41-16-19.065N 072-54-22.227W				Red nun.	
24170	New Haven Harbor Channel Buoy 17	41-16-45.473N 072-54-47.479W				Green can.	
24175	New Haven Harbor Channel Lighted Buoy 18	41-16-46.482N 072-54-40.879W	FI R 2.5s		3	Red.	
24185	New Haven Harbor Channel Buoy 20	41-16-55.643N 072-54-39.179W				Red nun.	
24200	New Haven Reach Turning Basin Lighted Buoy A	41-17-29.683N 072-54-45.379W	FI Y 2.5s		3	Yellow.	Replaced by can When endangered by ice.
24205	New Haven Long Wharf Light	41-17-33.764N 072-54-54.885W	FI G 4s	19	4	NG on skeleton tower.	
24230	Quinipiac River Buoy 1	41-18-03.108N 072-53-51.532W				Green can.	
24234	West Haven Channel Lighted Buoy 1	41-16-54.222N 072-54-58.299W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
24235	West Haven Channel Buoy 2	41-16-55.083N 072-55-05.310W				Red nun.	
24240	West Haven Channel Buoy 3	41-16-53.499N 072-55-11.473W				Green can.	
24245	West Haven Channel Buoy 4	41-16-54.703N 072-55-18.960W				Red nun.	
24250	West Haven Channel Buoy 5	41-16-53.132N 072-55-22.880W				Green can.	
24255	West Haven Channel Buoy 7	41-16-52.381N 072-55-31.590W				Green can.	
24260	West Haven Channel Buoy 9	41-16-50.853N 072-55-37.553W				Green can.	
24265	West Haven Channel Buoy 11	41-16-46.133N 072-55-46.811W				Green can.	
24270	West Haven Channel Buoy 12	41-16-40.583N 072-55-59.781W				Red nun.	
24275	West Haven Channel Buoy 13	41-16-41.383N 072-55-56.581W				Green can.	
24280	West Haven Channel Buoy 14	41-16-39.693N 072-56-09.891W				Red nun.	
24285	West Haven Channel Buoy 16	41-16-41.343N 072-56-13.932W				Red nun.	
24290	West Haven Channel Buoy 18	41-16-45.009N 072-56-15.819W				Red nun.	
24295	Welchs Point Buoy 2	41-11-55.334N 073-02-11.173W				Red nun.	
24300	Charles Island Buoy 1	41-11-36.483N 073-03-03.355W				Green can.	
24305	Milford Harbor Channel Lighted Buoy 4	41-12-15.753N 073-02-57.065W	FI R 4s		4	Red.	Replaced by nun when endangered by ice.
24310	Milford Harbor Channel Buoy 5	41-12-21.620N 073-02-58.498W				Green can.	
24315	Milford Harbor Channel Buoy 6	41-12-23.990N 073-02-56.705W				Red nun.	
24318	Milford Harbor Channel Buoy 6A	41-12-31.191N 073-02-56.084W				Red nun.	
24320	Milford Harbor Channel Buoy 7	41-12-34.583N 073-02-57.296W				Green can.	

24325	Milford Harbor Channel Buoy 8	41-12-35.921N 073-02-56.213W				Red nun.	
24330	Milford Harbor Light 10	41-12-36.996N 073-02-54.224W	FI R 4s	27	4	TR on skeleton tower.	
24355	Housatonic River Entrance Channel Lighted Bell Buoy 1	41-09-24.084N 073-05-26.401W	FI G 2.5s		4	Green.	Replaced by can when endangered by ice.
24360	Housatonic River Breakwater Light 2A	41-09-38.690N 073-05-34.953W	FI R 4s	27	5	TR on skeleton tower.	
24365	Housatonic River Channel Buoy 1A	41-09-34.384N 073-05-45.202W				Green can.	
24370	Housatonic River Channel Buoy 2	41-09-36.384N 073-05-42.202W				Red nun.	
24375	Housatonic River Channel Lighted Buoy 3	41-09-47.584N 073-06-03.903W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
24380	Housatonic River Channel Buoy 4	41-09-52.683N 073-06-08.602W				Red nun.	
24385	Housatonic River Light 7	41-10-06.225N 073-06-32.476W	FI G 6s	21	3	SG on skeleton tower on concrete base.	
24390	Housatonic River Channel Buoy 8	41-10-08.888N 073-06-30.355W				Red nun.	
24395	Housatonic River Channel Buoy 9	41-10-18.483N 073-06-47.604W				Green can.	
24400	Housatonic River Channel Buoy 10	41-10-19.863N 073-06-45.805W				Red nun.	
24405	Housatonic River Light 11	41-10-31.633N 073-07-15.555W	FI G 4s	14	4	SG on pipe tower on concrete base.	
24410	Housatonic River Channel Buoy 12	41-10-36.853N 073-07-16.446W				Red nun.	
24415	Housatonic River Channel Buoy 14	41-10-42.629N 073-07-21.909W				Red nun.	
24420	Housatonic River Channel Buoy 16	41-10-57.832N 073-07-22.186W				Red nun.	
24425	Housatonic River Channel Buoy 18	41-11-12.969N 073-07-17.106W				Red nun.	
24430	Housatonic River Channel Buoy 19	41-11-22.412N 073-07-08.948W				Green can.	
24435	Housatonic River Channel Buoy 21	41-11-25.205N 073-06-58.223W				Green can.	
24440	Housatonic River Channel Buoy 23	41-11-30.372N 073-06-52.165W				Green can.	
24445	Housatonic River Channel Buoy 24	41-12-11.152N 073-06-32.005W				Red nun.	
24450	Housatonic River Channel Buoy 26	41-12-27.162N 073-06-35.030W				Red nun.	
24455	Housatonic River Channel Buoy 27	41-12-31.614N 073-06-37.442W				Green can.	
24460	Housatonic River Channel Buoy 29	41-12-52.770N 073-06-34.576W				Green can.	
24465	Housatonic River Channel Buoy 31	41-13-02.081N 073-06-30.087W				Green can.	
24470	Housatonic River Channel Buoy 32	41-13-13.632N 073-06-33.188W				Red nun.	
24495	Housatonic River Channel Buoy 34	41-13-19.560N 073-06-38.178W				Red nun.	
24500	Housatonic River Channel Buoy 36	41-13-32.665N 073-06-37.840W				Red nun.	
24505	Housatonic River Channel Buoy 37	41-13-37.801N 073-06-38.916W				Green can.	
24510	Housatonic River Channel Buoy 40	41-14-20.531N 073-06-15.405W				Red nun.	
24515	Housatonic River Channel Buoy 44	41-14-35.391N 073-05-46.944W				Red nun.	
24520	Housatonic River Channel Buoy 53	41-15-12.361N 073-05-08.982W				Green can.	
24525	Housatonic River Channel Buoy 54	41-15-20.991N 073-05-11.232W				Red nun.	
24530	Housatonic River Channel Buoy 58	41-15-59.381N 073-05-21.403W				Red nun.	
24535	Housatonic River	41-16-18.075N				Red nun.	

	Channel Buoy 62	073-05-20.500W					
24540	Housatonic River Channel Buoy 68	41-16-55.283N 073-05-00.232W				Red nun.	
24575	Bridgeport Harbor Entrance Channel Lighted Buoy 1	41-08-30.681N 073-11-02.672W	FI G 2.5s		3	Green.	
24580	Bridgeport Harbor Entrance Channel Lighted Buoy 2	41-08-29.777N 073-10-57.475W	FI R 2.5s		3	Red.	
24585	Bridgeport Harbor Entrance Channel Buoy 3	41-08-55.080N 073-10-55.029W				Green can.	
24590	Bridgeport Harbor Entrance Channel Lighted Buoy 4	41-08-54.112N 073-10-49.925W	FI R 2.5s		3	Red.	
24595	Bridgeport Harbor Entrance Channel Buoy 5	41-09-13.876N 073-10-49.010W				Green can.	
24600	Bridgeport Harbor Entrance Channel Buoy 6	41-09-12.907N 073-10-44.036W				Red nun.	
24605	Bridgeport Harbor Light 7	41-09-24.249N 073-10-47.335W	Q G	50	5	SG on skeleton tower.	
24610	Bridgeport East Breakwater Light 8	41-09-17.426N 073-10-36.495W	FI R 4s	21	4	TR on skeleton tower.	
24620	Bridgeport Harbor Channel Buoy 10	41-09-26.756N 073-10-39.682W				Red nun.	
24625	Bridgeport Harbor Channel Buoy 11	41-09-41.178N 073-10-40.483W				Green can.	
24630	Bridgeport Harbor Channel Lighted Buoy 12	41-09-40.407N 073-10-35.326W	FI R 2.5s		3	Red.	
24635	Tongue Point Light	41-09-59.933N 073-10-39.014W	FI G 4s	31	5	Black conical tower.	
24640	Bridgeport Harbor Channel Lighted Buoy 13	41-09-59.841N 073-10-34.610W	Q G		3	Green.	
24645	Bridgeport Harbor Channel Buoy 15	41-10-08.561N 073-10-36.949W				Green can.	
24650	Johnson Creek Channel Buoy 2	41-09-56.604N 073-10-12.504W				Red nun.	
24653	Johnson Creek Channel Buoy 2A	41-09-56.380N 073-10-04.010W				Red nun.	
24654	Johnson Creek Channel Buoy 3	41-09-58.640N 073-10-04.480W				Green can.	
24655	Johnson Creek Channel Buoy 4	41-09-56.382N 073-09-49.512W				Red nun.	
24660	Johnson Creek Channel Buoy 8	41-10-12.536N 073-09-47.859W				Red nun.	
24671	Black Rock Lighted Danger Buoy	41-07-09.655N 073-13-02.854W	Q W		3	White and orange can with diamond marked DANGER ROCKS.	Removed when endangered by ice.
24675	Black Rock Harbor Entrance Light 2A	41-08-13.562N 073-13-02.059W	FI R 4s	27	4		
24680	Black Rock Harbor Channel Buoy 4	41-08-18.411N 073-13-11.210W				Red nun.	
24685	Black Rock Harbor Channel Buoy 6	41-08-30.871N 073-13-15.740W				Red nun.	
24690	Black Rock Harbor Channel Light 7	41-08-34.713N 073-13-21.302W	FI G 4s	22	4	SG on skeleton tower.	
24695	Black Rock Harbor Channel Buoy 8	41-08-38.321N 073-13-15.980W				Red nun.	
24700	Black Rock Harbor Channel Buoy 9	41-08-50.571N 073-13-14.840W				Green can.	
24705	Black Rock Harbor Channel Buoy 10	41-09-03.911N 073-13-06.870W				Red nun.	
24710	Black Rock Harbor Channel Buoy 11	41-09-06.875N 073-13-08.147W				Green can.	
24715	Black Rock Harbor Channel Buoy 12	41-09-17.097N 073-12-55.760W				Red nun.	
24720	Black Rock Harbor Channel Buoy 13	41-09-21.668N 073-12-52.677W				Green can.	
24725	Ash Creek Range	41-08-42.450N	FI G 3s	25		KWR on pile.	

	Front Light	073-14-10.208W					
24730	Ash Creek Range Rear Light	41-08-48.559N 073-14-18.286W	FI G 6s	45		KRW on pile.	
24735	Ash Creek Lighted Buoy 1	41-08-23.940N 073-13-47.510W	FI G 6s			Green	
24740	Ash Creek Lighted Buoy 2	41-08-25.860N 073-13-47.820W	FI R 3s			Red	
24745	Ash Creek Lighted Buoy 3	41-08-27.720N 073-13-51.840W	FI G 6s			Green	
24750	Ash Creek Lighted Buoy 4	41-08-28.560N 073-13-51.180W	FI R 3s			Red	
24755	Ash Creek Lighted Buoy 5	41-08-30.730N 073-13-56.240W	FI G 6s			Green	
24760	Ash Creek Lighted Buoy 6	41-08-31.520N 073-13-54.760W	FI R 3s			Red	
24762	Pine Creek Point Aquaculture Lighted Buoys (4)	41-06-49.200N 073-15-14.000W	FI Y 4s		4	Yellow.	Marks aquaculture farm. Maintained from Mar. 15 to Dec. 15.
24765	Southport Harbor Entrance Buoy 2	41-07-10.671N 073-17-08.018W				Red nun.	
24770	Southport Harbor Channel Buoy 3	41-07-13.631N 073-17-11.238W				Green can.	
24775	Southport Harbor Channel Buoy 4	41-07-16.691N 073-17-09.818W				Red nun.	
24780	Southport Harbor Channel Buoy 5	41-07-16.471N 073-17-12.048W				Green can.	
24785	Southport Harbor Light 7	41-07-18.792N 073-17-14.203W	FI G 4s	21	4	SG on skeleton tower.	
24790	Southport Harbor Channel Buoy 8	41-07-23.281N 073-17-11.798W				Red nun.	
24795	Southport Harbor Channel Buoy 9	41-07-26.311N 073-17-14.678W				Green can.	
24800	Southport Harbor Channel Buoy 10	41-07-31.291N 073-17-15.948W				Red nun.	
24805	Southport Harbor Channel Buoy 11	41-07-31.653N 073-17-17.335W				Green can.	
24810	Southport Breakwater Light 12	41-07-33.410N 073-17-13.944W	FI R 4s	28	4	TR on skeleton tower.	
24815	Georges Rock Lighted Buoy 1	41-05-12.232N 073-19-28.685W	FI G 2.5s		4	Green.	Replaced by can when endangered by ice.
24820	Saugatuck River Entrance Lighted Buoy 3	41-05-52.382N 073-21-13.435W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
24825	Saugatuck River Buoy 5	41-05-55.332N 073-21-33.606W				Green can.	Removed when endangered by ice.
24830	Saugatuck River Buoy 6	41-06-01.992N 073-21-27.786W				Red nun.	Removed when endangered by ice.
24835	Saugatuck River Buoy 8	41-06-06.831N 073-21-32.376W				Red nun.	Removed when endangered by ice.
24840	Saugatuck River Buoy 9	41-06-09.481N 073-21-39.366W				Green can.	Removed when endangered by ice.
24845	Saugatuck River Buoy 10	41-06-12.771N 073-21-41.187W				Red nun.	Removed when endangered by ice.
24850	Saugatuck River Buoy 11	41-06-13.449N 073-21-48.612W				Green can.	Removed when endangered by ice.
24855	Saugatuck River Buoy 13	41-06-14.701N 073-21-58.897W				Green can.	Removed when endangered by ice.
24860	Saugatuck River Buoy 15	41-06-10.401N 073-22-05.277W				Green can.	Removed when endangered by ice.
24865	Saugatuck River Buoy 16	41-06-01.711N 073-22-12.367W				Red nun.	Removed when endangered by ice.
24870	Saugatuck River Buoy 18	41-06-06.861N 073-22-26.038W				Red nun.	Removed when endangered by ice.
24875	Saugatuck River Buoy 20	41-06-13.751N 073-22-37.138W				Red nun.	Removed when endangered by ice.
24890	Saugatuck River Buoy 22	41-06-25.511N 073-22-41.239W				Red nun.	Removed when endangered by ice.
24895	Saugatuck River Buoy 24	41-06-35.624N 073-22-37.419W				Red nun.	Removed when endangered by ice.
24900	Saugatuck River Buoy 26	41-06-40.111N 073-22-29.669W				Red nun.	Removed when endangered by ice.
24905	Saugatuck River	41-06-44.681N				Green can.	Removed when endangered by ice.

	Buoy 27	073-22-23.708W					
24910	Saugatuck River Buoy 29	41-06-49.481N 073-22-14.138W				Green can.	Removed when endangered by ice.
24911	Compo Yacht Basin Buoy 1	41-06-11.160N 073-21-33.300W				Green can.	
24911.1	Compo Yacht Basin Buoy 2	41-06-10.600N 073-21-30.500W				Red nun.	
24911.2	Compo Yacht Basin Buoy 3	41-06-14.760N 073-21-31.500W				Green can.	
24911.3	Compo Yacht Basin Buoy 4	41-06-14.220N 073-21-29.580W				Red nun.	
24911.4	Compo Yacht Basin Buoy 5	41-06-16.600N 073-21-30.000W				Green can.	
24911.5	Compo Yacht Basin Buoy 6	41-06-17.520N 073-21-27.780W				Red nun.	
24911.6	Compo Yacht Basin Buoy 7	41-06-19.300N 073-21-29.600W				Green can.	
24911.7	Compo Yacht Basin Buoy 8	41-06-19.680N 073-21-26.760W				Red nun.	
24912	Longshore Channel Buoy 1	41-06-21.960N 073-21-58.680W				Green can.	Maintained Apr. 1 to Dec 30.
24912.1	Longshore Channel Buoy 2	41-06-21.600N 073-21-57.000W				Red nun.	Maintained Apr. 1 to Dec 30.
24912.2	Longshore Channel Buoy 3	41-06-24.000N 073-21-58.380W				Green can.	Maintained Apr. 1 to Dec 30.
24912.3	Longshore Channel Buoy 4	41-06-23.820N 073-21-56.580W				Red nun.	Maintained Apr. 1 to Dec 30.
24912.4	Longshore Channel Buoy 5	41-06-25.920N 073-21-58.380W				Green can.	Maintained Apr. 1 to Dec 30.
24912.5	Longshore Channel Buoy 6	41-06-25.560N 073-21-56.700W				Red nun.	Maintained Apr. 1 to Dec 30.
24912.6	Longshore Channel Buoy 7	41-06-27.000N 073-21-58.800W				Green can.	Maintained Apr. 1 to Dec 30.
24912.7	Longshore Channel Buoy 8	41-06-27.000N 073-21-56.940W				Red nun.	Maintained Apr. 1 to Dec 30.
24915	Norwalk East Approach Buoy 2	41-04-25.032N 073-20-44.083W				Red nun.	
24920	Norwalk East Approach Buoy 4	41-04-36.292N 073-21-45.366W				Red nun.	
24925	Norwalk East Approach Buoy 5	41-04-33.592N 073-21-57.251W				Green can.	
24930	Peck Ledge Light	41-04-38.633N 073-22-10.914W	FI G 2.5s	61	5	White conical tower middle part brown on black cylindrical pier.	
24935	Grassy Hammock Light 8	41-04-35.766N 073-23-01.302W	FI R 4s	22	5	TR on skeleton tower.	
24940	Norwalk East Approach Buoy 9	41-04-29.082N 073-23-15.738W				Green can.	
24945	Norwalk East Approach Buoy 11	41-04-23.752N 073-23-49.970W				Green can.	
24950	Noroton Point Buoy 1A	41-02-56.382N 073-26-03.443W				Green can.	
24952	Greens Ledge Lighted Buoy 2A	41-02-47.022N 073-26-04.129W	FI R 4s		3	Red.	
24955	Norwalk Channel Entrance Buoy 1	41-03-21.332N 073-25-26.971W				Green can.	
24960	Norwalk Channel Lighted Buoy 2	41-03-30.702N 073-25-04.401W	FI R 2.5s		3	Red.	Replaced by nun when endangered by ice.
24965	Norwalk Channel Buoy 3	41-03-31.602N 073-25-07.151W				Green can.	
24970	Norwalk Channel Lighted Buoy 4	41-03-46.062N 073-24-50.381W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
24975	Norwalk Channel Buoy 5	41-03-47.612N 073-24-52.601W				Green can.	
24980	Norwalk Channel Buoy 7	41-03-59.122N 073-24-42.171W				Green can.	
24985	Norwalk Channel Buoy 8	41-04-01.082N 073-24-35.640W				Red nun.	
24990	Norwalk Channel Light 10	41-04-08.953N 073-24-27.534W	FI R 6s	27	4	TR on skeleton tower.	
25005	Norwalk Channel	41-04-11.274N				Green can.	

	Buoy 9	073-24-32.208W					
25010	Norwalk Channel Light 11	41-04-23.610N 073-24-20.581W	FI G 4s	21	4	SG on skeleton tower.	
25015	Norwalk Channel Buoy 11A	41-04-24.410N 073-24-18.661W				Green can.	
25020	Norwalk Channel Buoy 12	41-04-33.562N 073-24-06.340W				Red nun.	
25025	Norwalk Channel Buoy 13	41-04-36.532N 073-24-07.740W				Green can.	
25030	Norwalk Channel Light 14	41-04-42.561N 073-23-59.188W	Q R	26	4	TR on pipe tower on concrete base.	
25035	Norwalk Channel Buoy 15	41-04-44.932N 073-24-04.340W				Green can.	
25040	Norwalk Channel Buoy 17	41-04-57.749N 073-24-04.874W				Green can.	
25045	Norwalk Channel Buoy 19	41-05-14.575N 073-24-15.213W				Green can.	
25050	Norwalk Channel Buoy 21	41-05-26.590N 073-24-25.982W				Green can.	
25055	East Norwalk Channel Buoy 2	41-05-28.672N 073-24-18.451W				Red nun.	
25060	Fitch Point Light 1	41-05-30.832N 073-24-20.047W	FI G 2.5s	29	4	SG on skeleton tower.	
25065	East Norwalk Channel Buoy 3	41-05-34.714N 073-24-17.646W				Green can.	
25070	East Norwalk Channel Buoy 5	41-05-40.364N 073-24-15.925W				Green can.	
25075	Ballast Reef Buoy 2	41-03-13.243N 073-26-33.132W				Red nun.	
25080	Fish Island Buoy 1	41-03-04.033N 073-26-58.014W				Green can.	
25085	Fivemile River Entrance Lighted Buoy 3	41-03-21.902N 073-26-48.995W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
25090.1	Fivemile River Buoy 4A	41-03-31.000N 073-26-47.000W				Red nun.	
25090	Fivemile River Entrance Buoy 4	41-03-22.892N 073-26-46.255W				Red nun.	
25091	Fivemile River Buoy 5	41-03-30.000N 073-26-49.000W				Green can.	
25095	Fivemile River Channel Buoy 6	41-03-40.620N 073-26-47.204W				Red nun.	
25100	Goodwives River Approach Lighted Buoy 1	41-02-14.592N 073-29-00.758W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
25105	Goodwives River Approach Buoy 2	41-02-19.204N 073-28-56.397W				Red nun.	
25110	Goodwives River Approach Buoy 3	41-02-21.932N 073-29-05.215W				Green can.	
25115	Noroton Range Front Light	41-02-39.000N 073-29-10.000W	F R	12	3	On pile.	Maintained from June 1 to Sept. 1.
25120	Noroton Range Rear Light	41-02-41.000N 073-29-10.500W	F R		4	On pile.	Maintained from June 1 to 1 Sept. 65 yards 352° from front light.
25121	Goodwives River Mid-Channel Buoy A	41-02-28.080N 073-29-04.020W				Red and white.	
25122	Goodwives River Mid-Channel Buoy B	41-02-32.340N 073-29-05.880W				Red and white.	
25123	Goodwives River Mid-Channel Buoy C	41-02-39.240N 073-29-07.980W				Red and white.	
25124	Goodwives River Mid-Channel Buoy D	41-02-45.240N 073-29-05.100W				Red and white.	
25125	Cove Mills Buoy 1	41-02-22.500N 073-30-11.500W				Green can.	
25130	Cove Mills Buoy 2	41-02-25.000N 073-30-10.500W				Red nun.	
25135	Westcott Cove East Entrance Lighted Buoy 1	41-01-40.243N 073-30-36.381W	FI G 4s		3	Green.	Replaced by can from Nov. 15 to May 1.
25140	Westcott Cove East Entrance	41-01-46.193N 073-30-24.861W				Red nun.	

	Buoy 2						
25145	Westcott Cove West Entrance Danger Buoy	41-01-40.723N 073-30-44.012W				White can with orange bands worded DANGER ROCKS.	
25150	Westcott Cove Buoy 3	41-01-51.513N 073-30-57.158W				Green can.	
25155	Westcott Cove Lighted Buoy 4	41-01-55.172N 073-30-55.692W	FI R 4s		3	Red.	Replaced by nun from Nov. 15 to May 1.
25160	Westcott Cove Buoy 5	41-01-56.804N 073-31-05.699W				Green can.	
25165	Westcott Cove Buoy 6	41-01-57.546N 073-31-04.774W				Red nun.	
25170	Westcott Cove Buoy 7	41-02-00.641N 073-31-10.686W				Green can.	
25175	Westcott Cove Buoy 8	41-02-00.975N 073-31-07.922W				Red nun.	
25180	Westcott Cove Buoy 9	41-02-10.122N 073-31-14.253W				Green can.	
25185	Westcott Cove Buoy 10	41-02-11.409N 073-31-12.980W				Red nun.	
25195	Stamford Harbor Ledge Obstruction Light	41-00-49.000N 073-32-34.000W	FI W 4s		6	White conical tower on red cylindrical pier.	
25200	Stamford Harbor Entrance Gong Buoy 1	41-00-41.523N 073-32-22.555W				Green.	
25205	Stamford Harbor Entrance Buoy 2	41-00-44.633N 073-32-05.355W				Red nun.	
25210	Stamford Harbor West Breakwater Light 3	41-00-53.915N 073-32-17.349W	FI G 2.5s	37	4	SG on tower.	
25220	Stamford Harbor West Approach Buoy 2	41-00-59.400N 073-32-56.400W				Red nun.	
25221.2	Rocky Point Channel Buoy 3	41-00-54.720N 073-33-31.980W				Green can.	Maintained 1 May to Oct. 31.
25221.4	Rocky Point Channel Buoy 5	41-00-59.640N 073-33-33.060W				Green can.	Maintained 1 May to Oct. 31.
25221.5	Rocky Point Channel Buoy 6	41-00-59.640N 073-33-32.580W				Red nun.	Maintained 1 May to Oct. 31.
25225	Stamford Harbor East Breakwater Light 4	41-00-54.209N 073-32-06.332W	FI R 4s	21	4	TR on skeleton tower.	
25230	Stamford Harbor Range Front Light	41-01-48.917N 073-32-15.119W	Q W	26		KRW on skeleton tower.	Visible all around.
25235	Stamford Harbor Rear Range Light	41-01-55.147N 073-32-15.582W	Iso R 6s	45		KRW on skeleton tower.	Visible all around; higher intensity on range line.
25240	Stamford Harbor Channel Buoy 6	41-01-11.582N 073-32-10.905W				Red nun.	
25245	Stamford Harbor Channel Buoy 7	41-01-19.932N 073-32-15.005W				Green can.	
25250	Stamford Harbor Channel Buoy 9	41-01-32.563N 073-32-15.946W				Green can.	
25255	Stamford Harbor Channel Buoy 10	41-01-34.702N 073-32-12.695W				Red nun.	
25260	Stamford Harbor Channel Buoy 11	41-01-44.492N 073-32-16.305W				Green can.	
25265	Stamford Harbor Channel Buoy 12	41-01-47.132N 073-32-13.545W				Red nun.	
25270	Stamford East Branch Channel Light 1	41-02-06.882N 073-32-09.545W	FI G 4s	21	4	SG on skeleton tower.	
25275	Stamford West Branch Channel Buoy 1	41-01-48.122N 073-32-18.665W				Green can.	
25280	Stamford West Branch Channel Buoy 2	41-01-51.022N 073-32-21.145W				Red nun.	
25290	Stamford West Branch Channel Buoy 3	41-01-51.743N 073-32-25.686W				Green can.	
25295	Stamford West Branch Channel Buoy 4	41-01-54.912N 073-32-28.416W				Red nun.	

25300	Stamford West Branch Channel Buoy 5	41-01-55.042N 073-32-31.836W					Green can.	
25305	Stamford West Branch Channel Buoy 6	41-01-58.232N 073-32-31.306W					Red nun.	
25310	Stamford West Branch Channel Buoy 7	41-02-02.602N 073-32-34.716W					Green can.	
25315	Stamford West Branch Channel Buoy 9	41-02-10.243N 073-32-37.527W					Green can.	
25320	Stamford West Branch Channel Buoy 10	41-02-15.968N 073-32-37.919W					Red nun.	
25325	Flat Neck Point Shoal Buoy 2	40-59-44.934N 073-35-29.303W					Red nun.	
25330	Little Captain Island East Reef Lighted Gong Buoy 1	40-59-35.974N 073-35-51.984W	FI G 2.5s			4	Green.	
25335	Hen and Chickens Buoy 1A	40-59-45.024N 073-36-17.025W					Green can.	
25340	Newfoundland Reef Lighted Buoy 4	41-00-19.830N 073-36-01.274W	FI R 4s			3	Red.	Replaced by nun when endangered by ice.
25345	Red Rock Buoy R	41-00-19.078N 073-36-41.407W					Red and green bands; nun.	
25350	Great Captain Island West Reef Buoy 2	40-58-35.645N 073-37-56.740W					Red nun.	
25355	Fourfoot Rocks Buoy F	40-58-40.725N 073-38-31.621W					Green and red bands; can.	
25360	Calf Island Buoy 1	40-59-11.585N 073-38-12.280W					Green can.	
25365	Jones Rock Light 3	40-59-18.133N 073-38-05.314W	FI G 4s	25		4	SG on skeleton tower.	
25370	Cormorant Reef Buoy 4	40-59-27.515N 073-37-52.429W					Red nun.	
25375	Cormorant Reef Buoy 1	40-59-08.955N 073-37-42.609W					Green can.	
25380	Sugar Boat Buoy 2A	41-00-07.300N 073-35-26.700W					Red nun.	Maintained from May 15 to Nov. 1.
25390	Cove Rock Buoy 2	41-00-32.268N 073-35-21.066W					Red nun.	
25395	Greenwich Point Buoy 1GP	41-00-35.700N 073-34-56.000W					Green spar.	Maintained from May 15 to Nov. 1.
25400	Greenwich Point Buoy 2GP	41-00-36.800N 073-34-58.700W					Red spar.	Maintained from May 15 to Nov. 1.
25405	Greenwich Point Buoy 3GP	41-00-30.200N 073-34-53.000W					Green spar.	Maintained from May 15 to Nov. 1.
25410	Greenwich Point Buoy 4GP	41-00-32.900N 073-34-56.000W					Red spar.	Maintained from May 15 to Nov. 1.
25415	Inner Cove Rock Buoy 1	41-00-46.653N 073-34-52.161W					Green can.	
25420	Cos Cob Harbor Lighted Buoy 2	41-00-37.934N 073-36-15.700W	FI R 4s			3	Red.	
25425	Cos Cob Harbor Buoy 3	41-00-46.854N 073-36-10.435W					Green can.	
25430	Cos Cob Harbor Buoy 5	41-00-51.703N 073-36-04.525W					Green can.	
25435	Cos Cob Harbor Buoy 7	41-01-02.916N 073-35-49.489W					Green can.	
25440	Jake Reef Hazard Buoy J	41-00-54.600N 073-35-49.500W					White with Orange Bands.	Maintained from May 15 to Nov. 1.
25445	Cos Cob Harbor Channel Buoy 8	41-01-10.905N 073-35-44.338W					Red nun.	
25450	Cos Cob Harbor Channel Buoy 9	41-01-14.608N 073-35-44.353W					Green can.	
25455	Cos Cob Harbor Channel Buoy 10	41-01-24.778N 073-35-40.836W					Red nun.	
25460	Cos Cob Harbor Channel Buoy 11	41-01-23.133N 073-35-41.764W					Green can.	
25465	Cos Cob Harbor Channel Buoy 12	41-01-42.689N 073-35-40.790W					Red nun.	

25470	Cos Cob Harbor Channel Buoy 13	41-01-42.233N 073-35-42.604W				Green can.	
25480	Greenwich Harbor Channel Buoy 2	40-59-54.384N 073-37-16.367W				Red nun.	
25485	Greenwich Harbor Channel Buoy 3	41-00-11.284N 073-37-21.568W				Green can.	
25490	Greenwich Harbor Channel Buoy 4	41-00-11.785N 073-37-17.291W				Red nun.	
25495	Greenwich Harbor Channel Buoy 5	41-00-27.684N 073-37-23.068W				Green can.	
25500	Greenwich Harbor Channel Buoy 6	41-00-28.774N 073-37-20.628W				Red nun.	
25505	Greenwich Harbor Channel Buoy 8	41-00-37.120N 073-37-22.727W				Red nun.	
25510	Greenwich Harbor Channel Buoy 9	41-00-39.983N 073-37-24.968W				Green can.	
25515	Byram Harbor Entrance Buoy 1	40-59-51.369N 073-38-09.865W				Green can.	
25520	Byram Harbor Entrance Lighted Buoy 2	40-59-54.444N 073-38-13.300W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
25525	Byram Harbor Buoy 3	40-59-59.054N 073-38-20.740W				Green can.	
25530	Byram Harbor Reef Buoy 4	41-00-03.564N 073-38-17.220W				Red nun.	
25535	Great Captain Rocks Lighted Buoy 2	40-58-56.905N 073-39-04.392W	FI R 4s		3	Red.	
25540	Manursing Island Reef Buoy 3	40-58-59.435N 073-39-18.003W				Green can.	
25545	Port Chester Light 4	40-59-03.965N 073-39-23.393W	FI R 2.5s	28	4	TR on skeleton tower.	
25550	Port Chester Harbor Channel Light 5	40-59-09.415N 073-39-35.533W	FI G 4s	25	4	SG on skeleton tower.	
25555	Port Chester Harbor Channel Buoy 6	40-59-16.515N 073-39-34.503W				Red nun.	
25556.1	Tide Mill Yacht Basin Channel Buoy 1	40-59-06.060N 073-39-33.780W				Green can.	
25556.2	Tide Mill Yacht Basin Channel Buoy 2	40-59-06.840N 073-39-34.020W				Red nun.	
25556.3	Tide Mill Yacht Basin Channel Buoy 4	40-59-04.900N 073-39-37.500W				Red nun.	
25556.4	Tide Mill Yacht Basin Channel Buoy 6	40-59-02.100N 073-39-42.100W				Red nun.	
25556.5	Tide Mill Yacht Basin Channel Buoy 7	40-58-55.300N 073-39-47.400W				Green can.	
25556.6	Tide Mill Yacht Basin Channel Buoy 8	40-58-55.700N 073-39-48.100W				Red nun.	
25556.7	Tide Mill Yacht Basin Channel Buoy 9	40-58-49.740N 073-39-47.160W				Green can.	
25556.8	Tide Mill Yacht Basin Channel Buoy 10	40-58-52.020N 073-39-48.180W				Red nun.	
25556.9	Tide Mill Yacht Basin Channel Buoy 11	40-58-47.340N 073-39-47.340W				Green can.	
25557	Tide Mill Yacht Basin Channel Buoy 12	40-58-47.940N 073-39-47.880W				Red nun.	
25558	Tide Mill Yacht Basin Channel Buoy 13	40-58-45.300N 073-39-49.260W				Green can.	
25559	Tide Mill Yacht Basin Channel Buoy 14	40-58-45.900N 073-39-50.460W				Red nun.	
25560	Forbes Rocks Outer Buoy 1	40-57-12.797N 073-40-08.156W				Green can.	
25565	Forbes Rocks	40-57-30.037N				Green can.	

	North Gong Buoy 1A	073-40-08.046W					
25570	Transport Rock Buoy 2	40-57-35.516N 073-40-05.631W				Red nun.	
25575	Forlies Rocks Buoy 2	40-57-26.717N 073-40-29.847W				Red nun.	
25576	Coveleigh Yacht Club Channel Lighted Buoy 1	40-56-24.600N 073-41-09.000W	FI G 4s			Green.	
25576.5	Coveleigh Yacht Club Channel Buoy 4	40-56-32.580N 073-41-16.620W				Red nun.	
25577	Coveleigh Yacht Club Channel Lighted Buoy 3	40-56-30.420N 073-41-16.020W	FI G 2s			Green can.	
25577.5	Coveleigh Yacht Club Channel Lighted Buoy 7	40-56-31.458N 073-41-31.200W	Q G			Green can.	
25578	Coveleigh Yacht Club Channel Buoy 5	40-56-31.500N 073-41-24.960W				Green can.	
25578.5	Coveleigh Yacht Club Channel Buoy 6	40-56-32.700N 073-41-24.120W				Red nun.	
25579.1	Coveleigh Yacht Club Channel Buoy 9	40-56-33.420N 073-41-31.680W				Green can.	
25579.2	Coveleigh Yacht Club Channel Buoy 10	40-56-35.220N 073-41-31.320W				Red nun.	
25579.3	Coveleigh Yacht Club Channel Buoy 12	40-56-36.420N 073-41-30.900W				Red nun.	
25579.4	Coveleigh Yacht Club Channel Buoy 14	40-56-37.380N 073-41-30.660W				Red nun.	
25579	Coveleigh Yacht Club Channel Buoy 8	40-56-32.460N 073-41-30.300W				Red nun.	
25580	Mamaroneck Harbor Entrance Buoy 1	40-55-19.659N 073-43-16.174W				Green can.	
25585	Mamaroneck Harbor Entrance Buoy 3	40-55-34.469N 073-43-07.753W				Green can.	
25590	Mamaroneck Harbor Entrance Buoy 2	40-55-49.340N 073-42-24.123W				Red nun.	
25595	Mamaroneck Harbor Lighted Buoy MM	40-55-52.433N 073-42-32.114W	FI (2+1)R 6s	4		Red and green bands.	Replaced by nun when endangered by ice.
25600	Mamaroneck Harbor Buoy 6	40-56-16.668N 073-42-45.182W				Red nun.	
25605	Mamaroneck Harbor Channel Lighted Buoy 5	40-56-14.139N 073-43-01.133W	FI G 4s	4		Green.	Removed when endangered by ice.
25610	Mamaroneck Harbor Buoy 8	40-56-19.448N 073-42-53.582W				Red nun.	
25615	Mamaroneck Harbor Channel Buoy 7	40-56-24.678N 073-43-21.091W				Green can.	
25620	Mamaroneck Harbor Channel Lighted Buoy 10	40-56-25.263N 073-43-17.126W	FI R 4s	4		Red.	Removed when endangered by ice.
25625	Little Nanhook Obstruction Buoy	40-56-24.630N 073-43-23.190W				White with Orange bands.	Maintained from May 1 to Nov. 15.
25630	Mamaroneck Harbor Channel Buoy 12	40-56-30.119N 073-43-35.620W				Red nun.	
25635	Mamaroneck Harbor Junction Buoy A	40-56-30.342N 073-43-37.700W				Green and red bands; can.	
25640	Mamaroneck Harbor Buoy 9	40-56-37.822N 073-43-42.005W				Green can.	
25645	Mamaroneck Harbor Channel Buoy 11	40-56-40.188N 073-43-43.583W				Green can.	
25650	Mamaroneck	40-56-43.596N				Red nun.	

	Harbor Channel Buoy 14	073-43-43.635W					
25655	Mamaroneck Harbor Channel Buoy 16	40-56-46.079N 073-43-46.248W				Red nun.	
25660	West Rock Obstruction Buoy	40-55-55.497N 073-42-08.454W				White can with orange bands and diamond worded ROCK.	
25665	Milton Harbor Buoy 3	40-56-07.518N 073-42-22.302W				Green can.	
25670.1	Milton Harbor Buoy 5	40-56-32.194N 073-41-59.827W				Green can.	
25675.1	Milton Harbor Buoy 6	40-56-31.263N 073-41-57.194W				Red nun.	
25680.1	Milton Harbor Buoy 8	40-56-47.355N 073-41-50.653W				Red nun.	
25685.1	Milton Harbor Buoy 9	40-57-02.458N 073-41-45.934W				Green can.	
25690.1	Milton Harbor Buoy 10	40-57-02.729N 073-41-44.774W				Red nun.	
25695.1	Milton Harbor Buoy 11	40-57-13.670N 073-41-43.708W				Green can.	Private aid.
25700.1	Milton Harbor Buoy 12	40-57-13.280N 073-41-42.896W				Red nun.	
25705.1	Milton Harbor Buoy 13	40-57-25.661N 073-41-32.282W				Green can.	
25710.1	Milton Harbor Buoy 14	40-57-25.757N 073-41-31.048W				Red nun.	
25715	Hen and Chickens Northeast Lighted Bell Buoy 1	40-54-48.690N 073-44-04.386W	FI G 4s		4	Green.	
25720	Larchmont Harbor Light 2	40-55-05.049N 073-43-52.365W	FI R 4s	26	4	TR on skeleton tower.	
25725	Dauntless Rock Buoy 3	40-54-59.450N 073-44-11.606W				Green can.	
25730	Hen and Chickens South Lighted Buoy 2	40-54-10.601N 073-44-19.847W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
25735	Hicks Ledge Junction Buoy HL	40-54-10.391N 073-45-07.988W				Green and red bands; can.	
25740	Table Rock Buoy 3	40-54-29.791N 073-45-01.888W				Green can.	
25745	Hen and Chickens West Buoy 4	40-54-36.401N 073-44-35.637W				Red nun.	
25750	Hen and Chickens North Buoy 6	40-54-58.350N 073-44-19.387W				Red nun.	
25755	Umbrella Rock Buoy 7	40-55-04.650N 073-44-24.257W				Green can.	
25765	North Ledge South Daybeacon	40-55-20.980N 073-44-32.860W				NW on spindle worded ROCKS.	
25770	North Ledge North Daybeacon	40-55-23.620N 073-44-33.570W				NW on spindle worded ROCKS.	
25775	Middle Ground Buoy 1M	40-53-56.171N 073-45-31.479W				Green can.	
25780	Bailey Rock Lighted Buoy 3BR	40-54-13.571N 073-45-42.159W	FI G 4s		4	Green.	
25785	Premium Point Buoy 4	40-54-21.691N 073-45-41.979W				Red nun.	
25790	Echo Bay Channel Buoy 5	40-54-24.691N 073-46-00.610W				Green can.	
25795	Echo Bay Channel Buoy 6	40-54-25.271N 073-45-58.810W				Red nun.	
25800	Echo Bay Channel Buoy 8	40-54-31.511N 073-46-01.120W				Red nun.	
25805	Echo Bay Channel Buoy 10	40-54-34.051N 073-46-06.330W				Red nun.	
25810	Emerald Rock Buoy	40-53-43.302N 073-45-49.630W				Green and red bands; can.	
25815	Huckleberry Island Lighted Buoy 2	40-53-26.522N 073-45-23.339W	FI R 4s		3	Red.	Removed when endangered by ice.
25820	Old Tom Head Rocks Buoy 4	40-53-30.012N 073-46-05.150W				Red nun.	
25825	Davids Island	40-53-25.222N	FI G 4s		4	Green.	Replaced by can when endangered by ice.

	North Lighted Buoy 5	073-46-08.310W					
25830	Davids Island North Buoy 7	40-53-24.162N 073-46-16.081W				Green can.	
25835	Davenport Neck Buoy 8	40-53-26.152N 073-46-20.601W				Red nun.	
25840	Spindle Rock Buoy 9	40-53-22.292N 073-46-29.901W				Green can.	
25845	Pea Island Buoy 1	40-52-32.333N 073-46-01.730W				Green can.	
25850	Hart Island East Side Gong Buoy 1	40-51-25.093N 073-45-45.790W				Green.	
25855	Hart Island North Buoy 3	40-51-42.193N 073-46-13.461W				Green can.	
25860	South Nonations Reef Lighted Bell Buoy 4	40-51-52.343N 073-46-16.341W	FI R 4s		4	Red.	
25870	Chimney Sweeps Lighted Buoy 1	40-51-45.213N 073-46-47.332W	FI G 4s		4	Green.	Replaced by can when endangered by ice.
25875	Orchard Beach Buoy 2	40-51-54.112N 073-47-11.062W				Red nun.	
25880	Orchard Beach Channel Buoy 2A	40-51-49.392N 073-47-19.493W				Red nun.	
25885	Orchard Beach Buoy 1	40-51-50.442N 073-47-08.762W				Green can.	
25890	Machaux Rock Lighted Bell Buoy 6	40-52-24.372N 073-46-39.441W	FI R 4s		4	Red.	
25895	Twin Island Buoy 7	40-52-24.892N 073-46-46.392W				Green can.	
25900	Davids Island Channel Buoy 7A	40-52-40.543N 073-46-40.391W				Green can.	
25905	Davids Island Channel Buoy 7B	40-52-54.582N 073-46-35.371W				Green can.	
25910	Davids Island West Buoy 8	40-52-54.202N 073-46-31.451W				Red nun.	
25915	R.R. Stevens Rock Buoy	40-52-52.822N 073-46-41.011W				Red and green bands; nun.	
25920	Glen Island Channel Buoy 1	40-52-50.986N 073-47-02.136W				Green can.	
25925	Glen Island Channel Buoy 2	40-52-51.757N 073-47-01.470W				Red nun.	
25930	Glen Island Channel Buoy 4	40-52-53.525N 073-47-07.341W				Red nun.	
25935	Glen Island Channel Buoy 6	40-52-59.392N 073-47-15.492W				Red nun.	
25940	Corning Rock Buoy 9	40-53-06.092N 073-46-32.901W				Green can.	
25945	Aunt Phebe Rock Light 10	40-53-08.122N 073-46-30.621W	FI R 4s	24	4	TR on skeleton tower.	
25950	Spindle Rock South Buoy 10A	40-53-16.302N 073-46-28.391W				Red nun.	
25955	Davenport Neck Buoy 12	40-53-20.162N 073-46-35.461W				Red nun.	
25960	Harbor Rock Lighted Buoy 14	40-53-18.872N 073-46-42.121W	Q R		3	Red.	Replaced by nun when endangered by ice.
25965	Glen Island Light 15	40-53-21.733N 073-46-49.114W	FI G 4s	20	4	SG on tower on concrete base.	
25970	Big Tom Rock Buoy BT	40-50-08.094N 073-47-16.273W				White with orange bands; can.	
25975	City Island Lighted Buoy 2	40-49-58.284N 073-47-21.653W	FI R 4s		4	Red.	
25980	City Island Buoy 4	40-50-06.874N 073-47-32.663W				Red nun.	
25985	City Island Wreck Buoy WR6	40-50-38.137N 073-47-44.243W				Red nun.	
25990	City Island Buoy 7	40-50-46.574N 073-47-58.864W				Green can.	
25995	City Island Buoy 8	40-51-05.893N 073-47-44.494W				Red nun.	
26000	Cuban Ledge Junction Lighted Buoy CL	40-50-05.032N 073-47-57.514W	FI (2+1)R 6s		3	Red and green bands.	Replaced by nun when endangered by ice.

26005	Cuban Ledge Daybeacon	40-50-30.207N 073-48-13.748W					NW on spindle worded DANGER ROCK.	
26007	Bronxonia Yacht Club Lighted No Wake Buoy	40-49-37.700N 073-48-33.300W	FI W 2.5s				White with orange bands.	
26010	Cuban Ledge Lighted Buoy 2	40-50-26.253N 073-48-15.697W	FI R 4s		3		Red.	Remove when endangered by ice.
26015	Eastchester Bay Shoal Lighted Buoy 4	40-50-50.373N 073-48-32.065W	FI R 2.5s		3		Red.	
26020	Eastchester Bay Channel Buoy 6	40-51-17.393N 073-48-32.495W					Red nun.	
26025	Eastchester Bay Channel Lighted Buoy 7	40-51-33.373N 073-48-35.755W	FI G 4s		4		Green.	Replaced by can when endangered by ice.
26030	Eastchester Bay Channel Buoy 9	40-51-35.773N 073-48-37.205W					Green can.	
26035	Eastchester Bay Channel Buoy 11	40-51-40.232N 073-48-45.035W					Green can.	
26040	Hutchinson River Buoy 2	40-51-52.536N 073-49-08.111W					Red nun.	Removed when endangered by ice.
26045	Hutchinson River Buoy 3	40-52-00.092N 073-49-11.346W					Green can.	Removed when endangered by ice.
26050	Hutchinson River Buoy 4	40-52-13.752N 073-49-21.806W					Red nun.	Removed when endangered by ice.
26055	Hutchinson River Buoy 6	40-52-30.143N 073-49-21.092W					Red nun.	Removed when endangered by ice.
26060	Hutchinson River Buoy 7	40-52-42.881N 073-49-17.336W					Green can.	Removed when endangered by ice.
26070	Mount Sinai Harbor Breakwater Light	40-57-55.900N 073-02-33.906W	FI G 5s	20	4		On concrete pedestal.	
26071	Mount Sinai Harbor Breakwater Light 2	40-57-58.000N 073-02-40.700W	FI R 4s	15	3		On pile.	
26075	Mount Sinai Harbor Lighted Buoy 3	40-57-46.400N 073-02-35.000W	FI G 4s				Green.	
26080	Mount Sinai Harbor Buoy 5	40-57-46.000N 073-02-30.100W					Green can.	
26085	Mount Sinai Harbor Buoy 4	40-57-44.100N 073-02-27.400W					Red nun.	
26090	Mount Sinai Harbor Buoy 7	40-57-44.400N 073-02-15.300W					Green can.	
26095	Mount Sinai Harbor Buoy 6	40-57-43.600N 073-02-15.200W					Red nun.	
26100	Mount Sinai Harbor Buoy 9	40-57-45.500N 073-02-06.600W					Green can.	
26105	Mount Sinai Harbor Buoy 8	40-57-43.300N 073-02-01.200W					Red nun.	
26110	Mount Sinai Harbor Buoy 10	40-57-43.600N 073-01-55.100W					Red nun.	
26115	Mount Sinai Harbor Buoy 12	40-57-44.100N 073-01-46.400W					Red nun.	
26120	Mount Sinai Harbor Buoy 14	40-57-43.400N 073-01-36.900W					Red nun.	
26122	Rock Head Lighted Hazard Buoy	40-58-02.500N 073-03-36.600W	F W				White with Orange bands.	
26125	Port Jefferson Approach Lighted Whistle Buoy PJ	40-59-16.387N 073-06-26.700W	Mo (A) W		4		Red and white stripes with red spherical topmark.	AIS: MMSI 993672155 (21)
26130	Port Jefferson Harbor Entrance Lighted Buoy 1	40-58-24.315N 073-05-38.348W	FI G 2.5s		4		Green.	
26135	Port Jefferson East Breakwater Light	40-58-20.333N 073-05-29.643W	FI W 4s	27	6		NG on skeleton tower.	
26140	Port Jefferson Harbor Entrance Lighted Bell Buoy 2	40-58-22.493N 073-05-41.631W	FI R 2.5s		4		Red.	
26145	Port Jefferson West Breakwater Light 2A	40-58-13.468N 073-05-35.701W	FI R 4s	22	4		TR on skeleton tower.	
26155	Port Jefferson Rear Range Light	40-56-47.434N 073-04-14.906W	Iso R 6s	63			On Tower.	Lighted throughout 24 hours.
26160	Port Jefferson Front Range Light	40-56-52.258N 073-04-19.157W	Q R	39			On Tower.	Lighted throughout 24 hours.

26165	Port Jefferson Harbor Buoy 4	40-57-52.838N 073-05-14.859W				Red nun.	
26170	Port Jefferson Harbor Lighted Bell Buoy 5	40-57-49.188N 073-05-06.879W	Fl G 4s		4	Green.	
26175	Port Jefferson Harbor Channel Buoy 7	40-57-17.984N 073-04-36.469W				Green can.	
26176	Port Jefferson Harbor Buoy 8	40-57-12.267N 073-04-40.526W				Red nun.	
26177	Port Jefferson Harbor Buoy 9	40-57-00.688N 073-04-17.197W				Green can.	
26179	Conscience Bay Narrows Channel Buoy CN1	40-57-51.060N 073-05-19.800W				Green can.	
26180	Conscience Bay Narrows Channel Buoy CN2	40-57-55.620N 073-05-24.780W				Red nun.	
26181	Conscience Bay Narrows Channel Buoy CN3	40-57-52.260N 073-05-33.420W				Green can.	
26182	Conscience Bay Narrows Channel Buoy CN4	40-57-53.160N 073-05-33.960W				Red nun.	
26183	Conscience Bay Narrows Channel Buoy CN5	40-57-54.240N 073-06-00.000W				Green can.	
26184	Conscience Bay Narrows Channel Buoy CN6	40-57-55.260N 073-06-00.000W				Red nun.	
26185	Conscience Bay Narrows Channel Buoy CN8	40-58-00.240N 073-06-11.700W				Red nun.	
26186	Conscience Bay Narrows Channel Buoy CN9	40-58-05.520N 073-06-26.520W				Green can.	
26187	Conscience Bay Narrows Channel Buoy CN10	40-58-10.020N 073-06-33.600W				Red nun.	
26188	Conscience Bay Narrows Channel Buoy CN11	40-58-12.900N 073-06-42.420W				Green can.	
26189	Conscience Bay Narrows Channel Buoy CN12	40-58-13.860N 073-06-41.940W				Red nun.	
26190	Conscience Bay Narrows Channel Buoy CN13	40-58-13.200N 073-06-46.920W				Green can.	
26191	Conscience Bay Narrows Channel Buoy CN14	40-58-14.160N 073-06-45.240W				Red nun.	
26193	Setauket Harbor Channel Buoy S1	40-57-27.720N 073-05-22.980W				Green can.	
26194	Setauket Harbor Channel Buoy S2	40-57-34.560N 073-05-12.540W				Red nun.	
26195	Setauket Harbor Channel Buoy S3	40-57-30.420N 073-05-36.480W				Green can.	
26196	Setauket Harbor Channel Buoy S4	40-57-30.000N 073-05-26.700W				Red nun.	
26197	Setauket Harbor Channel Buoy S5	40-57-30.540N 073-05-45.720W				Green can.	
26198	Setauket Harbor Channel Buoy S6	40-57-32.160N 073-05-38.520W				Red nun.	
26199	Setauket Harbor Channel Buoy S7	40-57-29.520N 073-05-50.040W				Green can.	
26200	Setauket Harbor Channel Buoy S8	40-57-30.000N 073-05-52.380W				Red nun.	
26201	Setauket Harbor Channel Buoy S9	40-57-22.980N 073-05-56.640W				Green can.	
26202	Setauket Harbor Channel Buoy S10	40-57-23.460N 073-05-59.220W				Red nun.	
26203	Belle Terre Channel Buoy BT2	40-57-48.060N 073-04-40.200W				Red nun.	
26204	Belle Terre Channel Buoy BT4	40-57-40.980N 073-04-34.080W				Red nun.	
26205	Belle Terre Channel Buoy BT6	40-57-24.720N 073-04-23.040W				Red nun.	

26206	Belle Terre Channel Buoy BT8	40-57-13.980N 073-04-15.000W				Red nun.	
26207	Belle Terre Channel Buoy BT10	40-57-06.360N 073-04-06.300W				Red nun.	
26208	Stony Brook Harbor Entrance Lighted Buoy 1	40-56-15.015N 073-09-46.429W	FI G 4s		4	Green.	Remove when endangered by ice.
26210	Stony Brook Harbor Approach Channel Lighted Buoy 3	40-56-15.960N 073-09-27.720W	FI G 4s		2	Green.	
26215	Stony Brook Harbor Approach Channel Lighted Buoy 5	40-56-13.620N 073-09-13.860W	FI G 4s		2	Green.	
26220	Stony Brook Harbor Approach Channel Lighted Buoy 7	40-56-10.600N 073-08-58.000W	FI G 4s		2	Green.	
26225	Stony Brook Harbor Approach Channel Lighted Buoy 9	40-55-58.100N 073-08-48.400W	FI G 4s		2	Green.	
26230	Stony Brook Harbor Approach Channel Lighted Buoy 11	40-55-48.800N 073-08-51.000W	FI G 4s		2	Green.	
26235	Stonybrook Channel Buoy 1	40-55-26.500N 073-08-55.000W				Green can.	
26240	Porpoise Channel Lighted Buoy 1	40-55-33.400N 073-08-57.300W	FI G 4s		1	Green.	
26245	Porpoise Channel Lighted Buoy 2	40-55-34.400N 073-08-58.200W	FI R 4s		1	Red.	
26250	Porpoise Channel Lighted Buoy 3	40-55-28.400N 073-09-06.000W	FI G 4s			Green.	
26255	Porpoise Channel Lighted Buoy 4	40-55-29.500N 073-09-06.500W	FI R 4s		1	Red.	
26260	Porpoise Channel Buoy 5	40-55-27.300N 073-09-16.700W				Green can.	
26265	Porpoise Channel Lighted Buoy 6	40-55-26.400N 073-09-19.500W	FI R 4s		1	Red.	
26270	Porpoise Channel Buoy 7	40-55-26.100N 073-09-18.600W				Green can.	
26275	Porpoise Channel Lighted Buoy 8	40-55-18.210N 073-09-24.100W	FI R 4s		1	Red.	
26280	Porpoise Channel Buoy 9	40-55-16.920N 073-09-23.400W				Green can.	
26285	Porpoise Channel Lighted Buoy 10	40-55-08.160N 073-09-43.680W	FI R 4s		1	Red.	
26290	Porpoise Channel Buoy 11	40-55-07.200N 073-09-43.560W				Green can.	
26295	Porpoise Channel Lighted Buoy 12	40-55-01.600N 073-10-05.000W	FI R 4s		1	Red.	
26300	Porpoise Channel Buoy 13	40-55-00.000N 073-10-04.000W				Green can.	
26305	Porpoise Channel Lighted Buoy 14	40-54-53.400N 073-10-27.780W	FI R 4s		1	Red.	
26310	Porpoise Channel Buoy 15	40-54-52.200N 073-10-27.060W				Green can.	
26315	Nissequoque River Entrance Lighted Buoy NR	40-55-23.352N 073-13-45.407W	Mo (A) W			Red and white stripes.	
26320	Nissequoque River Lighted Buoy 2	40-55-03.000N 073-13-54.000W	FI R 4s		3	Red.	Maintained from Apr. 1 to Nov. 30.
26325	Nissequoque River Lighted Buoy 4	40-54-46.000N 073-14-03.000W	FI R 4s		3	Red.	Maintained from Apr. 1 to Nov. 30.
26330	Nissequoque River Lighted Buoy 6	40-54-32.000N 073-14-07.500W	FI R 4s		3	Red.	Maintained from Apr. 1 to Nov. 30.
26335	Nissequoque River Lighted Buoy 8	40-54-26.600N 073-14-01.000W	FI R 4s		3	Red.	Maintained from Apr. 1 to Nov. 30.
26340	Nissequoque River Lighted Buoy 10	40-54-18.800N 073-13-50.500W	FI R 4s		3	Red.	Maintained from Apr. 1 to Nov. 30.
26360	Northport Platform East Light	40-57-16.000N 073-20-26.000W	Q W	26	5	On pile platform.	
26365	Northport Platform	40-57-17.000N	Q W	26	5	On pile platform.	HORN: 1 blast ev 20s (2s bl).

	West Light	073-20-31.500W					
26380	Lilco Basin Lighted Buoy 2	40-55-41.430N 073-20-44.190W	FI R 3s			Red.	
26385	Lilco Basin Lighted Buoy 3	40-55-38.490N 073-20-42.170W	FI G 3s			Green.	
26390	Lilco Basin Lighted Buoy 4	40-55-32.800N 073-20-44.010W	FI R 3s			Red.	
26395	Lilco Basin Lighted Buoy 5	40-55-30.140N 073-20-42.320W	FI G 3s			Green.	
26400	Lilco Basin Lighted Buoy 6	40-55-26.570N 073-20-43.220W	FI R 3s			Red.	
26420	Eatons Neck Lighted Buoy 1	40-56-49.978N 073-24-16.979W	FI G 2.5s		3	Green.	Replaced by can when endangered by ice.
26425	Eatons Neck Buoy 2	40-56-49.961N 073-24-09.021W				Red nun.	Position frequently changed due to shoaling. Replaced by nun when endangered by ice.
26430	Eatons Neck Lighted Buoy 2A	40-56-50.505N 073-24-06.541W	Q R		3	Red.	Position frequently changed due to shoaling. Replaced by nun when endangered by ice.
26435	Eatons Neck Basin Buoy 4	40-56-53.718N 073-24-04.018W				Red nun.	
26440	Eatons Neck Basin Buoy 5	40-56-56.138N 073-24-05.046W				Green can.	
26445	Eatons Neck Basin Buoy 6	40-57-03.140N 073-24-02.415W				Red nun.	
26450	Eatons Neck Basin Buoy 7	40-57-03.354N 073-24-03.650W				Green can.	
26455	Eatons Neck Basin Buoy 8	40-57-11.046N 073-24-00.104W				Red nun.	
26460	Eatons Neck Basin Buoy 9	40-57-11.293N 073-24-01.145W				Green can.	
26461	Eatons Neck Basin Coast Guard Mooring Buoy	40-57-12.721N 073-24-00.651W				White with blue band.	Marked CG.
26465	Huntington Bay Approach Buoy 2	40-57-18.035N 073-28-42.719W				Red nun.	
26470	Morris Rock Warning Buoy	40-56-53.385N 073-28-33.448W				White can with orange bands worded DANGER.	
26475	Huntington Bay Approach Buoy 4	40-56-46.145N 073-27-37.497W				Red nun.	
26480	Huntington Bay Approach Buoy 6	40-56-32.645N 073-26-21.825W				Red nun.	
26485	Huntington Bay Lighted Bell Buoy 8	40-55-51.595N 073-25-24.124W	FI R 4s		3	Red.	
26489	Price Bend No Wake Lighted Buoy A	40-55-36.100N 073-23-56.000W	FI W 3s			White with Orange bands.	
26490	Price Bend Lighted Buoy 1	40-55-37.000N 073-23-56.500W	Q G			Green.	
26495	Price Bend Lighted Buoy 2	40-55-38.100N 073-23-54.000W	Q R			Red.	
26500	Price Bend Lighted Buoy 3	40-55-40.000N 073-23-57.800W	FI G 3s			Green.	
26505	Price Bend Lighted Buoy 4	40-55-40.700N 073-23-56.100W	FI R 3s			Red.	
26510	Price Bend Lighted Buoy 5	40-55-41.100N 073-24-01.000W	FI G 3s			Green.	
26515	Price Bend Lighted Buoy 6	40-55-42.000N 073-23-58.900W	FI R 3s			Red.	
26520	Price Bend Lighted Buoy 7	40-55-41.400N 073-24-04.680W	FI G 3s			Green.	
26525	Price Bend Lighted Buoy 8	40-55-43.000N 073-23-58.000W	FI R 2s			Red.	
26527	Huntington Harbor Approach Lighted No Wake Buoy	40-54-50.160N 073-25-34.000W	FI W 3s			White with Orange Band.	Seasonal April 15 - October 15.
26530	Huntington Harbor Light	40-54-38.733N 073-25-52.014W	Iso W 6s	42	9	Square concrete tower attached to dwelling on rectangular pier.	HORN: 1 bl ev 15s (2s bl). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 81A/157.075Mhz. Key microphone 5 times consecutively to activate fog signal for 45 minutes.
26532	Huntington Inlet Lighted No Wake Buoy A	40-54-41.160N 073-25-48.960W	FI W 4s			White with orange bands.	Maintained Apr. 15 to Nov. 15.
26532.1	Huntington Inlet Lighted No Wake	40-54-38.220N 073-25-44.640W	FI W 4s			White with orange bands.	Maintained Apr. 15 to Nov. 15.

	Buoy B						
26535	Huntington Harbor Entrance Lighted Buoy 1	40-54-37.376N 073-25-46.155W	FI G 4s		3	Green.	Replaced by can from Nov. 15 to May 1.
26540	Huntington Harbor Entrance Buoy 2	40-54-34.646N 073-25-52.396W				Red nun.	
26545	Huntington Harbor Channel Buoy 3	40-54-31.136N 073-25-51.546W				Green can.	
26550	Huntington Harbor Channel Lighted Buoy 4	40-54-29.606N 073-25-56.083W	FI R 4s		3	Red.	Replaced by nun from Nov. 15 to May 1.
26555	Huntington Harbor Light 6	40-54-19.686N 073-26-06.346W	FI R 4s	5	4	TR on red cylindrical structure on pile.	
26560	Huntington Harbor Lighted Buoy 7	40-54-06.046N 073-26-04.711W	FI G 4s		3	Green.	Replaced by can from Nov. 15 to May 1.
26565	Huntington Harbor Channel Lighted Buoy 9	40-53-56.000N 073-25-55.600W	FI G 3s			Green.	
26570	Huntington Harbor Channel Lighted Buoy 10	40-53-49.800N 073-25-31.100W	FI R 2s			Red.	
26575	Huntington Harbor Channel Lighted Buoy 11	40-53-51.100N 073-25-31.500W	FI G 2.5s		2	Green.	
26580	Huntington Harbor Channel Lighted Buoy 12	40-53-45.000N 073-25-22.000W	FI R 2s			Red.	
26585	Huntington Harbor Channel Lighted Buoy 13	40-53-37.000N 073-25-11.500W	FI G 2s			Green.	
26590	Huntington Harbor Channel Junction Buoy	40-53-29.800N 073-25-08.300W				Red and green bands nun.	
26595	Huntington Harbor Channel Lighted Buoy 14	40-53-21.000N 073-25-04.500W	FI R 3s			Red.	
26600	Huntington Harbor Channel Lighted Buoy 16	40-53-17.000N 073-25-07.000W	FI R 3s			Red.	
26605	Huntington Harbor Channel Lighted Buoy 18	40-53-10.500N 073-25-08.820W	FI R 3s			Red.	
26615	Huntington Harbor Inner Lighted Buoy 1	40-53-27.600N 073-25-10.400W	FI G 3s			Green.	
26620	Huntington Harbor Inner Lighted Buoy 2	40-53-30.900N 073-25-10.600W	FI R 3s			Red.	
26625	Huntington Harbor Inner Lighted Buoy 3	40-53-24.400N 073-25-11.900W	FI G 3s			Green.	
26630	Huntington Harbor Inner Lighted Buoy 4	40-53-27.200N 073-25-12.200W	FI R 3s			Red.	
26635	Huntington Harbor Inner Lighted Buoy 5	40-53-20.900N 073-25-13.600W	FI G 3s			Green.	
26640	Huntington Harbor Inner Lighted Buoy 6	40-53-24.600N 073-25-13.700W	FI R 3s			Red.	
26645	Huntington Harbor Inner Lighted Buoy 7	40-53-17.900N 073-25-14.900W	FI G 3s			Green.	
26650	Huntington Harbor Inner Lighted Buoy 9	40-53-15.300N 073-25-16.200W	FI G 3s			Green.	
26655	Lloyd Harbor Buoy 2	40-54-52.325N 073-25-51.505W				Red nun.	
26660	Lloyd Harbor Buoy 3	40-54-44.016N 073-26-03.975W				Green can.	
26665	Lloyd Harbor Buoy 4	40-54-47.786N 073-26-08.046W				Red nun.	
26670	Lloyd Harbor West End Buoy 5	40-54-48.000N 073-26-58.000W				Green can.	Maintained from May 1 to Nov. 1.
26675	Lloyd Harbor West End Buoy 6	40-54-51.000N 073-26-58.000W				Red nun.	Maintained from May 1 to Nov. 1.
26680	Northport Bay	40-54-51.886N	FI G 4s		3	Green.	Replaced by can when endangered by ice.

	Entrance Lighted Buoy 1	073-24-21.442W					
26682	Northport Bay Channel Lighted No Wake Buoy B	40-54-46.620N 073-24-18.300W	FI W 4s			White with orange bands.	Maintained from Apr. 15 to Oct. 15.
26683	Sand City No Wake Lighted Buoy C	40-55-15.300N 073-24-01.600W	FI W 3s			White with Orange bands.	
26685	Northport Bay Entrance Buoy 2	40-54-47.786N 073-24-13.702W				Red nun.	
26690	Northport Bay Buoy 3	40-54-52.216N 073-24-01.772W				Green can.	
26692	Sand City Lighted No Wake Buoy H	40-54-52.400N 073-24-01.100W	FI W 3s			White with orange bands.	Maintained from Apr. 15 to Oct 15.
26695	Northport Bay Buoy 4	40-54-47.946N 073-23-52.702W				Red nun.	
26700	Northport Bay Lighted Buoy 6	40-54-49.226N 073-23-34.181W	FI R 4s		3	Red.	Replaced by nun from Nov. 15 to May 1.
26705	Northport Bay Lighted Buoy 8	40-55-00.186N 073-22-32.039W	FI R 4s		3	Red.	Replaced by nun from Nov. 15 to May 1.
26710	Northport Bay East Channel Lighted Buoy 1	40-55-16.500N 073-21-14.400W	FI G 3s			Green.	Maintained from Apr. 1 to Oct. 1.
26715	Northport Bay East Channel Lighted Buoy 2	40-55-14.400N 073-21-14.700W	FI R 3s			Red.	Maintained from Apr. 1 to Oct. 1.
26720	Northport Bay East Channel Lighted Buoy 3	40-55-15.300N 073-21-11.600W	FI G 3s			Green.	Maintained from Apr. 1 to Oct. 1.
26725	Northport Bay East Channel Lighted Buoy 4	40-55-13.700N 073-21-11.600W	FI R 3s			Red.	Maintained from Apr. 1 to Oct. 1.
26729	Northport Harbor Lighted No Wake Buoy A	40-54-43.800N 073-21-56.280W	FI W 4s			White with orange bands.	Maintained from Apr. 15 to Nov. 15.
26730	Northport Harbor Channel Lighted Buoy 1	40-54-45.300N 073-21-52.500W	FI G 3s		3	Green.	
26735	Northport Harbor Channel Lighted Buoy 2	40-54-43.300N 073-21-55.200W	FI R 2s			Red.	
26740	Northport Harbor Channel Lighted Buoy 3	40-54-35.200N 073-21-42.900W	FI G 3s			Green.	
26745	Northport Harbor Channel Lighted Buoy 4	40-54-32.700N 073-21-43.900W	FI R 3s			Red.	
26750	Northport Harbor Channel Lighted Buoy 5	40-54-25.000N 073-21-33.500W	FI G 3s			Green.	
26755	Northport Harbor Channel Lighted Buoy 6	40-54-20.000N 073-21-32.300W	FI R 2s			Red.	
26760	Northport Harbor Channel Lighted Buoy 7	40-54-13.000N 073-21-22.600W	FI G 3s			Green.	
26765	Northport Harbor Channel Lighted Buoy 8	40-54-12.500N 073-21-24.500W	FI R 3s			Red.	
26767	Northport Harbor Channel Lighted Buoy 9	40-54-08.800N 073-21-19.000W	FI G 3s			Green.	
26770	Northport Harbor Channel Lighted Buoy 10	40-54-06.700N 073-21-18.400W	FI R 2s			Red.	
26775	Northport Harbor Channel Lighted Buoy 12	40-53-57.800N 073-21-13.500W	FI R 2s			Red.	
26780	Northport Harbor Channel Lighted Buoy 13	40-53-53.000N 073-21-19.600W	FI G 3s			Green.	
26781	Northport Harbor Channel Lighted Buoy 14	40-53-54.700N 073-21-21.600W	FI R 3s			Red.	
26785	Northport Boatyard Channel Lighted Buoy 15	40-53-51.300N 073-21-21.900W	FI G 4s			Green.	
26786	Northport Boatyard	40-53-51.700N	FI R 4s			Red.	

	Channel Lighted Buoy 16	073-21-24.100W					
26787	Northport Boatyard Channel Lighted Buoy 17	40-53-46.500N 073-21-24.200W	FI G 4s			Green.	
26788	Northport Boatyard Channel Lighted Buoy 18	40-53-44.200N 073-21-26.100W	FI R 4s			Red.	
26789	Northport Boatyard Channel Lighted Buoy 19	40-53-44.800N 073-21-24.800W	FI G 4s			Green.	
26790	Northport Boatyard Channel Lighted Buoy 20	40-53-38.200N 073-21-28.700W	FI R 4s			Red.	
26791	Northport Boatyard Channel Lighted Buoy 21	40-53-40.600N 073-21-26.900W	FI G 4s			Green.	
26792	Northport Boatyard Channel Buoy 22	40-53-34.800N 073-21-30.200W				Red nun.	
26793	Northport Boatyard Channel Buoy 23	40-53-30.900N 073-21-26.400W				Green can.	
26794	Northport Boatyard Channel Lighted Buoy 24	40-53-31.100N 073-21-27.400W	FI R 4s			Red.	
26835	Centerport Harbor Approach Channel Lighted Buoy 1	40-54-21.600N 073-22-56.760W	FI G 3s		3	Green.	
26840	Centerport Harbor Approach Channel Lighted Buoy 2	40-54-20.340N 073-22-57.600W	FI R 3s			Red.	
26842	Centerport Harbor Lighted No Wake Buoy A	40-54-21.480N 073-22-58.620W	FI W 4s			White with orange bands.	Maintained Apr. 15 to Nov. 15.
26845	Centerport Harbor Approach Channel Lighted Buoy 3	40-54-13.380N 073-22-54.660W	FI G 3s			Green.	
26850	Centerport Harbor Approach Channel Lighted Buoy 4	40-54-12.420N 073-22-56.040W	FI R 3s			Red.	
26855	Centerport Harbor Approach Channel Lighted Buoy 5	40-54-03.240N 073-22-51.780W	FI G 3s			Green.	
26860	Centerport Harbor Approach Channel Lighted Buoy 6	40-54-01.620N 073-22-52.920W	FI R 3s			Red.	
26861	Centerport Harbor Approach Channel Lighted Buoy 7	40-54-00.300N 073-22-45.500W	FI G 3s			Green.	
26862	Centerport Harbor Approach Channel Lighted Buoy 8	40-53-57.600N 073-22-44.280W	FI R 3s			Red.	
26863	Centerport Harbor Approach Channel Lighted Buoy 9	40-53-52.320N 073-22-36.480W	FI G 3s			Green.	
26864	Centerport Harbor Approach Channel Lighted Buoy 10	40-53-51.960N 073-22-37.260W	FI R 3s			Red.	
26865	Oyster Bay Gong Buoy 1	40-55-33.426N 073-30-14.654W				Green.	
26870	Cold Springs Harbor Light	40-54-51.333N 073-29-34.914W	F W	37	8	NR on skeleton tower on caisson.	Red from 039° to 125°; covers Plum Point and shoal off Rocky Point.
26875	Oyster Bay Buoy 2	40-54-40.776N 073-30-08.434W				Red nun.	
26880	Oyster Bay Buoy 4	40-54-07.216N 073-30-23.175W				Red nun.	
26885	Oyster Bay Lighted Buoy 5	40-53-50.847N 073-30-35.086W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
26890	Oyster Bay Buoy 6	40-53-08.359N 073-31-05.879W				Red nun.	
26895	Oyster Bay Harbor Channel Junction Lighted Buoy B	40-53-00.200N 073-31-13.200W	FI (2+1)G 6s			Green and red bands.	
26900	Oyster Bay Harbor Channel Buoy 2	40-53-04.000N 073-31-12.000W				Red nun.	
26905	Oyster Bay Harbor Channel Buoy 3	40-53-00.120N 073-31-31.100W				Green can.	
26910	Oyster Bay Harbor	40-53-02.400N				Red nun.	

	Channel Buoy 4	073-31-20.400W					
26915	Oyster Bay Harbor Channel Lighted Buoy 5	40-53-00.000N 073-31-48.900W	FI G 4s			Green.	
26920	Oyster Bay Harbor Channel Buoy 6	40-53-02.400N 073-31-39.400W				Red nun.	
26925	Oyster Bay Harbor Channel Buoy 7	40-52-59.900N 073-32-16.400W				Green can.	
26930	Oyster Bay Harbor Channel Buoy 8	40-53-02.400N 073-31-58.500W				Red nun.	
26935	Oyster Bay Harbor Channel Buoy 9	40-52-48.696N 073-32-15.360W				Green can.	
26940	Oyster Bay Harbor Channel Buoy 11	40-52-42.782N 073-32-14.727W				Green can.	
26980	Oyster Bay Harbor Inner Channel Buoy 1	40-53-00.200N 073-31-10.300W				Green can.	
26985	Oyster Bay Harbor Inner Channel Buoy 3B	40-52-50.600N 073-31-16.800W				Green can.	
26990	Oyster Bay Harbor Inner Channel Buoy 2B	40-52-51.500N 073-31-19.100W				Red nun.	
26995	Oyster Bay Harbor Inner Channel Buoy 5B	40-52-41.400N 073-31-23.430W				Green can.	
27000	Oyster Bay Harbor Inner Channel Lighted Buoy 4B	40-52-42.700N 073-31-25.000W	FI R 4s			Red.	
27005	Oyster Bay Harbor Inner Channel Buoy 7B	40-52-41.844N 073-31-26.232W				Green can.	
27020	Oyster Bay Harbor Inner Channel Buoy 9B	40-52-41.600N 073-31-48.700W				Green can.	
27025	Oyster Bay Harbor Inner Channel Junction Buoy C	40-52-42.600N 073-31-48.700W				Red and green bands.	
27030	Oyster Bay Harbor Alternate Channel Junction Buoy A	40-53-00.000N 073-31-50.200W				Green and red bands.	
27035	Oyster Bay Harbor Alternate Channel Buoy 1A	40-52-50.800N 073-31-48.800W				Green can.	
27040	Oyster Bay Harbor Alternate Channel Buoy 2A	40-52-50.800N 073-31-50.100W				Red nun.	
27045	Oyster Bay Harbor Alternate Channel Buoy 4A	40-52-41.600N 073-31-50.000W				Red nun.	
27047	Hempstead Harbor Buoy 1	40-52-44.076N 073-39-30.024W				Green can.	
27050	Hempstead Harbor Buoy 2	40-52-29.033N 073-42-44.014W				Red nun.	
27055	Hempstead Harbor Buoy 4	40-52-12.812N 073-42-01.882W				Red nun.	
27060	Mott Point Bell Buoy 6	40-51-39.192N 073-40-25.679W				Red.	
27065	Glen Cove Breakwater Light 5	40-51-43.181N 073-39-37.247W	FI G 4s	24	5	SG on skeleton tower.	
27070	Hempstead Harbor Buoy 8	40-51-19.682N 073-40-12.649W				Red nun.	
27075	Hempstead Harbor Anchorage Buoy A	40-51-09.492N 073-39-33.077W				Yellow can.	
27080	Hempstead Harbor Anchorage Buoy B	40-51-03.492N 073-39-32.577W				Yellow nun.	
27085	Glen Cove Entrance Buoy 1	40-51-14.492N 073-39-09.376W				Green can.	
27090	Glen Cove Entrance Buoy 2	40-51-13.092N 073-39-07.476W				Red nun.	
27095	Hempstead Harbor Buoy 9	40-50-24.593N 073-39-29.878W				Green can.	
27100	Tappen Beach Boat Basin Entrance Buoy 1	40-49-59.088N 073-39-12.630W				Green can.	Maintained from May 1 to Nov. 1.
27105	Tappen Beach Boat	40-49-56.900N				Red nun.	Maintained from May 1 to Nov. 1.

	Basin Entrance Buoy 2	073-39-11.400W					
27110	Bar Beach Light 11	40-49-54.453N 073-39-11.974W	Fl G 4s	30	5	SG on skeleton tower.	
27115	Plum Point Lighted Buoy 1	40-49-56.214N 073-43-43.236W	Fl G 4s		4	Green.	Replaced by can when endangered by ice.
27120	Plum Point Shoal Buoy 3	40-49-51.431N 073-43-19.503W				Green can.	
27140	Manhasset Bay Buoy 4	40-49-46.024N 073-43-04.325W				Red nun.	
27145	Tom Point Inner Buoy 5	40-49-46.250N 073-42-17.750W				Green can.	Maintained from Mar. 1 to Dec. 1.
27150	Tom Point Outer Buoy 6	40-49-45.000N 073-42-21.000W				Red nun.	Maintained from Mar. 1 to Dec. 1.
27155	Elm Point Buoy 2	40-49-06.116N 073-45-51.601W				Red nun.	
27160	Elm Point Buoy 4	40-49-00.636N 073-46-03.271W				Red nun.	
27165	Kings Point Light	40-48-42.000N 073-45-48.000W	Iso W 2s			White cylindrical structure.	
27170	Willetts Point Buoy 2	40-47-52.817N 073-46-32.052W				Red nun.	
27180	Little Neck Bay Approach Anchorage Buoy A	40-46-55.923N 073-45-51.098W				Yellow nun.	
27185	Little Neck Bay Approach Anchorage Buoy B	40-47-09.467N 073-45-18.358W				Yellow nun.	
27200	Little Bay Entrance Buoy 2	40-47-49.707N 073-47-15.863W				Red nun.	
27205	Little Bay Lighted Buoy 3	40-47-42.767N 073-47-04.073W	Fl G 2.5s		4	Green.	Replaced by can when endangered by ice.
27210	Little Bay Buoy 4	40-47-37.777N 073-47-01.933W				Red nun.	
27215	Whitestone Point Light 1	40-48-06.396N 073-49-10.496W	Q G	56	3	SG on black skeleton tower.	
27216	Whitestone Point Buoy 1A	40-48-08.771N 073-49-11.020W				Green can.	
27220	College Point Reef Light CP	40-47-51.526N 073-51-03.339W	Fl W 2.5s	29	7	NG on skeleton tower.	
27225	East River Main Channel Gong Buoy 3	40-47-54.546N 073-51-05.050W				Green.	
27230	East River Main Channel Lighted Buoy 5	40-47-47.106N 073-51-56.921W	Fl G 2.5s		4	Green.	
27235	East River Main Channel Lighted Buoy 6	40-47-56.096N 073-52-12.562W	Fl R 2.5s		3	Red.	
27240	East River Main Channel Buoy 7	40-48-08.456N 073-53-45.524W				Green can.	
27245	North Brother Island North Light 9	40-48-08.832N 073-53-54.614W	Fl G 4s	33	4	SG on tower.	
27246	East River Regulatory Light A	40-48-18.350N 073-53-55.520W	F W			On dolphin.	
27246.1	East River Regulatory Light B	40-48-20.090N 073-53-47.110W	F W			On dolphin.	
27246.2	East River Regulatory Light C	40-48-21.170N 073-53-45.120W	Q W			On dolphin.	
27246.3	East River Regulatory Light D	40-48-21.720N 073-53-46.750W	Q W			On dolphin.	
27246.4	East River Regulatory Light E	40-48-21.490N 073-53-49.390W	Q W			On dolphin.	
27250	Brother Island Channel Buoy 6	40-48-00.366N 073-53-44.014W				Red nun.	
27260	Brother Island Channel Buoy 8	40-47-55.512N 073-53-53.848W				Red nun.	
27265	South Brother Island Light SB	40-47-50.832N 073-53-53.114W	Fl W 2.5s	20	5	NG on skeleton tower.	
27270	Brother Island Channel Buoy 9	40-47-51.196N 073-53-58.805W				Green can.	
27275	East River Main Channel Buoy ER	40-47-39.536N 073-54-22.516W				Green and red bands; can.	
27280	East River Main	40-47-30.546N	Fl G 2.5s		4	Green.	

	Channel Lighted Buoy 13	073-54-38.456W					
27285	Hog Back Light 14	40-46-50.944N 073-55-55.214W	FI R 4s	25	5	TR on skeleton tower.	
27290	Hell Gate Light 15	40-46-40.768N 073-56-05.359W	FI G 2.5s	33	4	SG on single pile.	
27295	Mill Rock North Light 1	40-46-51.345N 073-56-17.625W	FI G 4s	35	4	SG on skeleton tower on white base.	
27300	Mill Rock South Light 16	40-46-46.486N 073-56-22.319W	FI R 4s	37	4	TR on skeleton tower on white base.	
27305	Roosevelt Island Reef Lighted Buoy B	40-44-31.669N 073-58-04.013W	FI (2+1)G 6s		4	Green and red bands.	
27313	United Nations Small Mooring Buoy	40-44-51.346N 073-57-46.687W				White with Blue stripe.	Marked USCG.
27315	Roosevelt Island Reef Light 17	40-44-47.482N 073-57-51.994W	FI G 4s	57	6	SG on skeleton tower on white base.	Higher intensity beam up and down stream.
27325	Poorhouse Flats Range Front Light	40-43-27.888N 073-57-46.254W	Q R	25		KGR on skeleton tower.	Lighted throughout 24 hours.
27330	Poorhouse Flats Range Rear Light	40-43-23.782N 073-57-44.382W	Iso G 6s	48		KGR on skeleton tower.	Lighted throughout 24 hours.
27335	East River Main Channel Lighted Buoy 18	40-43-22.900N 073-58-05.013W	FI R 2.5s		3	Red.	
27337	Brooklyn Bridge NYPD Mooring Buoy	40-42-30.432N 073-59-40.314W					
27340	Deep Water Channel Lighted Buoy 3	40-41-57.156N 074-00-30.464W	FI G 2.5s		3	Green.	
27345	Deep Water Channel Lighted Buoy 2	40-41-46.762N 074-00-44.821W	Q R		3	Red.	
27350	Deep Water Channel Lighted Buoy 1	40-41-52.311N 074-01-16.144W	Q G		3	Green.	
27351	Brooklyn Pier 5 Marina Light 1	40-41-52.370N 074-00-03.720W	FI G 4s			Green	On floating dock.
27352	Brooklyn Pier 5 Marina Light 2	40-41-51.290N 074-00-04.400W	FI R 4s			Red	On floating dock.
27353	Brooklyn Pier 5 Marina Light	40-41-44.870N 074-00-08.430W	FI W 4s			White	On pier corner.
27355	Whitehall Ferry East Fog Light	40-42-00.000N 074-00-43.000W	STROBE			On dolphin.	
27360	Whitehall Ferry West Fog Light	40-42-00.000N 074-00-49.000W	STROBE			On dolphin.	
27370	Whitehall Ferry Rack A Fog Signal	40-42-00.000N 074-00-48.000W				On wood platform.	HORN: 1 blast ev 13s (5s bl).
27375	Whitehall Ferry RACON	40-42-00.000N 074-00-48.000W					RACON: W (--)
27410	Westchester Creek Channel Buoy 1	40-48-23.379N 073-50-30.953W				Green can.	
27415	Westchester Creek Channel Buoy 2	40-48-22.306N 073-50-27.969W				Red nun.	
27420	Westchester Creek Channel Buoy 3	40-48-30.236N 073-50-34.449W				Green can.	
27425	Westchester Creek Channel Buoy 4	40-48-32.306N 073-50-33.709W				Red nun.	
27430	Westchester Creek Channel Buoy 5	40-48-40.552N 073-50-38.382W				Green can.	
27435	Westchester Creek Channel Buoy 6	40-48-40.808N 073-50-37.344W				Red nun.	
27440	Westchester Creek Channel Buoy 8	40-48-46.525N 073-50-38.139W				Red nun.	
27445	Westchester Creek Channel Buoy 10	40-48-52.975N 073-50-36.149W				Red nun.	
27450	Westchester Creek Channel Buoy 12	40-49-00.615N 073-50-31.669W				Red nun.	
27455	Westchester Creek Channel Buoy 13	40-49-05.585N 073-50-27.499W				Green can.	
27460	Flushing Bay Channel Lighted	40-47-35.396N 073-51-25.501W	FI G 2.5s		4	Green.	Replaced by can when endangered by ice.

	Buoy 1						
27465	Flushing Bay Channel Buoy 2	40-47-36.396N 073-51-36.501W				Red nun.	
27470	Flushing Bay Channel Lighted Buoy 3	40-47-18.277N 073-51-42.831W	FI G 4s		4	Green.	Replaced by can when endangered by ice.
27475	Flushing Bay Channel Lighted Buoy 4	40-47-01.067N 073-51-37.461W	FI R 4s		4	Red.	Replaced by nun when endangered by ice.
27480	Flushing Bay Channel Lighted Buoy 5	40-46-54.127N 073-51-29.211W	FI G 4s		4	Green.	Replaced by can when endangered by ice.
27485	Flushing Bay Channel Buoy 6	40-46-44.847N 073-51-28.091W				Red nun.	
27490	Flushing Bay Channel Buoy 7	40-46-38.217N 073-51-19.941W				Green can.	
27495	Flushing Bay Light 8	40-46-28.607N 073-51-19.900W	FI R 4s	23	4	TR on skeleton tower.	
27500	Flushing Bay Channel Buoy 9	40-46-22.208N 073-51-10.630W				Green can.	
27505	Flushing Bay Channel Buoy 10	40-46-13.028N 073-51-09.860W				Red nun.	
27510	Flushing Bay Channel Buoy 11	40-46-05.968N 073-51-01.060W				Green can.	
27515	Flushing Bay Light 12	40-45-57.932N 073-51-01.314W	FI R 4s	13	4	TR on tower on piles.	
27520	Flushing Bay Channel Buoy 13	40-45-54.695N 073-50-55.062W				Green can.	
27525	Flushing Bay Channel Lighted Buoy 15	40-45-52.338N 073-50-51.210W	FI G 4s		4	Green.	Replaced by can when endangered by ice.
27530	Flushing Bay Channel Buoy 17	40-45-52.387N 073-50-44.727W				Green can.	
27535	Flushing Bay Channel Buoy 18	40-45-50.838N 073-50-42.420W				Red nun.	
27540	Flushing Harbor Buoy 1	40-45-44.948N 073-50-52.400W				Green can.	
27545	Flushing Harbor Buoy 2	40-45-48.388N 073-50-58.160W				Red nun.	
27546	Laguardia NYPD Mooring Buoy	40-47-34.960N 073-51-56.448W				White with blue stripe nun.	Marked CG
27547	La Guardia Airport Security Zone Lighted Buoy A	40-47-14.500N 073-52-03.050W	FI W 4s			White and orange.	Marked RESTRICTED AREA.
27547.1	La Guardia Airport Security Zone Lighted Buoy B	40-47-10.600N 073-52-06.700W	FI W 4s			White and orange.	Marked RESTRICTED AREA.
27547.2	La Guardia Airport Security Zone Lighted Buoy C	40-47-06.240N 073-52-04.540W	FI W 4s			White and orange.	Marked RESTRICTED AREA.
27547.3	La Guardia Airport Security Zone Lighted Buoy D	40-46-23.540N 073-51-16.680W	FI W 4s			White and orange.	Marked RESTRICTED AREA.
27547.9	La Guardia Airport Security Zone Lighted Buoy J	40-45-51.200N 073-50-59.700W	FI W 4s			White and orange	Marked RESTRICTED AREA.
27550	Bronx River Channel Buoy 1	40-48-04.256N 073-51-54.661W				Green can.	
27555	Bronx River Channel Buoy 2	40-48-04.936N 073-51-50.651W				Red nun.	
27560	Bronx River Channel Buoy 3	40-48-14.676N 073-51-58.151W				Green can.	Removed when endangered by ice.
27570	Bronx River Channel Buoy 5	40-48-26.106N 073-52-03.551W				Green can.	Removed when endangered by ice.
27580	Bronx River Channel Buoy 7	40-48-37.205N 073-52-08.842W				Green can.	Removed when endangered by ice.
27590	South Brother Island Channel Lighted Buoy 1	40-48-01.086N 073-53-29.644W	FI G 2.5s		3	Green.	
27595	South Brother Island Channel Junction Buoy SB	40-47-56.119N 073-53-42.485W				Green and red bands; can.	
27600	South Brother Island Channel Lighted Buoy 2	40-47-51.528N 073-53-41.787W	FI R 4s		3	Red.	
27605	South Brother	40-47-51.710N	FI G 4s		3	Green.	

	Island Channel Lighted Buoy 3	073-53-34.376W					
27610	South Brother Island Channel Buoy 4	40-47-30.771N 073-53-43.334W				Red nun.	
27615	South Brother Island Channel Lighted Buoy 5	40-47-29.076N 073-53-36.408W	Fl G 6s		3	Green.	
27620	South Brother Island Channel Lighted Buoy 7	40-47-18.085N 073-53-36.579W	Fl G 2.5s		3	Green.	
27625	Rikers Island Basin Junction Lighted Buoy RI	40-47-18.796N 073-53-42.605W	Fl (2+1)R 6s		3	Red and green bands.	
27630	South Brother Island Channel Buoy 9	40-47-07.097N 073-53-27.904W				Green can.	
27635	Steinway Creek Wharf Light	40-47-07.000N 073-53-45.000W	F R	20		Wharf end dolphin.	
27639	La Guardia Outfall Lighted Hazard Buoy 006	40-46-52.600N 073-52-56.900W	Fl Y 4s			Yellow.	
27640	Lawrence Point Ledge Light LP	40-47-35.526N 073-54-14.305W	Fl W 4s	25	5	NR on skeleton tower.	
27645	Lawrence Point Ledge Buoy 2	40-47-36.096N 073-54-05.635W				Red nun.	
27650	South Brother Island Ledge Light 3	40-47-32.196N 073-53-54.864W	Fl G 4s	17	5	SG on skeleton tower.	
27651	La Guardia Airport Security Zone Light A	40-46-31.100N 073-53-21.000W	Fl W 4s	18		On pile.	Marked RESTRICTED AREA.
27652	La Guardia Airport Security Zone Light B	40-46-41.960N 073-53-15.920W	Fl W 4s	18		On pile.	Marked RESTRICTED AREA.
27653	La Guardia Airport Security Zone Light C	40-46-52.000N 073-53-08.000W	Fl W 4s	14		On pile.	Marked RESTRICTED AREA.
27653.1	La Guardia Airport Security Zone Light D	40-46-54.800N 073-52-54.300W	Fl W 4s	14		On pile.	Marked RESTRICTED AREA.
27653.2	La Guardia Airport Security Zone Light E	40-47-13.200N 073-52-14.000W	Fl W 4s	14		On pile	Marked RESTRICTED AREA.
27653.3	La Guardia Airport Security Zone Light F	40-47-16.400N 073-52-09.500W	Fl W 4s	14		On pile	Marked RESTRICTED AREA.
27653.4	La Guardia Airport Security Zone Light G	40-47-01.920N 073-52-02.480W	Fl W 4s	14		On pile	Marked RESTRICTED AREA.
27653.5	La Guardia Airport Security Zone Light H	40-46-56.000N 073-52-05.300W	Fl W 4s	14		On pile	Marked RESTRICTED AREA.
27653.6	La Guardia Airport Security Zone Light I	40-46-50.460N 073-52-08.050W	Fl W 4s	14		On pile	Marked RESTRICTED AREA.
27653.7	La Guardia Airport Security Zone Light J	40-46-44.100N 073-51-54.910W	Fl W 4s	14		On pile	Marked RESTRICTED AREA.
27653.8	La Guardia Airport Security Zone Light K	40-46-37.800N 073-51-41.680W	Fl W 4s	14		On pile	Marked RESTRICTED AREA.
27653.9	La Guardia Airport Security Zone Light L	40-46-31.530N 073-51-28.420W	Fl W 4s	14		On pile	Marked RESTRICTED AREA.
27654	La Guardia Airport Security Zone Light M	40-45-58.770N 073-51-13.200W	Fl W 4s	14		On pile	Marked RESTRICTED AREA.
27654.1	La Guardia Airport Security Zone Light N	40-46-01.200N 073-51-20.000W	Fl W 4s	14		On pile	Marked RESTRICTED AREA.
27654.2	La Guardia Airport Security Zone Light O	40-45-52.790N 073-51-31.700W	Fl W 4s	14		On pile	Marked RESTRICTED AREA.
27654.3	La Guardia Airport Security Zone Light P	40-45-49.690N 073-51-35.740W	Fl W 4s	14		On pile	Marked RESTRICTED AREA.
27655	Gardiners Island Shoal Buoy 1	41-07-18.112N 072-06-39.175W				Green can.	

27660	Constellation Rock Buoy 2	41-10-28.394N 072-06-35.726W					Red nun.	
27662	Old Silas Rock Buoy 1	41-11-25.033N 072-08-43.033W					Green can.	
27665	Gardiners Island Lighted Gong Buoy 1GI	41-08-59.619N 072-08-56.269W	FI G 4s		4		Green.	
27670	Plum Island Rock Buoy 4	41-10-24.423N 072-10-38.954W					Red nun.	
27675	Midway Shoal Lighted Buoy MS	41-09-44.852N 072-12-38.941W	FI (2+1)G 6s		3		Green and red bands.	
27680	Orient Point Light	41-09-48.426N 072-13-25.027W	FI W 5s	64	14		Black conical tower with white band in center.	HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). MRASS-Fog signal is radio activated during times of reduced visibility turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively to activate fog signal for 45 minutes.
27685	Plum Island Harbor East Dolphin Light	41-10-15.600N 072-12-22.200W	Q R				On dolphin.	Maintained by DHS.
27690	Plum Island Harbor West Dolphin Light	41-10-15.800N 072-12-24.000W	Q G				On dolphin.	Maintained by DHS.
27695	Plum Gut Light	41-10-25.778N 072-12-42.150W	FI W 2.5s	21	5		On skeleton tower.	
27700	Plum Gut Lighted Bell Buoy 2PG	41-10-33.566N 072-13-05.897W	FI R 4s		4		Red.	
27705	Car Ferry Light	41-09-12.200N 072-14-20.800W	F W	18	5		On dolphin.	
27715	Research Basin Bay Daybeacon 1	41-08-59.900N 072-14-24.100W					SG on pile.	
27720	Research Basin Bay Daybeacon 3	41-09-02.900N 072-14-27.000W					SG on pile.	
27725	Research Basin Light	41-09-12.240N 072-14-31.080W	F R	10			On pile.	Maintained from sundown to 0130 daily. HORN: 1 blast ev 30s (1s bl).
27730	Gardiners Bay South Entrance Lighted Bell Buoy S	41-02-11.437N 072-03-05.319W	Mo (A) W		4		Red and white stripes with red spherical topmark.	Removed when endangered by ice.
27735	Gardiners Bay South Entrance Buoy 2	41-01-30.137N 072-03-47.410W					Red nun.	
27745	Gardiners Bay South Entrance Buoy 4	41-00-54.547N 072-04-49.922W					Red nun.	
27747	Out East Oysters Lighted Aquaculture Buoy A	41-00-07.000N 072-05-24.000W	F Y				Yellow.	Maintained Apr 01 to Nov 01.
27747.1	Out East Oysters Lighted Aquaculture Buoy B	41-00-10.000N 072-05-28.000W	F Y				Yellow.	Maintained Apr 01 to Nov 01.
27747.2	Out East Oysters Lighted Aquaculture Buoy C	41-00-10.000N 072-05-20.000W	F Y				Yellow.	Maintained Apr 01 to Nov 01.
27747.3	Out East Oysters Lighted Aquaculture Buoy D	41-00-04.000N 072-05-20.000W	F Y				Yellow.	Maintained Apr 01 to Nov 01.
27748	Promised Land Shellfish Lighted Buoy NW	40-59-58.361N 072-06-04.990W	F Y				Yellow.	
27748.1	Promised Land Shellfish Lighted Buoy NE	40-59-58.221N 072-05-56.385W	F Y				Yellow.	
27748.2	Promised Land Shellfish Lighted Buoy SE	40-59-51.702N 072-05-56.568W	F Y				Yellow.	
27748.3	Promised Land Shellfish Lighted Buoy SW	40-59-51.842N 072-06-05.177W	F Y				Yellow.	
27748.4	Multi Aquaculture Systems Lighted Aquaculture Buoy NW	41-00-28.652N 072-05-27.590W	FI Y 4s				Yellow.	
27748.5	Multi Aquaculture Systems Lighted Aquaculture Buoy NE	41-00-28.509N 072-05-18.983W	FI Y 4s				Yellow.	
27748.6	Multi Aquaculture Systems Lighted	41-00-21.990N 072-05-19.171W	FI Y 4s				Yellow.	

	Aquaculture Buoy SE					
27748.7	Multi Aquaculture Systems Lighted Aquaculture Buoy SW	41-00-22.132N 072-05-27.590W	FI Y 4s			Yellow.
27749	Empire State Shellfish Aquaculture Lighted Buoy NW	41-00-07.581N 072-06-04.726W	F Y			Yellow.
27749.1	Empire State Shellfish Aquaculture Lighted Buoy NE	41-00-07.440N 072-05-56.119W	F Y			Yellow.
27749.2	Empire State Shellfish Aquaculture Lighted Buoy SE	41-00-00.921N 072-05-56.305W	F Y			Yellow.
27749.3	Empire State Shellfish Aquaculture Lighted Buoy SW	41-00-01.062N 072-06-04.914W	F Y			Yellow.
27749.4	Montauk Shellfish Company Lighted Aquaculture Buoy NW	41-00-33.613N 072-05-15.270W	FI Y 4s			Yellow.
27749.5	Montauk Shellfish Company Lighted Aquaculture Buoy NE	41-00-33.472N 072-05-06.662W	FI Y 4s			Yellow.
27749.6	Montauk Shellfish Company Lighted Aquaculture Buoy SE	41-00-26.952N 072-05-06.849W	FI Y 4s			Yellow.
27749.7	Montauk Shellfish Company Lighted Aquaculture Buoy SW	41-00-27.093N 072-05-15.456W	FI Y 4s			Yellow.
27750	Gardiners Bay South Entrance Buoy 6	41-00-52.941N 072-06-40.126W				Red nun.
27755	Gardiners Bay South Entrance Buoy 8	41-01-18.995N 072-07-10.387W				Red nun.
27756	Acabonack Harbor Entrance Buoy 1	41-01-28.560N 072-07-59.460W				Green can.
27756.5	Acabonack Harbor Entrance Buoy 2	41-01-29.100N 072-07-59.640W				Red nun.
27757	Acabonack Harbor Entrance Buoy 3	41-01-26.700N 072-08-10.300W				Green can.
27757.5	Acabonack Harbor Entrance Buoy 4	41-01-27.660N 072-08-11.340W				Red nun.
27760	Gardiners Bay South Entrance Buoy 11	41-02-44.994N 072-07-57.288W				Green can.
27765	Lionhead Rock Buoy 13	41-03-24.092N 072-09-54.122W				Green can.
27770	Crow Shoal Buoy 14	41-04-34.190N 072-10-36.323W				Red nun.
27770.5	Cherry Harbor Oysters Lighted Aquaculture Buoy A	41-04-26.6073 072-06-33.240W	FI Y 4s			Yellow.
27770.51	Cherry Harbor Oysters Lighted Aquaculture Buoy B	41-04-26.466N 072-06-24.625W	FI Y 4s			Yellow.
27770.52	Cherry Harbor Oysters Lighted Aquaculture Buoy C	41-04-19.947N 072-06-24.811W	FI Y 4s			Yellow.
27770.53	Cherry Harbor Oysters Lighted Aquaculture Buoy D	41-04-20.087N 072-06-33.426W	FI Y 4s			Yellow.
27771	Hog Creek Channel East Light 1	41-03-01.800N 072-10-04.800W	FI G 2.5s		1	SG on pile.
27772	Hog Creek Channel East Light 2	41-03-01.200N 072-10-05.400W	FI R 2.5s		1	TR on pile.

27775	Threemile Harbor Entrance Lighted Bell Buoy TM	41-02-39.371N 072-11-18.685W	Mo (A) W		4	Red and white stripes with red spherical topmark.	Removed when endangered by ice.
27780	Threemile Harbor Entrance Buoy 1	41-02-16.228N 072-11-20.871W				Green can.	
27785	Threemile Harbor Entrance Buoy 2	41-02-15.150N 072-11-24.789W				Red nun.	
27790	Threemile Harbor East Breakwater Light	41-02-05.580N 072-11-15.780W	Q G	27		On post on dolphin.	
27795	Threemile Harbor West Breakwater Light	41-02-06.060N 072-11-19.560W	Q R	10		On dolphin.	
27797	Threemile Harbor Buoy 3	41-01-57.540N 072-11-10.980W				Green can.	
27800	Threemile Harbor Lighted Buoy 4	41-01-56.880N 072-11-12.840W	FI R 2s			Red.	
27805	Threemile Harbor Buoy 5	41-01-53.700N 072-11-04.200W				Green can.	
27810	Threemile Harbor Lighted Buoy 6	41-01-52.380N 072-11-04.620W	FI R 2s			Red.	
27815	Threemile Harbor Buoy 7	41-01-48.600N 072-10-57.600W				Green can.	
27820	Threemile Harbor Lighted Buoy 8	41-01-46.200N 072-10-57.960W	FI R 2s			Red.	
27825	Threemile Harbor Buoy 9	41-01-43.920N 072-10-54.000W				Green can.	
27830	Threemile Harbor Lighted Buoy 10	41-01-43.000N 072-10-56.800W	FI R 2s			Red.	
27832	Threemile Harbor Buoy 11	41-01-36.240N 072-10-52.680W				Green can.	
27835	Threemile Harbor Lighted Buoy 12	41-01-37.140N 072-10-55.020W	FI R 2s			Red.	
27840	Threemile Harbor Buoy 13	41-01-30.600N 072-10-54.240W				Green can.	
27845	Threemile Harbor Lighted Buoy 14	41-01-31.500N 072-10-55.620W	FI R 2s			Red.	
27850	Threemile Harbor Buoy 15	41-01-30.600N 072-10-54.240W				Green can.	
27855	Threemile Harbor Lighted Buoy 16	41-01-23.100N 072-10-56.580W	FI R 2s			Red.	
27860	Threemile Harbor Buoy 17	41-01-19.860N 072-10-55.550W				Green can.	
27865	Threemile Harbor Lighted Buoy 18	41-01-17.280N 072-10-57.780W	FI R 2s			Red.	
27870	Threemile Harbor Lighted Buoy 19	41-01-16.140N 072-10-55.320W	FI G 2s			Green can.	
27875	Threemile Harbor Lighted Buoy 20	41-01-07.500N 072-10-57.840W	FI R 2s			Red.	
27880	Threemile Harbor Buoy 21	41-01-09.480N 072-10-55.440W				Green can.	
27885	Threemile Harbor Lighted Buoy 22	41-01-02.280N 072-10-57.840W	FI R 2s			Red.	
27890	Threemile Harbor Buoy 23	41-01-03.000N 072-10-55.380W				Green can.	
27895	Threemile Harbor Lighted Buoy 24	41-00-56.760N 072-11-00.120W	FI R 2s			Red.	
27900	Threemile Harbor Buoy 25	41-00-56.640N 072-10-57.300W				Green can.	
27905	Threemile Harbor Lighted Buoy 26	41-00-49.400N 072-11-01.700W	FI R 2s			Red.	
27910	Threemile Harbor Buoy 27	41-00-50.900N 072-10-58.900W				Green can.	
27915	Threemile Harbor Lighted Buoy 28	41-00-43.100N 072-11-09.600W	FI R 2s			Red.	
27920	Threemile Harbor Buoy 29	41-00-38.100N 072-11-09.600W				Green can.	
27925	Threemile Harbor Lighted Buoy 30	41-00-35.800N 072-11-11.300W	FI R 2s			Red.	
27927	Threemile Harbor Buoy 31	41-00-30.200N 072-11-09.000W				Green can.	
27929	Threemile Harbor Light 32	41-00-29.580N 072-11-10.200W	FI R 2s			Red.	

27930	Threemile Harbor Buoy 33	41-00-19.080N 072-11-05.160W					Green can.	
27935	Threemile Harbor Lighted Buoy 34	41-00-20.280N 072-11-07.080W	FI R 2s				Red.	
27940	Threemile Harbor Buoy 35	41-00-12.120N 072-11-02.340W					Green can.	
27945	Threemile Harbor Lighted Buoy 36	41-00-11.040N 072-11-04.260W	FI R 2s				Red.	
27950	Threemile Harbor Buoy 37	41-00-07.380N 072-11-00.900W	FI G 2s				Green can.	
27955	Threemile Harbor Lighted Buoy 38	41-00-05.400N 072-10-58.020W	FI R 2s				Red.	
27960	Shelter Island Sound North Channel Lighted Whistle Buoy N	41-05-58.778N 072-15-41.463W	Mo (A) W		5		Red and white stripes with red spherical topmark.	Removed when endangered by ice.
27965	Shelter Island Sound North Channel Lighted Bell Buoy 2	41-06-10.974N 072-18-03.560W	FI R 4s		3		Red.	Replaced by nun when endangered by ice.
27970	Shelter Island Sound North Channel Buoy 3	41-06-04.669N 072-18-23.258W					Green can.	
27975	Long Beach Bar Light	41-06-35.133N 072-18-21.413W	FI W 4s	58	8		White tower and dwelling on piles.	
28035	Shelter Island Sound North Channel Buoy 6	41-06-51.839N 072-19-00.639W					Red nun.	
28040	Shelter Island Sound North Channel Lighted Buoy 7	41-06-34.009N 072-19-19.729W	FI G 4s		4		Green.	
28045	Shelter Island Sound North Channel Buoy 8	41-06-52.918N 072-20-01.851W					Red nun.	
28046	Rogers Pound Net Light A	41-07-17.930N 072-19-47.000W	FI Y 4s					Maintained Mar 15 to Dec 23.
28046.1	Rogers Pound Net Light B	41-07-15.690N 072-19-43.630W	FI Y 4s					Maintained Mar 15 to Dec 23.
28046.2	Rogers Pound Net Light C	41-07-22.060N 072-19-41.490W	FI Y 4s					Maintained Mar 15 to Dec 23.
28046.3	Rogers Pound Net Light D	41-07-19.380N 072-19-38.230W	FI Y 4s					Maintained Mar 15 to Dec 23.
28046.4	Rogers Pound Net Light E	41-06-48.580N 072-18-18.890W	FI Y 4s					Maintained Mar 15 to Dec 23.
28046.5	Rogers Pound Net Light F	41-08-21.560N 072-18-42.720W	FI Y 4s					Maintained Mar 15 to Dec 23.
28047	Gull Pond Light	41-06-41.860N 072-20-53.730W	FI R 4s	6			Single pile.	
28050	Greenport Harbor Light 8A	41-06-13.029N 072-20-51.552W	FI R 4s	19	4		TR on skeleton tower.	
28052	Shelter Island Sound North Channel Lighted Buoy 10	41-05-26.777N 072-21-40.156W	FI R 2.5s		4		Red.	Replaced by nun from 15 Nov. to 1 May.
28055	Stirling Basin Buoy 1	41-06-12.360N 072-21-13.440W					Green can.	Maintained from May 1 to Oct. 31.
28060	Stirling Basin Buoy 2	41-06-13.380N 072-21-05.760W					Red nun.	Maintained from May 1 to Oct. 31.
28061	Stirling Basin Buoy 4	41-06-18.600N 072-21-11.400W					Red nun.	Maintained from May 1 to Oct. 31.
28062	Stirling Basin Buoy 6	41-06-22.620N 072-21-13.440W					Red nun.	Maintained from May 1 to Oct. 31.
28063	Stirling Basin Buoy 7	41-06-22.320N 072-21-18.660W					Green can.	Maintained from May 1 to Oct. 31.
28064	Stirling Basin Buoy 9	41-06-24.000N 072-21-20.100W					Green can.	
28075	Dering Harbor Buoy 1	41-05-23.340N 072-21-01.620W					Green can.	
28080	Dering Harbor Buoy 2	41-05-23.280N 072-21-05.400W					Red nun.	
28085	Dering Harbor Buoy 3	41-05-17.220N 072-21-03.000W					Green can.	
28090	Dering Harbor Buoy 4	41-05-17.880N 072-21-05.520W					Red nun.	

28093	Dering Harbor Buoy 5	41-05-09.600N 072-21-04.100W				Green can.	
28095	Dering Harbor Buoy 6	41-05-09.540N 072-21-05.880W				Red nun.	
28100	Dering Harbor Buoy 7	41-05-06.540N 072-21-05.100W				Green can.	
28103	Dering Harbor Buoy 8	41-05-06.400N 072-21-06.100W				Red nun.	
28105	Mill Creek Lighted Buoy 1	41-04-26.200N 072-23-53.800W	FI G 2s			Green.	
28110	Mill Creek Buoy 2	41-04-26.700N 072-23-52.100W				Red.	
28115	Mill Creek Buoy 3	41-04-29.500N 072-23-56.500W				Green can.	
28120	Mill Creek Buoy 4	41-04-28.500N 072-23-53.800W				Red nun.	
28125	Mill Creek Buoy 5	41-04-33.000N 072-23-59.300W				Green spar.	
28130	Mill Creek Buoy 6	41-04-34.900N 072-23-59.700W				Red spar.	
28135	Shelter Island Sound North Channel Lighted Buoy 11	41-04-19.732N 072-23-08.326W	FI G 4s		3	Green.	Replaced by can from Nov. 15 to May 1.
28136	Aeros Cultured Oysters Aquaculture Lighted Buoy N	41-03-58.000N 072-24-01.000W	FI Y 2.5s			Yellow.	
28136.1	Aeros Cultured Oysters Aquaculture Lighted Buoy W	41-03-54.000N 072-24-07.000W				Yellow.	
28136.2	Aeros Cultured Oysters Aquaculture Lighted Buoy S	41-03-51.000N 072-23-58.000W				Yellow.	
28136.3	Aeros Cultured Oysters Aquaculture Lighted Buoy E	41-03-58.000N 072-23-55.000W	FI Y 2.5s			Yellow.	
28140	Town Creek Buoy 1	41-03-29.640N 072-24-47.160W				Green can.	
28145	Town Creek Lighted Buoy 2	41-03-31.000N 072-24-41.000W	FI R 4s			Red.	
28155	Town Creek Buoy 4	41-03-32.400N 072-24-49.200W				Red nun.	
28179	Reydon Shores Marina Light	41-02-55.700N 072-23-46.970W	FI Y 2.5s				
28179.5	Rogers Pound Net Light G	41-03-03.750N 072-23-39.890W	FI Y 4s				Maintained Mar 15 to Dec 23.
28180	Shelter Island Sound North Channel Lighted Buoy 12	41-02-57.769N 072-22-40.104W	FI R 4s		3	Red.	Replaced by nun from Nov. 15 to May 1.
28185	Shelter Island Sound North Channel Buoy 14	41-02-24.892N 072-22-27.414W				Red nun.	
28190	Shelter Island Sound North Channel Buoy 15	41-02-26.392N 072-21-58.313W				Green can.	
28191	Clark Aquaculture Pound Trap Light F	41-02-13.500N 072-23-12.840W	FI Y 20s				
28195	Coecles Harbor Entrance Light	41-04-12.000N 072-16-48.000W	FI R 4s	12		Red skeleton tower.	Maintained from Apr. 15 to Oct. 15.
28200	Coecles Harbor Lighted Buoy 1	41-04-05.100N 072-16-28.000W	FI G 4s			Green.	
28205	Coecles Harbor Buoy 3	41-04-06.800N 072-16-39.100W				Green can.	
28210	Coecles Harbor Lighted Buoy 5	41-04-09.000N 072-16-55.000W	Q G			Green.	
28215	Coecles Harbor Buoy 7	41-04-14.000N 072-17-38.000W				Green can.	
28220	Coecles Harbor Buoy 10	41-04-19.000N 072-18-21.000W				Red nun.	
28222	Coecles Harbor Buoy 11	41-04-17.000N 072-18-30.000W				Green can.	

28225	Coecles Harbor Buoy 12	41-04-38.000N 072-18-53.000W				Red nun.	
28226	Coecles Harbor Marina Buoy 1	41-04-38.000N 072-19-01.000W				Green can.	
28227	Coecles Harbor Marina Buoy 3	41-04-40.000N 072-19-06.000W				Green can.	
28228	Coecles Harbor Marina Buoy 5	41-04-41.000N 072-19-10.000W				Green can.	
28235	Shelter Island Sound South Channel Buoy 1	41-03-08.911N 072-14-01.301W				Green can.	
28240	Shelter Island Sound South Channel Buoy 3	41-02-49.419N 072-15-11.294W				Green can.	
28242	Nicoll Point Buoy 4	41-03-02.084N 072-15-58.124W				Red nun.	
28245	Cedar Island Light 3CI	41-02-25.204N 072-15-43.001W	FI G 4s	25	5	SG on Spindle.	
28250	Shelter Island Sound South Channel Buoy 6	41-02-19.669N 072-16-11.825W				Red nun.	
28255	Barcelona Point Light 7	41-01-00.783N 072-16-01.293W	FI G 4s	28	4	SG on skeleton tower.	
28295	Shelter Island Sound South Channel Buoy 8	41-01-03.390N 072-16-15.306W				Red nun.	
28300	Shelter Island Sound South Channel Buoy 9	41-00-50.110N 072-16-33.586W				Green can.	
28303	Shelter Island Sound South Channel Buoy 9A	41-00-48.842N 072-17-06.242W				Green can.	
28305	Sand Spit Rock Buoy S	41-01-15.278N 072-16-46.609W				White can with orange bands and diamond worded DANGER ROCKS.	
28310	Sand Spit Light 10A	41-00-55.489N 072-16-57.019W	FI R 4s	10	4	TR on monopole.	
28315	Shelter Island Sound South Channel Lighted Buoy 11	41-00-51.121N 072-17-21.187W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
28320	Shelter Island Sound South Channel Junction Buoy SH	41-00-53.701N 072-17-28.387W				Green and red bands; can.	
28323	Sag Harbor Approach Channel Buoy 1	41-00-42.033N 072-17-32.013W				Green can.	
28325	Sag Harbor Breakwater Light 3SH	41-00-32.140N 072-17-40.177W	FI G 2.5s	12	4	SG on monopole.	
28331	Sag Harbor Channel Buoy 2	41-00-34.680N 072-17-43.200W				Red nun.	
28332	Sag Harbor Channel Buoy 3	41-00-18.000N 072-17-42.000W				Green can.	
28333	Sag Harbor Channel Buoy 4	41-00-22.920N 072-17-51.300W				Red nun.	
28334	Sag Harbor Junction Buoy	41-00-21.120N 072-17-48.060W				Green and red can.	
28335	Sag Harbor Channel Buoy 5	41-00-12.480N 072-17-33.000W				Green can.	
28336	Sag Harbor Channel Buoy 6	41-00-16.980N 072-17-53.160W				Red nun.	
28350	Sag Harbor Cove Buoy 4	41-00-09.840N 072-18-02.580W				Red nun.	
28355	Sag Harbor Cove Lighted Buoy 6	41-00-09.420N 072-18-07.740W	FI R 5s			Red.	
28360	Sag Harbor Cove Buoy 6A	41-00-07.620N 072-18-18.720W				Red nun.	
28365	Sag Harbor Cove Buoy 7	41-00-07.380N 072-18-11.040W				Green can.	
28370	Sag Harbor Cove Buoy 7A	41-00-06.180N 072-18-16.920W				Green can.	
28375	Sag Harbor Cove	41-00-05.820N	FI R 5s			Red.	

	Lighted Buoy 8	072-18-33.180W					
28380	Sag Harbor Cove Buoy 9	41-00-02.460N 072-18-34.140W				Green can.	
28385	Sag Harbor Cove Buoy 11	40-59-59.220N 072-18-39.780W				Green can.	
28390	Sag Harbor Cove Lighted Buoy 12	41-00-00.900N 072-18-43.200W	FI R 5s			Red.	
28395	Shelter Island Sound South Channel Buoy 12	41-01-10.421N 072-17-32.517W				Red nun.	
28400	Shelter Island Sound South Channel Buoy 14	41-02-00.950N 072-18-00.688W				Red nun.	
28405	Shelter Island Sound South Channel Lighted Buoy 15	41-02-34.890N 072-18-41.309W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
28407	Clark Aquaculture Pond Trap Light A	41-03-06.950N 072-18-45.020W	FI Y 4s			Yellow.	Seasonal 4/15 to 11/15.
28410	Shelter Island Sound South Channel Danger Buoy	41-02-34.000N 072-19-32.000W				White with orange bands; can worded DANGER.	Maintained from June 1 to Nov. 1.
28412	Shell Beach Point Light	41-02-49.400N 072-20-20.000W	FI G 4s	6		Medal tower.	
28415	West Neck Harbor Entrance Lighted Buoy 2	41-02-50.000N 072-20-18.000W	FI R 4s			Red.	
28425	West Neck Harbor Buoy 4	41-02-47.000N 072-20-34.000W				Red nun.	Maintained from May 15 to Oct. 15.
28430	Menantic Creek Buoy 1	41-02-54.720N 072-20-44.400W				Green can.	
28435	Menantic Creek Buoy 2	41-02-54.300N 072-20-40.920W				Red nun.	
28440	Menantic Creek Buoy 3	41-03-06.660N 072-20-40.860W				Green can.	
28445	Menantic Creek Buoy 4	41-03-06.240N 072-20-39.720W				Red nun.	
28450	Shelter Island Sound South Channel Lighted Buoy 16	41-01-43.682N 072-21-16.512W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
28451.1	Bennett Aquaculture Light F	41-01-34.400N 072-19-55.700W	FI Y 2s			On pile.	Maintained from 01 Apr to 15 Dec.
28455	Mill Creek Buoy 1	41-00-03.102N 072-20-57.001W				Green can.	
28460	Mill Creek Buoy 1A	40-59-53.520N 072-20-58.380W				Green can.	
28465	Mill Creek Buoy 2A	41-00-04.440N 072-20-59.580W				Red nun.	
28470	Mill Creek Lighted Buoy 2	41-00-04.440N 072-21-00.660W	FI R 5s			Red.	
28475	Mill Creek Buoy 3	40-59-44.520N 072-20-58.260W				Green can.	
28480	Mill Creek Lighted Buoy 4	40-59-44.820N 072-20-59.460W	FI R 5s			Red.	
28485	Mill Creek Buoy 5	40-59-46.320N 072-20-51.960W				Green can.	
28490	Mill Creek Buoy 6	40-59-44.640N 072-20-51.300W				Red nun.	
28495	Noyack Creek Buoy 1	40-59-54.600N 072-21-49.800W				Green can.	Maintained from May. 15 to Nov. 15.
28500	Noyack Creek Lighted Buoy 2	40-59-47.760N 072-21-59.520W	FI R 5s			Red.	Maintained from May. 15 to Nov. 15.
28501	Semlear Aquaculture East Bunker Light	41-00-33.600N 072-22-08.040W	FI Y 2s			On pile.	Maintained from 01 Apr to 30 Sep.
28501.1	Semlear Aquaculture West Bunker Light	41-00-32.820N 072-21-58.200W	FI Y 2s			On pile.	Maintained from 01 Apr to 30 Sep.
28501.2	Semlear Aquaculture Jessups Light	41-00-41.880N 072-22-35.040W	FI Y 2s			On pile.	Maintained from 01 Apr to 30 Sep.
28501.3	Semlear Aquaculture South Light	41-00-14.520N 072-22-24.120W	FI Y 2s			On pile.	Maintained from 01 Apr to 30 Sep.

28502	Clark Aquaculture Pound Trap Light A	41-02-20.000N 072-17-17.000W	FI Y 4s			On pile.	Maintained from 01 Apr to 30 Nov.
28502.1	Clark Aquaculture Pound Trap Light B	41-01-06.000N 072-22-42.000W	FI Y 4s			On pile.	Maintained from 01 Apr to 30 Nov.
28502.2	Clark Aquaculture Pound Trap Light C	41-03-17.000N 072-16-20.000W	FI Y 4s			On pile.	Maintained from 01 Apr to 30 Nov.
28502.3	Clark Aquaculture Pound Trap Light D	41-02-36.000N 072-16-39.000W	FI Y 4s			On pile.	Maintained from 01 Apr to 30 Nov.
28502.4	Clark Aquaculture Pond Trap Light E	41-01-05.100N 072-19-39.070W	FI Y 2.5s				
28502.5	Clark Aquaculture Pound Trap Light G	40-59-40.270N 072-22-28.850W	FI Y 20s				
28503.51	Wenczel Seafood Fish Trap Light B	41-04-34.975N 072-23-30.934W	FI Y 2s			On wood pole.	
28503	Schellinger Fish Trap Light FN4	41-00-26.220N 072-19-06.780W	FI Y 2s			On pile.	Maintained from 15 Apr to 15 Dec.
28503.1	Schellinger Fish Trap Light FN38	41-00-57.420N 072-22-17.160W	FI Y 2s			On pile.	Maintained from 15 Apr to 15 Dec.
28503.2	Schellinger Fish Trap Light FN63	41-00-09.240N 072-21-54.360W	FI Y 2s			On pile.	Maintained from 15 Apr to 15 Dec.
28503.5	Wenczel Seafood Fish Trap Light A	41-00-51.270N 072-15-29.360W	FI Y 2s				Maintained Mar 15 to Nov 15.
28503.6	Batky Fish Trap Light B	41-00-37.500N 072-16-04.000W	FI Y 2s				Maintained Mar 15 to Nov 15.
28503.7	Batky Fish Trap Light C	41-00-58.870N 072-15-45.600W	FI Y 2s				Maintained Mar 15 to Nov 15.
28503.8	Batky Fish Trap Light D	41-02-37.030N 072-17-56.330W	FI Y 2s				Maintained Mar 15 to Nov 15.
28503.4	JBH of Peconic Aquaculture Buoy A	41-01-12.108N 072-22-17.216W				Yellow.	
28503.41	JBH of Peconic Aquaculture Buoy B	41-01-11.989N 072-22-08.605W				Yellow.	
28503.42	JBH of Peconic Aquaculture Buoy C	41-01-05.466N 072-22-08.767W				Yellow.	
28503.9	Kotula Aquaculture Light	41-02-42.430N 072-18-03.750W	FI Y 2s	6			Maintained 15 May to 30 Nov.
28504	Clark Aquaculture Pond Trap Light B	41-00-58.370N 072-22-42.730W	FI Y 2s				Maintained Apr 01 to Nov 15.
28505	Little Peconic Bay Lighted Buoy 17	41-01-29.373N 072-22-54.464W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
28510	Little Peconic Bay Lighted Buoy 18	41-00-41.883N 072-23-53.675W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
28511	Stein Seafoods Lighted Aquaculture Buoy A	41-00-55.000N 072-25-01.850W	FI Y 2.5s			Yellow.	
28511.1	Stein Seafoods Lighted Aquaculture Buoy B	41-00-50.410N 072-25-04.380W	FI Y 2.5s			Yellow.	
28511.2	Stein Seafoods Lighted Aquaculture Buoy C	41-00-48.510N 072-24-58.260W	FI Y 2.5s			Yellow.	
28511.3	Stein Seafoods Lighted Aquaculture Buoy D	41-00-53.140N 072-24-55.810W	FI Y 2.5s			Yellow.	
28515	Corey Creek Entrance Buoy 2	41-01-43.560N 072-25-33.480W				Red nun.	
28520	Corey Creek Entrance Buoy 1	41-01-43.320N 072-25-39.240W				Green can.	
28523	Corey Creek Entrance Buoy 3	41-01-55.800N 072-25-33.180W				Green can.	
28525	Corey Creek Entrance Buoy 4	41-01-50.940N 072-25-27.960W				Red nun.	
28530	Corey Creek Entrance Buoy 6	41-01-56.040N 072-25-26.220W				Red nun.	
28530.43	JBH of Peconic Aquaculture Buoy D	41-01-05.588N 072-22-17.374W				Yellow.	
28535	Richmond Creek Buoy 1	41-01-55.400N 072-26-08.700W				Green spar.	

28540	Richmond Creek Buoy 2	41-01-55.500N 072-26-07.600W				Red spar.	
28545	Richmond Creek Buoy 3	41-01-59.600N 072-26-11.500W				Green spar.	
28550	Richmond Creek Buoy 4	41-02-00.100N 072-26-10.700W				Red spar.	
28555	Bennett Aquaculture Light A	40-59-16.410N 072-22-43.750W	FI Y 2s			On pile.	Maintained from 01 Apr to 15 Dec.
28555.2	Bennett Aquaculture Light C	40-59-11.550N 072-22-47.290W	FI Y 2s			On pile.	Maintained from 01 Apr to 15 Dec.
28555.3	Bennett Aquaculture Light D	40-59-07.800N 072-22-36.660W	FI Y 2s			On pile.	Maintained from 01 Apr to 15 Dec.
28560	Fresh Pond Approach Lighted Buoy 1	40-58-03.400N 072-23-39.000W	FI G 5s			Green.	Maintained from May 15 to Nov. 15.
28565	Fresh Pond Approach Buoy 2	40-58-02.300N 072-23-39.600W				Red nun.	Maintained from May 15 to Nov. 15.
28567	Dunne Aquaculture Lighted Buoy NE	40-58-54.530N 072-23-12.843W	FI Y 2s			Yellow.	Maintained Apr.1 to Dec 1.
28567.1	Dunne Aquaculture Lighted Buoy SE	40-58-48.007N 072-23-13.001W	FI Y 2s			Yellow.	Maintained Apr.1 to Dec 1.
28567.2	Dunne Aquaculture Lighted Buoy SW	40-58-48.129N 072-23-21.606W	FI Y 2s			Yellow.	Maintained Apr.1 to Dec 1.
28567.3	Dunne Aquaculture Lighted Buoy NW	40-58-54.000N 072-23-21.000W	FI Y 2s			Yellow.	Maintained Apr. 1 to Dec 1.
28570	Little Peconic Bay Lighted Buoy 20	40-58-33.984N 072-25-46.359W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
28576	Mastaglio Pound Trap Light A	40-59-36.900N 072-26-49.300W	FI Y 2s			On pole.	Maintained from 01 Feb to 31 Dec.
28577	Mastaglio Pound Trap Light B	40-59-32.900N 072-25-57.200W	FI Y 2s			On pole.	Maintained from 01 Feb to 31 Dec.
28578	Mastaglio Pound Trap Light C	40-59-31.400N 072-26-04.000W	FI Y 2s			On pole.	Maintained from 01 Feb to 31 Dec.
28590	Wooley Pond Entrance Lighted Buoy 1	40-57-32.600N 072-24-10.000W	FI G 5s			Green.	
28595	Wooley Pond Buoy 2	40-57-31.800N 072-24-10.600W				Red nun.	
28600	Wooley Pond Buoy 4	40-57-17.880N 072-23-58.980W				Red nun.	
28605	Wooley Pond Buoy 5	40-57-14.940N 072-23-45.540W				Green can.	
28610	North Sea Harbor Lighted Buoy 2	40-57-02.640N 072-24-59.160W	FI R 5s			Red.	
28615	North Sea Harbor Buoy 1	40-57-07.020N 072-24-56.640W				Green can.	
28620	North Sea Harbor Buoy 3	40-56-54.780N 072-24-56.460W				Green can.	
28625	North Sea Harbor Buoy 4	40-56-47.900N 072-24-58.900W				Red nun.	
28630	North Sea Harbor Buoy 5	40-56-47.280N 072-24-57.300W				Green can.	
28635	North Sea Harbor Buoy 6	40-56-23.800N 072-24-54.600W				Red nun.	
28638	North Sea Harbor Aquaculture Lighted Buoy B	40-56-24.900N 072-25-02.200W	FI Y 4s			Yellow.	
28640	Wickham Creek Entrance Buoy 1	41-00-05.400N 072-27-52.200W				Green can.	
28645	Wickham Creek Entrance Buoy 2	41-00-08.220N 072-27-56.400W				Red nun.	
28650	Wickham Creek Entrance Buoy 3	41-00-07.200N 072-27-58.000W				Green spar.	
28655	Wickham Creek Entrance Lighted Buoy 4	41-00-09.420N 072-28-00.000W	FI R 2s			Red spar.	
28660	East Creek Buoy 1	41-00-17.820N 072-27-35.340W					
28661	East Creek Buoy 2	41-00-18.480N 072-27-34.500W					
28662	East Creek Buoy 3	41-00-24.600N 072-27-36.180W					

28663	East Creek Buoy 4	41-00-24.180N 072-27-35.520W					
28665	New Suffolk Channel Buoy 1	40-59-41.000N 072-28-12.600W					
28670	New Suffolk Channel Buoy 2	40-59-41.800N 072-28-12.900W					
28675	New Suffolk Channel Buoy 3	40-59-40.600N 072-28-17.000W					
28680	New Suffolk Channel Buoy 4	40-59-40.600N 072-28-18.700W					
28685	North Race Buoy 1	40-59-12.285N 072-26-55.330W				Green can.	
28687	Peconic Gold Oysters Aquaculture Lighted Buoy A	40-59-34.901N 072-27-27.511W	FI Y 2.5s			Yellow.	
28687.1	Peconic Gold Oysters Aquaculture Lighted Buoy B	40-59-35.015N 072-27-36.115W	FI Y 2.5s			Yellow.	
28687.2	Peconic Gold Oysters Aquaculture Lighted Buoy C	40-59-28.381N 072-27-27.662W	FI Y 2.5s			Yellow.	
28687.3	Peconic Gold Oysters Aquaculture Lighted Buoy D	40-59-28.496N 072-27-36.266W	FI Y 2.5s			Yellow.	
28688	Goodale Oyster Farming Lighted Aquaculture Buoy NW	40-59-25.660N 072-27-19.824W				Yellow.	
28688.1	Goodale Oyster Farming Lighted Aquaculture Buoy NE	40-59-25.545N 072-27-11.219W	Q Y			Yellow.	
28688.2	Goodale Oyster Farming Lighted Aquaculture Buoy SE	40-59-19.024N 072-27-11.371W	Q Y			Yellow.	
28688.3	Goodale Oyster Farming Lighted Aquaculture Buoy SW	40-59-19.139N 072-27-19.975W	Q Y			Yellow.	
28690	North Race Lighted Buoy 3	40-59-08.405N 072-28-17.364W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
28695	West Robins Oyster Aquaculture Lighted Buoy A	40-58-20.860N 072-28-43.460W				Yellow	Seasonal. Maintained May 1st to Nov 15th.
28696	West Robins Oyster Aquaculture Lighted Buoy B	40-58-28.700N 072-28-40.200W				Yellow	Seasonal. Maintained May 1st to Nov 15th.
28697	West Robins Oyster Aquaculture Lighted Buoy C	40-58-09.060N 072-28-32.600W				Yellow	Seasonal. Maintained May 1st to Nov 15th.
28698	West Robins Oyster Aquaculture Lighted Buoy D	40-58-05.850N 072-28-38.490W				Yellow	Seasonal. Maintained May 1st to Nov 15th.
28699	Hampton Oyster Company Aquaculture Lighted Buoy NE	40-58-29.600N 072-28-30.900W	FI Y 2s			Yellow.	
28699.1	Hampton Oyster Company Aquaculture Lighted Buoy SE	40-58-15.300N 072-28-26.000W	FI Y 2s			Yellow.	
28699.2	Hampton Oyster Company Aquaculture Lighted Buoy SW	40-58-13.600N 072-28-35.000W	FI Y 2s			Yellow.	
28700	Davy Jones Shellfish Lighted Aquaculture Buoy NW	40-57-54.710N 072-29-03.623W	FI Y 2.5s			Yellow.	
28700.1	Davy Jones Shellfish Lighted Aquaculture Buoy NE	40-57-54.598N 072-28-55.019W	FI Y 2.5s			Yellow.	
28700.2	Davy Jones Shellfish Lighted Aquaculture Buoy	40-57-48.077N 072-28-55.171W	FI Y 2.5s			Yellow.	

	SE						
28700.3	Davy Jones Shellfish Lighted Aquaculture Buoy SW	40-57-48.189N 072-29-03.771W	FI Y 2.5s			Yellow.	
28705	North Race Buoy 4	40-58-27.256N 072-28-56.513W				Red nun.	
28710	Marratooka Point Buoy 1	40-59-04.980N 072-29-54.000W				Green can.	Maintained from May 1 to Oct. 31.
28715	Marratooka Point Buoy 2	40-59-06.900N 072-29-54.360W				Red nun.	Maintained from May 1 to Oct. 31.
28720	Marratooka Point Buoy 3	40-59-06.480N 072-30-02.580W				Green spar.	Maintained from May 1 to Oct. 31.
28725	Marratooka Point Buoy 4	40-59-10.800N 072-30-11.640W				Red nun.	
28730	James Creek Buoy 1	40-58-35.100N 072-31-34.400W				Green can.	
28735	James Creek Lighted Buoy 2	40-58-35.800N 072-31-33.000W	FI R 4s			Red.	
28740	James Creek Buoy 3	40-58-40.300N 072-31-36.600W				Green can.	
28745	James Creek Buoy 4	40-58-44.600N 072-31-38.200W				Red nun.	
28750	Great Peconic Bay Lighted Buoy 22	40-57-09.088N 072-27-01.113W	FI R 2.5s		3	Red.	Replaced by nun when endangered by ice.
28755	Robins Island Rock Danger Buoy	40-57-23.292N 072-28-17.160W				White with orange bands worded DANGER ROCKS.	
28786	Maran Aquaculture Pound Trap Light A	40-55-48.680N 072-27-00.330W	FI Y 2s			On wood pole.	Maintained Apr 1 to Dec 31.
28787	Mastaglio Pound Trap Light D	40-55-34.200N 072-26-58.800W	FI Y 2s	8		On pole.	
28790	Rodgers Rock Danger Buoy	40-56-22.285N 072-28-04.274W				White with orange bands worded DANGER ROCKS.	
28792	Robins Island SE Pound Trap Light	40-57-33.270N 072-27-01.530W	FI Y 2s			On pile.	Maintained from May 15 to Nov 1.
28795	Sebonac Creek Buoy 1	40-55-10.020N 072-27-26.940W				Green can.	
28800	Sebonac Creek Buoy 1A	40-55-09.600N 072-27-24.840W				Green can.	
28810	Sebonac Creek Buoy 2A	40-55-07.620N 072-27-21.600W				Red nun.	
28815	Sebonac Creek Daybeacon 2B	40-55-05.580N 072-27-12.240W				TR on pile.	
28820	Sebonac Creek Lighted Buoy 2	40-55-09.240N 072-27-27.480W	FI R 5s			Red.	
28825	Sebonac Creek Lighted Buoy 3	40-55-03.780N 072-27-01.380W	FI G 5s			Green.	
28830	Sebonac Creek Buoy 4	40-55-01.000N 072-26-46.000W				Red nun.	
28835	Sebonac Creek Lighted Buoy 5	40-55-02.820N 072-26-35.040W	FI G 5s			Green.	
28840	Sebonac Creek Buoy 7	40-55-02.400N 072-26-35.760W				Green can.	
28845	Sebonac Creek Buoy 8	40-55-00.120N 072-26-29.400W				Red nun.	
28847	Manna Fish Farms Aquaculture Lighted Buoy NW	40-54-41.065N 072-29-08.041W	FI Y 2s			Yellow.	
28847.1	Manna Fish Farms Aquaculture Lighted Buoy NE	40-54-40.953N 072-28-59.444W	FI Y 2s			Yellow.	
28847.2	Manna Fish Farms Aquaculture Lighted Buoy SE	40-54-34.434N 072-28-59.592W	FI Y 2s			Yellow.	
28847.3	Manna Fish Farms Aquaculture Lighted Buoy SW	40-54-34.546N 072-29-08.188W	FI Y 2s			Yellow.	
28850	Cold Spring Pond Approach Light 1	40-53-56.200N 072-28-41.707W	FI G 5s	6		SG on pile.	Maintained from May 1 to Nov. 1.
28855	Cold Spring Pond	40-53-55.200N				Red nun.	Maintained from May 1 to Nov. 1.

	Approach Buoy 2	072-28-43.920W					
28860	Shinnecock Canal Entrance Buoy 1	40-53-56.033N 072-30-11.441W				Green can.	
28865	Shinnecock Canal Entrance Buoy 2	40-53-56.162N 072-30-14.274W				Red nun.	
28870	Shinnecock Canal Entrance Light 3	40-53-50.692N 072-30-10.372W	FI G 6s	25	5	SG on skeleton tower.	
28882	East Creek Lighted Buoy 2	40-56-19.440N 072-34-06.780W	FI R 2s			Red.	Maintained from May 1 to Nov. 1.
28883	East Creek Lighted Buoy 3	40-56-17.940N 072-34-06.720W	FI G 2s			Green.	Maintained from May 1 to Nov. 1.
28884	East Creek Lighted Buoy 5	40-56-19.320N 072-34-13.560W	FI G 2s			Green.	Maintained from May 1 to Nov. 1.
28885	Red Creek Pond Entrance Light 1	40-55-00.180N 072-33-14.880W	FI G 5s	6	3	SG on pile.	Maintained from Apr. 15 to Nov. 15.
28890	Red Creek Pond Entrance Buoy 2	40-54-58.980N 072-33-15.780W				Red nun.	Maintained from May 15 to Nov. 1.
28895	Red Creek Pond Entrance Buoy 3	40-54-54.900N 072-33-11.040W				Green can.	Maintained from May 15 to Nov. 1.
28900	Red Creek Pond Entrance Buoy 4	40-54-52.860N 072-33-13.620W				Red nun.	Maintained from May 15 to Nov. 1.
28901.2	Painter Oysters Aquaculture Lighted Buoy SE	40-56-31.269N 072-33-31.258W	FI Y 2.5s			Yellow.	
28901	Painter Oysters Aquaculture Lighted Buoy NW	40-56-37.897N 072-33-39.716W	FI Y 2.5s			Yellow.	
28901.1	Painter Oysters Aquaculture Lighted Buoy NE	40-56-37.789N 072-33-31.117W	FI Y 2.5s			Yellow.	
28901.3	Painter Oysters Aquaculture Lighted Buoy SW	40-56-31.376N 072-33-39.857W	FI Y 2.5s			Yellow.	
28902	Armstrong Aquaculture Lighted Buoy NW	40-56-27.806N 072-33-39.983W				Yellow.	
28902.1	Armstrong Aquaculture Lighted Buoy NE	40-56-27.699N 072-33-31.384W	FI Y 2.5s			Yellow.	
28902.2	Armstrong Aquaculture Lighted Buoy SE	40-56-21.178N 072-33-31.526W				Yellow.	
28902.3	Armstrong Aquaculture Lighted Buoy SW	40-56-21.286N 072-33-40.124W	FI Y 2.5s			Yellow.	
28903	Spinelli's Sea Farms Aquaculture Lighted Buoy NE	40-56-30.169N 072-33-19.165W	FI Y 2.5s			Yellow.	
28903.1	Spinelli's Sea Farms Aquaculture Lighted Buoy SE	40-56-23.650N 072-33-19.309W	FI Y 2.5s			Yellow.	
28903.2	Spinelli's Sea Farms Aquaculture Lighted Buoy SW	40-56-23.758N 072-33-27.906W	FI Y 2.5s			Yellow.	
28903.3	Spinelli's Sea Farms Aquaculture Lighted Buoy NW	40-56-30.277N 072-33-27.766W	FI Y 2.5s			Yellow.	
28905	Flanders Bay Lighted Buoy 2	40-55-45.764N 072-32-41.066W	FI R 2.5s		3	Red.	Maintained from 15 April to 15 November.
28910	Flanders Bay Lighted Buoy 4	40-55-36.482N 072-34-21.988W	FI R 4s		3	Red.	Maintained from 15 April to 15 November.
28915	Flanders Bay Buoy 5	40-55-44.307N 072-34-40.774W				Green can.	Maintained from 15 April to 15 November.
28920	Flanders Bay Buoy 7	40-55-43.144N 072-34-57.721W				Green can.	Maintained from 15 April to 15 November.
28925	Flanders Bay Lighted Buoy 8	40-55-22.626N 072-35-15.170W	FI R 4s		3	Red.	Maintained from 15 April to 15 November.
28930	Flanders Bay Lighted Buoy 9	40-55-38.567N 072-36-11.357W	FI G 4s		4	Green.	Maintained from 15 April to 15 November.
28955	Meetinghouse Creek Entrance Buoy 1	40-55-41.400N 072-36-48.000W				Green can.	
28960	Meetinghouse Creek Entrance Buoy 2	40-55-41.000N 072-36-46.000W				Red nun.	
28965	Meetinghouse	40-55-41.880N				Green can.	

	Creek Entrance Buoy 3	072-36-51.240W						
28970	Meetinghouse Creek Entrance Buoy 4	40-55-42.840N 072-36-51.240W					Red nun.	
28971	Meetinghouse Creek Lighted Bouy 6	40-55-43.200N 072-36-54.480W	FI R 2s				Red.	Maintained from May 1 to Nov 1.
28972	Reeves Creek Buoy 2	40-55-45.240N 072-36-41.350W					Red nun.	Maintained from May 1 to Nov 1.
28972.1	Reeves Creek Buoy 4	40-55-49.200N 072-36-39.840W					Red nun.	Maintained from May 1 to Nov 1.
28972.2	Reeves Creek Buoy 6	40-55-51.540N 072-36-38.940W					Red nun.	Maintained from May 1 to Nov 1.
28975	Peconic River Lighted Buoy 2	40-55-30.120N 072-36-50.220W	FI R 2s				Red.	
28977	Peconic River Lighted Buoy 3	40-55-29.000N 072-36-50.000W	FI G 2s				Green.	
28980	Peconic River Lighted Buoy 4	40-55-17.580N 072-37-11.220W	FI R 2s				Red.	
28985	Peconic River Lighted Buoy 6	40-55-14.040N 072-37-25.200W	FI R 2s				Red.	
28990	Peconic River Lighted Buoy 8	40-55-10.680N 072-37-40.020W	FI R 2s				Red.	
28995	Peconic River Lighted Buoy 10	40-55-06.120N 072-37-53.700W	FI R 2s				Red.	
28997	Peconic River Lighted Buoy 11	40-55-04.000N 072-38-02.000W	FI G 2s				Green.	
29000	Peconic River Lighted Buoy 12	40-55-05.220N 072-38-09.300W	FI R 2s				Red.	
29005	Peconic River Lighted Buoy 13	40-55-03.120N 072-38-33.300W	FI G 2s				Green.	
29010	Peconic River Lighted Buoy 14	40-55-02.280N 072-38-47.040W	FI R 2s				Red.	
29015	Peconic River Lighted Buoy 16	40-55-02.580N 072-39-08.460W	FI R 2s				Red.	
29020	Peconic River Lighted Buoy 17	40-55-01.620N 072-39-15.600W	FI G 2s				Green.	
29025	Shinnecock Light	40-50-31.434N 072-28-41.690W	FI (2)W 15s	75	11		Skeleton tower.	
29035	Shinnecock Inlet Approach Lighted Whistle Buoy SH	40-49-00.194N 072-28-34.532W	Mo (A) W		4		Red and white stripes with red spherical topmark.	AIS: MMSI 993672254 (21)
29040	Shinnecock Inlet Breakwater Light 1	40-50-23.523N 072-28-40.135W	FI G 2.5s	36	4		Green.	
29042	Shinnecock Inlet Breakwater Light 2	40-50-17.985N 072-28-29.023W	FI R 2.5s	36	4		Red.	
29045	Shinnecock Inlet Lighted Buoy 4	40-50-39.625N 072-28-36.782W	FI R 4s		3		Red.	Replaced by nun when endangered by ice.
29050	Shinnecock Inlet Buoy 6	40-50-34.509N 072-29-07.100W					Red nun.	
29059	Shinnecock Inlet Lighted Buoy 8	40-50-39.594N 072-29-33.732W	FI R 4s		3		Red.	Replaced by nun when endangered by ice.
29060	Shinnecock Bay East Channel Buoy 1	40-50-38.923N 072-28-25.495W					Green can.	
29065	Shinnecock Bay East Channel Buoy 3	40-50-43.704N 072-28-19.194W					Green can.	
29070	Shinnecock Bay East Channel Lighted Buoy 4	40-50-48.131N 072-28-11.176W	FI R 2.5s		3		Red.	Replaced by nun when endangered by ice.
29075	Shinnecock Bay East Channel Buoy 5	40-51-05.780N 072-28-10.481W					Green can.	
29080	Shinnecock Bay East Channel Buoy 6	40-51-09.992N 072-28-07.070W					Red nun.	
29085	Shinnecock Bay East Channel Lighted Buoy 7	40-51-29.193N 072-28-09.853W	FI G 4s		4		Green.	Replaced by can when endangered by ice.
29090	Shinnecock Bay East Channel Buoy 8	40-51-30.896N 072-28-08.725W					Red nun.	
29104	Moriches Inlet	40-45-49.725N	FI G 2.5s	28	4		Skeleton tower.	

	Breakwater Light 1	072-45-21.732W					
29105	Moriches Inlet Breakwater Light 2	40-45-47.796N 072-45-11.108W	FI R 4s	30	4	On skeleton tower.	
29106	Moriches Inlet West Cut Buoy 4W	40-46-12.783N 072-45-25.601W				Red nun.	Maintained from Apr. 15 to Dec. 1.
29106.2	Moriches Inlet West Cut Buoy 7W	40-46-19.963N 072-45-50.747W				Green can.	Maintained from Apr. 15 to Dec. 1.
29106.1	Moriches Inlet West Cut Buoy 6W	40-46-25.435N 072-45-58.182W				Red nun.	Maintained from Apr. 15 to Dec. 1.
29107.1	Moriches Inlet East Cut Buoy 5E	40-46-06.681N 072-44-47.567W				Green can.	Maintained from Apr. 15 to Dec. 1.
29107.3	Moriches Inlet East Cut Buoy 9E	40-46-19.858N 072-44-23.705W				Green can.	Maintained from Apr. 15 to Dec. 1.
29107.2	Moriches Inlet East Cut Buoy 7E	40-46-08.919N 072-44-39.251W				Green can.	Maintained from Apr. 15 to Dec. 1.
29107	Moriches Inlet East Cut Buoy 3E	40-46-04.989N 072-44-59.847W				Green can.	Maintained from Apr. 15 to Dec. 1.
29107.4	Moriches Inlet Danger Rock Buoy West	40-46-09.675N 072-44-37.895W				White and orange marked DANGER ROCKS.	Removed when endangered by ice.
29107.5	Moriches Inlet Danger Rock Buoy East	40-46-11.493N 072-44-31.933W				White and orange marked DANGER ROCKS	Removed when endangered by ice.
29108	Moriches Inlet East Cut Buoy 11E	40-46-31.516N 072-44-24.601W				Green can.	Maintained from Apr. 15 to Dec. 1.
29109	Moriches Inlet East Cut Rock Lighted Hazard Buoy	40-46-10.400N 072-44-34.100W	FI W 4s			White with orange bands.	
29110	Fire Island Inlet Lighted Whistle Buoy FI	40-36-08.111N 073-19-53.047W	Mo (A) W		4	Red and white stripes with red spherical topmark.	Replaced by can when endangered by ice.
29115	Fire Island Inlet Buoy 1	40-36-41.883N 073-19-55.774W				Green can.	Aid does not appear on navigational charts due to frequent shoaling and relocations.
29120	Fire Island Inlet Lighted Buoy 2	40-36-42.096N 073-19-48.611W	FI R 4s		3	Red.	Aid does not appear on navigational charts due to frequent shoaling and relocations. Replaced by nun when endangered by ice.
29125	Fire Island Inlet Lighted Buoy 4	40-37-19.381N 073-19-48.049W	FI R 2.5s		3	Red .	Aid does not appear on navigational charts due to frequent shoaling and relocations. Replaced by nun when endangered by ice.
29126	Fire Island Inlet Buoy 4A	40-37-37.734N 073-19-51.998W					Removed when endangered by ice.
29130	Fire Island Inlet Lighted Buoy 3	40-37-14.860N 073-19-54.450W	FI G 4s		4	Green.	Aid does not appear on navigational charts due to frequent shoaling and relocations.Replaced by can when endangered by ice.
29135	Fire Island Inlet Lighted Buoy 6	40-37-51.057N 073-19-48.473W	Q R		3	Red.	Aid does not appear on navigational charts due to frequent shoaling and relocations.Replaced by nun when endangered by ice.
29137	Fire Island Inlet Buoy 6B	40-37-56.808N 073-19-34.419W					Removed when endangered by ice.
29140	Fire Island Inlet Buoy 5	40-37-56.977N 073-18-56.001W				Green can.	Aid does not appear on navigational charts due to frequent shoaling and relocations.
29145	Fire Island Inlet Lighted Buoy 8	40-37-45.719N 073-18-24.189W	FI R 2.5s		3	Red.	Aid does not appear on navigational charts due to frequent shoaling and relocations.Replaced by nun when endangered by ice.
29155	Fire Island Inlet Channel Lighted Buoy 7	40-37-54.871N 073-18-24.706W	FI G 4s		4	Green.	Replaced by can when endangered by ice.
29160	Fire Island Inlet Lighted Buoy 10	40-37-45.311N 073-17-43.969W	Q R		3	Red.	Replaced by nun when endangered by ice.
29165	Fire Island Inlet Buoy 9	40-37-54.280N 073-18-01.893W				Green can.	
29170	Fire Island Inlet Lighted Buoy 11	40-37-40.840N 073-17-31.114W	FI G 2.5s		4	Green.	Replaced by can when endangered by ice.
29175	Fire Island Inlet Lighted Buoy 13	40-37-39.536N 073-16-43.314W	Q G		4	Green.	Replaced by can when endangered by ice.
29180	Fire Island Inlet Buoy 15	40-37-55.207N 073-16-31.916W				Green can.	
29190	Fire Island Inlet Buoy 16	40-37-48.665N 073-16-26.274W				Red nun.	
29191	Coast Guard Station Fire Island East Entrance Light	40-37-35.332N 073-15-35.349W	FI W 4s		3		
29192	Coast Guard Station Fire Island West Entrance Light	40-37-35.195N 073-15-36.306W	FI W 4s		3		
29195	Fire Island Inlet	40-37-50.112N	FI R 4s		3	Red.	Replaced by nun when endangered by ice.

	Lighted Buoy 18	073-15-29.047W					
29196	Fire Island Inlet Buoy 19	40-37-58.380N 073-15-08.198W				Green can.	
29205	Captree Boat Basin Entrance Lighted Buoy CB	40-38-08.940N 073-14-30.495W	FI (2+1)G 6s		4	Green and red bands.	Replaced by can when endangered by ice.
29210	Farm Shoals Channel Lighted Buoy 2	40-38-01.980N 073-14-00.926W	FI R 2.5s		3	Red.	Replaced by nun when endangered by ice.
29215	Farm Shoals Channel Buoy 3	40-38-05.809N 073-13-31.545W				Green can.	
29220	Farm Shoals Channel Buoy 5	40-38-15.074N 073-12-52.222W				Green can.	
29225	Farm Shoals Channel Buoy 6	40-38-24.396N 073-12-23.633W				Red nun.	
29230	Farm Shoals Channel Lighted Buoy 7	40-38-20.547N 073-12-30.726W	Q G		3	Green.	Replaced by can from Nov 15 to May 1.
29233	Saltaire Dock Entrance Light 1	40-38-28.260N 073-11-57.180W	FI G 4s			SG on pile.	
29234	Saltaire Dock Entrance Light 2	40-38-27.900N 073-11-57.840W	FI R 2.5s			TR on pile.	
29240	East Channel Junction Lighted Buoy EW	40-38-46.202N 073-12-11.088W	FI (2+1)G 6s		4	Green and red bands.	Replaced by can when endangered by ice.
29245	East Channel Lighted Buoy 8	40-39-10.523N 073-11-21.472W	FI R 2.5s		3	Red.	Replaced by nun from Nov. 15 to May 1.
29250	Fair Harbor Light 1	40-38-38.100N 073-11-07.700W	FI G 4s	8		SG on pile.	Maintained from May. 1 to Nov. 25.
29255	Dunewood Light 2	40-38-39.600N 073-10-47.400W	FI R 4s			On pile.	Maintained from May 1 to Nov. 15.
29260	East Channel Lighted Buoy 10	40-39-03.038N 073-10-57.242W	FI R 2.5s		3	Red.	Replaced by nun from Nov. 15 to May 1.
29265	East Channel Buoy 11	40-39-00.418N 073-10-33.952W				Green can.	
29267	Atlantique Entrance Buoy 1	40-38-43.800N 073-10-26.400W				Green can.	Maintained from Apr. 15 to Nov. 15.
29268	Atlantique Entrance Buoy 2	40-38-43.800N 073-10-27.960W				Red nun.	Maintained from Apr. 15 to Nov. 15.
29269	Atlantique Entrance Buoy 3	40-38-41.100N 073-10-26.100W				Green can.	Maintained from Apr. 15 to Nov. 15.
29269.5	Atlantique Entrance Buoy 4	40-38-41.000N 073-10-27.000W				Red nun.	
29270	East Channel Lighted Buoy 12	40-38-52.192N 073-10-07.326W	FI R 2.5s		3	Red.	Replaced by nun from Nov. 15 to May 1.
29272	East Channel Buoy 14	40-39-02.473N 073-09-36.486W				Red nun.	
29275	East Channel Buoy 15	40-39-06.592N 073-09-23.125W				Green can.	
29280	East Channel Buoy 17	40-39-06.692N 073-09-02.024W				Green can.	
29285	East Channel Lighted Buoy 19	40-39-10.992N 073-08-31.123W	FI G 2.5s		4	Green.	Replaced by can from Nov. 15 to May 1.
29290	East Channel Buoy 20	40-39-32.570N 073-08-15.354W				Red nun.	
29295	East Channel Lighted Buoy 21	40-39-56.314N 073-08-04.322W	FI G 2.5s		4	Green.	Replaced by can from Nov. 15 to May 1.
29297	East Channel Buoy 23	40-40-21.000N 073-08-06.415W				Green can.	
29300	East Channel Lighted Buoy 24	40-40-35.129N 073-08-04.864W	Q R		3	Red.	Replaced by nun from Nov. 15 to May 1.
29310	East Channel Buoy 25	40-40-58.961N 073-07-44.028W				Green can.	
29325	East Channel Buoy 27	40-41-14.086N 073-07-15.604W				Green can.	
29330	East Channel Buoy 28	40-41-36.716N 073-07-00.312W				Red nun.	
29335	East Channel Lighted Buoy EN	40-41-42.584N 073-06-58.800W	FI (2+1)G 6s		4	Green and red bands.	Replaced by can from Nov. 15 to May 1.
29340	Great South Bay Buoy 30	40-41-55.089N 073-06-13.238W				Red nun.	
29341	Stony Brook University Lighted Research Buoy	40-41-57.228N 073-05-12.192W	FI Y 6s			Yellow.	

	GSB1						
29342	Great South Bay Buoy 32	40-42-18.370N 073-04-51.112W				Red nun.	
29344	Great South Bay Lighted Buoy 34	40-42-41.612N 073-03-25.367W	FI R 2.5s		3	Red.	Replaced by nun from Nov. 15 to May 1.
29345	Great South Bay Lighted Buoy 35	40-43-08.179N 073-01-56.323W	FI G 4s		4	Green.	Replaced by can from Nov. 15 to May 1.
29350	Great South Bay Lighted Buoy 36	40-43-41.440N 072-59-47.417W	FI R 6s		3	Red.	Replaced by nun from Nov. 15 to May 1.
29355	Great South Bay Buoy 37	40-43-50.646N 072-58-42.758W				Green can.	Maintained from 15 April to 1 Nov.
29360	Great South Bay Lighted Buoy 38	40-43-57.469N 072-57-37.536W	FI R 4s		3	Red.	Maintained from 15 April to 1 Nov.
29365	Range Channel Buoy 1	40-39-34.491N 073-08-40.523W				Green can.	
29370	Range Channel Lighted Buoy 4	40-40-36.090N 073-08-42.523W	FI R 2.5s		3	Red.	Replaced by nun from Nov. 15 to May 1.
29371	West Channel Buoy 1	40-38-50.079N 073-12-16.648W				Green can.	
29375	West Channel Buoy 3	40-39-10.003N 073-12-25.640W				Green can.	
29380	West Channel Lighted Buoy 4	40-39-28.392N 073-12-24.432W	FI R 2.5s		3	Red.	Replaced by nun from Nov. 15 to May 1.
29385	West Channel Buoy WD	40-39-59.291N 073-12-49.433W				Green and red bands; can.	
29390	West Channel Lighted Buoy 6	40-40-07.891N 073-12-46.832W	FI R 4s		3	Red.	Replaced by nun from Nov. 15 to May 1.
29395	West Channel Lighted Buoy 7	40-40-28.091N 073-13-14.933W	FI G 4s		4	Green.	Replaced by can from Nov. 15 to May 1.
29400	West Channel Buoy 8	40-40-48.351N 073-13-31.906W				Red nun.	
29405	West Channel Lighted Buoy 10	40-41-11.914N 073-13-54.284W	FI R 2.5s		3	Red.	Replaced by nun from Nov. 15 to May 1.
29410	West Channel Lighted Buoy 11	40-41-22.222N 073-14-14.856W	FI G 4s		4	Green.	Replaced by can from Nov. 15 to May 1.
29420	Dickerson Channel Buoy 2	40-39-55.091N 073-13-42.635W				Red nun.	Maintained from 15 April to 15 Nov.
29425	Dickerson Channel Buoy 3	40-40-05.039N 073-14-38.166W				Green can.	Maintained from 15 Apr. to 15 Nov.
29430	Dickerson Channel Buoy 4	40-40-18.091N 073-14-57.037W				Red nun.	Maintained from 15 April to 15 Nov.
29435	Dickerson Channel Buoy 5	40-40-17.091N 073-15-09.937W				Green can.	Maintained from 15 Apr. to 15 Nov.
29440	Dickerson Channel Buoy 6	40-40-39.251N 073-16-00.017W				Red nun.	Maintained from 15 April to 15 Nov.
29445	West Islip Marina Light 1	40-41-09.000N 073-17-26.000W	F G			On pile.	
29449	North Channel Lighted Buoy 1	40-41-58.400N 073-14-14.200W	FI G 2.5s		4	Green.	Replaced by can from Nov. 15 to May 1.
29450	North Channel Lighted Buoy 3	40-41-54.089N 073-12-52.532W	FI G 4s		4	Green.	Replaced by can from Nov. 15 to May 1.
29455	North Channel Lighted Buoy 4	40-41-28.155N 073-11-42.082W	FI R 4s		3	Red.	Replaced by nun from Nov. 15 to May 1.
29460	North Channel Buoy 6	40-41-28.118N 073-10-20.950W				Red nun.	
29465	North Channel Lighted Buoy 8	40-41-27.180N 073-09-01.881W	FI R 4s		3	Red.	Replaced by nun from Nov. 15 to May 1.
29470	North Channel Buoy 9	40-41-32.042N 073-08-00.189W				Green can.	
29475	East-West Channel Lighted Buoy 2	40-40-36.600N 073-18-23.200W	FI R 4s			Red.	
29480	East-West Channel Lighted Buoy 3	40-40-32.640N 073-18-23.400W	FI G 4s			Green.	
29485	East-West Channel Buoy 4	40-40-22.380N 073-19-22.780W				Red nun.	
29490	East-West Channel Buoy 5	40-40-19.300N 073-19-21.700W				Green can.	
29495	West Babylon Creek Lighted Buoy 6	40-40-15.000N 073-20-06.000W	FI R 4s			Red.	
29500	East-West Channel Buoy 7	40-40-10.850N 073-20-01.440W				Green can.	
29505	Santapogue River	40-40-04.680N				Red nun.	

	Buoy 8	073-20-40.260W					
29510	East-West Channel Buoy 9	40-40-02.580N 073-20-38.760W				Green can.	
29515	East-West Channel Lighted Buoy 10	40-39-56.160N 073-21-05.700W	FI R 4s			Red.	
29520	East-West Channel Lighted Buoy 11	40-39-53.150N 073-21-04.100W	FI G 4s			Green.	
29525	East-West Channel Buoy 12	40-39-44.250N 073-21-50.300W				Red nun.	
29530	East-West Channel Buoy 13	40-39-41.000N 073-21-48.000W				Green can.	
29535	Lugano Canal Lighted Buoy 14	40-39-33.300N 073-22-20.520W	FI R 4s			Red.	
29540	East-West Channel Buoy 15	40-39-31.500N 073-22-19.440W				Green can.	
29545	Great Neck Creek Lighted Buoy 16	40-39-29.880N 073-22-34.500W	FI R 4s			Red.	
29550	East-West Channel Buoy 17	40-39-26.000N 073-22-35.000W				Green can.	
29555	Howell Creek Lighted Buoy 18	40-39-18.840N 073-23-23.160W	FI R 4s			Red.	
29560	East-West Channel Buoy 19	40-39-17.770N 073-23-16.800W				Green can.	
29565	Woods Creek Buoy 20	40-39-11.200N 073-24-11.300W				Red nun.	
29570	East-West Channel Buoy 21	40-39-08.280N 073-24-12.900W				Green can.	
29575	Amityville Creek Entrance Light 1	40-39-25.000N 073-24-52.000W	F G	25		On pile.	Maintained year round.
29580	East-West Channel Buoy 22	40-39-02.040N 073-25-06.000W				Red nun.	
29585	East-West Channel Buoy 23	40-38-59.160N 073-25-05.640W				Green can.	
29600	Fox Creek Channel Lighted Buoy 1	40-38-54.000N 073-20-11.000W	FI G 4s			Green.	
29605	Fox Creek Channel Lighted Buoy 2	40-38-56.820N 073-20-12.600W	FI R 4s			Red.	
29610	Fox Creek Channel Buoy 3	40-39-15.540N 073-20-28.440W				Green can.	
29615	Fox Creek Channel Lighted Buoy 4	40-39-15.000N 073-20-25.000W	FI R 4s			Red.	
29620	Fox Creek Channel Lighted Buoy 5	40-39-27.720N 073-20-36.720W	FI G 4s			Green.	
29621	East Fox Creek Outfall Lighted Buoy	40-39-38.460N 073-20-41.700W	FI W 4s				
29625	Fox Creek Channel Lighted Buoy 6	40-39-28.000N 073-20-33.000W	FI R 4s			Red.	
29630	Fox Creek Channel Buoy 7	40-39-42.420N 073-20-54.960W				Green can.	
29635	Fox Creek Channel Buoy 8	40-39-43.680N 073-20-49.440W				Red nun.	
29640	Fox Creek Channel Lighted Buoy 9	40-40-06.000N 073-21-15.000W	FI G 4s			Green.	
29645	Fox Creek Channel Lighted Buoy 10	40-40-06.000N 073-21-11.000W	FI R 4s			Red.	
29670	Bay Shore Lighted Buoy 2	40-42-30.609N 073-14-13.295W	FI R 2.5s		3	Red.	Replaced by nun from Nov. 15 to May 1.
29675	Bay Shore Marina Light	40-42-44.000N 073-14-12.000W				On pile.	
29685	Orowoc Creek Entrance Lighted Buoy 2	40-42-59.100N 073-13-31.500W	FI R 4s			Red.	Maintained from Mar. 15 to Nov. 15.
29687	Orowoc Creek Daybeacon 4	40-43-14.820N 073-13-26.460W				TR on pile.	
29695	Champlin Creek Entrance Lighted Buoy 2	40-42-36.300N 073-12-17.100W	FI R 4s			Red.	Maintained from Apr. 15 to Nov. 15.
29705	East Islip Lighted Buoy 2	40-42-18.000N 073-11-18.000W	FI R 4s			Red.	Maintained from Apr. 15 to Nov. 15.
29710	East Islip Lighted Buoy 4	40-42-22.000N 073-11-15.000W	FI R 4s			Red.	
29715	Timber Point	40-42-42.840N	FI G 4s	6		On end of	

	Breakwater Light West	073-08-36.690W				breakwater.	
29720	Timber Point Breakwater Light East	40-42-44.080N 073-08-36.200W	FI R 4s	6		On pile.	
29721	Great River Entrance Light 2	40-43-27.180N 073-07-47.520W	FI R 15s			TR on pile.	Light maintained from Apr. 15 to Nov. 15.
29722	Brick Kiln Lighted Buoy 2	40-43-36.180N 073-07-23.820W	FI R 4s			Red.	Maintained from Apr. 15 to Nov. 15.
29724	Green Harbor Light	40-43-11.000N 073-05-37.000W	F W	18		NG on pile.	
29725	Brown Point West Breakwater Light 1	40-43-18.968N 073-04-10.506W	FI G 4s	18	5	SG on pile.	
29730	Brown Point East Breakwater Light 2	40-43-21.633N 073-04-08.013W	FI R 4s	20	3	TR on pile.	
29732	Homans Creek Light	40-43-40.000N 073-03-13.000W	FI R 15s	18			
29740	Patchogue Bay Entrance Lighted Buoy 1	40-43-46.388N 073-01-03.205W	FI G 2.5s		4	Green.	Replaced by can from Nov. 15 to May 15.
29745	Patchogue Bay Channel Buoy 2	40-44-01.287N 073-00-58.605W				Red nun.	
29750	Patchogue Bay Channel Buoy 3	40-44-12.787N 073-01-01.805W				Green can.	
29755	Patchogue Bay Channel Buoy 4	40-44-30.287N 073-00-57.805W				Red nun.	
29760	Patchogue Breakwater Light 5	40-44-46.179N 073-01-00.595W	FI G 2.5s	21	4	SG on skeleton tower.	
29765	Patchogue River Light	40-44-50.340N 073-00-56.520W	FI R 5s			On concrete pedestal.	
29766	Sandspit Buoy 1	40-44-47.460N 073-00-46.740W				Green can.	
29767	Sandspit Buoy 2	40-44-51.300N 073-00-46.740W				Red nun.	
29770	Swan River Entrance Lighted Buoy 1	40-44-42.240N 072-59-50.760W	FI G 4s			Green.	Maintained from Apr 15 to Nov. 15.
29771	Swan River Lighted Buoy 3	40-44-47.100N 072-59-50.300W	FI G 4s			Green.	Maintained from Apr 15 to Nov 15.
29772	Swan River Lighted Buoy 5	40-44-50.900N 072-59-49.600W	FI G 4s			Green.	Maintained from Apr 15 to Nov 15.
29780	Tuthills Creek Entrance Lighted Buoy 2	40-44-46.500N 073-01-14.900W	FI R 4s			Red.	Maintained from May 1 to Nov. 1.
29785	Corey Creek Entrance Light 1	40-44-36.720N 073-01-37.140W	FI G 4s			SB on black skeleton tower.	Maintained from May 1 to Nov. 1.
29790	Corey Creek Entrance Light 2	40-44-38.160N 073-01-36.720W	FI R 4s	12		TR on red skeleton tower.	Maintained from May 1 to Nov. 1.
29794	Mud Creek Entrance Lighted Buoy 1	40-44-49.800N 072-59-16.820W	FI G 4s			Green.	
29795	Mud Creek Entrance Lighted Buoy 2	40-44-51.870N 072-59-10.560W	FI R 4s			Red.	Maintained from May 1 to Nov. 1.
29796	Mud Creek Buoy 3	40-44-53.280N 072-59-14.480W				Green can.	
29797	Mud Creek Buoy 4	40-44-53.520N 072-59-11.520W				Red nun.	
29800	Abets Creek Lighted Buoy 1	40-44-46.380N 072-58-40.980W	FI G 4s			Green.	Maintained from May 1 to Nov. 1.
29801	Hampton Oyster Company Aquaculture Lighted Buoy A	41-01-21.680N 072-26-20.490W	F Y			Yellow.	
29801.1	Hampton Oyster Company Aquaculture Lighted Buoy B	41-01-24.570N 072-26-11.880W	F Y			Yellow.	
29801.2	Hampton Oyster Company Aquaculture Lighted Buoy C	41-01-18.050N 072-26-12.040W	F Y			Yellow.	
29801.3	Hampton Oyster Company Aquaculture Lighted Buoy D	41-01-18.160N 072-26-20.640W	F Y			Yellow.	

29805	Point O'Woods Dock Light (2)	40-39-13.440N 073-08-14.100W	F R			On pile.	
29820	Sailors Haven Channel Lighted Buoy 1	40-39-40.200N 073-06-20.700W	FI G 2s			Green.	
29825	Sailors Haven Channel Lighted Buoy 2	40-39-39.300N 073-06-24.100W	FI R 2s			Red.	
29830	Sailors Haven Channel Lighted Buoy 3	40-39-37.000N 073-06-19.400W	FI G 2s			Green.	
29835	Sailors Haven Channel Lighted Buoy 4	40-39-35.700N 073-06-22.300W	FI R 2s			Red.	
29840	Sailors Haven Channel Lighted Buoy 5	40-39-32.400N 073-06-17.900W	FI G 2s			Green.	
29845	Sailors Haven Channel Lighted Buoy 6	40-39-31.200N 073-06-19.900W	FI R 2s			Red.	
29855	Cherry Grove Entrance Lighted Buoy 1	40-40-02.280N 073-05-08.640W	FI G 4s			Green.	
29856	Cherry Grove Entrance Lighted Buoy 2	40-40-02.700N 073-05-10.800W	FI R 4s			Red.	
29860	Cherry Grove Lighted Buoy 3	40-39-45.300N 073-05-19.140W	FI G 4s			Green.	
29861	Cherry Grove Lighted Buoy 4	40-39-45.700N 073-05-21.000W	FI R 4s			Red.	
29870	Fire Island Pines Lighted Buoy 1	40-40-53.640N 073-03-47.400W	FI G 4s			Green.	
29872	Fire Island Pines Lighted Buoy 2	40-40-54.100N 073-03-51.200W				Red.	
29875	Fire Island Pines Lighted Buoy 3	40-40-25.020N 073-04-02.040W	FI G 4s			Green.	
29877	Fire Island Pines Lighted Buoy 4	40-40-23.800N 073-04-06.100W	FI R 4s			Red.	
29885	Fire Island Pines Lighted Buoy 5	40-40-08.820N 073-04-12.600W	FI G 4s			Green.	
29887	Fire Island Pines Lighted Buoy 6	40-40-07.200N 073-04-16.000W	FI R 4s			Red.	
29910	Barrett Beach Lighted Buoy 1	40-40-46.700N 073-02-39.400W	FI G 2s			Green.	
29915	Barrett Beach Lighted Buoy 2	40-40-46.600N 073-02-40.800W	FI R 2s			Red.	
29920	Barrett Beach Lighted Buoy 3	40-40-39.000N 073-02-36.600W	FI G 2s			Green.	
29925	Barrett Beach Lighted Buoy 4	40-40-39.900N 073-02-38.400W	FI R 2s			Red.	
29930	Barrett Beach Lighted Buoy 5	40-40-32.000N 073-02-34.200W	FI G 2s			Green.	
29935	Barrett Beach Lighted Buoy 6	40-40-33.900N 073-02-36.400W	FI R 2s			Red.	
29937	Water Island Channel Lighted Buoy 1	40-40-54.120N 073-01-51.900W	FI G 4s			Green.	
29937.5	Water Island Channel Lighted Buoy 2	40-40-52.800N 073-01-53.300W	FI R 4s			Red.	
29938	Water Island Channel Lighted Buoy 3	40-40-44.600N 073-01-49.100W	FI G 4s			Green.	
29939	Water Island Channel Lighted Buoy 4	40-40-43.600N 073-01-50.400W	FI R 4s			Red.	
29950	Porgy Bar Lighted Buoy 2	40-41-21.360N 073-01-35.340W	FI R 4s			Red.	
29955	Davis Park Entrance Lighted Buoy 1	40-41-21.660N 073-00-20.280W	FI G 4s			Green.	
29960	Davis Park Entrance Lighted Buoy 2	40-41-21.060N 073-00-22.380W	FI R 4s			Red.	
29965	Davis Park Entrance Buoy 3	40-41-17.700N 073-00-18.600W				Green.	

29970	Davis Park Entrance Buoy 4	40-41-17.880N 073-00-20.520W				Red.	
29975	Davis Park Entrance Lighted Buoy 5	40-41-14.820N 073-00-16.620W	FI G 4s			Green.	
29980	Davis Park Entrance Lighted Buoy 6	40-41-14.280N 073-00-18.420W	FI R 4s			Red.	
29981	Davis Park Wave Break Warning Light A	40-41-12.600N 073-00-17.100W	Q Y			Yellow.	
29982	Davis Park Wave Break Warning Light B	40-41-12.100N 073-00-17.500W	Q Y			Yellow.	
29983	Davis Park Wave Break Warning Light C	40-41-11.600N 073-00-17.200W	Q Y			Yellow.	
29984	Davis Park Wave Break Warning Light D	40-41-11.300N 073-00-17.400W	Q Y			Yellow.	
29985	Davis Park Wave Break Warning Light E	40-41-10.800N 073-00-17.800W	Q Y			Yellow.	
29986	Davis Park Wave Break Warning Light F	40-41-10.300N 073-00-18.200W	Q Y			Yellow.	
29990	Watch Hill Channel Lighted Buoy 1	40-42-12.000N 073-00-34.400W	FI G 4s			Green.	
29995	Watch Hill Channel Lighted Buoy 2	40-42-10.100N 073-00-35.400W	FI R 4s			Red.	
30000	Watch Hill Channel Lighted Buoy 3	40-42-04.800N 073-00-17.100W	FI G 4s			Green.	
30005	Watch Hill Channel Lighted Buoy 4	40-42-03.800N 073-00-18.500W	FI R 4s			Red.	
30010	Watch Hill Channel Lighted Buoy 5	40-41-55.700N 072-59-53.000W	FI G 2s			Green.	
30015	Watch Hill Channel Lighted Buoy 6	40-41-54.800N 072-59-53.600W	FI R 4s			Red.	
30020	Watch Hill Channel Lighted Buoy 7	40-41-48.900N 072-59-34.000W	FI G 4s			Green.	
30025	Watch Hill Channel Lighted Buoy 8	40-41-47.900N 072-59-34.900W	FI R 4s			Red.	
30030	Watch Hill Channel Lighted Buoy 9	40-41-45.100N 072-59-24.300W	FI G 4s			Green.	
30035	Watch Hill Channel Lighted Buoy 10	40-41-43.800N 072-59-23.800W	FI R 2s			Red.	
30040	Watch Hill West Entrance Light	40-41-41.400N 072-59-24.300W	F R			On pile.	
30045	Watch Hill East Entrance Light	40-41-41.400N 072-59-20.300W	F G			On pile.	
30050	Watch Hill Channel Range Front Light	40-41-43.680N 072-59-19.140W	F W			KWB on pile.	
30055	Watch Hill Channel Range Rear Light	40-41-41.580N 072-59-13.980W	F W			KWB on pile.	
30085	Kokell Aquaculture Lighted Buoy A	40-44-00.600N 072-55-28.590W	Q Y			Yellow.	Seasonal June 15 - Dec 15
30086	Kokell Aquaculture Lighted Buoy B	40-44-02.210N 072-55-26.400W	Q Y			Yellow.	Seasonal June 15 - Dec 15
30087	Kokell Aquaculture Lighted Buoy C	40-44-06.740N 072-55-30.260W	Q Y			Yellow.	Seasonal Jun 15 - Dec 15
30088	Kokell Aquaculture Lighted Buoy D	40-44-05.070N 072-55-32.590W	Q Y			Yellow.	Seasonal June 15 - Dec 15
30090	Bellport Beach Channel Buoy 1	40-43-56.880N 072-55-43.560W				Green can.	
30095	Bellport Beach Channel Buoy 2	40-43-56.760N 072-55-45.900W				Red nun.	
30100	Bellport Beach Channel Buoy 3	40-43-49.260N 072-55-42.300W				Green can.	
30105	Bellport Beach Channel Buoy 4	40-43-48.660N 072-55-44.460W				Red nun.	
30110	Bellport Beach Channel Buoy 5	40-43-43.740N 072-55-41.340W				Green can.	
30115	Bellport Beach Channel Buoy 6	40-43-37.800N 072-55-41.220W				Red nun.	
30120	Bellport Beach	40-43-32.700N				Green can.	

	Channel Buoy 7	072-55-39.360W					
30125	Bellport Beach Channel Buoy 8	40-43-25.500N 072-55-39.540W				Red nun.	
30126	Bellport Beach Channel Buoy 9	40-43-25.860N 072-55-37.860W				Green can.	
30126.5	Bellport Beach Channel Buoy 11	40-43-21.240N 072-55-37.260W				Green can.	
30127	Bellport Beach Channel Buoy 10	40-43-21.360N 072-55-38.400W				Red nun.	
30127.5	Bellport Beach Channel Buoy 13	40-43-15.660N 072-55-35.800W				Green can.	
30128	Bellport Beach Channel Buoy 14	40-43-13.860N 072-55-37.140W				Red nun.	
30128.5	Bellport Beach Channel Buoy 17	40-43-05.460N 072-55-34.380W				Green can.	
30128.6	Bellport Beach Channel Buoy 16	40-43-09.180N 072-55-36.180W				Red nun.	
30128.8	Bellport Beach Channel Buoy 18	40-43-04.260N 072-55-35.520W				Red nun.	
30130	Bellport Bay Lighted Buoy 1	40-43-57.436N 072-56-38.940W	FI G 2.5s		4	Green.	Maintained from 15 Apr. to 1 Nov.
30135	Bellport Bay Buoy 2	40-44-14.288N 072-55-56.195W				Red nun.	Maintained from Apr. 15 to Nov. 1.
30140	Bellport Bay Buoy 4	40-44-34.648N 072-55-16.849W				Red nun.	Maintained from Apr. 15 to Nov. 1.
30145	Bellport Bay Lighted Buoy 6	40-44-58.202N 072-54-30.471W	Q R		3	Red.	Maintained from 15 April to 1 Nov.
30150	Bellport Bay Buoy 7	40-44-48.870N 072-54-06.461W				Green can.	Maintained from Apr. 15 to Nov. 1.
30155	Bellport Bay Buoy 8	40-44-38.836N 072-53-45.647W				Red nun.	Maintained from Apr. 15 to Nov. 1.
30160	Bellport Bay Buoy 9	40-44-28.656N 072-53-19.517W				Green can.	Maintained from 15 April to 1 Nov.
30162	Bellport Bay Buoy 10	40-44-18.987N 072-52-57.828W				Red nun.	Maintained from Apr. 15 to Nov. 1.
30165	Bellport Bay Lighted Buoy 11	40-44-08.499N 072-52-32.365W	Q G		3	Green.	Maintained from 15 April to 1 Nov.
30165.5	Stony Brook University Lighted Research Buoy SP	40-44-05.000N 072-52-29.000W	FI Y 2s			Yellow.	
30166	Smith Point Marina Buoy 1	40-44-15.000N 072-52-24.480W					
30167	Smith Point Marina Buoy 2	40-44-15.000N 072-52-22.500W					
30168	Smith Point Marina Buoy 3	40-44-20.460N 072-52-27.120W					
30169	Smith Point Marina Buoy 4	40-44-20.760N 072-52-25.860W					
30175	Beaverdam Creek Entrance Lighted Buoy 2	40-45-21.000N 072-55-22.080W	FI R 4s			Red.	
30180	Beaverdam Creek Entrance Lighted Buoy 4	40-45-33.060N 072-55-16.980W	FI R 4s			Red.	
30190	Carmans River Entrance Lighted Buoy 2	40-45-39.480N 072-53-27.120W	FI R 4s			Red.	
30195	Carmans River Lighted Buoy 4	40-46-04.699N 072-53-32.788W	FI R 4s			Red.	
30200	Johns Neck Creek Lighted Buoy 1	40-44-42.700N 072-51-47.000W	FI G 4s			Green.	
30201	Unchachogue Creek Lighted Buoy 2	40-44-30.300N 072-51-58.200W	FI R 4s			Red.	
30201.1	Unchachogue Creek Buoy 4	40-44-36.800N 072-51-57.700W				Red nun.	
30201.2	Unchachogue Creek Buoy 6	40-44-42.100N 072-51-59.300W				Red nun.	
30205	Narrows Bay Buoy 2	40-44-23.433N 072-51-49.913W				Red nun.	Removed when endangered by ice.
30210	Narrows Bay Buoy 4	40-44-27.281N 072-51-33.040W				Red nun.	Maintained from Apr. 15 to Nov. 1.
30211	Section Five Lighted Buoy 1	40-44-41.160N 072-51-09.120W	FI G 4s			Green.	

30215	Narrows Bay Lighted Buoy 5	40-44-36.533N 072-50-56.213W	FI G 4s		4	Green.	Removed when endangered by ice.
30220	Narrows Bay Lighted Buoy 6	40-45-03.333N 072-50-10.613W	FI R 2.5s		3	Red.	Removed when endangered by ice.
30222	Pattersquash Creek Lighted Buoy 1	40-45-04.900N 072-50-30.400W	FI G 4s			Green.	
30223	Pattersquash Creek Lighted Buoy 2	40-45-10.000N 072-50-44.000W	FI R 4s			Red.	
30224	Pattersquash Creek Lighted Buoy 4	40-45-12.400N 072-50-46.800W	FI R 4s			Red.	
30225	Narrows Bay Buoy 8	40-45-15.533N 072-49-22.313W				Red nun.	Maitained from Apr. 15 to Nov. 1.
30230	Narrows Bay Buoy 7	40-45-10.333N 072-49-47.513W				Green can.	Maintained from Apr. 15 to Nov. 1.
30231	Section One Lighted Buoy 2	40-45-24.800N 072-49-57.400W	FI R 4s			Red.	
30233	Narrow Bay Aquaculture Lighted Buoy C	40-45-29.950N 072-49-17.430W	FI Y 2s			Yellow.	
30233.1	Narrow Bay Aquaculture Lighted Buoy D	40-45-29.090N 072-49-15.820W	FI Y 2s			Yellow.	
30233.2	Narrow Bay Aquaculture Lighted Buoy E	40-45-29.090N 072-49-21.500W	FI Y 2s			Yellow.	
30235	Narrows Bay Lighted Buoy 9	40-45-24.513N 072-48-57.118W	FI G 2.5s		4	Green.	Removed when endangered by ice.
30255	Great Gun Beach Channel Lighted Buoy 1	40-46-19.560N 072-47-09.420W	FI G 4s			Green.	
30260	Great Gun Beach Channel Lighted Buoy 2	40-46-19.260N 072-47-10.440W	FI R 4s			Red.	
30265	Great Gun Beach Channel Lighted Buoy 3	40-46-10.380N 072-47-04.080W	FI G 4s			Green.	
30268	Great Gun Beach Channel Lighted Buoy 4	40-46-09.800N 072-47-05.700W	FI R 4s			Red.	
30270	Great Gun Beach Channel Buoy 5	40-46-03.240N 072-46-59.220W				Green can.	
30275	Great Gun Beach Channel Buoy 6	40-46-01.800N 072-47-00.200W				Red nun.	
30276	Great Gun Beach Channel Lighted Buoy 7	40-45-59.100N 072-46-50.000W	FI G 4s			Green.	
30277	Great Gun Beach Channel Lighted Buoy 8	40-45-58.100N 072-46-51.600W	FI R 4s			Red.	
30278	Great Gun Beach Channel Lighted Buoy 9	40-45-53.400N 072-46-39.900W	FI G 4s			Green.	
30279	Great Gun Beach Channel Lighted Buoy 10	40-45-51.900N 072-46-41.000W	FI R 4s			Red.	
30280	Great Gun Marina No Wake Lighted Buoy C	40-45-52.400N 072-46-31.300W	FI W 4s			White with orange bands.	Seasonal maintained 15 Apr - 30 Nov.
30291	Moriches Bay Buoy 10	40-45-45.982N 072-48-31.485W				Red nun.	Maintained from Apr. 15 to Nov. 1.
30292	Moriches Bay Buoy 11	40-46-12.586N 072-48-02.529W				Green can.	Maintained from 15 April to 1 Nov.
30293	Moriches Bay Lighted Buoy 12	40-46-27.646N 072-47-46.584W	Q R		3	Red.	Maintained from 15 April to 1 Nov.
30294	Moriches Bay Buoy 14	40-46-29.920N 072-47-17.475W				Red nun.	Maitained from Apr. 15 to Nov. 1.
30295	Moriches Bay Lighted Buoy 15	40-46-37.415N 072-46-22.462W	FI G 4s		4	Green.	Maintained from 15 April to 1 Nov.
30300	Moriches Bay Buoy 17	40-46-44.552N 072-45-46.127W				Green can.	Removed when endangered by ice.
30303	Moriches Bay Buoy 17A	40-46-48.935N 072-45-32.325W				Green can.	Removed when endangered by ice.
30304	Moriches Bay Danger Buoy West	40-46-40.713N 072-46-02.833W				White and orange diamond	Maintained from 15 Apr. to 15 Nov.

						marked DANGER SEVERE SHOALING AHEAD.	
30305	Moriches Bay Lighted Buoy 18	40-46-45.313N 072-45-40.495W				Red.	Removed when endangered by ice.
30315	Moriches Bay Buoy 21	40-46-52.166N 072-45-10.577W					
30320	Moriches Bay Buoy 20	40-46-48.946N 072-45-29.892W					
30323	Moriches Bay Tuthill Danger Buoy	40-46-53.318N 072-45-07.040W				White and orange diamond marked DANGER SEVERE SHOALING AHEAD.	Maintained from 15 Apr. to 15 Nov.
30325	Moriches Bay Lighted Buoy 23	40-46-55.295N 072-44-56.877W	FI G 2.5s		4	Green.	Removed when endangered by ice.
30330	Moriches Bay Lighted Buoy 24	40-46-57.924N 072-44-42.999W	FI R 2.5s		3	Red.	Removed when endangered by ice.
30333	Moriches Bay Danger Buoy East	40-47-13.838N 072-43-33.726W				White and orange diamond marked DANGER SEVERE SHOALING AHEAD.	Maintained from 15 Apr. to 15 Nov.
30335	Moriches Bay Buoy 26	40-47-04.698N 072-44-21.600W					
30340	Moriches Bay Buoy 27	40-47-05.126N 072-44-11.684W					
30341	Moriches Bay Buoy 28	40-47-09.687N 072-43-50.280W					
30345	Fish Creek Entrance Buoy 2	40-48-16.800N 072-43-22.200W				Red nun.	Maintained from Apr. 15 to Nov. 15.
30350	Seatuck Cove Buoy 2	40-48-23.160N 072-43-37.560W				Red nun.	Maintained from May 15 to Nov. 1.
30355	Seatuck Cove Buoy 4	40-48-45.600N 072-43-35.400W				Red nun.	Maintained from May 15 to Nov. 1.
30360	Seatuck Cove Buoy 6	40-48-52.200N 072-43-28.300W				Red nun.	Maintained from May 15 to Nov. 1.
30361	Heils Creek Lighted Entrance Buoy 1	40-48-24.360N 072-43-50.280W	FI G 4s			Green.	
30365	Moriches Bay Lighted Buoy 29	40-47-14.608N 072-43-30.480W	FI G 2.5s		4		
30367	Hart Cove Lighted Buoy 1	40-47-54.300N 072-44-47.040W	FI G 4s			Green.	
30368	Hart Cove Lighted Buoy 2	40-48-05.100N 072-45-09.000W	FI R 4s			Red.	
30368.2	Hart Cove Lighted Buoy 3	40-47-58.700N 072-44-57.000W	FI G 4s			Green.	
30368.4	Hart Cove Lighted Buoy 5	40-48-01.600N 072-45-06.700W	FI G 4s			Green.	
30370	Moriches Bay Lighted Buoy 30	40-47-24.837N 072-42-46.495W	FI R 4s		3	Red.	Maintained from 15 April to 1 November.
30375	Moriches Bay Lighted Buoy 31	40-47-42.542N 072-41-27.516W	FI G 4s		4	Green.	Maintained from 15 April to 1 Nov.
30380	Moriches Bay Buoy 33	40-47-48.177N 072-41-01.095W				Green can.	Maintained from 15 April to 1 Nov.
30385	Moriches Bay Lighted Buoy 34	40-47-58.636N 072-40-12.145W	Q R		3	Red.	Maintained from 15 April to 1 November.
30390	Beaverdam Cove Buoy 1	40-48-15.000N 072-39-57.000W				Green can.	Maintained from Apr. 15 to Nov. 1.
30395	Beaverdam Cove Buoy 2	40-48-20.400N 072-39-55.200W				Red nun.	Maintained from Apr. 15 to Nov. 1.
30400	Beaverdam Cove Buoy 3	40-48-26.400N 072-39-55.200W				Green can.	Maintained from Apr. 15 to Nov. 1.
30405	Moriches Bay Buoy 35	40-47-55.099N 072-39-44.486W				Green can.	Maintained from 15 April to 1 Nov.
30410	Moriches Bay Buoy 36	40-47-50.130N 072-39-15.450W				Red nun.	Maintained from 15 April to 1 Nov.
30415	Moriches Bay Lighted Buoy 37	40-47-48.194N 072-38-54.624W	Q G		3	Green.	Maintained from 15 April to 1 November.

30425	Boat Basin Buoy 2	40-47-55.800N 072-38-28.800W				Red nun.	
30430	Boat Basin Light 3	40-47-56.400N 072-38-29.400W	FI G 4s			On pile.	
30435	Boat Basin Buoy 4	40-48-07.200N 072-38-23.400W				Red nun.	
30440	Boat Basin Light 6	40-48-12.600N 072-38-24.000W	FI R 4s			On pile.	Maintained from Apr. 15 to Nov. 1.
30445	Forge River Channel Lighted Buoy 1	40-46-29.500N 072-48-36.900W	FI G 4s			Green.	
30450	Forge River Channel Lighted Buoy 2	40-46-30.700N 072-48-34.900W	FI R 4s			Red.	
30455	Forge River Channel Buoy 3	40-46-46.860N 072-48-53.580W				Green can.	
30460	Forge River Channel Buoy 4	40-46-47.640N 072-48-52.620W				Red nun.	
30465	Forge River Channel Buoy 5	40-47-06.420N 072-49-13.500W				Green can.	
30470	Forge River Channel Lighted Buoy 6	40-47-06.900N 072-49-12.540W	FI R 4s			Red.	
30475	Forge River Channel Buoy 7	40-47-29.580N 072-49-35.520W				Green can.	
30480	Forge River Channel Buoy 8	40-47-30.120N 072-49-34.680W				Red nun.	
30485	Senix Creek Entrance Lighted Buoy 1	40-46-57.420N 072-48-10.560W	FI G 4s			Green.	
30490	Areskonk Creek Entrance Lighted Buoy 2	40-46-49.200N 072-47-50.760W	FI R 4s			Red.	
30495	Areskonk Creek Lighted Buoy 4	40-47-04.200N 072-47-48.700W	FI R 4s			Red.	
30510	Orchard Neck Creek Entrance Lighted Buoy 1	40-46-55.920N 072-47-23.580W	FI G 4s			Green.	Maintained from May 1 to Nov. 1.
30515	Tuthill Cove Buoy 2	40-47-02.568N 072-44-59.210W				Red nun.	Maintained from 15 April to 1 Nov.
30520	Tuthill Cove Buoy 4	40-47-10.540N 072-45-03.196W				Red nun.	Maintained from 15 April to 1 Nov.
30559	Quantuck Canal Daybeacon 3	40-47-52.952N 072-38-22.931W				SG on pile.	
30560	Quantuck Canal Daybeacon 5	40-47-55.407N 072-38-08.034W				SG on pile.	
30565	Quantuck Canal Light 7	40-48-10.177N 072-37-30.014W	FI G 4s	14	4	SG on pile.	Removed when Endangered by ice.
30570	Quantuck Canal Buoy 9	40-48-18.975N 072-37-08.533W				Green can.	Maintained from Apr. 15 to Nov. 1.
30575	Quantuck Canal Lighted Buoy 10	40-48-23.801N 072-36-50.509W	FI R 2.5s		3	Red.	Maintained from Apr. 15 to Nov. 1.
30580	Shinnecock Bay Buoy 1	40-49-07.028N 072-34-57.185W				Green can.	Maintained from 15 April to 1 Nov.
30583	Shinnecock Bay Buoy 3	40-49-19.761N 072-34-41.662W				Green can.	Maintained from 15 April to 1 Nov.
30585	Quantuck Canal Light 12	40-48-50.113N 072-35-05.454W	Q R	14	3	TR on pile.	Removed when Endangered by ice.
30590	Shinnecock Bay Light 2	40-49-06.897N 072-34-55.195W	FI R 4s	16	3	TR on pile.	Removed when endangered by ice.
30600	Shinnecock Bay Buoy 4	40-49-31.259N 072-34-27.337W				Red nun.	Maintained from 15 April to 1 Nov.
30605	Daves Creek Buoy 1	40-50-12.780N 072-34-11.280W				Green can.	
30610	Daves Creek Buoy 2	40-50-13.620N 072-34-11.160W				Red nun.	
30615	Daves Creek Buoy 3	40-50-11.520N 072-34-16.800W				Green can.	
30620	Daves Creek Buoy 4	40-50-12.060N 072-34-16.800W				Red nun.	
30625	Phillips Creek Buoy 1	40-49-42.600N 072-34-29.200W				Green can.	
30630	Phillips Creek Buoy 2	40-49-42.060N 072-34-23.760W				Red nun.	

30635	Phillips Creek Buoy 4	40-49-48.300N 072-34-38.500W				Red nun.	
30640	Phillips Creek Buoy 5	40-49-50.800N 072-34-45.400W				Green can.	
30645	Weesuck Creek Buoy 2	40-50-24.000N 072-34-07.800W				Red nun.	Maintained from Apr. 15 to Nov. 15.
30650	Weesuck Creek Buoy 4	40-50-32.300N 072-34-11.000W				Red nun.	Maintained from Apr. 15 to Nov. 15.
30655	Weesuck Creek Buoy 6	40-50-40.600N 072-34-14.300W				Red nun.	Maintained from Apr. 15 to Nov. 15.
30660	Shinnecock Bay Lighted Buoy 6	40-49-48.193N 072-34-07.534W	FI R 2.5s		3	Red.	Maintained from 15 Apr. to 1 Nov.
30670	Shinnecock Bay Buoy 8	40-49-57.681N 072-33-34.786W				Red nun.	Maintained from 15 Apr. to 1 Nov.
30675	Shinnecock Bay Lighted Buoy 9	40-50-10.091N 072-32-56.488W	FI G 4s		4	Green.	Maintained from 15 Apr. to 1 Nov.
30680	Shinnecock Bay Buoy 10	40-50-33.462N 072-32-25.852W				Red nun.	Maintained from 15 Apr. to 1 Nov.
30685	Shinnecock Bay Lighted Buoy 13	40-50-39.164N 072-31-20.969W	FI G 4s		4	Green.	Maintained from 15 Apr. to 1 Nov.
30690	Shinnecock Bay Lighted Buoy 12	40-50-50.529N 072-32-05.792W	FI R 4s		3	Red.	Maintained from 15 Apr. to 1 Nov.
30695	Shinnecock Bay Buoy 16	40-50-37.123N 072-30-43.065W				Red nun.	Maintained from 15 Apr. to 1 Nov.
30700	Ponquogue South Channel Buoy 3S	40-50-55.020N 072-30-03.415W				Green can.	
30705	Ponquogue South Channel Buoy 2S	40-50-48.664N 072-29-58.896W				Red nun.	
30710	Smith Creek Buoy 1	40-50-43.900N 072-31-00.600W				Green can.	
30715	Smith Creek Buoy 1A	40-50-51.700N 072-31-04.300W				Green can.	Maintained from Apr. 15 to Nov. 15.
30720	Smith Creek Buoy 2	40-50-51.600N 072-31-03.600W				Red nun.	
30725	Smith Creek Buoy 3	40-50-57.900N 072-31-11.300W				Green can.	
30730	Smith Creek Buoy 4	40-51-06.600N 072-31-19.600W				Red nun.	
30735	Smith Creek Buoy 6	40-51-21.600N 072-31-30.100W				Red.	
30740	Wells Creek Entrance Buoy 1	40-51-01.000N 072-31-04.500W				Green can.	Maintained from Apr. 15 to Nov. 15.
30745	Wells Creek Entrance Buoy 2	40-51-00.400N 072-31-03.600W				Red nun.	Maintained from Apr. 15 to Nov. 15.
30750	Penny Pond Entrance Buoy 1	40-50-58.680N 072-30-48.180W				Green can.	Maintained from Apr. 15 to Nov. 15.
30755	Penny Pond Entrance Buoy 2	40-50-58.380N 072-30-47.460W				Red nun.	Maintained from Apr. 15 to Nov. 15.
30760	Shinnecock Bay Buoy 15	40-50-38.174N 072-30-56.441W				Green can.	Maintained from 15 Apr. to 1 Nov.
30765	Shinnecock Bay Buoy 19	40-50-41.391N 072-29-56.291W				Green can.	
30770	Shinnecock Bay Lighted Buoy 17	40-50-36.713N 072-30-13.135W	FI G 2.5s		4	Green.	Replaced by can when endangered by ice.
30820	Shinnecock Bay Junction Lighted Buoy SI	40-50-40.800N 072-29-48.349W	FI (2+1)G 6s		4	Green and red bands.	Replaced by can when endangered by ice.
30825	Shinnecock Bay Buoy 23	40-51-00.337N 072-29-46.562W				Green can.	
30830	Shinnecock Bay Buoy 22	40-50-44.394N 072-29-45.833W				Red nun.	
30835	Shinnecock Bay Buoy 24	40-51-01.943N 072-29-43.851W				Red nun.	
30845	Ponquogue Channel Buoy 4	40-50-59.819N 072-30-04.516W				Red nun.	
30847	Ponquogue Channel Buoy 6	40-51-02.985N 072-29-59.845W					
30850	Shinnecock Bay Lighted Buoy 25	40-51-10.391N 072-29-40.379W	FI G 4s		4	Green.	Replaced by can from Nov. 1 to Apr. 15.
30855	Shinnecock Bay Buoy 26	40-51-11.346N 072-29-38.661W				Red nun.	
30860	Shinnecock Bay Buoy 27	40-51-50.895N 072-29-21.431W				Green can.	

30865	Shinnecock Bay Lighted Buoy 29	40-52-36.028N 072-29-02.073W	FI G 4s		4	Green.	Removed when endangered by ice.
30867	Shinnecock Bay Buoy 30	40-52-39.739N 072-29-23.231W				Red nun.	
30870	Shinnecock Bay Buoy 31	40-52-40.680N 072-29-30.838W				Green can.	
30872	Shinnecock Bay Buoy 32	40-52-44.300N 072-29-50.950W				Red nun.	
30875	Shinnecock Bay Lighted Buoy 34	40-52-45.581N 072-29-59.950W	Q R		3	Red.	Replaced by nun when endangered by ice.
30885	Old Fort Pond Light 1	40-52-25.200N 072-26-35.880W	FI G 6s	6		SB on pile.	Maintained from May 1 to Nov. 1.
30890	Jones Inlet Light	40-34-23.600N 073-34-32.378W	FI W 2.5s	33	4	NR on white skeleton tower.	
30900	Jones Inlet Lighted Whistle Buoy JI	40-33-37.551N 073-35-13.094W	Mo (A) W		4	Red and white stripes with red spherical topmark.	
30905	Jones Inlet Lighted Buoy 1	40-33-59.470N 073-34-59.175W	FI G 4s		3	Green.	
30910	Jones Inlet Lighted Buoy 2	40-33-58.285N 073-34-50.906W	FI R 4s		3	Red.	
30920	Jones Inlet Lighted Buoy 3	40-34-29.640N 073-35-02.040W	FI G 2.5s		3	Green.	
30925	Jones Inlet Lighted Buoy 4	40-34-26.460N 073-34-58.140W	Q R		3	Red.	
30930	Jones Inlet Lighted Buoy 5	40-34-49.965N 073-34-48.933W	Q G		3	Green.	
30935	Jones Inlet Lighted Buoy 6	40-34-50.042N 073-34-42.826W	FI R 2.5s		3	Red.	
30940	Jones Inlet Lighted Buoy 7	40-35-13.153N 073-34-22.733W	FI G 6s		3	Green.	Removed when endangered by ice.
30945	Jones Inlet Buoy 8	40-35-07.704N 073-34-23.118W				Red nun.	
30950	Jones Inlet Buoy 9	40-35-22.019N 073-34-16.850W				Green can.	
30951	Jones Inlet Buoy 11	40-35-32.445N 073-34-15.742W				Green can.	
30955	Jones Inlet Buoy 12	40-35-33.775N 073-34-08.153W				Red nun.	
30960	Jones Inlet Buoy 13	40-35-41.174N 073-34-11.919W				Green can.	
30961	Alder Island Shoal Buoy 1A	40-35-40.465N 073-34-18.267W				Green can.	
30962	Alder Island Shoal Buoy 2A	40-35-42.937N 073-34-16.005W				Red nun.	Removed when endangered by ice.
30965	Jones Inlet Lighted Buoy 14	40-35-46.485N 073-34-04.554W	Q R		3	Red.	Replaced by nun when endangered by ice.
30970	Jones Inlet Buoy 15	40-35-49.219N 073-34-08.315W				Green can.	
30975	Jones Inlet Lighted Buoy 16	40-36-04.727N 073-34-06.683W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
30980	Jones Inlet Buoy 17	40-36-06.729N 073-34-10.141W				Green can.	
30995	Sloop Channel Junction Lighted Buoy SJ	40-35-20.918N 073-34-11.849W	FI (2+1)G 6s		4	Green and red bands.	
31000	Sloop Channel Entrance Buoy 2	40-35-18.450N 073-34-07.280W				Red nun.	
31005	Sloop Channel Entrance Buoy 3	40-35-28.842N 073-33-53.070W				Green can.	
31010	Sloop Channel Light 4	40-35-30.343N 073-33-31.132W	FI R 4s	12	3	TR on pile.	
31015	West End Boat Basin Buoy 1	40-35-31.853N 073-33-20.891W				Green can.	
31020	Coast Guard Station Jones Beach Breakwater Light 2	40-35-28.063N 073-33-19.082W	FI R 2.5s	6	3	TR on breakwall.	
31025	Sloop Channel Buoy 5	40-35-42.307N 073-33-27.733W				Green can.	
31030	Sloop Channel Lighted Buoy 6	40-35-51.686N 073-33-03.916W	FI R 2.5s		3	Red.	
31040	Sloop Channel	40-35-58.425N	FI R 4s		3	Red.	Remove when endangered by ice.

	Lighted Buoy 8	073-31-40.736W					
31045	Sloop Channel Lighted Buoy 9	40-36-02.210N 073-31-20.378W	FI G 4s		4	Green.	Removed when endangered by ice.
31050	Sloop Channel Buoy 10	40-35-59.417N 073-31-10.615W				Red nun.	Removed when endangered by ice.
31055	Sloop Channel Light 11	40-36-14.847N 073-31-02.597W	Q G	12	3	SG on pile.	
31070	Sloop Channel Buoy 12	40-36-33.278N 073-30-24.008W				Red nun.	Removed when endangered by ice.
31075	Sloop Channel Lighted Buoy 15	40-36-45.398N 073-30-14.406W	Q G		3	Green.	Removed when endangered by ice.
31085	Sloop Channel Daybeacon 18	40-37-08.036N 073-30-19.352W				TR on pile.	
31090	Sloop Channel Buoy 19	40-37-08.119N 073-30-24.153W				Green can.	
31095	Sloop Channel Light 20	40-37-15.042N 073-30-23.048W	Q R	14	3	TR on pile.	
31100	Sloop Channel Daybeacon 21	40-37-17.684N 073-30-28.444W				SG on pile.	
31105	Sloop Channel Daybeacon 23	40-37-21.884N 073-30-19.391W				SG on pile.	
31110	State Boat Channel Daybeacon 1	40-37-23.848N 073-29-46.559W				SG on pile.	
31120	State Boat Channel Daybeacon 3	40-37-11.552N 073-29-53.774W				SG on pile.	
31125	State Boat Channel Buoy 5	40-36-54.134N 073-29-57.952W				Green can.	Maintained from 15 April to 15 Nov.
31130	State Boat Channel Light 4	40-36-57.225N 073-30-01.532W	FI R 2.5s	10	3	TR on pile.	
31145	State Boat Channel Daybeacon 9	40-36-41.722N 073-29-41.845W				SG on pile.	
31150	State Boat Channel Light 10	40-36-35.286N 073-29-35.976W	FI R 2.5s	12	3	TR on pile.	
31151	Zach's Bay Channel Buoy ZB1	40-36-27.000N 073-29-20.880W				Green can.	
31151.1	Zach's Bay Channel Buoy ZB2	40-36-27.240N 073-29-22.200W				Red nun.	
31151.2	Zach's Bay Channel Buoy ZB3	40-36-22.980N 073-29-22.980W				Green can.	
31151.3	Zach's Bay Channel Buoy ZB4	40-36-20.640N 073-29-25.020W				Red nun.	
31151.5	Zach's Bay Channel Buoy ZB6	40-36-15.120N 073-29-26.820W				Red nun.	
31160	State Boat Channel Daybeacon 13	40-36-28.430N 073-29-13.412W				SG on pile.	
31175	State Boat Channel Lighted Buoy 15	40-36-22.376N 073-29-00.056W	Q G		3	Green.	Maintained from 15 April to 15 Nov.
31180	State Boat Channel Buoy 16	40-36-26.551N 073-28-42.067W				Red nun.	Maintained from 1 April to 15 Nov.
31185	State Boat Channel Daybeacon 17	40-36-37.967N 073-28-17.963W				SG on pile.	
31190	State Boat Channel Light 19	40-36-49.856N 073-27-42.119W	FI G 2.5s	15	4	SG on pile.	
31215	State Boat Channel Light 25	40-37-00.483N 073-25-57.400W	FI G 2.5s		3	SG on pile.	
31220	State Boat Channel Light 29	40-37-15.652N 073-25-00.068W	FI G 4s	12	4	SG on pile.	
31235	State Boat Channel Lighted Buoy 35	40-37-28.796N 073-23-58.838W				Green.	Maintained from 15 April to 15 Nov.
31245	State Boat Channel Daybeacon 38	40-37-41.106N 073-22-53.724W				TR on pile.	
31255	State Boat Channel Light 42	40-37-57.863N 073-21-42.820W	FI R 4s	12	3	TR on pile.	Removed when endangered by ice.
31260	State Boat Channel Daybeacon 44	40-38-07.500N 073-21-04.239W				TR on pile.	
31265	State Boat Channel Light 47	40-38-17.839N 073-20-32.844W	Q G	12	3	SG on pile.	Removed when endangered by ice.
31270	State Boat Channel Daybeacon 48	40-38-29.218N 073-20-02.213W				TR on pile.	
31275	State Boat Channel Light 49	40-38-38.662N 073-19-55.075W	FI G 4s	12	4	SG on pile.	Removed when endangered by ice.
31280	State Boat Channel Daybeacon 50	40-38-37.944N 073-19-48.038W				TR on pile.	

31285	State Boat Channel Daybeacon 52	40-38-48.002N 073-19-28.955W					TR on pile.	
31295	State Boat Channel Buoy 54	40-38-53.374N 073-19-18.790W					Red nun.	Maintained from 15 April to 15 Nov.
31300	State Boat Channel Buoy 55	40-38-56.450N 073-19-12.011W					Green can.	Maintained from 15 April to 15 Nov.
31305	State Boat Channel Buoy 56	40-38-58.147N 073-18-55.732W					Red nun.	Maintained from 15 April to 15 Nov.
31310	State Boat Channel Lighted Buoy 57	40-39-00.402N 073-18-53.517W	FI G 2.5s			4	Green.	Maintained from 15 April to 1 November.
31315	State Boat Channel Lighted Buoy 58	40-38-59.303N 073-18-37.400W	FI R 4s			3	Red.	Maintained from 15 April to 1 November.
31320	State Boat Channel Buoy 59	40-39-01.040N 073-18-34.934W					Green can.	Maintained from 15 April to 15 Nov.
31325	State Boat Channel Buoy 61	40-39-00.638N 073-18-21.235W					Green can.	Maintained from 15 April to 15 Nov.
31330	State Boat Channel Daybeacon 62	40-38-58.957N 073-18-08.686W					TR on pile.	
31340	State Boat Channel Lighted Buoy 64	40-38-58.361N 073-17-52.235W	FI R 4s			3	Red.	Maintained from 15 April to 15 Nov.
31350	State Boat Channel Daybeacon 66	40-38-53.976N 073-17-23.792W					TR on pile.	
31360	State Boat Channel Light 68	40-38-44.872N 073-16-56.405W	FI R 4s	12		3	TR on pile.	Light removed when endangered by ice.
31380	Oak Island Channel Junction Light SO	40-39-00.388N 073-17-28.837W	FI (2+1)G 6s	12		4	JG on pile.	Removed when endangered by ice.
31385	Oak Island Channel Buoy 2	40-39-12.999N 073-17-36.315W					Red nun.	Maintained from 15 April to 15 Nov.
31390	Oak Island Channel Buoy 3	40-39-22.424N 073-17-42.878W					Green can.	Maintained from 15 April to 15 Nov.
31395	Oak Island Channel Buoy 4	40-39-29.683N 073-17-45.169W					Red nun.	Maintained from 15 April to 15 Nov.
31400	Oak Island Channel Buoy 5	40-39-36.090N 073-17-50.295W					Green can.	Maintained from 15 April to 15 Nov.
31405	Oak Island Channel Buoy 6	40-39-43.830N 073-17-52.597W					Red nun.	Maintained from 15 April to 15 Nov.
31410	Oak Island Channel Buoy 7	40-39-55.983N 073-18-01.378W					Green can.	Maintained from 15 April to 15 Nov.
31415	Oak Island Channel Buoy 8	40-40-01.037N 073-18-02.093W					Red nun.	Maintained from 15 April to 15 Nov.
31420	Oak Island Channel Entrance Lighted Buoy 9	40-40-08.444N 073-18-08.821W	FI G 2.5s			4	Green.	Maintained from 15 April to 15 Nov.
31430	State Boat Channel Daybeacon 74	40-38-32.423N 073-16-08.019W					TR on pile.	
31435	State Boat Channel Buoy 75	40-38-39.990N 073-16-32.396W					Green can.	Maintained from Apr. 15 to Nov. 15.
31436	State Boat Channel Buoy 76	40-38-34.986N 073-15-56.405W					Red nun.	Maintained from 15 April to 15 Nov.
31440	State Boat Channel Buoy 77	40-38-35.143N 073-15-23.237W					Green can.	Maintained from Apr. 15 to Nov. 15.
31445	State Boat Channel Buoy 78	40-38-33.827N 073-15-33.409W					Red nun.	Maintained from Apr. 5 to Nov. 15.
31450	State Boat Channel Buoy 79	40-38-36.798N 073-15-14.961W					Green can.	Maintained from Apr. 15 to Nov. 15.
31455	State Boat Channel Buoy 80	40-38-36.523N 073-15-05.123W					Red nun.	Removed when endangered by ice.
31460	State Boat Channel Buoy 81	40-38-38.251N 073-14-57.011W					Green can.	Maintained from Apr 15 to Nov 15.
31462	State Boat Channel Buoy 82	40-38-36.376N 073-14-56.036W					Red nun.	Removed when endangered by ice.
31465	State Boat Channel Buoy 84	40-38-33.987N 073-14-50.453W					Red nun.	Removed when endangered by ice.
31470	State Boat Channel Buoy 86	40-38-31.385N 073-14-46.867W					Green.	Removed when endangered by ice.
31475	State Boat Channel Lighted Buoy 87	40-38-31.790N 073-14-43.045W	Q G			3	Green.	Maintained from 1 April to 15 Nov.
31480	State Boat Channel Buoy 88	40-38-27.920N 073-14-40.509W					Red nun.	
31485	State Boat Channel Buoy 89	40-38-25.988N 073-14-34.645W					Green can.	
31487	State Boat Channel	40-38-22.018N	FI R 4s			3	Red.	Maintained from 1 April to 15 Nov.

	Lighted Buoy 90	073-14-31.969W					
31490	State Boat Channel Buoy 91	40-38-19.219N 073-14-24.301W				Green can.	
31495	East Rockaway Inlet Lighted Bell Buoy ER	40-34-17.026N 073-45-49.026W	Mo (A) W		5	Red and white stripes with red spherical topmark.	
31500	East Rockaway Inlet Breakwater Light	40-34-56.632N 073-45-17.214W	Fl W 4s	34	4	NR on skeleton tower.	
31515	East Rockaway Inlet Lighted Buoy 2	40-34-42.542N 073-45-42.942W	Fl R 4s		3	Red.	Replaced by nun when endangered by ice.
31520	East Rockaway Inlet Lighted Buoy 3	40-34-57.304N 073-46-09.989W	Fl G 4s		3		
31525	East Rockaway Inlet Buoy 4	40-35-01.780N 073-46-05.660W				Red nun.	
31526	East Rockaway Inlet Lighted Buoy 4A	40-35-10.500N 073-46-09.000W	Q R		3	Red.	
31527	East Rockaway Inlet Buoy 4B	40-35-10.560N 073-45-52.440W			3	Red.	
31530	East Rockaway Inlet Lighted Buoy 5	40-35-13.704N 073-46-04.606W	Fl G 4s		4	Green.	Replaced by can when endangered by ice.
31535	East Rockaway Inlet Lighted Buoy 6	40-35-08.781N 073-45-31.885W	Q R		3	Red.	Replaced by nun when endangered by ice.
31540	East Rockaway Inlet Buoy 7	40-35-16.050N 073-45-18.596W				Green can.	
31545	East Rockaway Inlet Buoy 8	40-35-14.087N 073-45-16.661W				Red nun.	
31550	East Rockaway Inlet Lighted Buoy 9	40-35-23.559N 073-45-05.917W	Fl G 4s		4	Green.	Replaced by can when endangered by ice.
31555	East Rockaway Inlet Buoy 10	40-35-21.653N 073-45-03.880W				Red nun.	
31560	East Rockaway Inlet Buoy 12	40-35-31.683N 073-44-48.522W				Red nun.	
31561	Bannister Creek Channel Buoy BC1	40-35-41.820N 073-44-07.860W				Green can.	
31562	Bannister Creek Channel Buoy BC2	40-35-40.020N 073-44-07.320W				Red nun.	
31563	Bannister Creek Channel Buoy BC3	40-35-44.880N 073-44-07.380W				Green can.	
31564.4	Bannister Creek Channel Buoy BC8	40-36-06.120N 073-43-59.400W				Red nun.	
31564.3	Bannister Creek Channel Buoy BC7	40-36-06.840N 073-44-00.360W				Green can.	
31564.2	Bannister Creek Channel Buoy BC6	40-36-03.960N 073-44-03.600W				Red nun.	
31564.1	Bannister Creek Channel Buoy BC5	40-36-05.160N 073-44-03.600W				Green can.	
31564	Bannister Creek Channel Buoy BC4	40-35-44.460N 073-44-06.600W				Red nun.	
31565	Reynolds Channel Lighted Buoy 1	40-35-28.949N 073-43-35.098W	Fl G 2.5s		3	Green.	Replaced by can when endangered by ice.
31575	Reynolds Channel Lighted Buoy 3	40-35-30.017N 073-42-47.353W	Fl G 4s		3	Green.	Replaced by can when endangered by ice.
31580	Reynolds Channel Lighted Buoy 5	40-35-25.297N 073-41-45.215W	Fl G 6s		3	Green.	Replaced by can when endangered by ice.
31585	Reynolds Channel Light 7	40-35-25.176N 073-41-20.751W	Fl G 2.5s	16	4	SG on pile.	
31590	Woodsburgh Channel Daybeacon A1	40-36-07.140N 073-41-09.180W				SG on pile.	
31595	Woodsburgh Channel Buoy A2	40-36-08.640N 073-41-08.340W				Red nun.	
31600	Woodsburgh Channel Daybeacon A4	40-36-12.780N 073-41-18.480W				TR on pile.	
31605	Woodsburgh Channel Buoy A5	40-36-12.120N 073-41-19.560W				Green can.	
31610	Woodsburgh Channel Buoy A6	40-36-17.940N 073-41-27.720W				Red nun.	

31615	Woodsburgh Channel Buoy A7	40-36-15.120N 073-41-27.720W				Green can.	
31620	Woodsburgh Channel Daybeacon A8	40-36-24.720N 073-41-29.880W				TR on pile.	
31625	Woodsburgh Channel Buoy A9	40-36-34.620N 073-41-30.120W				Green can.	
31630	Woodsburgh Channel Buoy A12	40-36-38.580N 073-41-28.680W				Red nun.	
31635	Woodsburgh Channel Buoy A13	40-36-42.000N 073-41-30.840W				Green can.	
31640	Woodsburgh Channel Buoy A14	40-36-43.680N 073-41-30.410W				Red nun.	
31645	Woodsburgh Channel Buoy A16	40-36-49.200N 073-41-35.880W				Red nun.	
31650	Woodsburgh Channel Buoy A17	40-36-48.240N 073-41-35.520W				Green can.	
31653	Woodsburgh Channel Buoy A18	40-36-52.080N 073-41-38.460W				Red nun.	
31655	Woodsburgh Channel Buoy A19	40-36-53.400N 073-41-40.500W				Green can.	
31656	Woodsburgh Channel Buoy A19-A	40-36-58.200N 073-41-43.020W				Green can.	
31660	Woodsburgh Channel Buoy A20	40-36-59.700N 073-41-44.100W				Red nun.	
31665	Woodsburgh Channel Buoy A21	40-37-01.200N 073-41-47.520W				Green can.	
31670	Woodsburgh Channel Buoy A22	40-37-02.580N 073-41-49.560W				Red nun.	
31675	Woodsburgh Channel Buoy A23	40-37-02.520N 073-41-52.380W				Green can.	
31677	Woodsburgh Channel Buoy A24	40-37-03.600N 073-41-54.540W				Red nun.	
31680	Woodsburgh Channel Buoy A25	40-37-04.440N 073-42-00.360W				Green can.	
31685	Woodsburgh Channel Buoy A26	40-37-03.840N 073-42-01.440W				Red nun.	
31690	Woodsburgh Channel Buoy A27	40-36-59.160N 073-42-02.280W				Green can.	
31695	Woodsburgh Channel Buoy A28	40-37-00.960N 073-42-03.060W				Red nun.	
31700	Woodsburgh Channel Buoy A29	40-36-53.700N 073-42-01.860W				Green can.	
31705	Woodsburgh Channel Buoy A30	40-36-53.580N 073-42-03.240W				Red nun.	
31710	Woodsburgh Channel Buoy A31	40-36-51.660N 073-42-13.380W				Green can.	
31715	Woodsburgh Channel Buoy A32	40-36-52.620N 073-42-09.540W				Red nun.	
31720	Woodsburgh Channel Buoy A33	40-36-50.820N 073-42-19.620W				Green can.	
31725	Woodsburgh Channel Buoy A34	40-36-51.420N 073-42-19.920W				Red nun.	
31730	Woodsburgh Channel Buoy A38	40-36-55.200N 073-42-23.100W				Red nun.	
31735	Broseware Bay North End Buoy AB1	40-37-04.620N 073-41-55.680W				Green can.	
31740	Broseware Bay North End Buoy AB2	40-37-06.600N 073-41-54.600W				Red nun.	
31743	Broseware Bay North End Buoy AB3	40-37-07.800N 073-41-54.600W				Green can.	
31745	Broseware Bay North End Buoy AB4	40-37-09.780N 073-41-52.680W				Red nun.	
31750	Broad Channel Junction Buoy B	40-35-33.720N 073-41-05.460W				Green and red bands; can.	
31755	Broad Channel Buoy B4	40-35-45.060N 073-41-03.480W				Red nun.	
31760	Broad Channel Buoy B8	40-35-53.760N 073-41-04.380W				Red nun.	

31762	Broad Channel Buoy B10	40-36-02.940N 073-41-03.180W				Red nun.	
31765	Broad Channel Buoy B11	40-36-06.000N 073-41-03.000W				Green can.	
31770	Broad Channel Buoy B12	40-36-07.500N 073-40-58.500W				Red nun.	
31775	Broad Channel Daybeacon B13	40-36-12.600N 073-40-54.840W				SG on pile.	
31780	Broad Channel Buoy B14	40-36-14.700N 073-40-48.900W				Red nun.	
31790	Broad Channel Buoy B19	40-36-24.840N 073-40-39.180W				Green can.	
31795	Broad Channel Buoy B20	40-36-23.520N 073-40-38.940W				Red nun.	
31800	Broad Channel Buoy B22	40-36-32.880N 073-40-35.760W				Red nun.	
31805	Broad Channel Buoy B24	40-36-38.940N 073-40-33.960W				Red nun.	
31810	Broad Channel Buoy B25	40-36-42.060N 073-40-34.680W				Green can.	
31815	Broad Channel Buoy B26	40-36-49.560N 073-40-29.040W				Red nun.	
31820	Broad Channel Buoy B27	40-36-53.160N 073-40-29.700W				Green can.	
31825	Broad Channel Buoy B28	40-36-57.060N 073-40-30.120W				Red nun.	
31830	Broad Channel Daybeacon B29	40-36-57.900N 073-40-31.440W				SG on pile.	
31835	Broad Channel Buoy B30	40-37-04.260N 073-40-32.280W				Red nun.	
31836	Broad Channel Daybeacon B31	40-37-04.980N 073-40-34.020W				SG on pile.	
31839	Broad Channel Daybeacon B33	40-37-07.500N 073-40-36.360W				SG on pile.	
31845	Broad Channel Daybeacon B35	40-37-07.380N 073-40-42.540W				SG on pile.	
31846	Broad Channel Buoy B36	40-37-08.100N 073-40-52.080W				Red nun.	
31850	Broad Channel Daybeacon B37	40-37-08.100N 073-40-53.940W				SG on pile.	
31855	Broad Channel Buoy B38	40-37-13.380N 073-40-56.580W				Red nun.	
31860	Broad Channel Daybeacon B39	40-37-18.780N 073-40-59.760W				SG on pile.	
31865	Broad Channel Buoy B40	40-37-17.820N 073-40-58.320W				Red nun.	
31870	Broad Channel Buoy B42	40-37-25.260N 073-41-04.680W				Red nun.	
31875	Broad Channel Buoy B43	40-37-24.240N 073-41-05.580W				Green can.	
31885	Broad Channel Buoy B47	40-37-31.320N 073-40-50.460W				Green can.	
31890	Broad Channel Buoy B48	40-37-33.780N 073-40-42.360W				Red nun.	
31900	Hewlett Bay Extension Buoy B50	40-37-36.420N 073-40-31.260W				Red nun.	
31910	Hewlett Bay Extension Buoy B52	40-37-36.360N 073-40-22.560W				Red nun.	
31915	Hewlett Bay Extension Buoy B53	40-37-37.500N 073-40-28.980W				Green can.	
31920	Hewlett Bay Extension Buoy B54	40-37-36.300N 073-40-16.800W				Red nun.	
31925	Hewlett Bay Extension Buoy B55	40-37-38.280N 073-40-16.500W				Green can.	
31930	Hewlett Bay Extension Buoy B56	40-37-33.360N 073-40-11.580W				Red nun.	
31935	Hewlett Bay Extension Buoy B57	40-37-34.500N 073-40-08.520W				Green can.	

31940	Hewlett Bay Extension Buoy B58	40-37-31.860N 073-40-07.260W				Red nun.	
31945	Hewlett Bay Extension Daybeacon B59	40-37-34.080N 073-40-03.960W				SG on pole.	
31950	Hewlett Bay Extension Buoy B60	40-37-27.720N 073-40-07.080W				Red nun.	
31955	Hewlett Bay Extension Buoy B61	40-37-27.240N 073-40-04.740W				Green can.	
31960	Hewlett Bay Extension Buoy B62	40-37-22.560N 073-40-07.500W				Red nun.	
31965	Hewlett Bay Extension Buoy B63	40-37-23.040N 073-40-04.800W				Green can.	
31970	Reynolds Channel Light 9	40-35-44.672N 073-40-25.957W	FI G 4s	12	4	SG on pile.	
31975	Hog Island Channel Lighted Buoy C1	40-35-46.380N 073-39-55.860W	FI G 4s			Green.	
31980	Hog Island Channel Lighted Buoy C2	40-35-47.100N 073-39-50.880W	FI R 4s			Red.	
31985	Hog Island Channel Lighted Buoy C3	40-36-01.200N 073-40-10.260W	FI G 4s			Green.	
31990	Hog Island Channel Lighted Buoy C5	40-36-10.440N 073-40-15.000W	FI G 4s			Green.	
31995	Hog Island Channel Lighted Buoy C7	40-36-23.100N 073-40-04.320W	FI G 4s			Green.	
32000	Hog Island Channel Lighted Buoy C9	40-36-25.440N 073-39-50.040W	FI G 4s			Green.	
32005	Hog Island Channel Lighted Buoy C11	40-36-25.680N 073-39-38.340W	FI G 4s			Green.	
32010	Hog Island Channel Lighted Buoy C13	40-36-28.020N 073-39-29.520W	FI G 4s			Green.	
32015	Hog Island Channel Lighted Buoy C15	40-36-34.500N 073-39-22.500W	FI G 4s			Green.	
32020	East Rockaway Channel Buoy D1	40-36-28.620N 073-40-02.160W				Green can.	
32025	East Rockaway Channel Buoy D4	40-36-34.740N 073-39-57.900W				Red nun.	
32030	East Rockaway Channel Buoy D7	40-36-48.240N 073-39-55.500W				Green can.	
32035	East Rockaway Channel Daybeacon D8	40-36-48.360N 073-39-51.240W				TR on pile.	
32040	East Rockaway Channel Daybeacon D9	40-36-57.240N 073-39-51.240W				SG on pile.	
32045	East Rockaway Channel Buoy D10	40-36-55.380N 073-39-51.360W				Red nun.	
32050	East Rockaway Channel Buoy D12	40-36-58.920N 073-39-43.680W				Red nun	
32055	East Rockaway Channel Buoy D13	40-37-02.700N 073-39-38.880W				Green can.	
32060	East Rockaway Channel Buoy D14	40-37-03.780N 073-39-36.240W				Red nun	
32065	East Rockaway Channel Buoy D15	40-37-12.660N 073-39-39.000W				Green can	
32070	East Rockaway Channel Buoy D16	40-37-21.420N 073-39-38.400W				Red nun	
32075	East Rockaway Channel Buoy D17	40-37-18.840N 073-39-40.020W				Green can	
32085	Reynolds Channel Light 11	40-35-50.170N 073-38-39.088W	FI G 4s	16	4	SG on pile.	
32090	Reynolds Channel Buoy 14	40-35-49.232N 073-37-45.439W				Red nun.	Maintained from 15 Apr to 1 Dec.

32100	Garretts Lead Buoy H1	40-35-51.540N 073-38-20.040W				Green can.	
32105	Garretts Lead Buoy H2	40-35-52.200N 073-38-17.040W				Red nun.	
32110	Garretts Lead Buoy H3	40-35-58.560N 073-38-14.220W				Green can.	
32120	Garretts Lead Daybeacon H4	40-36-00.540N 073-38-10.320W				TR on pile.	
32125	Garretts Lead Daybeacon H5	40-36-03.600N 073-38-10.500W				SG on pile.	
32135	Garretts Lead Buoy H7	40-36-11.940N 073-38-02.940W				Green can.	
32140	Garretts Lead Buoy H8	40-36-08.520N 073-38-03.600W				Red nun.	
32145	Garretts Lead Buoy H9	40-36-16.980N 073-37-58.560W				Green can.	
32150	Garretts Lead Buoy H10	40-36-17.760N 073-37-56.220W				Red nun.	
32155	Garretts Lead Buoy H13	40-36-22.920N 073-37-58.980W				Green can.	
32160	Garretts Lead Daybeacon H14	40-36-27.480N 073-37-56.760W				TR on pile.	
32165	Garretts Lead Daybeacon H15	40-36-29.340N 073-37-59.640W				SG on pile.	
32170	Garretts Lead Buoy H16	40-36-31.740N 073-37-57.420W				Red nun.	
32175	Garretts Lead Buoy H17	40-36-39.960N 073-37-54.000W				Green can.	
32180	Garretts Lead Buoy H19	40-36-41.820N 073-37-47.820W				Green can.	
32185	Garretts Lead Buoy H20	40-36-39.960N 073-37-37.920W				Red nun.	
32190	Garretts Lead Daybeacon H24	40-36-46.440N 073-37-25.500W				TR on pile.	
32195	Garretts Lead Daybeacon H25	40-36-56.160N 073-37-29.040W				SG on pile.	
32200	Garretts Lead Daybeacon H26	40-36-49.440N 073-37-24.000W				TR on pile.	
32205	Garretts Lead Buoy H27	40-36-59.520N 073-37-24.000W				Green can.	
32210	Garretts Lead Buoy H29	40-37-02.220N 073-37-20.400W				Green can.	
32215	Garretts Lead Buoy H30	40-36-59.040N 073-37-18.300W				Red nun.	
32220	Garretts Lead Daybeacon H31	40-37-02.760N 073-37-18.780W				SG on pile.	
32225	Garretts Lead Buoy H32	40-37-06.120N 073-37-06.240W				Red nun.	
32230	Garretts Lead Daybeacon H33	40-37-06.720N 073-37-11.520W				SG on pile.	
32235	Garretts Lead Daybeacon H35	40-37-11.220N 073-37-03.480W				SG on pile.	
32240	Garretts Lead Daybeacon H36	40-37-15.360N 073-36-57.600W				TR on pile.	
32245	Garretts Lead Daybeacon H42	40-37-25.680N 073-36-57.960W				TR on pile.	
32250	Garretts Lead Buoy H44	40-37-30.720N 073-37-00.600W				Red nun.	
32255	Hassock Channel Buoy HK1	40-37-11.340N 073-36-55.080W				Green can.	
32260	Hassock Channel Buoy HK2	40-37-10.380N 073-36-55.260W				Red nun.	
32265	Hassock Channel Buoy HK3	40-37-13.020N 073-36-47.100W				Green can.	
32270	Hassock Channel Buoy HK4	40-37-12.300N 073-36-44.280W				Red nun.	
32273	Hassock Channel Buoy HK5	40-37-14.340N 073-36-37.800W				Green can.	
32275	Hassock Channel Buoy HK6	40-37-13.380N 073-36-38.340W				Red nun.	
32280	Hassock Channel Buoy HK7	40-37-15.360N 073-36-30.300W				Green can.	
32285	Hassock Channel	40-37-14.460N				Red nun.	

	Buoy HK8	073-36-30.180W					
32300	Reynolds Channel Daybeacon 13	40-35-51.769N 073-37-46.908W				SG on pile.	
32305	Reynolds Channel Buoy 16	40-35-48.784N 073-36-58.906W				Red nun.	Maintained from 15 Apr to 1 Dec.
32310	Borrow Pit Channel Buoy K1	40-37-12.300N 073-35-41.700W				Green can.	
32315	Borrow Pit Channel Buoy K3	40-37-12.180N 073-35-50.820W				Green can.	
32320	Borrow Pit Channel Buoy K6	40-37-14.460N 073-35-56.220W				Red nun.	
32325	Borrow Pit Channel Daybeacon K8	40-37-17.220N 073-36-04.140W				TR on pile.	
32330	Borrow Pit Channel Buoy K9	40-37-15.000N 073-36-06.480W				Green can.	
32335	Borrow Pit Channel Buoy K10	40-37-18.360N 073-36-12.120W				Red nun.	
32340	Borrow Pit Channel Buoy K11	40-37-16.860N 073-36-18.420W				Green can.	
32345	Borrow Pit Channel Buoy K12	40-37-19.200N 073-36-20.400W				Red nun.	
32350	Borrow Pit Channel Buoy K13	40-37-18.060N 073-36-30.600W				Green can.	
32355	Borrow Pit Channel Daybeacon K14	40-37-21.000N 073-36-30.240W				TR on pile.	
32360	Borrow Pit Channel Daybeacon K15	40-37-19.260N 073-36-35.460W				SG on pile.	
32365	Borrow Pit Channel Buoy K19	40-37-26.820N 073-36-48.000W				Green can.	
32370	Borrow Pit Channel Buoy K20	40-37-22.860N 073-36-39.120W				Red nun.	
32375	Borrow Pit Channel Daybeacon K22	40-37-32.640N 073-36-48.000W				TR on pile.	
32380	Borrow Pit Channel Daybeacon K23	40-37-27.360N 073-36-54.120W				SG on pile.	
32385	Borrow Pit Channel Daybeacon K25	40-37-30.360N 073-36-56.100W				SG on pile.	
32390	Borrow Pit Channel Daybeacon K26	40-37-42.960N 073-36-54.420W				TR on pile.	
32395	Borrow Pit Channel Buoy K27	40-37-35.760N 073-36-58.740W				Green can.	
32400	Oakwood Channel Buoy KK1	40-37-18.960N 073-36-02.580W				Green can.	
32405	Oakwood Channel Buoy KK2	40-37-19.680N 073-36-01.320W				Red nun.	
32407	Oakwood Channel Buoy KK 3	40-37-22.320N 073-36-04.440W				Green can.	
32409	Oakwood Channel Buoy KK4	40-37-22.620N 073-36-03.240W				Red nun.	
32410	Oakwood Channel Daybeacon KK5	40-37-24.360N 073-36-06.660W				SG on pile.	
32412	Oakwood Channel Buoy KK6	40-37-24.420N 073-36-05.520W				Red nun.	
32415	Bellmore Creek Channel Buoy M1	40-38-18.360N 073-31-17.940W				Green can.	
32420	Bellmore Creek Channel Buoy M2	40-38-06.480N 073-31-11.760W				Red nun.	
32425	Bellmore Creek Channel Buoy M3	40-38-17.700N 073-31-12.900W				Green can.	
32430	Bellmore Creek Channel Buoy M4	40-38-11.820N 073-31-10.740W				Red nun.	
32435	Bellmore Creek Channel Daybeacon M5	40-38-19.200N 073-31-09.660W				SG on pile.	
32440	Bellmore Creek Channel Buoy M6	40-38-18.360N 073-31-07.500W				Red nun.	
32445	Bellmore Creek Channel Buoy M7	40-38-26.400N 073-31-07.200W				Green can.	
32450	Bellmore Creek Channel Daybeacon M8	40-38-25.920N 073-31-05.700W				TR on pile.	
32455	Bellmore Creek Channel Buoy M9	40-38-30.840N 073-31-00.960W				Green can.	

32460	Bellmore Creek Channel Buoy M10	40-38-30.900N 073-30-57.720W				Red nun.	
32465	Bellmore Creek Channel Buoy M11	40-38-34.740N 073-30-57.240W				Green can.	
32475	Baldwin Bay Buoy N1	40-37-17.580N 073-35-42.480W				Green can.	
32480	Baldwin Bay Buoy N2	40-37-17.760N 073-35-37.980W				Red nun.	
32485	Baldwin Bay Buoy N3	40-37-24.000N 073-35-38.400W				Green can.	
32490	Baldwin Bay Buoy N4	40-37-27.360N 073-35-35.700W				Red nun.	
32495	Baldwin Bay Buoy N5	40-37-28.380N 073-35-36.180W				Green can.	
32500	Baldwin Bay Buoy N6	40-37-32.880N 073-35-34.500W				Red nun.	
32505	Baldwin Bay Buoy N8	40-37-41.760N 073-35-35.220W				Red nun.	
32510	Baldwin Bay Buoy N10	40-37-47.820N 073-35-36.360W				Red nun.	
32515	Baldwin Bay Buoy N12	40-37-55.380N 073-35-44.520W				Red nun.	
32520	Baldwin Bay Buoy N13	40-37-58.560N 073-35-45.420W				Green can.	
32525	Baldwin Bay Buoy N14	40-37-59.700N 073-35-43.680W				Red nun.	
32530	Reynolds Channel Buoy 15	40-35-48.769N 073-37-20.961W				Green can.	Maintained from 15 Apr to 1 Dec.
32550	Reynolds Channel Buoy 21	40-35-47.340N 073-36-38.382W				Green can.	Maintained from 15 Apr to 1 Dec.
32555	Reynolds Channel Lighted Buoy 24	40-35-44.033N 073-35-56.076W	FI R 4s		3	Red.	Maintained from 15 Apr to 15 Nov.
32565	Point Lookout West Marina Light	40-35-39.030N 073-35-29.790W	Q R	8		On pile.	Maintained from Apr. 1 to Nov. 1.
32580	Sea Dog Creek Buoy SD3	40-35-44.880N 073-35-26.880W				Green can.	
32585	Sea Dog Creek Buoy SD4	40-35-46.800N 073-35-25.080W				Red nun.	
32590	Sea Dog Creek Buoy SD5	40-35-49.740N 073-35-26.280W				Green can.	
32595	Sea Dog Creek Buoy SD6	40-35-54.000N 073-35-24.780W				Red nun.	
32600	Sea Dog Creek Buoy SD7	40-35-59.580N 073-35-23.580W				Green can.	
32603	Sea Dog Creek Buoy SD8	40-35-59.820N 073-35-22.680W				Red nun.	
32604	Sea Dog Creek Buoy SD8A	40-36-04.740N 073-35-19.800W				Red nun.	
32605	Sea Dog Creek Buoy SD9	40-36-04.500N 073-35-21.060W				Green can.	
32610	Sea Dog Creek Daybeacon SD10	40-36-08.040N 073-35-15.840W				TR on pile.	
32613	Sea Dog Creek Buoy SD11	40-36-08.220N 073-35-18.660W				Green can.	
32615	Sea Dog Creek Buoy SD12	40-36-13.740N 073-35-09.000W				Red nun.	
32620	Sea Dog Creek Daybeacon SD13	40-36-15.480N 073-35-10.500W				SG on pile.	
32630	Sea Dog Creek Daybeacon SD16	40-36-19.560N 073-34-54.720W				TR on pile.	
32635	Sea Dog Creek Daybeacon SD17	40-36-24.600N 073-34-39.840W				SG on pile.	
32636	Sea Dog Creek Buoy SD17A	40-36-26.040N 073-34-30.480W				Green can.	
32637	Sea Dog Creek Buoy SD18	40-36-26.160N 073-34-25.740W				Red nun.	
32640	Sea Dog Creek Buoy SD19	40-36-27.480N 073-34-23.400W				Green can.	
32645	Sea Dog Creek Buoy SD20	40-36-27.000N 073-34-20.640W				Red nun.	
32646	Sea Dog Creek Buoy SD21	40-36-28.980N 073-34-17.220W				Green can.	
32650	Swift Creek Buoy	40-36-02.100N				Green can.	

	SW1	073-33-00.360W				
32655	Swift Creek Buoy SW2	40-36-01.800N 073-32-57.360W				Red nun.
32660	Swift Creek Buoy SW3	40-36-10.560N 073-33-04.740W				Green can.
32665	Swift Creek Buoy SW4	40-36-16.320N 073-33-02.500W				Red nun.
32670	Swift Creek Buoy SW5	40-36-39.300N 073-33-21.360W				Green can.
32675	Swift Creek Buoy SW6	40-36-45.300N 073-33-19.140W				Red nun.
32685	Swift Creek Buoy SW7	40-36-52.320N 073-33-30.720W				Green can.
32690	Swift Creek Buoy SW8	40-36-50.640N 073-33-24.420W				Red nun.
32695	Swift Creek Buoy SW9	40-37-01.740N 073-33-48.360W				Green can.
32700	Swift Creek Buoy SW10	40-37-07.560N 073-33-54.900W				Red nun.
32705	Swift Creek Daybeacon SW11	40-37-15.420N 073-34-17.100W				SG on pile.
32710	Swift Creek Buoy SW12	40-37-24.660N 073-34-29.520W				Red nun.
32715	Swift Creek Buoy SW13	40-37-24.480N 073-34-35.100W				Green can.
32720	Haunt's Creek Buoy R1	40-36-07.620N 073-31-32.700W				Green can.
32725	Haunt's Creek Buoy R3	40-36-14.940N 073-31-29.160W				Green can.
32730	Haunt's Creek Buoy R4	40-36-20.940N 073-31-25.380W				Red nun.
32735	Haunt's Creek Buoy R5	40-36-23.460N 073-31-29.280W				Green can.
32740	Haunt's Creek Buoy R6	40-36-27.660N 073-31-26.400W				Red nun.
32745	Haunt's Creek Buoy R7	40-36-35.460N 073-31-29.940W				Green can.
32750	Haunt's Creek Buoy R8	40-36-35.520N 073-31-25.500W				Red nun.
32755	Haunt's Creek Buoy R9	40-36-44.760N 073-31-28.080W				Green can.
32760	Haunt's Creek Buoy R10	40-36-43.860N 073-31-23.100W				Red nun.
32763	Fundy Channel Junction Buoy FB	40-36-45.600N 073-33-25.080W				Green and red bands; can.
32764	Fundy Channel Buoy FB1	40-36-29.160N 073-34-10.380W				Green can.
32765	Fundy Channel Buoy FB2	40-36-27.240N 073-34-07.440W				Red nun.
32770	Fundy Channel Buoy FB3	40-36-33.780N 073-33-55.740W				Green can.
32775	Fundy Channel Buoy FB4	40-36-34.020N 073-33-47.400W				Red nun.
32780	Fundy Channel Daybeacon FB5	40-36-37.500N 073-33-45.720W				SG on pile.
32785	Fundy Channel Daybeacon FB6	40-36-38.640N 073-33-35.040W				TR on pile.
32786	Fundy Channel Buoy FB7	40-36-40.920N 073-33-36.420W				Green can.
32787	Fundy Channel Buoy FB9	40-36-45.840N 073-33-29.160W				Green can.
32795	Long Creek Junction Lighted Buoy P	40-36-36.660N 073-34-19.080W	FI (2+1)G 6s			Green and red bands.
32800	Long Creek Lighted Buoy P1	40-36-41.820N 073-34-29.640W	FI G 4s			Green.
32805	Long Creek Lighted Buoy P2	40-36-43.740N 073-34-25.080W	FI R 4s			Red.
32810	Long Creek Lighted Buoy P4	40-36-50.100N 073-34-34.800W	FI R 4s			Red.
32815	Long Creek Lighted Buoy P6	40-36-58.260N 073-34-44.640W	FI R 4s			Red.
32820	Long Creek Lighted	40-37-07.800N	FI R 4s			Red.

	Buoy P8	073-34-46.680W					
32825	Long Creek Lighted Buoy P9	40-37-29.040N 073-34-41.940W	FI G 4s			Green.	
32830	Long Creek Lighted Buoy P10	40-37-23.040N 073-34-41.580W	FI R 4s			Red.	
32835	Long Creek Lighted Buoy P11	40-37-36.720N 073-34-45.300W	FI G 4s			Green.	
32840	Long Creek Buoy P12	40-37-36.180N 073-35-11.700W				Red nun.	
32847	Long Creek Buoy P14	40-37-42.000N 073-35-12.000W				Red nun.	
32850	Long Creek Buoy P15	40-37-51.600N 073-35-12.720W				Green can.	
32852	Long Creek Buoy P17	40-37-56.340N 073-35-27.600W				Green can	
32855	Scow Creek Channel Buoy PP1	40-36-36.000N 073-34-25.800W				Green can.	
32860	Scow Creek Channel Buoy PP2	40-36-37.380N 073-34-28.620W				Red nun.	
32865	Scow Creek Channel Buoy PP4	40-36-38.820N 073-34-36.840W				Red nun.	
32870	Scow Creek Channel Buoy PP5	40-36-37.740N 073-34-43.860W				Green can.	
32875	Scow Creek Channel Buoy PP6	40-36-39.240N 073-34-44.700W				Red nun.	
32880	Scow Creek Channel Buoy PP8	40-36-37.800N 073-34-51.060W				Red nun.	
32885	Scow Creek Channel Buoy PP10	40-36-36.960N 073-34-59.700W				Red nun.	
32890	Scow Creek Channel Buoy PP12	40-36-37.980N 073-35-05.820W				Red nun.	
32895	Scow Creek Channel Buoy PP14	40-36-41.460N 073-35-09.480W				Red nun.	Maintained from Apr. 1 to Nov. 1.
32900	Scow Creek Channel Buoy PP17	40-36-54.060N 073-35-09.180W				Green can.	
32905	Scow Creek Channel Buoy PP18	40-36-56.309N 073-35-09.180W				Red nun.	
32910	Scow Creek Channel Buoy PP19	40-36-59.700N 073-35-14.820W				Green can.	
32915	Scow Creek Channel Buoy PP21	40-37-01.980N 073-35-21.780W				Green can.	
32920	Scow Creek Channel Buoy PP22	40-37-03.360N 073-35-33.660W				Red nun.	
32925	Scow Creek Channel Buoy PP23	40-37-02.340N 073-35-34.320W				Green can.	
32930	Scow Creek Channel Buoy PP24	40-37-05.760N 073-35-38.100W				Red nun.	
32933	Scow Creek Channel Buoy PP24A	40-37-08.220N 073-35-39.720W				Red nun.	
32935	Scow Creek Channel Buoy PP25	40-37-07.980N 073-35-40.380W				Green can.	
32940	Scow Creek Channel Buoy PP26	40-37-12.000N 073-35-40.620W				Red nun.	
32945	Freeport Narrows Buoy Q1	40-37-28.860N 073-34-19.560W				Green can..	
32950	Freeport Narrows Buoy Q2	40-37-27.720N 073-34-18.060W				Red nun.	
32955	Freeport Narrows Buoy Q3	40-37-38.580N 073-34-14.940W				Green can.	
32960	Freeport Narrows Buoy Q4	40-37-36.660N 073-34-13.500W				Red nun.	
32965	Freeport Narrows Buoy Q5	40-37-44.640N 073-34-08.280W				Green can.	

32970	Freeport Narrows Buoy Q6	40-37-41.760N 073-34-08.940W				Red nun.	
32975	Freeport Narrows Buoy Q7	40-37-50.880N 073-33-55.740W				Green can.	
32980	Freeport Narrows Daybeacon Q8	40-37-48.000N 073-33-55.860W				TR on pile.	
32985	Freeport Narrows Buoy Q9	40-37-54.840N 073-33-54.120W				Green can.	
32990	Freeport Narrows Buoy Q10	40-37-50.700N 073-33-52.200W				Red nun.	
32995	Freeport Narrows Buoy Q13	40-38-21.000N 073-33-55.380W				Green can.	
32996	Freeport Narrows Buoy Q14	40-38-42.720N 073-34-24.420W				Red nun.	
33005	Cedar Swamp Creek Buoy S3	40-38-20.000N 073-31-48.480W				Green can	
33010	Cedar Swamp Creek Buoy S5	40-38-27.480N 073-31-40.800W				Green can	
33015	Cedar Swamp Creek Buoy S7	40-38-52.440N 073-32-00.240W				Green can.	
33020	Great Sand Creek Buoy F2	40-37-06.600N 073-33-11.760W				Red nun.	
33025	Great Sand Creek Buoy F3	40-37-03.120N 073-33-15.600W				Green can.	
33030	Great Sand Creek Buoy F4	40-37-11.220N 073-33-12.360W				Red nun.	
33035	Great Sand Creek Buoy F5	40-37-09.240N 073-33-16.200W				Green can.	
33040	Great Sand Creek Buoy F6	40-37-17.940N 073-33-22.020W				Red nun.	
33045	Great Sand Creek Buoy F7	40-37-13.740N 073-33-19.800W				Green can.	
33050	Great Sand Creek Buoy F8	40-37-24.600N 073-33-31.140W				Red nun.	
33055	Great Sand Creek Buoy F10	40-37-29.400N 073-33-34.080W				Red nun.	
33060	Great Sand Creek Junction Buoy FF	40-37-14.640N 073-33-14.700W				Red and green bands; nun.	
33063	Dog Channel Buoy T2	40-37-43.200N 073-33-34.920W				Red nun.	
33075	Dog Channel Buoy T7	40-38-07.860N 073-33-19.260W				Green can.	
33085	Dog Channel Daybeacon T10	40-38-14.340N 073-33-18.180W				TR on pile.	
33090	Dog Channel Daybeacon T11	40-38-14.340N 073-33-19.800W				SG on pile.	
33095	Dog Channel Daybeacon T12	40-38-21.240N 073-33-19.860W				TR on pile.	
33100	Dog Channel Buoy T13	40-38-20.220N 073-33-22.320W				Green can.	
33105	Dog Channel Buoy T14	40-38-26.340N 073-33-18.420W				Red nun.	
33110	Dog Channel Daybeacon T15	40-38-28.620N 073-33-22.200W				SG on pile.	
33115	Dog Channel Daybeacon T16	40-38-22.080N 073-33-12.240W				TR on pile	
33120	Dog Channel Daybeacon T17	40-38-30.960N 073-33-22.920W				SG on pile.	
33155	Dog Channel Daybeacon T18	40-38-18.120N 073-33-03.720W				TR on pile.	
33160	Dog Channel Daybeacon T20	40-38-13.860N 073-32-55.800W				TR on pile.	
33165	Dog Channel Daybeacon T22	40-38-09.900N 073-32-51.960W				TR on pile.	
33170	Neds Creek West Branch Buoy G1	40-37-19.020N 073-33-13.260W				Green can.	
33175	Neds Creek West Branch Buoy G2	40-37-19.020N 073-33-11.700W				Red nun.	
33180	Neds Creek West Branch Buoy G3	40-37-22.020N 073-33-12.120W				Green can.	
33185	Neds Creek West Branch Buoy G4	40-37-23.940N 073-33-10.680W				Red nun.	
33186	Neds Creek West	40-37-25.920N				Green can.	

	Branch Buoy G5	073-33-11.340W					
33190	Neds Creek West Branch Buoy G6	40-37-29.400N 073-33-05.880W				Red nun.	
33195	Neds Creek West Branch Buoy G7	40-37-36.900N 073-33-00.420W				Green can.	
33200	Neds Creek West Branch Buoy G8	40-37-37.020N 073-32-58.320W				Red nun.	
33205	Neds Creek West Branch Buoy G9	40-37-41.520N 073-32-59.280W				Green can.	
33210	Neds Creek West Branch Buoy G10	40-37-47.400N 073-32-58.920W				Red nun.	
33214	Neds Creek West Branch Buoy G11	40-37-46.800N 073-32-59.400W				Green can.	
33215	Neds Creek West Branch Buoy G12	40-37-53.040N 073-33-00.300W				Red nun.	
33219	Neds Creek West Branch Buoy G13	40-38-06.360N 073-32-52.140W				Green can.	
33220	Neds Creek West Branch Buoy G14	40-38-01.020N 073-32-54.660W				Red nun.	
33225	Neds Creek West Branch Buoy G15	40-38-16.320N 073-32-44.760W				Green can.	
33230	Neds Creek West Branch Buoy G16	40-38-09.840N 073-32-49.500W				Red nun.	
33237	Merrick Point Buoy G17	40-38-17.880N 073-32-41.460W				Green can.	
33240	Merrick Point Daybeacon G18	40-38-11.340N 073-32-45.660W				TR on pile.	
33245	Merrick Point Daybeacon G19	40-38-22.020N 073-32-40.080W				SG on pile.	
33250	Merrick Point Buoy G20	40-38-19.200N 073-32-37.200W				Red nun.	
33260	Carmen Cut Buoy G22	40-38-26.820N 073-32-37.860W				Red nun.	
33265	Carmen Cut Buoy G23	40-38-28.920N 073-32-36.480W				Green can.	
33266	Carmen Cut Daybeacon G24	40-38-27.120N 073-32-21.780W				TR on pile.	
33270	Carmen Cut Buoy G25	40-38-29.700N 073-32-25.200W				Green can.	
33271	Carmen Cut Buoy G26	40-38-25.260N 073-32-15.840W				Red nun.	
33274	WhaleNeck Point Buoy G28	40-38-20.040N 073-32-10.200W				Red nun.	
33285	WhaleNeck Point Buoy G29	40-38-21.180N 073-32-07.500W				Green can.	
33286	WhaleNeck Point Buoy G30	40-38-14.880N 073-32-03.780W				Red nun.	
33290	WhaleNeck Point Buoy G31	40-38-14.820N 073-31-55.800W				Green can.	
33291	WhaleNeck Point Buoy G32	40-38-10.320N 073-31-58.320W				Red nun.	
33314	Broad Creek Channel Junction Buoy W	40-38-06.660N 073-31-56.100W				Green and red bands can.	
33315	Broad Creek Channel Buoy W1	40-36-54.240N 073-31-24.840W				Green can.	
33320	Broad Creek Channel Buoy W2	40-36-56.340N 073-31-23.880W				Red nun.	
33323	Broad Creek Channel Buoy W3	40-36-59.460N 073-31-26.100W				Green can.	
33325	Broad Creek Channel Daybeacon W4	40-36-59.100N 073-31-23.760W				TR on pile.	
33330	Broad Creek Channel Buoy W5	40-37-03.360N 073-31-28.260W				Green can.	
33335	Broad Creek Channel Buoy W6	40-37-04.500N 073-31-27.900W				Red nun.	
33340	Broad Creek Channel Buoy W7	40-37-10.080N 073-31-34.500W				Green can.	
33345	Broad Creek Channel Daybeacon W8	40-37-11.340N 073-31-34.440W				TR on pile.	
33350	Broad Creek	40-37-12.180N				Green can.	

	Channel Buoy W9	073-31-40.320W					
33355	Broad Creek Channel Daybeacon W10	40-37-12.960N 073-31-40.320W				TR on pile.	
33360	Broad Creek Channel Buoy W11	40-37-13.080N 073-31-52.800W				Green can.	
33365	Broad Creek Channel Buoy W12	40-37-14.160N 073-31-50.940W				Red nun.	
33370	Broad Creek Channel Buoy W13	40-37-16.620N 073-31-55.860W				Green can.	
33375	Broad Creek Channel Buoy W14	40-37-17.760N 073-31-54.180W				Red nun.	
33380	Broad Creek Channel Buoy W15	40-37-23.100N 073-31-59.400W				Green can.	
33383	Broad Creek Channel Buoy W15A	40-37-28.260N 073-32-05.760W				Green can.	
33385	Broad Creek Channel Buoy W16	40-37-30.120N 073-32-05.880W				Red nun.	
33387	Broad Creek Channel Buoy W17	40-37-33.840N 073-32-11.160W				Green can.	
33390	Broad Creek Channel Buoy W18	40-37-35.280N 073-32-10.620W				Red nun.	
33395	Broad Creek Channel Buoy W19	40-37-43.200N 073-32-16.140W				Green can.	
33400	Broad Creek Channel Buoy W20	40-37-45.360N 073-32-15.840W				Red nun.	
33405	Broad Creek Channel Buoy W21	40-37-48.360N 073-32-16.200W				Green can.	
33410	Broad Creek Channel Buoy W22	40-37-48.180N 073-32-15.300W				Red nun.	
33413	Broad Creek Channel Buoy W23	40-37-54.600N 073-32-09.180W				Green can	
33415	Broad Creek Channel Buoy W24	40-37-55.560N 073-32-06.240W				Red nun.	
33420	Broad Creek Channel Buoy W26	40-38-00.060N 073-32-00.960W				Red nun.	
33425	Broad Creek Channel Buoy W27	40-38-01.200N 073-32-03.180W				Green can.	
33435	Broad Creek Channel Buoy W30	40-38-05.820N 073-31-51.300W				Red nun.	
33475	Racehorse Channel Buoy X1	40-37-20.580N 073-30-26.640W				Green can.	
33480	Racehorse Channel Buoy X2	40-37-20.040N 073-30-25.320W				Red nun	
33485	Racehorse Channel Buoy X3	40-37-27.660N 073-30-29.100W				Green can.	
33490	Racehorse Channel Buoy X4	40-37-28.920N 073-30-27.300W				Red nun.	
33495	Racehorse Channel Buoy X5	40-37-37.380N 073-30-32.640W				Green can.	
33500	Racehorse Channel Buoy X7	40-37-42.780N 073-30-34.740W				Green can.	
33505	Racehorse Channel Buoy X8	40-37-43.020N 073-30-32.400W				Red nun.	
33510	Racehorse Channel Daybeacon X9	40-37-54.840N 073-30-38.280W				SG on pile	
33515	Racehorse Channel Buoy X10	40-37-53.340N 073-30-35.100W				Red nun.	
33520	Racehorse Channel Daybeacon X11	40-37-58.740N 073-30-37.920W				SG on pile	
33525	Racehorse Channel Buoy X12	40-37-58.320N 073-30-34.800W				Red nun	
33530	Racehorse Channel Buoy X13	40-38-02.280N 073-30-36.540W				Green can.	
33535	Racehorse Channel Daybeacon X15	40-38-08.460N 073-30-33.480W				SG on pile.	
33540	Racehorse Channel Daybeacon X16	40-38-10.380N 073-30-30.840W				TR on pile.	
33545	Racehorse	40-38-14.160N				SG on pile.	

	Channel Daybeacon X17	073-30-32.760W				
33550	Racehorse Channel Buoy X18	40-38-19.800N 073-30-30.600W				Red nun.
33555	Racehorse Channel Buoy X19	40-38-19.620N 073-30-33.840W				Green can.
33605	Olivers Channel Buoy L2	40-38-04.320N 073-31-04.800W				Red nun.
33607	Olivers Channel Buoy L3	40-38-06.180N 073-31-06.000W				Green can.
33610	Olivers Channel Buoy L4	40-38-06.660N 073-30-57.300W				Red nun.
33615	Olivers Channel Daybeacon L5	40-38-11.400N 073-30-50.340W				SG on pile.
33620	Olivers Channel Daybeacon L6	40-38-09.300N 073-30-41.520W				TR on pile.
33625	Olivers Channel Daybeacon L7	40-38-14.040N 073-30-42.600W				SG on pile.
33626	Olivers Channel Buoy L8	40-38-10.740N 073-30-35.760W				Red nun.
33627	Olivers Channel Buoy L9	40-38-17.040N 073-30-35.760W				Green can.
33630	Great Island Channel Buoy Z1	40-37-36.660N 073-29-47.940W				Green can
33635	Great Island Channel Buoy Z2	40-37-37.500N 073-29-44.460W				Red nun
33640	Great Island Channel Buoy Z4	40-37-46.560N 073-29-42.600W				Red nun.
33645	Great Island Channel Buoy Z5	40-37-50.760N 073-29-46.920W				Green can.
33650	Great Island Channel Buoy Z6	40-37-53.580N 073-29-41.580W				Red nun.
33655	Great Island Channel Buoy Z7	40-37-59.580N 073-29-44.460W				Green can.
33660	Great Island Channel Buoy Z8	40-37-59.220N 073-29-39.780W				Red nun.
33665	Great Island Channel Buoy Z9	40-38-09.480N 073-29-41.340W				Green can.
33670	Great Island Channel Buoy Z10	40-38-08.100N 073-29-35.820W				Red nun.
33675	Great Island Channel Buoy Z11	40-38-16.620N 073-29-34.320W				Green can.
33680	Great Island Channel Buoy Z12	40-38-14.280N 073-29-29.220W				Red nun.
33685	Great Island Channel Buoy Z13	40-38-22.980N 073-29-25.620W				Green can.
33690	Great Island Channel Buoy Z14	40-38-21.000N 073-29-19.860W				Red nun.
33695	Great Island Channel Buoy Z15	40-38-30.840N 073-29-20.460W				Green can.
33700	Great Island Channel Buoy Z-16	40-38-28.260N 073-29-15.960W				Red nun.
33705	Great Island Channel Buoy Z-18	40-38-37.140N 073-29-12.960W				Red nun.
33710	Great Island Channel Buoy Z19	40-38-41.700N 073-29-14.760W				Green can.
33713	Great Island Channel Buoy Z20	40-38-44.760N 073-29-09.900W				Red nun.
33715	Great Island Channel Buoy Z21	40-38-45.540N 073-29-13.440W				Green can.
33720	Great Island Channel Buoy Z22	40-38-56.940N 073-29-06.480W				Red nun.
33730	North Channel Junction Buoy S	40-39-00.000N 073-29-07.000W				Green and red bands; can.
33735	South Oyster Bay North Channel Light 2	40-39-00.060N 073-28-58.920W	FI R 4s			TR on pile.
33740	South Oyster Bay North Channel Light 4	40-38-53.880N 073-28-47.940W	FI R 4s			TR on pile.
33745	South Oyster Bay North Channel Light 6	40-38-54.000N 073-28-33.420W	FI R 4s			TR on pile.

33755	Massapequa Creek Daybeacon 8	40-38-59.800N 073-28-23.300W				TR on pile.	
33760	Massapequa Creek Light 10	40-39-05.160N 073-28-18.060W	FI R 4s			TR on pile.	
33765	Massapequa Creek Light 12	40-39-07.680N 073-28-14.400W	FI R 4s			TR on pile.	
33770	Massapequa Creek Light 14	40-39-04.440N 073-28-10.200W	FI R 4s			TR on pile.	
33775	North Channel Light 16	40-38-56.280N 073-28-04.920W	FI R 4s			TR on pile.	
33780	North Channel Light 18	40-38-46.680N 073-27-58.260W	FI R 4s			TR on pole.	
33790	North Channel Light 20	40-38-45.420N 073-27-43.560W	FI R 4s			TR on pole.	
33795	North Channel Light 22	40-38-46.620N 073-27-31.920W	FI R 4s			TR on pile.	
33800	North Channel Light 24	40-38-51.120N 073-27-23.940W	FI R 4s			TR on pile.	
33805	North Channel Light 25	40-38-53.580N 073-27-26.580W	FI G 4s			SG on pole.	
33810	North Channel Light 26	40-38-58.320N 073-27-18.000W	FI R 4s			TR on pile.	
33815	North Channel Light 28	40-39-02.100N 073-27-10.560W	FI R 4s			TR on pile.	
33820	North Channel Light 29	40-39-04.800N 073-27-12.240W	FI G 4s			SG on pole.	
33825	North Channel Light 30	40-39-07.380N 073-27-01.200W	FI R 4s			TR on pile.	
33827	North Channel Light 31	40-39-08.940N 073-27-03.360W	FI G 4s			SG on pole.	
33830	North Channel Light 32	40-39-10.080N 073-26-52.380W	FI R 4s			TR on pile.	
33832	North Channel Light 33	40-39-11.820N 073-26-55.980W	FI G 4s			SG on pole.	
33835	North Channel Light 34	40-39-09.960N 073-26-41.340W	FI R 4s			TR on pile.	
33840	North Channel Light 36	40-39-08.460N 073-26-29.160W	FI R 4s			TR on pile.	
33845	North Channel Light 38	40-39-04.080N 073-26-22.800W	FI R 4s			TR on pile.	
33850	North Channel Light 40	40-39-00.420N 073-26-05.040W	FI R 4s			TR on pile.	
33853	North Channel Light 40A	40-38-58.500N 073-25-55.200W	FI R 4s	10		TR on pole.	
33855	North Channel Light 42	40-38-55.980N 073-25-44.580W	FI R 4s			TR on pole.	
33860	North Channel Light 43	40-38-59.460N 073-25-45.480W	FI G 4s			SG on pole.	
33865	North Channel Light 44	40-38-55.380N 073-25-34.320W	FI R 4s			TR on pole.	
33867	North Channel Light 45	40-38-57.120N 073-25-33.060W	FI G 4s			SG on pole.	
33875	Amity Channel Light 51	40-37-37.500N 073-28-45.000W	FI G 4s			On pile.	
33880	Amity Channel Light 52	40-37-33.780N 073-28-45.300W	FI R 4s			TR on pile.	
33885	Amity Channel Light 53	40-37-39.720N 073-28-34.620W	FI G 4s			SG on pole.	
33890	Amity Channel Light 54	40-37-36.480N 073-28-33.600W	FI R 4s			TR on pole.	
33895	Amity Channel Light 55	40-37-42.360N 073-28-24.300W	FI G 4s			On pile.	
33900	Amity Channel Light 56	40-37-37.560N 073-28-24.060W	FI R 4s			TR on pile.	
33905	Amity Channel Light 57	40-37-38.160N 073-28-13.620W	FI G 4s			SG on pole.	
33907	Amity Channel Light 58	40-37-35.760N 073-28-15.600W	FI R 4s			TR on pole.	
33910	Amity Channel Light 59	40-37-33.300N 073-28-03.540W	FI G 4s			SG on pole.	
33915	Amity Channel Light 60	40-37-29.220N 073-28-03.300W	FI R 4s			TR on pile.	
33920	Amity Channel	40-37-28.140N	FI G 4s			On pile.	

	Light 61	073-27-50.580W				
33925	Amity Channel Light 62	40-37-25.380N 073-27-51.120W	FI R 4s			TR on pile.
33930	Amity Channel Light 63	40-37-21.660N 073-27-41.520W	FI G 4s			On pile.
33935	Amity Channel Light 64	40-37-19.560N 073-27-40.800W	Q R			TR on pile.
33940	Amity Channel Light 65	40-37-23.760N 073-27-27.360W	FI G 4s			SG on pole.
33945	Amity Channel Light 66	40-37-21.300N 073-27-24.780W	Q R			TR on pile.
33950	Amity Channel Light 67	40-37-25.980N 073-27-20.100W	FI G 4s			SG on pole.
33953	Amity Channel Buoy 67A	40-37-30.240N 073-27-06.360W				Green can.
33955	Amity Channel Light 68	40-37-25.320N 073-27-13.440W	FI R 4s			TR on pole.
33960	Amity Channel Light 69	40-37-36.840N 073-27-01.980W	FI G 4s			On pile.
33965	Amity Channel Light 70	40-37-35.340N 073-26-58.260W	FI R 4s			TR on pile.
33970	Amity Channel Light 71	40-37-43.980N 073-26-36.720W	FI G 4s			On pile.
33975	Amity Channel Daybeacon 72	40-37-41.460N 073-26-37.320W				TR on pile.
33980	Amity Channel Daybeacon 74	40-37-49.080N 073-26-26.460W				TR on pile.
33985	Amity Channel Light 75	40-37-49.980N 073-26-28.740W	FI G 4s			SG on pole.
33990	Amity Channel Daybeacon 76	40-37-54.660N 073-26-21.060W				TR on pile.
33995	Amity Channel Light 77	40-37-56.400N 073-26-22.800W	FI G 4s			SG on pole.
34000	Amity Channel Light 79	40-38-05.220N 073-26-19.860W	FI G 4s			SG on pole.
34005	Amity Channel Daybeacon 80	40-38-05.400N 073-26-15.840W				TR on pile.
34010	Amity Channel Light 81	40-38-10.560N 073-26-22.200W	FI G 4s			SG on pole.
34015	Amity Channel Light 82	40-38-10.140N 073-26-20.040W	FI R 4s			TR on pole.
34020	Amity Channel Light 83	40-38-14.880N 073-26-24.600W	FI G 4s			SG on pole.
34025	Amity Channel Light 84	40-38-19.860N 073-26-22.560W	FI R 4s			TR on pole.
34030	Amity Channel Light 85	40-38-19.920N 073-26-24.480W	FI G 4s			SG on pole.
34035	Amity Channel Light 86	40-38-22.380N 073-26-21.360W	FI R 4s			TR on pole.
34040	Amity Channel Light 87	40-38-25.560N 073-26-21.660W	FI G 4s			SG on pole.
34045	Amity Channel Light 88	40-38-26.940N 073-26-16.140W	FI R 4s			TR on pole.
34050	Amity Channel Light 89	40-38-31.560N 073-26-11.160W	FI G 4s			SG on pole.
34055	Amity Channel Light 90	40-38-30.600N 073-26-07.620W	FI R 4s			TR on pole.
34060	Amity Channel Light 91	40-38-35.400N 073-25-59.760W	FI G 4s			SG on pole.
34065	Amity Channel Light 92	40-38-33.660N 073-25-58.680W	FI R 4s			TR on pole.
34070	Amity Channel Buoy 93	40-38-37.200N 073-25-45.600W				Green can.
34075	Amity Channel Light 94	40-38-35.400N 073-25-45.600W	FI R 4s			TR on pole.
34150	Carman Creek Daybeacon D6	40-39-08.000N 073-25-45.000W				TR on pile.
34155	Carman Creek Daybeacon D8	40-39-13.000N 073-25-44.000W				TR on pile.
34160	Carman Creek Daybeacon D10	40-39-16.000N 073-25-46.000W				TR on pile.
34180	Tobay Boat Basin Entrance	40-37-00.000N 073-25-52.000W				Green arrow on pile.

	Daybeacon 1						
34190	Massapequa Cove Light 1	40-39-19.620N 073-28-12.600W	FI G 4s			SG on pole.	
34195	Massapequa Cove Daybeacon 2	40-39-19.560N 073-28-17.700W				Red arrow on pile.	
34200	Massapequa Cove Daybeacon 4	40-39-23.160N 073-28-21.720W				Red arrow on pile.	
34210	Rockaway Inlet Lighted Bell Buoy 2	40-31-45.614N 073-56-35.409W	FI R 4s		4	Red.	
34215	Rockaway Inlet Buoy RI	40-31-57.390N 073-56-46.839W				Red and green bands.	
34220	Rockaway Point Breakwater Light 4	40-32-25.232N 073-56-26.514W	FI R 4s	34	5	TR on skeleton tower on piles.	
34225	Rockaway Inlet Buoy 5	40-32-26.228N 073-56-41.266W				Green can.	
34230	Rockaway Inlet Buoy 7	40-33-16.916N 073-56-47.375W				Green can.	
34235	Rockaway Inlet Lighted Bell Buoy 8	40-33-13.412N 073-56-34.509W	FI R 2.5s		4	Red.	
34240	Rockaway Inlet Lighted Buoy 9	40-33-29.192N 073-56-32.902W	FI G 4s		4	Green.	
34245	Rockaway Inlet Buoy 10	40-33-25.812N 073-56-19.709W				Red nun.	
34250	Rockaway Inlet Lighted Bell Buoy 12	40-33-40.402N 073-55-50.368W	FI R 4s		4	Red.	
34255	Rockaway Inlet Buoy 13	40-33-49.412N 073-55-53.108W				Green can.	
34260	Rockaway Inlet Buoy 15	40-34-03.051N 073-55-15.547W				Green can.	
34265	Rockaway Inlet Buoy 16	40-33-53.684N 073-55-01.175W				Red nun.	
34270	Rockaway Inlet Lighted Buoy 20	40-34-11.311N 073-53-54.705W	FI R 6s		4	Red.	
34285	Marine Parkway Bridge Sound Signal	40-34-24.000N 073-53-12.000W				On bridge abutment.	HORN: 1 blast ev 60s (10s bl).
34290	Rockaway Inlet West Channel Buoy 4	40-32-54.213N 073-57-29.511W				Red nun.	
34295	Gerritsen Inlet Lighted Buoy 2	40-34-14.001N 073-55-03.217W	FI R 4s		3	Red.	Removed when endangered by ice.
34300	Gerritsen Inlet Lighted Buoy 4	40-34-29.531N 073-55-01.987W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
34305	Gerritsen Inlet Buoy 5	40-34-32.561N 073-55-03.957W				Green can.	
34310	Gerritsen Inlet Buoy 7	40-34-36.671N 073-54-45.227W				Green can.	
34315	Gerritsen Inlet Buoy 10	40-34-48.851N 073-54-29.246W				Red nun.	
34320	Gerritsen Inlet Lighted Buoy 9	40-34-49.501N 073-54-31.376W	FI G 4s		3	Green.	Removed when endangered by ice.
34325	Sheepshead Bay Approach Buoy 1	40-34-04.230N 073-56-13.239W				Green can.	
34330	Sheepshead Bay Approach Buoy 2	40-34-03.761N 073-56-06.419W				Red nun.	
34335	Outfall Gate House Light	40-33-57.973N 073-55-50.851W	F W	24		Tower on gate house.	
34340	Sheepshead Bay Approach Buoy 3	40-34-19.281N 073-55-56.238W				Green can.	
34345	Sheepshead Bay Approach Lighted Buoy 4	40-34-18.411N 073-55-45.508W	FI R 4s		3	Red.	Removed when endangered by ice.
34350	Sheepshead Bay Lighted Buoy 6	40-34-31.006N 073-55-41.034W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
34355	Sheepshead Bay Buoy 7	40-34-34.479N 073-55-43.126W				Green can.	
34360	Kingsborough Community College Light	40-34-34.500N 073-55-53.640W	FI W 4s			On metal tower.	
34365	Sheepshead Bay Buoy 8	40-34-41.221N 073-55-45.908W				Red nun.	
34370	Sheepshead Bay Lighted Buoy 12	40-34-53.230N 073-55-51.998W	FI R 2.5s		3	Red.	Replaced by nun when endangered by ice.

34375	Sheepshead Bay Buoy 16	40-34-54.760N 073-56-14.979W				Red nun.	
34380	Sheepshead Bay Buoy 18	40-34-54.620N 073-56-24.829W				Red nun.	
34385	Nova Scotia Bar Junction Lighted Buoy N	40-34-39.911N 073-52-10.502W	FI (2+1)G 6s		3	Green and red bands.	Replaced by can when endangered by ice.
34390	Beach Channel Buoy 1	40-34-55.910N 073-51-40.001W				Green can.	
34395	Beach Channel Buoy 2	40-34-57.400N 073-51-17.611W				Red nun.	
34400	Beach Channel Lighted Buoy 3	40-35-11.692N 073-51-09.894W	FI G 2.5s		3	Green.	Replaced by can when endangered by ice.
34405	Beach Channel Lighted Buoy 5	40-35-03.000N 073-50-14.514W	FI G 4s		4	Green.	Replaced by can when endangered by ice.
34410	Beach Channel Buoy 7	40-35-15.650N 073-49-45.078W				Green can.	
34412	Jamaica Bay Water Quality Monitoring Lighted Buoy BC	40-35-19.360N 073-49-24.754W	FI W 2.5s			White with Orange Bands.	Seasonal 01 Apr - 31 Oct.
34415	Beach Channel Buoy 9	40-35-24.690N 073-49-24.498W				Green can.	
34420	Long Bar Buoy L	40-35-33.659N 073-49-04.177W				Green and red bands; can.	
34430	Beach Channel Buoy 11	40-35-39.509N 073-48-52.527W				Green can.	
34431	Beach Channel Buoy 12	40-35-50.052N 073-48-30.499W				Red nun.	
34445	Beach Channel Lighted Buoy W	40-36-02.759N 073-48-15.834W	FI (2+1)G 6s		3	Green and red bands.	Removed when endangered by ice.
34450	Grass Haddock Channel Buoy 14	40-36-00.269N 073-48-13.796W				Red nun.	
34460	Grass Haddock Channel Buoy 16	40-36-02.619N 073-47-57.235W				Red nun.	
34465	Grass Haddock Channel Buoy 17	40-36-05.453N 073-47-48.504W				Green can.	
34470	Grass Haddock Channel Buoy 19	40-36-24.671N 073-47-21.852W				Green can.	
34475	Grass Haddock Channel Buoy 20	40-36-45.418N 073-46-37.443W				Red nun.	
34480	Grass Haddock Channel Buoy 22	40-36-52.848N 073-46-24.143W				Red nun.	
34485	Grass Haddock Channel Lighted Buoy 23	40-36-54.631N 073-46-25.565W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
34490	Grass Haddock Channel Buoy M	40-36-54.631N 073-46-20.042W				Red and green bands; nun.	
34495	Grass Haddock Channel Buoy 25	40-37-14.177N 073-46-10.242W				Green can.	
34500	Grass Haddock Channel Buoy 27	40-37-32.587N 073-45-56.301W				Green can.	
34505	Motts Basin Buoy 1	40-36-54.928N 073-45-56.722W				Green can.	
34510	Motts Basin Buoy 2	40-36-52.748N 073-45-55.422W				Red nun.	
34515	Motts Basin Buoy 3	40-36-51.118N 073-45-49.112W				Green can.	
34535	Inwood Channel Buoy 2	40-36-54.868N 073-45-48.902W				Red nun.	
34540	Head Of Bay Buoy 29	40-37-41.877N 073-45-49.862W				Green can.	
34543	Jamaica Bay Water Quality Monitoring Lighted Buoy HB	40-38-17.732N 073-44-48.804W	FI W 2.5s			White with Orange Bands.	Seasonal 01 Apr - 31 Oct.
34545	Head Of Bay Buoy 30	40-37-49.667N 073-45-17.631W				Red nun.	
34550	Head Of Bay Buoy NP	40-38-05.523N 073-44-52.016W				Red and green bands; nun.	
34555	Winhole Channel Buoy 1	40-36-19.469N 073-48-21.976W				Green can.	
34560	Winhole Channel Lighted Buoy 2	40-36-35.408N 073-48-20.996W	FI R 2.5s		3	Red.	Replaced by nun when endangered by ice.
34565	Winhole Channel Light 3	40-36-46.132N 073-48-28.114W	FI G 4s	12	4	SG on pile.	

34570	Winhole Channel Buoy 5	40-37-04.208N 073-48-31.496W				Green can.	
34575	Winhole Channel Buoy 6	40-37-15.808N 073-48-30.696W				Red nun.	
34580	Winhole Channel Lighted Buoy 8	40-37-41.878N 073-48-37.472W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
34590	Winhole Channel Lighted Buoy 9	40-37-48.457N 073-48-42.167W	Q G		3	Green.	
34593	Jamaica Bay Water Quality Monitoring Lighted Buoy BB	40-38-58.900N 073-49-21.400W	FI W 2.5s			White with Orange Bands.	Seasonal 10 Apr - 31 Oct.
34595	Bergen Basin Buoy 2	40-38-43.987N 073-49-14.131W				Red nun.	
34600	Bergen Basin Buoy 3	40-38-44.076N 073-49-17.538W				Green can.	
34605	Jamaica Bay Water Quality Monitoring Lighted Buoy GB	40-38-02.870N 073-48-27.972W	FI W 2.5s			White with Orange Bands.	Seasonal 01 Apr - 31 Oct.
34610	Kennedy Airport Dock Light F	40-37-05.400N 073-46-32.640W	F R			Red conical pipe structure.	
34615	Runway Channel Buoy 1R	40-35-19.545N 073-51-16.081W				Green can.	
34620	Runway Channel East Junction Lighted Buoy R	40-35-27.256N 073-51-03.458W	FI (2+1)R 6s		3	Red and green bands.	Replaced by nun when endangered by ice.
34625	Runway Channel Buoy 3R	40-35-28.070N 073-51-52.362W				Green can.	
34630	Runway Channel Junction Lighted Buoy RC	40-35-39.139N 073-52-27.583W	FI (2+1)R 6s		3	Red and green bands.	Replaced by nun when endangered by ice.
34635	The Raunt Channel Buoy 2	40-35-54.668N 073-50-53.615W				Red nun.	
34640	The Raunt Channel Buoy 3	40-36-00.579N 073-50-54.040W				Green can.	
34645	The Raunt Channel Buoy 5	40-36-12.709N 073-50-33.500W				Green can.	
34650	The Raunt Channel Buoy 6	40-36-04.009N 073-50-13.999W				Red nun.	
34655	The Raunt Channel Buoy 7	40-35-58.066N 073-49-47.988W				Green can.	
34665	North Channel Light N	40-36-40.288N 073-52-51.403W	FI W 4s	20	5	NR on four pile structure with pipe tower.	
34670	North Channel Buoy 2	40-35-10.090N 073-52-19.753W				Red nun.	
34675	North Channel Buoy 4	40-36-02.017N 073-52-35.919W				Red nun.	
34680	North Channel Lighted Buoy 5	40-36-01.229N 073-52-48.013W	FI G 2.5s		3	Green.	Replaced by can when endangered by ice.
34685	North Channel Lighted Buoy 6	40-36-17.435N 073-52-45.835W	FI R 6s		3	Red.	
34695	North Channel Lighted Buoy 9	40-36-26.012N 073-52-59.560W	FI G 4s		4	Green.	Replaced by can when endangered by ice.
34700	Mill Basin Channel Buoy M	40-36-32.469N 073-53-10.774W				Green and red bands; can.	
34705	Mill Basin Channel Buoy 2	40-36-25.389N 073-53-27.024W				Red nun.	
34710	North Channel Buoy 10	40-36-49.208N 073-53-07.754W				Red nun.	
34715	North Channel Lighted Buoy 12	40-37-04.838N 073-53-16.924W	FI R 2.5s		3	Red.	Replaced by nun when endangered by ice.
34720	North Channel Buoy 13	40-37-02.478N 073-53-31.535W				Green can.	
34725	North Channel Buoy 15	40-37-18.698N 073-53-33.075W				Green can.	
34730	North Channel Buoy 16	40-37-18.388N 073-53-13.894W				Red nun.	
34735	North Channel Lighted Buoy 20	40-37-43.927N 073-52-42.963W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
34740	North Channel Buoy 21	40-38-02.207N 073-52-25.303W				Green can.	
34750	North Channel Lighted Buoy 24	40-38-17.154N 073-51-52.882W	FI R 2.5s		3	Red.	Replaced by nun when endangered by ice.
34755	North Channel	40-38-28.430N	FI R 4s		3	Red.	Replaced by nun when endangered by ice.

	Lighted Buoy 26	073-51-17.177W					
34757	Jamaica Bay Water Quality Monitoring Lighted Buoy NC	40-38-28.630N 073-50-44.084W	Fl W 2.5s			White with Orange Bands.	Seasonal 01 Apr - 31 Oct.
34760	North Channel Buoy 29	40-38-37.156N 073-50-40.890W				Green can.	
34765	North Channel Buoy 30	40-38-35.416N 073-50-34.260W				Red nun.	
34770	North Channel Buoy 31	40-38-38.762N 073-50-23.433W				Green can.	
34775	North Channel Lighted Buoy 32	40-38-37.386N 073-50-23.049W	Fl R 6s		4	Red.	Replaced by nun when endangered by ice.
34780	North Channel Buoy 33	40-38-37.446N 073-49-44.588W				Green can.	
34781	Howard Beach Entrance Buoy 2	40-38-44.387N 073-50-00.482W				Red nun.	Removed when endangered by ice.
34785	Ambrose Channel Lighted Whistle Buoy A	40-27-28.023N 073-50-12.242W	Mo (A) W		6	Red and white stripes with red spherical topmark.	AIS: MMSI 993672056 (21)
34790	West Bank Front Range Light	40-32-16.689N 074-02-34.319W	Iso W 6s	69		Brown conical tower on black cylindrical pier.	White from 181° to 004° red from 004° to 181° white higher intensity beam visible 4° each side of range line (297°). Range light is lighted throughout 24 hours. HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si). Operates continuously.
34795	Staten Island Rear Range Light	40-34-33.916N 074-08-28.511W	F W	234		Octagonal brick tower gray limestone base.	Visible on range line only.Lighted throughout 24 hours.
34796	Ambrose Channel Lighted Buoy 1	40-28-07.524N 073-52-20.018W	Fl G 2.5s		4	Green.	
34797	Ambrose Channel Lighted Bell Buoy 2	40-28-22.545N 073-52-03.183W	Fl R 2.5s		4	Red.	
34798	Ambrose Channel Lighted Buoy 3	40-29-04.041N 073-54-45.797W	Fl G 4s		3	Green.	
34799	Ambrose Channel Lighted Buoy 4	40-29-08.256N 073-53-59.104W	Fl R 4s		4	Red.	AIS; MMSI 993672057 (21)
34800	Ambrose Channel Lighted Buoy 5	40-29-23.775N 073-55-38.077W	Fl G 2.5s		4	Green.	
34805	Ambrose Channel Lighted Buoy 6	40-29-41.173N 073-55-25.903W	Fl R 2.5s		3	Red.	
34807	Ambrose Channel Alternate Departure Lane Lighted Buoy 1A	40-28-08.324N 073-53-57.896W	Q G		3	Green.	
34815	Ambrose Channel Lighted Buoy 7	40-30-03.581N 073-57-20.741W	Fl G 4s		4	Green.	AIS: MMSI 993672058
34825	Ambrose Channel Lighted Buoy 8	40-30-21.551N 073-57-09.251W	Fl R 4s		3	Red.	
34830	Ambrose Channel Lighted Buoy 9	40-30-30.032N 073-58-28.754W	Fl G 2.5s		3	Green.	
34835	Ambrose Channel Lighted Buoy 10	40-30-47.372N 073-58-17.114W	Fl R 2.5s		3	Red.	
34840	Ambrose Channel Lighted Buoy 11	40-30-56.552N 073-59-36.794W	Fl G 4s		3	Green.	
34845	Ambrose Channel Lighted Buoy 11A	40-31-09.758N 074-00-10.144W	Fl G 2.5s		3	Green.	
34850	Ambrose Channel Lighted Buoy 12	40-31-14.372N 073-59-25.154W	Fl R 4s		3	Red.	
34855	Ambrose Channel Lighted Buoy 12A	40-31-27.392N 073-59-58.934W	Fl R 2.5s		3	Red.	
34860	Ambrose Channel Lighted Gong Buoy 13	40-31-25.960N 074-00-53.016W	Q G		3	Green.	AIS: MMSI 993672059
34865	Ambrose Channel Lighted Bell Buoy 14	40-31-40.652N 074-00-33.734W	Q R		3	Red.	AIS: MMSI 993672060
34870	Ambrose Channel Lighted Buoy 15	40-31-49.702N 074-01-13.604W	Fl G 2.5s		3	Green.	
34875	Ambrose Channel Lighted Buoy 16	40-32-00.199N 074-00-52.686W	Fl R 2.5s		3	Red.	
34880	Ambrose Channel Lighted Gong Buoy 17	40-32-14.090N 074-01-36.512W	Q G		3	Green.	AIS: MMSI 993672061
34885	Ambrose Channel Lighted Bell Buoy 18	40-32-22.232N 074-01-11.954W	Q R		3	Red.	AIS: MMSI 993672062
34890	Ambrose Channel Lighted Buoy AC	40-33-07.675N 074-01-51.058W	Fl (2+1)G 6s		3	Green and red bands.	

34895	Ambrose Channel Lighted Buoy 20	40-33-11.687N 074-01-25.861W	FI R 2.5s		3	Red.	
34903	Ambrose Channel Lighted Gong Buoy 21	40-33-57.332N 074-02-05.354W	FI G 4s		3	Green.	AIS: MMSI 993672063
34905	Ambrose Channel Lighted Buoy 22	40-34-01.296N 074-01-39.628W	FI R 4s		3	Red.	AIS:MMSI 993672064
34910	Coney Island Light	40-34-35.780N 074-00-42.336W	FI R 5s	75	16	White square skeleton tower.	Lighted throughout 24 hours.
34920	Craven Shoal Lighted Buoy 23	40-35-07.810N 074-02-28.819W	Q G		3	Green.	
34925	The Verrazano-Narrows Bridge Sound Signal	40-36-31.080N 074-02-18.540W					HORN: 1 blast ev 15s (2s bl). One oriented upstream and one downstream.
34930	Coast Guard Station South Entrance Light	40-36-46.067N 074-03-36.744W	FI G 4s	20	3	On Pole.	
34935	Coast Guard Station North Entrance Light	40-36-46.882N 074-03-36.339W	FI R 6s	20	3	On pole.	
34945	Gowanus Flats Lighted Bell Buoy 26	40-38-03.406N 074-03-02.020W	FI R 2.5s		4	Red.	
34946	Cromwell Pier South Hazard Light	40-38-13.750N 074-04-13.800W	F W	20		On metal pole.	
34946.1	Cromwell Pier North Hazard Light	40-38-14.860N 074-04-14.000W	F W	20		On metal pole.	
34949	St. George Ferry Terminal Fog Light	40-38-38.880N 074-04-15.000W	STROBE			Marks wharf dolphin.	
34955	St. George Ferry Terminal Slip 4 Sound Signal	40-38-41.000N 074-04-18.000W				On wharf dolphin.	HORN: (two-tone) 1 blast ev 15s (3s bl).
34961	St. George Ferry Racon	40-38-38.880N 074-04-15.000W					
34965	Gowanus Flats Lighted Bell Buoy 28	40-38-38.805N 074-03-14.022W	Q R		3	Red.	
34970	Robbins Reef Lighted Gong Buoy 29	40-39-10.004N 074-03-49.823W	Q G		3	Green.	
34975	Robbins Reef Light	40-39-26.544N 074-03-55.292W	FI G 6s	56	7	Conical tower lower half brown upper half white white base.	
34980	Gowanus Flats Lighted Bell Buoy 30	40-39-19.704N 074-03-01.821W	FI R 2.5s		3	Red.	
34985	Gowanus Flats Lighted Gong Buoy 31	40-39-54.104N 074-03-09.321W	FI G 2.5s		4	Green.	
34990	Gowanus Flats Lighted Buoy 32	40-40-19.003N 074-02-24.020W	FI R 4s		3	Red.	
34995	Liberty Island Lighted Gong Buoy 33	40-41-02.102N 074-02-24.721W	FI G 2.5s		3	Green.	
35005	Ellis Island Lighted Gong Buoy 35	40-41-39.602N 074-02-00.320W	FI G 4s		4	Green.	
35006	Ellis Island Security Zone Buoy ELSZ1	40-42-00.570N 074-02-37.620W				White with orange bands.	
35006.1	Ellis Island Security Zone Buoy ELSZ2	40-41-53.670N 074-02-46.200W				White with orange bands.	
35006.2	Ellis Island Security Zone Buoy ELSZ3	40-41-47.010N 074-02-38.150W				White with orange bands.	
35006.3	Ellis Island Security Zone Buoy ELSZ4	40-41-41.040N 074-02-30.460W				White with orange bands.	
35006.4	Ellis Island Security Zone Buoy ELSZ5	40-41-46.200N 074-02-22.960W				White with orange bands.	
35006.5	Ellis Island Security Zone Buoy ELSZ6	40-41-51.000N 074-02-13.500W				White with orange bands.	
35006.6	Ellis Island Security Zone Buoy ELSZ7	40-41-57.430N 074-02-07.440W				White with orange bands.	
35006.7	Ellis Island Security Zone Buoy ELSZ8	40-42-02.590N 074-02-14.320W				White with orange bands.	
35006.8	Ellis Island Security Zone Buoy ELSZ9	40-42-09.290N 074-02-23.860W				White with orange bands.	

35006.9	Ellis Island Security Zone Buoy ELSZ10	40-42-06.500N 074-02-27.740W				White with orange bands.	
35010	Governors Island Light	40-41-34.632N 074-01-10.814W	Iso R 6s	75	7	Red skeleton tower gallery at top.	
35015	Duro GI Lighted Hazard Buoy B	40-41-35.927N 074-00-56.351W	FI W 4s			White with Orange Bands.	
35020	Shrewsbury Rocks Buoy 1SR	40-20-31.232N 073-56-45.519W				Green can.	
35025	Highlands Light	40-23-47.640N 073-59-09.000W	Iso W 10s			Brown octagonal shaped tower.	Obscured from 334° to 140°.
35030	Swash Channel Range Front Light	40-33-28.777N 074-06-26.595W	F W	80		White tower.	
35035	Swash Channel Range Rear Light	40-34-33.842N 074-08-28.372W	F W	225		On same structure as Staten Island Light.	
35040	Sandy Hook Light	40-27-42.209N 074-00-07.323W	F W	88	19		Lighted throughout 24 hours.
35045	Swash Channel Bell Buoy 2S	40-29-25.017N 073-58-23.112W				Red.	
35050	Swash Channel Buoy 4S	40-29-48.117N 073-59-14.713W				Red nun.	
35055	Swash Channel Bell Buoy 6S	40-30-09.332N 074-00-08.114W				Red.	
35060	Swash Channel Buoy 7S	40-29-52.907N 074-00-18.875W				Green can.	
35065	Swash Channel Lighted Bell Buoy 8S	40-30-36.405N 074-01-01.686W	FI R 2.5s		4	Red.	
35070	Romer Shoal Light	40-30-46.855N 074-00-48.686W	FI (2)W 15s	54	15	Conical tower lower part white upper part brown; on black cylindrical pier.	Emergency light of reduced intensity when main light is extinguished. HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si) Operates continuously.
35075	Swash Channel Buoy 9S	40-30-50.215N 074-01-57.718W				Green can.	
35080	Swash Channel Buoy 10S	40-31-25.532N 074-02-06.914W				Red nun.	
35085	Scotland Lighted Whistle Buoy S	40-26-32.820N 073-55-00.605W	Mo (A) W		6	Red and white stripes with red spherical topmark.	RACON: M (- -)
35090	Sandy Hook Channel Lighted Gong Buoy 1	40-27-10.560N 073-56-16.906W	FI G 2.5s		3	Green.	
35095	Sandy Hook Channel Lighted Buoy 2	40-27-17.765N 073-56-10.919W	FI R 2.5s		3	Red.	
35100	Sandy Hook Channel Lighted Buoy 3	40-27-43.119N 073-57-10.609W	FI G 4s		3	Green.	
35105	Sandy Hook Channel Lighted Buoy 4	40-27-49.899N 073-57-04.316W	FI R 4s		3	Red.	
35110	Sandy Hook Channel Lighted Buoy 5	40-28-13.249N 073-57-59.404W	FI G 2.5s		3	Green.	
35115	Sandy Hook Channel Lighted Buoy 6	40-28-19.912N 073-57-53.254W	FI R 2.5s		3	Red.	
35120	Sandy Hook Channel Lighted Bell Buoy 8	40-28-50.718N 073-58-44.812W	FI R 4s		3	Red.	
35125	Sandy Hook Channel Lighted Buoy 7	40-28-44.181N 073-58-51.596W	Q G		3	Green.	
35130	Sandy Hook Channel Buoy 10	40-29-08.704N 073-59-15.808W				Red nun.	
35135	Sandy Hook Channel Range Front Light	40-29-15.136N 073-59-35.136W	Q W	45	6	KGB (E section) KRW (Main section) on skeleton tower.	Red from 063.0° to 073.0°. Green from 300.5° to 315.5°.
35140	Sandy Hook Channel Range Rear Light (East Section)	40-29-46.783N 074-00-27.969W	Iso G 6s	94		KGB on skeleton tower.	Range light visible 4° each side of rangeline. Passing light FI Y 4s nominal range 5 miles.

35145	Sandy Hook Channel Range Rear Light (Main Section)	40-29-18.448N 073-59-24.311W	Iso R 6s	68		KRW on skeleton tower.	Passing light Fl Y 4s nominal range 5 miles.
35150	Sandy Hook Channel Lighted Buoy 12	40-29-09.404N 074-00-13.352W	Fl R 2.5s		3	Red.	Replaced by LIB of reduced intensity when endangered by ice.
35155	Sandy Hook Channel Lighted Gong Buoy 11	40-28-59.636N 074-00-14.914W	Fl G 2.5s		3	Green.	Replaced by can when endangered by ice.
35157	Sandy Hook Channel Lighted Buoy 11A	40-28-57.658N 074-00-28.385W	Fl G 4s		3		MMSI: 993672779
35160	Sandy Hook Channel Lighted Buoy 14	40-29-02.191N 074-00-44.510W	Q R		3		
35165	Sandy Hook Channel Lighted Gong Buoy 13	40-28-51.895N 074-00-39.773W	Q G		3	Green.	Replaced by LIB of reduced intensity when endangered by ice.
35170	Sandy Hook Channel Lighted Buoy 16	40-28-46.508N 074-01-22.096W	Fl R 2.5s		3	Red.	
35175	Sandy Hook Channel Lighted Gong Buoy 17	40-28-32.118N 074-01-40.617W	Fl G 2.5s		3	Green.	Replaced by LIB of reduced intensity when endangered by ice.
35180	Sandy Hook Channel Lighted Bell Buoy 18	40-28-34.065N 074-02-02.059W	Fl R 4s		3	Red.	Replaced by LIB of reduced intensity when endangered by ice.
35185	Sandy Hook Channel Lighted Buoy 20	40-28-33.618N 074-02-17.918W	Fl R 2.5s		3	Red.	Replaced by LIB of reduced intensity when endangered by ice.
35190	Sandy Hook Point Light	40-28-14.732N 074-01-07.214W	Iso W 6s	38	7	NB on skeleton tower.	
35192	OPT Lighted Research Test Buoy	40-27-50.000N 074-01-41.000W	Fl (2)Y 4s			Yellow.	
35195	Southwest Spit Junction Lighted Gong Buoy SP	40-28-45.673N 074-03-17.819W	Fl (2+1)R 6s		3	Red and green bands.	Replaced by LIB of reduced intensity when endangered by ice.
35200	Chapel Hill South Channel Buoy 2	40-28-46.498N 074-02-39.648W				Red nun.	
35205	Chapel Hill South Channel Lighted Buoy 3	40-28-55.709N 074-02-57.139W	Q G		3	Green.	Replaced by can when endangered by ice.
35210	Chapel Hill South Channel Buoy 4	40-29-04.487N 074-02-42.598W				Red nun.	
35215	Chapel Hill South Channel Buoy 5	40-29-40.466N 074-02-50.737W				Green can.	
35220	Chapel Hill South Channel Buoy 6	40-29-36.797N 074-02-38.168W				Red nun.	
35225	Chapel Hill South Channel Buoy 7	40-30-12.026N 074-02-46.289W				Green can.	
35230	Chapel Hill South Channel Buoy 8	40-30-08.976N 074-02-33.688W				Red nun.	
35235	Chapel Hill South Channel Lighted Bell Buoy 10	40-30-44.207N 074-02-28.868W	Fl R 4s		3	Red.	Replaced by nun when endangered by ice.
35240	Chapel Hill South Channel Buoy 11	40-30-53.615N 074-02-41.219W				Green can.	
35245	Chapel Hill South Channel Junction Buoy CH	40-31-17.815N 074-02-24.118W				Red and green bands; nun.	
35250	Chapel Hill South Channel Buoy 13	40-31-22.114N 074-02-37.019W				Green can.	
35255	Chapel Hill North Channel Buoy 14	40-31-57.792N 074-02-13.956W				Red nun.	
35260	Chapel Hill North Channel Lighted Buoy 15	40-31-59.286N 074-02-27.322W	Fl G 2.5s		3	Green.	
35265	Chapel Hill North Channel Lighted Bell Buoy 17	40-32-48.032N 074-02-20.014W	Fl G 4s		3	Green.	
35285	Coney Island Channel Buoy 1	40-33-51.543N 073-57-49.164W				Green can.	
35286	Coney Island Channel Buoy 2	40-33-55.532N 073-57-26.514W				Red nun.	
35290	Coney Island Channel Buoy 3	40-33-55.127N 073-58-25.528W				Green can.	

35295	Coney Island Channel Buoy 5	40-33-50.032N 073-58-59.014W				Green can.	
35305	Coney Island Channel Lighted Buoy 6	40-33-59.532N 073-59-16.014W	FI R 4s		4	Red.	
35307	MEG Coney Island Channel Research Lighted Buoy	40-34-08.400N 073-58-58.800W	FI Y 2.5s			Yellow.	
35310	Coney Island Channel Buoy 7	40-33-59.032N 073-59-46.514W				Green can.	
35315	Coney Island Channel Buoy 8	40-34-09.210N 074-00-06.591W				Red nun.	
35320	Coney Island Channel Buoy 9	40-34-03.843N 074-00-30.404W				Green can.	
35330	Coney Island Channel Lighted Bell Buoy 10	40-34-09.426N 074-00-37.618W	FI R 4s		3	Red.	
35335	Coney Island Creek Entrance Buoy 1	40-34-58.610N 074-00-20.216W				Green can.	
35340	Coney Island Creek Entrance Buoy 3	40-34-57.711N 074-00-07.815W				Green can.	
35345	Gravesend Bay Anchorage Buoy A	40-35-52.032N 074-01-42.514W				Yellow nun.	AIS: MMSI 993672068 (21)
35350	Gravesend Bay Channel Buoy 1	40-35-19.302N 074-01-02.711W				Green can.	
35360	Gravesend Bay Channel Buoy 2	40-35-05.510N 074-00-21.216W				Red nun.	
35370	Gravesend Bay Channel Buoy 3	40-35-13.432N 074-00-08.514W				Green can.	
35375	Gravesend Bay Channel Buoy 4	40-35-17.432N 073-59-57.014W				Red nun.	
35380	Gravesend Bay Channel Buoy 5	40-35-21.210N 074-00-00.415W				Green can.	
35385	Gravesend Bay Anchorage Buoy C	40-34-58.210N 074-01-21.517W				Yellow nun.	AIS: MMSI 993672069 (21)
35390	Gravesend Bay Anchorage Buoy B	40-35-25.532N 074-01-32.514W				Yellow nun.	AIS: MMSI 993672070 (21)
35395	Old Orchard Shoal Light	40-30-44.304N 074-05-55.383W	FI W 6s	20	4	Spindle on rocks.	
35450	Great Kills Light	40-31-17.832N 074-07-53.815W	FI W 4s	35	6	NR on skeleton tower red base.	
35455	Great Kills Entrance Light A	40-32-06.999N 074-08-32.030W	FI W 2.5s	27	5	NG on skeleton tower.	
35460	Great Kills Harbor Channel Buoy 2	40-31-21.565N 074-08-01.874W				Red nun.	
35465	Great Kills Harbor Channel Buoy 3	40-31-33.901N 074-08-16.038W				Green can.	
35470	Great Kills Harbor Channel Buoy 4	40-31-33.723N 074-08-09.965W				Red nun.	
35475	Great Kills Harbor Channel Buoy 5	40-31-41.810N 074-08-18.895W				Green can.	
35480	Great Kills Harbor Channel Buoy 6	40-31-43.345N 074-08-16.387W				Red nun.	Remove when endangered by ice.
35485	Great Kills Harbor Channel Buoy 8	40-31-53.867N 074-08-23.405W				Red nun.	
35488	Great Kills Harbor Channel Buoy 9	40-32-01.294N 074-08-30.902W				Green can.	
35490	Great Kills Harbor Channel Buoy 10	40-32-02.888N 074-08-28.548W				Red nun.	
35495	Great Kills Harbor Channel Buoy 11	40-32-19.412N 074-08-24.528W				Green can.	
35500	Great Kills Harbor Channel Buoy 12	40-32-19.412N 074-08-22.328W				Red nun.	
35510	Great Kills Harbor Channel Buoy 14	40-32-28.112N 074-08-24.928W				Red nun.	
35515	Great Kills Harbor Channel Buoy 16	40-32-38.811N 074-08-11.928W				Red nun.	
35517	Great Kills Danger Buoy	40-32-41.721N 074-08-08.131W				White can with orange bands worded ROCK.	
35520	Sandy Hook Point Obstruction Buoy 1	40-28-19.009N 074-01-20.906W				Green can.	

35525	Anchorage Buoy E	40-27-57.869N 074-03-00.008W				Yellow can.	
35560	Leonardo Channel Buoy 1	40-25-42.500N 074-03-24.500W				Green can.	
35565	Leonardo Channel Lighted Buoy 2	40-25-43.200N 074-03-26.100W	FI R 4s			Red.	
35570	Leonardo Channel Buoy 3	40-25-37.400N 074-03-29.100W				Green can.	
35575	Leonardo Channel Buoy 4	40-25-37.800N 074-03-30.300W				Red nun.	
35580	Leonardo Channel Buoy 5	40-25-31.600N 074-03-33.900W				Green can.	
35585	Leonardo Channel Buoy 6	40-25-31.800N 074-03-35.000W				Red nun.	
35590	Leonardo Channel Light 7	40-25-26.900N 074-03-37.000W	FI G 2.5s			On pile.	
35595	Atlantic Highlands Breakwater Light	40-25-07.263N 074-01-10.439W	FI W 4s	33	7	NR on skeleton tower.	
35596.2	Atlantic Highlands Light 2	40-25-04.300N 074-01-14.400W	FI R 5s			On pile.	
35596.3	Atlantic Highlands Light 3	40-25-00.000N 074-01-23.200W	FI G 5s			On pile.	
35596.4	Atlantic Highlands Light 4	40-25-02.000N 074-01-23.600W	FI R 5s			On pile.	
35596.5	Atlantic Highlands Lighted Buoy 5	40-25-01.900N 074-01-41.300W	FI G 5s			Green.	
35596.6	Atlantic Highlands Lighted Buoy 6	40-25-03.000N 074-01-41.300W	FI R 5s			Red.	
35596.7	Atlantic Highlands Light 7	40-25-02.200N 074-01-49.000W	FI G 5s			On pile.	
35597	Atlantic Highlands West Entrance Lighted Buoy 2	40-25-17.100N 074-01-59.000W	FI R 5s			Red.	
35597.1	Atlantic Highlands West Entrance Lighted Buoy 4	40-25-15.400N 074-01-59.100W	FI R 5s			Red.	
35597.2	Atlantic Highlands West Entrance Light 6	40-25-14.700N 074-01-59.800W	FI R 5s			On pile.	
35597.3	ATLANTIC HIGHLANDS WEST ENTRANCE LIGHT 8.	40-25-13.300N 074-02-01.400W	FI R 5s			On pile.	
35597.4	Atlantic Highlands West Entrance Light 10	40-25-12.200N 074-02-02.800W	FI R 5s			On pile.	
35597.5	Atlantic Highlands West Entrance Light 11	40-25-12.000N 074-02-02.000W	FI G 5s			On pile.	
35610	Terminal Channel Junction Lighted Buoy TC	40-28-22.408N 074-02-18.677W	FI (2+1)G 6s		3	Green and red bands.	Replaced by LIB of reduced intensity when endangered by ice.
35615	Terminal Channel Dock Range Front Light	40-27-08.000N 074-03-09.000W	F R	33		KRW on pile.	Lighted throughout 24 hours.
35620	Terminal Channel Dock Range Rear Light	40-26-42.000N 074-03-22.000W	F G			KRW on pile.	Lighted throughout 24 hours.
35625	Terminal Channel Lighted Buoy 1	40-28-08.033N 074-02-20.238W	FI G 4s		3	Green.	
35630	Terminal Channel Lighted Buoy 3	40-27-37.326N 074-02-41.375W	FI G 2.5s		3	Green.	
35635	Terminal Channel Lighted Buoy 4	40-27-43.232N 074-02-43.214W	FI R 2.5s		3	Red.	
35640	Terminal Channel Buoy 5	40-27-26.119N 074-02-41.118W				Green can.	
35645	Terminal Channel Buoy 6	40-27-36.419N 074-03-06.518W				Red nun.	
35650	Terminal Channel Buoy 7	40-27-09.620N 074-02-49.518W				Green can.	
35655	Terminal Channel Buoy 8	40-27-17.111N 074-03-21.410W				Red nun.	
35660	Naval Weapon Station Earle Security Zone Lighted Buoy 1	40-27-35.349N 074-02-28.260W	Q W		2	White with orange diamond marked SECURITY	

						ZONE KEEP OUT.	
35665	Naval Weapon Station Earle Security Zone Lighted Buoy 2	40-27-47.432N 074-03-00.614W	Q W		2	White with orange diamond marked SECURITY ZONE KEEP OUT.	
35670	Naval Weapon Station Earle Security Zone Lighted Buoy 3	40-27-27.832N 074-02-10.314W	Q W		2	White with orange diamond marked SECURITY ZONE KEEP OUT.	
35675	Naval Weapon Station Earle Security Zone Lighted Buoy 4	40-27-56.032N 074-03-24.014W	Q W		2	White with orange diamond marked SECURITY ZONE KEEP OUT.	
35680	Naval Weapon Station Earle Security Zone Lighted Buoy 5	40-27-00.032N 074-02-29.514W	Q W		2	White with orange diamond marked SECURITY ZONE KEEP OUT.	
35685	Naval Weapon Station Earle Security Zone Lighted Buoy 6	40-27-25.551N 074-03-44.676W	Q W		2	White with orange diamond marked SECURITY ZONE KEEP OUT.	
35686	Naval Weapon Station Earle Security Zone Lighted Buoy 7	40-26-29.502N 074-02-51.146W	Q W		2	White with orange diamond marked SECURITY ZONE KEEP OUT.	
35687	Naval Weapon Station Earle Security Zone Lighted Buoy 8	40-26-57.992N 074-04-03.014W	Q W		2	White with orange diamond marked SECURITY ZONE KEEP OUT.	
35688	Naval Weapon Station Earle Security Zone Lighted Buoy 9	40-26-06.332N 074-03-12.494W	Q W		2	White with orange diamond marked SECURITY ZONE KEEP OUT.	
35690	Compton Channel Buoy 2	40-27-09.539N 074-04-31.510W				Red nun.	
35695	Compton Channel Lighted Buoy 1	40-27-08.729N 074-04-29.770W	FI G 4s		4	Green.	Removed when endangered by ice.
35700	Compton Channel Buoy 4	40-26-50.650N 074-04-39.921W				Red nun.	
35705	Compton Channel Buoy 3	40-26-49.910N 074-04-38.170W				Green can.	
35710	Compton Channel Buoy 6	40-26-30.400N 074-04-48.981W				Red nun.	
35715	Compton Channel Buoy 5	40-26-29.980N 074-04-47.111W				Green can.	
35720	Compton Channel Buoy 8	40-26-19.629N 074-04-53.134W				Red nun.	
35725	Compton Channel Lighted Buoy 9	40-26-10.900N 074-04-55.711W	Q G		3	Green.	
35740	Shrewsbury River Channel Lighted Buoy 2	40-25-12.920N 074-00-19.258W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
35745	Shrewsbury River Channel Lighted Buoy 3	40-25-01.115N 074-00-09.619W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
35750	Shrewsbury River Channel Buoy 4	40-24-56.685N 074-00-12.139W				Red nun.	Removed when endangered by ice.
35755	Shrewsbury River Channel Lighted Buoy 5	40-24-49.513N 074-00-07.212W	FI G 2.5s		3	Green.	Removed when endangered by ice.
35760	Shrewsbury River Channel Buoy 6	40-24-43.855N 074-00-06.382W				Red nun.	Maintained year round.
35765	Shrewsbury River Channel Lighted Buoy 7	40-24-42.258N 073-59-56.780W	FI G 4s		3	Green.	Removed when endangered by ice.

35775	Shrewsbury River Channel Lighted Buoy 9	40-24-38.052N 073-59-45.329W	FI G 6s		3	Green.	Removed when endangered by ice.
35780	Shrewsbury River Channel Buoy 10	40-24-23.824N 073-59-16.011W				Red nun.	
35785	Shrewsbury River Channel Lighted Buoy 11	40-24-23.166N 073-59-04.175W	FI G 2.5s		3	Green.	Removed when endangered by ice.
35786	Shrewsbury River Channel Lighted Buoy 11A	40-23-56.508N 073-58-47.796W	FI G 4s		3	Green.	Removed when endangered by ice.
35800	Shrewsbury River Channel Buoy 12	40-23-25.440N 073-58-47.679W				Red nun.	
35805	Shrewsbury River Channel Buoy 13	40-23-16.060N 073-58-39.439W				Green can.	Maintained year round.
35810	Shrewsbury River Junction Lighted Buoy NS	40-23-13.760N 073-58-42.979W	FI (2+1)R 6s		3	Red and green bands.	Removed when endangered by ice.
35815	Shrewsbury River Channel Buoy 15	40-23-06.917N 073-58-37.585W				Green can.	
35820	Shrewsbury River Channel Buoy 14	40-23-10.325N 073-58-40.710W				Red nun.	
35823	Shrewsbury River Channel Buoy 16	40-22-54.256N 073-58-40.144W				Red nun.	
35825	Shrewsbury River Channel Buoy 17	40-22-50.826N 073-58-37.409W				Green can.	Maintained year round.
35830	Shrewsbury River Channel Lighted Buoy 18	40-22-41.926N 073-58-39.209W	FI R 4s		3	Red.	Removed when endangered by ice.
35835	Shrewsbury River Channel Lighted Buoy 19	40-22-24.659N 073-58-32.211W	FI G 2.5s		3	Green.	Removed when endangered by ice.
35840	Shrewsbury River Channel Buoy 20	40-22-21.726N 073-58-35.709W				Red nun.	
35845	Shrewsbury River Channel Buoy 22	40-22-03.355N 073-58-31.916W				Red nun.	
35850	Shrewsbury River Channel Buoy 24	40-21-42.369N 073-58-37.284W				Red nun.	
35851	Shrewsbury River Channel Lighted Buoy 26	40-21-27.684N 073-58-36.139W	FI R 2.5s		3	Red.	Maintained from Apr. 15 to Dec. 1.
35860	Shrewsbury River Channel Lighted Buoy 28	40-21-17.049N 073-58-41.510W	FI R 4s		3	Red.	Maintained from Apr. 15 to Dec. 1.
35870	Shrewsbury River Channel Buoy 29	40-21-04.675N 073-59-09.634W				Green can.	
35872	Shrewsbury River Channel Buoy 29A	40-20-57.862N 073-59-24.194W				Green can.	
35875	Shrewsbury River Channel Lighted Buoy 30	40-21-06.074N 073-59-10.892W	FI R 4s		3	Red.	Maintained from Apr. 15 to Dec. 1.
35877	Shrewsbury River Channel Buoy 30A	40-20-59.089N 073-59-25.201W				Red nun.	
35885	Shrewsbury River Channel Buoy 32	40-20-49.861N 073-59-44.402W				Red nun.	
35890	Shrewsbury River Channel Lighted Buoy 31	40-20-48.451N 073-59-43.352W	FI G 4s		3	Green.	Maintained from Apr. 15 to Dec. 1.
35900	Shrewsbury River Channel Buoy 33	40-20-30.038N 074-00-01.086W				Green can.	
35905	Shrewsbury River Channel Buoy 35	40-20-24.869N 074-00-03.529W				Green can.	
35910	Shrewsbury River Channel Lighted Buoy 34	40-20-27.922N 074-00-05.954W	FI R 4s		3	Red.	Maintained from Apr. 15 to Dec. 1.
35915	Shrewsbury River Channel Lighted Buoy 38	40-20-17.593N 074-00-05.520W	FI R 2.5s		3	Red.	Maintained from Apr. 15 to Dec. 1.
35920	Shrewsbury River Channel Buoy 37	40-20-16.851N 074-00-04.066W				Green can.	
35930	Shrewsbury River Channel Buoy 39	40-19-50.328N 073-59-49.723W				Green can.	
35935	Shrewsbury River Channel Lighted Buoy 40	40-19-50.543N 073-59-51.340W	FI R 4s		3	Red.	Maintained from Apr. 15 to Dec. 1.
35940	Shrewsbury River	40-19-31.988N				Red nun.	

	Channel Buoy 42	073-59-50.604W					
35945	Shrewsbury River Channel Buoy 44	40-19-22.830N 073-59-45.610W				Red nun.	
35950	Shrewsbury River Channel Buoy 46	40-19-00.431N 073-59-51.410W				Red nun.	
35955	Shrewsbury River Channel Buoy 47	40-18-51.031N 074-00-02.010W				Green can.	
35960	Shrewsbury River Channel Buoy 49	40-18-44.531N 074-00-12.210W				Green can.	
35965	Navesink River Buoy 3	40-23-02.427N 073-58-46.709W				Green can.	
35970	Navesink River Buoy 4	40-23-02.924N 073-58-49.508W				Red nun.	
35975	Navesink River Buoy 1	40-23-06.427N 073-58-46.510W				Green can.	
35980	Navesink River Buoy 2	40-23-10.725N 073-58-50.110W				Red nun.	
35985	Navesink River Danger Buoy A	40-23-04.925N 073-58-43.010W				White with orange bands.	Maintained year round.
35990	Navesink River Danger Buoy B	40-23-03.333N 073-58-43.290W				White with orange bands.	
35995	Navesink River Danger Buoy C	40-22-59.638N 073-58-45.724W				White with orange bands.	
36000	Navesink River Lighted Buoy 5	40-22-57.026N 073-58-52.510W	FI G 2.5s		3	Green.	
36005	Navesink River Buoy 6	40-22-56.066N 073-59-00.500W				Red nun.	
36010	Navesink River Lighted Buoy 8	40-22-52.877N 073-59-24.157W	FI R 2.5s		3	Red.	
36020	Navesink River Channel Buoy 10	40-22-55.320N 073-59-39.898W				Red nun.	
36025	Navesink River Channel Lighted Buoy 11	40-22-57.747N 073-59-49.995W	FI G 2.5s		3	Green.	
36030	Navesink River Channel Lighted Buoy 13	40-22-56.558N 074-00-12.081W	FI G 4s		3	Green.	
36035	Navesink River Channel Lighted Buoy 14	40-22-57.626N 074-00-16.491W	FI R 4s		3	Red.	
36049	Navesink River Channel Buoy 15	40-22-54.382N 074-00-29.550W				Green can.	
36050	Navesink River Channel Lighted Buoy 15A	40-22-55.136N 074-00-44.178W	FI G 2.5s		3	Green.	
36055	Navesink River Channel Lighted Buoy 17	40-22-43.654N 074-01-24.186W	FI G 4s		3	Green.	
36057	Navesink River Channel Buoy 16	40-22-56.119N 074-00-44.805W				Red nun.	
36060	Navesink River Lighted Buoy 18	40-22-25.793N 074-02-15.471W	FI R 2.5s		3	Red.	
36065	Navesink River Channel Buoy 19	40-22-12.773N 074-02-44.328W				Green can.	
36070	Navesink River Lighted Buoy 20	40-22-07.518N 074-03-05.361W	FI R 4s		3	Red.	
36075	Navesink River Lighted Buoy 21	40-21-56.115N 074-03-22.794W	FI G 2.5s		3	Green.	
36090	Navesink River Channel Buoy 22	40-21-40.322N 074-03-37.419W				Red nun.	
36095	Navesink River Channel Buoy 23	40-21-28.487N 074-03-45.686W				Green can.	
36100	Navesink River Channel Buoy 24	40-21-24.719N 074-03-50.216W				Red nun.	
36110	Raritan Bay Channel Lighted Buoy 1	40-28-33.227N 074-02-59.204W	FI G 2.5s		3	Green.	
36115	Raritan Bay Channel Buoy 4	40-28-52.782N 074-03-49.754W				Red nun.	
36120	Raritan Bay Channel Lighted Buoy 6	40-29-03.862N 074-04-40.193W	FI R 2.5s		3	Red.	
36125	Raritan Bay Channel Buoy 8	40-29-15.134N 074-05-30.634W				Red nun.	

36130	Raritan Bay Channel Lighted Buoy 9	40-29-20.531N 074-06-23.329W	FI G 4s		3	Green.	
36135	Raritan Bay Channel Lighted Bell Buoy 10	40-29-26.130N 074-06-21.252W	FI R 2.5s		3	Red.	
36140	Raritan Bay Channel Buoy 12	40-29-37.462N 074-07-11.663W				Red nun.	
36145	Raritan Bay Channel Lighted Buoy 14	40-29-48.313N 074-08-00.569W	FI R 2.5s		3	Red.	
36150	Raritan Bay Channel Buoy 16	40-29-57.415N 074-08-42.443W				Red nun.	
36155	Raritan Bay Channel Bell Buoy 18	40-30-07.174N 074-09-25.599W				Red.	
36160	Raritan Bay Channel Lighted Gong Buoy 19	40-30-05.737N 074-09-47.098W	FI G 4s		3	Green.	
36165	Raritan Bay Light 20	40-30-12.574N 074-09-44.259W	FI R 4s	30	6	TR on skeleton tower.	
36170	Raritan Bay Channel Buoy 25	40-30-17.528N 074-10-40.670W				Green can.	
36175	Raritan Bay Channel Lighted Bell Buoy 26	40-30-23.200N 074-10-38.428W	FI R 2.5s		3	Red.	
36180	Raritan Bay Channel Lighted Buoy 27	40-30-22.816N 074-11-04.647W	Q G		3	Green.	
36185	Raritan Bay Channel Buoy 28	40-30-30.536N 074-11-10.279W				Red nun.	
36190	Princes Bay Range Front Light	40-30-27.717N 074-12-44.389W	Q R	75		KRW on white skeleton tower.	Visible all around with higher intensity on range line.
36195	Princes Bay Range Rear Light	40-30-27.613N 074-12-46.818W	Iso G 6s	89		KRW on grey monopole.	Visible all around with higher intensity on range line.
36200	Raritan Bay Channel Lighted Bell Buoy 30	40-30-34.141N 074-11-31.171W	FI R 2.5s		3	Red.	
36205	Raritan Bay Channel Lighted Buoy 31	40-30-26.313N 074-11-45.234W	FI G 2.5s		3	Green.	
36210	Raritan Bay Channel Lighted Buoy 33	40-30-25.098N 074-12-11.578W	Q G		3	Green.	
36215	Raritan Bay Channel Lighted Buoy 34	40-30-31.888N 074-12-24.979W	Q R		3	Red.	
36220	Raritan Bay Channel Lighted Buoy 35	40-30-17.305N 074-12-33.449W	Q G		3	Green.	
36225	Raritan Bay Channel Lighted Buoy 36	40-30-17.882N 074-12-44.040W	FI R 2.5s		3	Red.	
36230	Raritan Bay Channel Buoy 38	40-30-08.882N 074-12-56.349W				Red nun.	
36235	Raritan Bay Channel Buoy 39	40-30-04.478N 074-12-50.588W				Green Can.	
36240	Raritan Bay Channel Buoy 40	40-29-57.962N 074-13-10.881W				Red nun.	
36245	Raritan Bay Light 42	40-29-47.332N 074-13-27.315W	FI R 4s	30	4	TR on square skeleton tower.	
36250	Raritan Bay Channel Lighted Buoy 41	40-29-53.607N 074-13-05.238W	FI G 4s		3	Green.	
36260	Raritan Bay Channel Lighted Bell Buoy 46	40-29-30.295N 074-13-47.420W	Q R		3	Red.	
36265	Raritan Bay Channel Lighted Buoy 47	40-29-25.922N 074-13-42.078W	FI G 4s		3	Green.	
36270	Raritan Bay Channel East Junction Buoy E	40-29-16.485N 074-14-06.186W				Green and red bands; can.	
36275	Raritan Bay Channel Lighted Buoy 49	40-29-15.251N 074-14-16.643W	FI G 2.5s		3	Green.	
36280	Raritan Bay Channel Lighted	40-29-22.955N 074-14-17.289W	Q R		3	Red.	

	Buoy 50						
36285	Raritan Bay Light 52	40-29-25.932N 074-14-25.215W	FI R 4s	24	4	TR on skeleton tower with base.	
36287	Raritan Bay Breakwater Light A	40-29-37.984N 074-14-48.697W	FI Y 2.5s	16			
36287.1	Raritan Bay Breakwater Light B	40-29-39.199N 074-14-44.126W	FI Y 4s	16			
36287.2	Raritan Bay Breakwater Light C	40-29-40.258N 074-14-40.141W	FI W 2.5s	15			
36287.3	Raritan Bay Breakwater Light D	40-29-41.474N 074-14-35.570W	FI W 4s	15			
36287.4	Raritan Bay Breakwater Light E	40-29-41.247N 074-14-29.263W	FI Y 2.5s	15			
36287.5	Raritan Bay Breakwater Light F	40-29-42.025N 074-14-26.340W	FI Y 4s	15			
36287.6	Raritan Bay Breakwater Light G	40-29-43.015N 074-14-22.528W	FI W 2.5s	15			
36287.7	Raritan Bay Breakwater Light H	40-29-43.792N 074-14-19.608W	FI W 4s	15			
36288	Raritan Bay Breakwater Light J	40-29-43.728N 074-14-13.279W	FI Y 2.5s	18			
36288.1	Raritan Bay Breakwater Light K	40-29-45.679N 074-14-10.291W	FI Y 4s	18			
36288.2	Raritan Bay Breakwater Light L	40-29-46.986N 074-14-08.284W	FI W 2.5s	15			
36288.3	Raritan Bay Breakwater Light M	40-29-48.935N 074-14-05.298W	FI W 4s	15			
36288.4	Raritan Bay Breakwater Light N	40-29-48.834N 074-13-58.350W	FI Y 2.5s	18			
36288.5	Raritan Bay Breakwater Light P	40-29-50.410N 074-13-55.000W	FI Y 4s	18			
36288.6	Raritan Bay Breakwater Light Q	40-29-51.489N 074-13-48.431W	FI W 2.5s	18			
36288.7	Raritan Bay Breakwater Light R	40-29-54.351N 074-13-46.635W	FI W 4s	18			
36290	Raritan Bay Channel Lighted Buoy 53	40-29-16.309N 074-14-36.084W	FI G 2.5s		3	Green.	
36295	Raritan Bay Channel Buoy 54	40-29-24.057N 074-14-33.524W				Red nun.	
36300	Raritan Bay Channel West Junction Buoy W	40-29-20.798N 074-14-50.422W				Green and red bands; can.	
36305	Raritan Bay Channel Lighted Buoy 55	40-29-23.247N 074-14-58.069W	FI G 2.5s		3	Green.	
36310	Raritan Bay Channel Lighted Buoy 56	40-29-35.356N 074-15-01.838W	FI R 2.5s		3	Red.	
36315	Raritan Bay Light 58	40-29-44.132N 074-15-06.215W	FI R 4s	30	5	TR on skeleton tower with red base.	
36319	Raritan Bay Channel Buoy 60	40-30-12.648N 074-15-23.667W				Red nun.	
36320	Ward Point Secondary Channel Buoy 1	40-29-13.014N 074-14-02.836W				Green can.	
36325	Ward Point Secondary Channel Buoy 4	40-29-06.014N 074-14-20.436W				Red nun.	
36330	Ward Point Secondary Channel Buoy 3	40-29-02.014N 074-14-19.636W				Green can.	
36335	Ward Point Secondary Channel Light W	40-29-07.632N 074-14-27.615W	FI W 4s	30	5	NR on spindle.	
36340	Ward Point Secondary Channel Buoy 5	40-29-04.014N 074-14-43.137W				Green can.	
36345	Ward Point Secondary Channel Buoy 6	40-29-09.014N 074-14-43.037W				Red nun.	
36350	Ward Point Anchorage Buoy A	40-29-14.514N 074-15-24.038W				Yellow can.	
36355	Ward Point Anchorage Buoy B	40-29-22.014N 074-15-28.538W				Yellow can.	

36360	Point Comfort Shoal Lighted Buoy 11A	40-29-01.416N 074-07-32.726W	FI G 4s		4	Green.	Replaced by can when endangered by ice.
36370	Keyport Harbor Entrance Lighted Buoy 1	40-28-27.216N 074-11-00.531W	FI G 2.5s		3	Green.	Replaced by can when endangered by ice.
36375	Keyport Harbor Channel Lighted Buoy 3	40-27-07.618N 074-11-49.633W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
36380	Keyport Harbor Channel Buoy 5	40-26-52.418N 074-11-53.033W				Green can.	
36385	Keyport Harbor Channel Lighted Buoy 8	40-26-37.418N 074-11-59.633W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
36390	Keyport Harbor Channel Buoy 7	40-26-36.618N 074-11-57.233W				Green can.	
36395	Keyport Harbor Channel Buoy 9	40-26-29.018N 074-12-02.533W				Green can.	
36400	Keyport Harbor Channel Buoy 10	40-26-28.818N 074-12-05.433W				Red nun.	
36405	Keyport Harbor Channel Buoy 12	40-26-22.218N 074-12-14.033W				Red nun.	Replaced by nun when endangered by ice. .
36415	Cheesequake Creek Light 1	40-27-54.805N 074-15-23.338W	FI G 4s	26	4	SG on skeleton tower.	
36420	Cheesequake Creek Light 2	40-27-56.325N 074-15-25.988W	FI R 4s	28	5	TR on skeleton tower.	Higher intensity beam toward Red Bank Reach.
36425	Raritan River Channel Bell Buoy 2	40-29-06.514N 074-14-56.337W				Red.	
36430	Great Beds Light	40-29-11.993N 074-15-10.937W	FI R 6s	61	6	White conical tower on black conical pier.	
36435	Raritan River Channel Buoy 3	40-29-03.600N 074-15-38.494W				Green can.	
36440	Raritan River Light 4	40-29-08.083N 074-15-35.658W	FI R 4s	22	3	TR on skeleton tower.	
36445	Raritan River Channel Lighted Buoy 6	40-29-54.012N 074-16-58.241W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
36450	Raritan River Channel Buoy 5	40-29-51.712N 074-17-04.842W				Green can.	
36455	Raritan River Channel Buoy 7	40-30-14.712N 074-17-11.442W				Green can.	
36460	Raritan River Channel Lighted Buoy 8	40-30-27.723N 074-17-13.732W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
36465	Raritan River Channel Buoy 9	40-30-37.611N 074-17-47.943W				Green can.	
36470	Raritan River Channel Buoy 11	40-30-35.011N 074-18-18.744W				Green can.	
36475	Raritan River Channel Buoy 13	40-30-25.904N 074-18-39.027W				Green can.	
36480	Raritan River Light 14	40-30-24.530N 074-18-53.025W	FI R 4s	26	3	TR on skeleton tower.	
36490	Raritan River Channel Lighted Buoy 15	40-30-14.011N 074-19-00.946W	FI G 4s		3	Green.	Removed when endangered by ice.
36495	Raritan River Channel Lighted Buoy 17	40-29-51.711N 074-19-27.147W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
36500	Raritan River Lighted Buoy 25	40-29-30.048N 074-19-44.377W	Q G		3	Green.	Removed when endangered by ice.
36505	Raritan River Light 27	40-29-13.932N 074-19-58.515W	FI G 2.5s	25	3	SG on skeleton tower.	
36510	Raritan River Channel Buoy 28	40-29-13.312N 074-20-09.348W				Red nun.	
36515	Raritan River Light 29	40-29-03.471N 074-20-37.218W	FI G 4s	25	4	SG on skeleton tower.	
36520	Raritan River Channel Buoy 30	40-29-05.012N 074-20-43.949W				Red nun.	
36525	Raritan River Channel Buoy 31	40-29-03.912N 074-21-07.650W				Green can.	
36530	Raritan River Light 32	40-29-03.871N 074-21-20.820W	FI R 2.5s	25	3	TR on skeleton tower.	
36535	Raritan River Channel Buoy 33	40-29-00.422N 074-21-17.249W				Green can.	

36540	Raritan River Light 35	40-28-18.532N 074-22-03.415W	Q G	25	3	SG on skeleton tower.	
36545	Raritan River Daybeacon 37	40-28-42.371N 074-21-58.581W				SG on skeleton tower.	
36550	Raritan River Daybeacon 39	40-28-39.291N 074-22-37.773W				SG on skeleton tower.	
36555	Raritan River Daybeacon 41	40-29-02.920N 074-23-00.514W				SG on skeleton tower.	
36560	Raritan River Daybeacon 43	40-29-06.420N 074-23-35.385W				SG on iron spindle.	
36585	Perth Amboy Port Authority No Wake Lighted Buoy A	40-30-16.500N 074-15-41.500W	FI W 4s			White and orange.	Seasonal.
36586	Perth Amboy Port Authority No Wake Lighted Buoy B	40-30-17.400N 074-15-40.200W	FI W 4s			White and orange.	Seasonal.
36587	Perth Amboy Port Authority No Wake Lighted Buoy C	40-30-16.400N 074-15-38.400W	FI W 4s			White and orange.	Seasonal.
36588	Perth Amboy Port Authority No Wake Lighted Buoy D	40-30-15.300N 074-15-38.400W	FI W 4s			White and orange.	Seasonal.
36590	Raritan River Cutoff Channel Light 1	40-29-54.232N 074-15-40.915W	FI G 4s	33	4	SG on skeleton tower.	
36595	Raritan River Cutoff Buoy 2	40-30-01.913N 074-15-44.539W				Red nun.	
36600	Raritan River Cutoff Channel Buoy 3	40-29-48.813N 074-15-46.339W				Green can.	
36605	Raritan River Cutoff Channel Buoy 6	40-29-36.032N 074-16-09.015W				Red nun.	
36610	Raritan River Cutoff Channel Buoy 5	40-29-36.713N 074-15-57.439W				Green can.	
36615	Raritan River Cutoff Channel Light 8	40-29-34.532N 074-16-14.515W	FI R 4s	29	4	TR on skeleton tower.	
36620	Raritan River Cutoff Channel Junction Lighted Buoy R	40-29-24.213N 074-16-08.740W	FI (2+1)R 6s		3	Red and green bands.	Replaced by nun when endangered by ice.
36625	Arthur Kill Channel Lighted Buoy 2	40-31-16.912N 074-14-47.137W	FI R 2.5s		3	Red.	
36635	Outerbridge Crossing Sound Signal	40-31-29.000N 074-14-49.000W				On bridge abutment.	HORN: 1 blast ev 15s (5s bl).
36640	Outerbridge Reach Range Front Light	40-33-06.477N 074-15-12.681W	Q G	24		KRW on small white house on piles.	Visible on range line only.
36645	Outerbridge Reach Range Rear Light	40-33-13.612N 074-15-14.068W	Iso G 6s	55		KRW on black skeleton tower.	Visible on range line only.
36650	Arthur Kill Channel Lighted Buoy 4	40-31-56.111N 074-14-54.838W	FI R 2.5s		3	Red.	
36665	Maurer North Range Front Light	40-32-04.920N 074-15-14.760W	F R			KRW on orange pile.	
36670	Maurer North Range Rear Light	40-32-02.640N 074-15-18.060W	F G			KRW on orange pole.	
36675	Maurer Rock Lighted Buoy A	40-32-12.000N 074-15-12.000W	FI W 5s			White with orange bands worded ROCK.	
36680	Maurer Rock Lighted Buoy B	40-32-15.000N 074-15-07.000W	FI W 5s			White with orange bands worded ROCK.	
36700	Arthur Kill Channel Lighted Buoy 5	40-32-15.410N 074-15-06.538W	FI G 2.5s		3	Green.	
36705	Arthur Kill Channel Lighted Buoy 6	40-32-21.510N 074-14-59.838W	FI R 4s		3	Red.	
36725	Arthur Kill Channel Buoy 8	40-32-36.410N 074-15-03.138W				Red nun.	
36730	Arthur Kill Channel Lighted Buoy 10	40-32-45.780N 074-15-04.388W	FI R 4s		3	Red.	
36735	Arthur Kill Channel Lighted Buoy 11	40-33-03.309N 074-15-04.939W	FI G 4s		3	Green.	
36740	Arthur Kill Channel Lighted Buoy 12	40-33-04.009N 074-14-53.538W	FI R 2.5s		3	Red.	

36745	Arthur Kill Channel Lighted Buoy 13	40-33-20.409N 074-14-34.538W	FI G 4s		3	Green.	
36750	Arthur Kill Channel Light 14	40-33-14.532N 074-14-28.315W	FI R 4s	33	4	TR on skeleton tower.	
36755	Arthur Kill Channel Buoy 14A	40-33-16.683N 074-14-31.029W				Red nun.	
36760	Arthur Kill Channel Lighted Buoy 15	40-33-29.909N 074-14-01.037W	FI G 2.5s		3	Green.	
36765	Arthur Kill Channel Lighted Buoy 16	40-33-24.609N 074-13-57.937W	FI R 4s		3	Red.	
36770	Arthur Kill Channel Lighted Buoy 17	40-33-31.909N 074-13-09.736W	Q G		3	Green.	
36775	Arthur Kill Channel Lighted Buoy 18	40-33-27.009N 074-13-07.436W	Q R		3	Red.	
36780	Arthur Kill Channel Lighted Buoy 20	40-33-32.409N 074-12-55.535W	FI R 2.5s		3	Red.	
36785	Arthur Kill Channel Lighted Buoy 21	40-33-40.109N 074-12-57.936W	FI G 4s		3	Green.	
36786	Carteret Marina South Light	40-34-06.895N 074-12-48.395W	FI W 2s			On black metal pole.	
36787	Carteret Marina North Light	40-34-07.955N 074-12-47.965W	FI W 2s			On black metal pole.	
36790	Arthur Kill Channel Lighted Buoy 24	40-34-13.908N 074-12-37.835W	FI R 4s		3	Red.	
36795	Carteret Dock Light A	40-35-07.200N 074-12-34.620W	Q W			On yellow pyramid tower.	
36800	Carteret Dock Light C	40-35-09.420N 074-12-33.240W	Q W	31	2	On steel pyramidal tower.	
36805	Arthur Kill Channel Lighted Buoy 30	40-35-17.247N 074-12-23.305W	FI R 4s		3	Red.	
36815	Arthur Kill Channel Lighted Buoy 32	40-35-30.540N 074-12-14.263W	FI R 2.5s		3	Red.	
36820	Arthur Kill Channel Lighted Buoy 34	40-35-50.977N 074-11-56.335W	FI R 4s		3	Red.	
36825	Arthur Kill Channel Lighted Buoy 36	40-36-02.306N 074-11-54.945W	Q R		3	Red.	
36830	Pralls Island Channel Range Front Light	40-36-13.244N 074-12-17.701W	Q R	32		KRW on tower.	Visible 4° each side of range line.
36835	Pralls Island Channel Range Rear Light	40-36-07.662N 074-12-18.363W	Iso R 6s	36		KRW on red tower.	Visible 4° each side of range line.
36840	Arthur Kill Channel Lighted Buoy 38	40-36-17.166N 074-12-07.783W	FI R 4s		3	Red.	
36845	Arthur Kill Channel Lighted Buoy 43	40-37-23.577N 074-12-15.599W	FI G 4s		3	Green.	
36850	Gulfport Pile Light A	40-37-38.820N 074-12-15.660W	F W	5		On dolphin.	
36855	Gulfport Pile Light B	40-37-39.180N 074-12-15.300W	F W	5		On dolphin.	
36860	Gulfport Pile Light C	40-37-40.800N 074-12-14.580W	F W	5		On dolphin.	
36865	Gulfport Pile Light D	40-37-41.340N 074-12-14.580W	F W	5		On dolphin.	
36870	Bay Ridge Channel Lighted Gong Buoy 3	40-38-03.406N 074-02-47.720W	FI G 2.5s		3	Green.	
36872	Bay Ridge Channel Lighted Buoy 2	40-37-21.620N 074-02-48.675W	Q R		3	Red.	
36880	Bay Ridge Channel Lighted Bell Buoy 5	40-38-44.505N 074-02-28.520W	FI G 2.5s		3	Green.	
36885	Bay Ridge Channel Buoy 7	40-39-16.805N 074-01-54.719W				Green can.	
36888	NYPD Buoy 1	40-38-45.000N 074-01-49.000W				Green can.	
36889	NYPD Buoy 2	40-38-45.000N 074-01-51.000W				Red nun.	
36889.5	Bay Ridge Lighted Hazard Buoy A	40-39-00.600N 074-01-32.100W	FI W 4s			White with Orange bands.	
36889.6	Bay Ridge Lighted Hazard Buoy B	40-39-02.500N 074-01-34.900W	FI W 4s			White with Orange bands.	
36889.7	Bay Ridge Lighted Hazard Buoy C	40-39-04.200N 074-01-34.400W	FI W 4s			White with Orange bands.	

36889.8	Bay Ridge Lighted Hazard Buoy D	40-39-05.500N 074-01-32.900W	FI W 4s			White with Orange bands.	
36890	Bay Ridge Channel Lighted Buoy 9	40-39-49.304N 074-01-21.318W	Q G		3	Green.	
36891	Bay Ridge Channel Lighted Gong Buoy 11	40-40-20.804N 074-01-26.718W	FI G 2.5s		3	Green.	
36895	Erie Basin Entrance Light 2	40-40-18.023N 074-01-09.203W	FI R 2.5s	14	3	TR on spindle.	
36955	Bay Ridge Channel Anchorage Lighted Buoy A	40-40-00.604N 074-01-46.219W	FI Y 4s		3	Yellow.	
36960	Bay Ridge Channel Anchorage Lighted Buoy C	40-39-03.405N 074-02-24.519W	FI Y 4s		3	Yellow.	
36965	Gowanus Bay Wharf Light	40-39-53.100N 074-00-27.360W	FI W 5s	12		On wharf piling.	HORN: 1 blast ev 5s (1s bl).
36975	Buttermilk Channel Range Front Light	40-40-51.787N 074-00-59.937W	Q G	26		KRW on skeleton tower.	Visible 1.5° each side of range line.
36980	Buttermilk Channel Range Rear Light	40-40-54.324N 074-00-51.290W	Iso G 6s	76		KRW on skeleton tower.	Visible 1.5° each side of range line.
36985	Buttermilk Channel Entrance Lighted Gong Buoy 1	40-40-48.112N 074-01-43.571W	FI G 4s		4	Green.	
36986	Duro GI Lighted Hazard Buoy A	40-41-10.781N 074-01-02.197W	FI W 4s			White with Orange Bands.	
36990	Buttermilk Channel Buoy 5	40-41-13.343N 074-00-46.446W				Green can.	
36995	Buttermilk Channel Buoy 7	40-41-18.402N 074-00-41.517W				Green can.	
37000	Constable Hook Channel Buoy 2	40-39-17.624N 074-04-51.992W				Red nun.	
37010	New Jersey Pierhead South Entrance Lighted Buoy 1	40-39-16.204N 074-04-42.424W	Q G		3	Green.	
37015	New Jersey Pierhead South Entrance Lighted Buoy 2	40-39-09.159N 074-04-26.815W	Q R		3	Red.	
37020	New Jersey Pierhead South Entrance Lighted Buoy 5	40-39-25.506N 074-04-20.601W	FI G 2.5s		3	Green.	
37025	New Jersey Pierhead South Entrance Buoy 4	40-39-22.322N 074-04-13.025W				Red nun.	
37030	New Jersey Pierhead South Channel Buoy 7	40-39-31.204N 074-04-18.024W				Green can.	
37031	New Jersey Pierhead South Channel Buoy 8	40-39-30.832N 074-04-06.515W				Red nun.	
37032	New Jersey Pierhead South Channel Lighted Buoy 12	40-39-51.523N 074-03-54.284W				Red.	
37033	New Jersey Pierhead South Channel Lighted Buoy 13	40-39-56.308N 074-03-58.831W	FI G 4s		3	Green.	
37034	New Jersey Pierhead South Channel Buoy 14	40-40-01.603N 074-03-48.223W				Red nun.	
37035	New Jersey Pierhead South Channel Lighted Buoy 16	40-40-11.498N 074-03-41.242W	FI R 4s		3	Red.	
37036	New Jersey Pierhead South Channel Buoy 18	40-40-17.392N 074-03-37.305W				Red nun.	
37037	New Jersey Pierhead South Channel Buoy 19	40-40-20.603N 074-03-41.623W				Green can.	
37038	New Jersey Pierhead South Channel Lighted Buoy P	40-40-26.703N 074-03-37.223W	FI (2+1)G 6s		3	Green and red bands.	
37039	New Jersey	40-40-39.103N	FI G 4s		3	Green.	

	Pierhead Channel North Entrance Lighted Buoy 1	074-02-49.621W					
37040	New Jersey Pierhead Channel North Entrance Bell Buoy 2	40-40-44.831N 074-02-40.405W				Red.	
37045	New Jersey Pierhead Channel North Entrance Buoy 3	40-40-38.503N 074-02-58.522W				Green can.	
37050	New Jersey Pierhead Channel North Entrance Buoy 4	40-40-43.203N 074-03-06.522W				Red nun.	
37055	New Jersey Pierhead Channel North Entrance Lighted Buoy 6	40-40-30.470N 074-03-31.778W	FI R 4s		3	Red.	
37100	Port Jersey Channel Lighted Buoy 1	40-39-20.974N 074-03-29.446W	FI G 4s		3	Green.	
37110	Sewer Terminal Light	40-39-29.660N 074-03-52.029W	FI Y 4s	30		Gray house on terminal chamber.	
37115	Port Jersey Channel Buoy 3	40-39-34.138N 074-03-54.226W				Green can.	
37145	Port Jersey Channel South Buoy 1	40-39-40.712N 074-04-29.079W				Green can.	
37150	Bayonne Golf Club Lighted Buoy 1	40-39-53.160N 074-04-59.220W	FI G 4s			Green.	
37151	Bayonne Golf Club Lighted Buoy 2	40-39-54.540N 074-04-58.820W	FI R 4s			Red.	
37152	Bayonne Golf Club Lighted Buoy 3	40-39-53.700N 074-05-04.440W	FI G 4s			Green.	
37153	Bayonne Golf Club Lighted Buoy 4	40-39-54.540N 074-05-03.600W	FI R 4s			Red.	
37154	Bayonne Golf Club Lighted Buoy 5	40-39-53.700N 074-05-18.120W	FI G 4s			Green.	
37155	Bayonne Golf Club Lighted Buoy 6	40-39-54.540N 074-05-16.680W	FI R 4s			Red.	
37180	Port Jersey North Basin Buoy B	40-40-27.303N 074-05-25.126W				White with orange bands; can.	
37181	Port Jersey Channel Range Front Light	40-40-28.448N 074-05-26.643W	Q R				
37182	Port Jersey Channel Range Rear Light	40-40-34.601N 074-05-41.115W	Iso G 6s				
37185	Port Jersey North Basin Buoy C	40-40-28.103N 074-05-11.725W				White with orange bands; can.	
37190	Greenville Channel Shoal Buoy G	40-40-31.259N 074-04-07.501W				Yellow can.	
37195	Claremont Terminal Channel Lighted Buoy 1	40-40-10.003N 074-03-13.422W	FI G 4s		4	Green.	
37200	Claremont Terminal Channel Lighted Buoy 2	40-40-13.803N 074-03-06.122W	FI R 4s		3	Red.	
37203	Claremont Terminal Channel Lighted Buoy 5	40-40-24.609N 074-03-30.308W	FI G 2.5s		3	Green.	
37205	Claremont Terminal Channel Lighted Buoy 4	40-40-24.703N 074-03-22.822W	FI R 2.5s		3	Red.	
37208	Claremont Terminal Channel Lighted Buoy 8	40-40-44.126N 074-03-55.009W	FI R 6s		3	Red.	
37208.5	PVSC Research Lighted Buoy UNYB	40-40-33.540N 074-04-08.280W	FI Y 4s				Maintained 01 Jul-30 Oct.
37209	Claremont Terminal Channel Front Range Light	40-41-17.000N 074-04-50.000W	Iso Y 6s		5	On pile.	Range light is only activated when ships are actively docking.
37209.1	Claremont Terminal Channel Rear	40-41-29.000N 074-05-09.000W	Iso Y 6s		5	On Pile.	Range light is only activated when ships are actively docking.

	Range Light						
37210	National Dock Channel Buoy 2	40-41-09.402N 074-02-39.821W				Red nun.	
37215	National Dock Channel Buoy 3	40-41-09.902N 074-02-48.121W				Green can.	
37220	National Dock Channel Buoy 5	40-41-13.602N 074-02-54.622W				Green can.	
37225	National Dock Channel Buoy 4	40-41-15.802N 074-02-50.021W				Red nun.	
37230	National Dock Channel Buoy 7	40-41-18.302N 074-03-01.922W				Green can.	
37235	National Dock Channel Buoy 6	40-41-19.584N 074-02-58.390W				Red nun.	
37237	National Dock Channel Buoy L	40-41-23.407N 074-02-55.582W				Yellow nun.	
37247	Liberty Island Security Zone Buoy LISZ1	40-41-24.320N 074-02-29.370W				White with orange bands.	Security Zone.
37247.1	Liberty Island Security Zone Buoy LISZ2	40-41-18.880N 074-02-31.300W				White with orange bands.	Security Zone.
37247.2	Liberty Island Security Zone Buoy LISZ3	40-41-14.970N 074-02-35.840W				White with orange bands.	Security Zone.
37247.3	Liberty Island Security Zone Buoy LISZ4	40-41-15.070N 074-02-44.930W				White with orange bands.	Security Zone.
37247.4	Liberty Island Security Zone Buoy LISZ5	40-41-26.000N 074-02-58.000W				White with orange bands.	Security Zone.
37247.5	Liberty Island Security Zone Buoy LISZ6	40-41-32.000N 074-02-53.000W				White with orange bands.	Security Zone.
37247.6	Liberty Island Security Zone Buoy LISZ7	40-41-32.950N 074-02-44.400W				White with orange bands.	Security Zone.
37247.7	Liberty Island Security Zone Buoy LISZ8	40-41-30.180N 074-02-38.610W				White with orange bands.	Security Zone.
37247.8	Liberty Island Security Zone Buoy LISZ9	40-41-27.850N 074-02-33.700W				White with orange bands.	Security Zone.
37250	Constable Hook Range Front Light	40-39-12.319N 074-05-16.746W	F R	50		KRW on skeleton tower.	Visible 5.5° each side of range line. Lighted throughout 24 hours.
37255	Constable Hook Range Rear Light	40-39-13.652N 074-05-21.673W	F G	75		KRW on skeleton tower.	Visible 5.5° each side of range line. Lighted throughout 24 hours.
37261	Kill Van Kull Channel Lighted Buoy 1	40-38-51.632N 074-04-19.615W	FI G 4s		3	Green.	
37263	Kill Van Kull Channel Lighted Buoy 3	40-38-57.532N 074-04-37.815W	Q G		3	Green.	
37265	Kill Van Kull Channel Junction Lighted Whistle Buoy KV	40-39-02.474N 074-03-50.834W	FI (2+1)R 6s		3	Red and green bands.	MMSI # 993676008
37270	Kill Van Kull Channel Lighted Buoy 5	40-38-59.232N 074-04-55.415W	FI G 2.5s		3	Green.	
37271	Kill Van Kull Channel Lighted Buoy 6	40-39-10.323N 074-04-54.626W	FI R 4s		3	Red.	
37275	Kill Van Kull Channel Lighted Buoy 7	40-38-57.842N 074-05-09.455W	FI G 4s		3	Green.	
37280	Kill Van Kull Channel Lighted Buoy 8	40-38-54.319N 074-05-40.596W	FI R 2.5s		3	Red.	
37285	Kill Van Kull Channel Lighted Buoy 9	40-38-46.772N 074-06-26.163W	FI G 6s		3	Green.	
37286	Kill Van Kull Channel Lighted Buoy 11	40-38-31.869N 074-07-55.122W	FI G 2.5s		3	Green.	
37290	Port Richmond Dock Light A	40-38-29.300N 074-07-32.300W	F G			Green.	
37295	Port Richmond Dock Light B	40-38-29.100N 074-07-34.600W	F G			Green.	

37300	Kill Van Kull Channel Lighted Buoy 10	40-38-39.422N 074-07-32.605W	Q R		3	Red.	
37305	Kill Van Kull Channel Lighted Buoy 13	40-38-31.654N 074-08-07.611W	FI G 4s		3	Green.	
37310	Kill Van Kull Channel Lighted Buoy 12	40-38-39.422N 074-07-50.405W	FI R 4s		3	Red.	
37313	Kill Van Kull Channel Buoy 12A	40-38-40.761N 074-08-01.787W					Removed when endangered by ice.
37315	Kill Van Kull Channel Lighted Buoy 14	40-38-37.046N 074-08-21.056W	FI R 2.5s		3	Red.	
37320	Kill Van Kull Channel Lighted Buoy 15	40-38-28.192N 074-08-27.576W	FI G 4s		3	Green.	
37325	Kill Van Kull Channel Lighted Buoy 16	40-38-33.948N 074-08-41.321W	Q R		3	Red.	
37327	Kill Van Kull Channel East Junction Lighted Buoy E	40-38-31.036N 074-09-15.375W	FI (2+1)G 6s		3	Green with red band.	
37332	Kill Van Kull Channel Lighted Buoy 17	40-38-25.091N 074-09-00.151W	FI G 2.5s		3	Green.	
37335	Kill Van Kull Channel Lighted Buoy 18	40-38-49.228N 074-09-20.080W	FI R 4s		3	Red.	
37340	Kill Van Kull Channel Lighted Buoy 20	40-38-51.964N 074-09-33.253W	FI R 4s		3	Red.	
37345	Kill Van Kull Channel Lighted Buoy 19	40-38-38.056N 074-09-20.637W	FI G 4s		3	Green.	
37350	Kill Van Kull Channel Junction Lighted Buoy A	40-38-44.819N 074-10-06.570W	FI (2+1)G 6s		3	Green and red bands.	
37355	Elizabethport Directional Light	40-38-47.313N 074-11-20.104W	F W R G	60		On skeleton tower.	Shows red from 267.25° to 268.8°; white from 268.8° to 269.2°; green from 269.2° to 270.75°.
37360	Kill Van Kull Light 22	40-38-51.392N 074-10-18.233W	FI R 4s	25	5	TR on skeleton tower.	
37365	Kill Van Kull Channel Buoy 21	40-38-44.550N 074-10-17.783W				Green can.	
37370	Kill Van Kull Channel Buoy 24	40-38-50.261N 074-10-35.051W				Red nun.	
37371	Elizabeth Marina NE Light	40-38-46.400N 074-11-10.300W	Q R			Atop fendering dolphin.	
37372	Elizabeth Marina SW Light	40-38-46.100N 074-11-10.700W	Q G			Atop fendering dolphin.	
37374	Shooters Island South Channel Wreck Lighted Buoy WR 1	40-38-27.500N 074-09-38.800W	Q G			Green.	Marks wreck in channel.
37375	Shooters Island Light 2	40-38-28.532N 074-09-36.115W	FI R 4s	19	3	TR on pile.	
37380	Shooters Island Channel Buoy 4	40-38-36.824N 074-09-55.242W				Red nun.	
37381	Mariners Harbor Yacht Club Daybeacon 1	40-38-39.120N 074-10-12.000W				SG on pile.	
37382	Mariners Harbor Yacht Club Daybeacon 2	40-38-39.360N 074-10-12.480W				TR on pile.	
37385	Newark Bay Channel Lighted Buoy 2	40-38-39.503N 074-08-52.896W	FI R 2.5s		3	Red.	
37390	Newark Bay Channel Lighted Buoy 3	40-38-57.884N 074-09-10.965W	FI G 4s		3	Green.	
37395	Newark Bay Channel Lighted Buoy 4	40-38-50.549N 074-08-54.892W	FI R 4s		3	Red.	
37400	Newark Bay Channel Lighted Buoy 5	40-39-07.656N 074-08-58.612W	FI G 2.5s		3	Green.	
37405	Newark Bay	40-39-19.042N	FI G 2.5s		3	Green.	

	Channel Lighted Buoy 7	074-08-51.821W					
37410	Newark Bay Channel Lighted Buoy 6	40-39-17.516N 074-08-38.402W	FI R 2.5s		3	Red.	
37425	South Elizabeth Channel Buoy 1	40-39-28.412N 074-08-59.265W				Green can.	
37427	IMTT Dolphin Light West	40-39-05.000N 074-05-22.000W	Q Y				
37428	IMTT Dolphin Light East	40-39-10.230N 074-05-10.550W	Q Y				
37430	Newark Bay Channel Buoy 8	40-39-34.067N 074-08-28.231W				Red nun.	
37435	Newark Bay Channel Lighted Buoy 10	40-39-48.930N 074-08-19.154W	FI R 4s		3	Red.	
37440	Newark Bay Channel Buoy 12	40-40-04.871N 074-08-09.454W				Red nun.	
37445	Port Elizabeth Channel Buoy 2	40-40-33.698N 074-08-11.906W				Red nun.	
37450	Port Elizabeth Channel Buoy 4	40-40-44.531N 074-08-30.167W				Red nun.	
37455	Port Newark Pierhead Channel Buoy 6	40-40-50.433N 074-08-30.340W				Red nun.	
37460	Port Newark Pierhead Channel Buoy 8	40-41-01.650N 074-08-20.242W				Red nun.	
37465	Port Newark Pierhead Channel Buoy 10	40-41-13.377N 074-08-09.273W				Red nun.	
37470	Newark Bay Channel Lighted Buoy 14	40-40-20.226N 074-07-59.858W	FI R 2.5s		3	Red.	
37475	Newark Bay Channel Light 15	40-40-36.632N 074-08-06.815W	FI G 2.5s	20	6	SG on skeleton tower.	
37477	Newark Bay Channel Buoy 15A	40-40-35.878N 074-08-03.873W				Green can.	
37480	Newark Bay Channel Buoy 16	40-40-40.772N 074-07-50.776W				Red nun.	
37485	Newark Bay Channel Lighted Buoy 17	40-40-54.455N 074-07-55.685W	FI G 6s		3	Green.	
37490	Newark Bay Channel Lighted Buoy 18	40-41-01.192N 074-07-41.762W	Q R		3	Red.	
37495	Port Newark Terminal Channel Lighted Buoy 1	40-41-03.294N 074-07-55.680W	FI G 2.5s		3	Green.	
37500	Port Newark Terminal Channel Buoy 3	40-41-13.799N 074-08-05.555W				Green can.	
37505	Newark Bay Light 19	40-41-11.332N 074-07-48.115W	FI G 4s	20	5	SG on skeleton tower.	
37507	Newark Bay Channel Buoy 19A	40-41-10.299N 074-07-45.575W				Green can.	
37510	Newark Bay Channel Lighted Buoy 20	40-41-12.010N 074-07-36.960W	FI R 4s		3	Red.	
37515	Newark Bay Channel Buoy 21	40-41-38.449N 074-07-25.935W				Green can.	
37520	Newark Bay Light 22	40-41-35.532N 074-07-18.615W	FI R 4s	26	5	TR on skeleton tower.	
37522	Lehigh Valley Bridge Status ASTA	40-41-56.508N 074-07-10.117W					MMSI: 993665010
37525	Newark Bay Channel Buoy 24	40-42-07.800N 074-07-00.529W				Red nun.	
37530	Newark Bay Light NB	40-42-27.632N 074-07-08.015W	FI (2+1)R 6s	30	4	JR on skeleton tower on white base.	
37535	Hackensack River Channel Buoy 2	40-42-24.400N 074-06-59.629W				Red nun.	
37540	Hackensack River Channel Buoy 4	40-42-33.900N 074-06-55.029W				Red nun.	
37545	Hackensack River	40-42-43.659N	FI G 2.5s	34	4	SG on skeleton	

	Light 5	074-06-56.058W				tower on green base.	
37550	Hackensack River Channel Buoy 6	40-42-40.800N 074-06-49.228W				Red nun.	
37555	Hackensack River Channel Buoy 7	40-42-52.499N 074-06-39.128W				Green can.	
37560	Hackensack River Channel Buoy 8	40-42-48.799N 074-06-35.428W				Red nun.	
37565	Hackensack River Light 9	40-42-58.332N 074-06-31.115W	FI G 4s	34	5	SG on skeleton tower on green base.	
37570	Hackensack River Channel Buoy 10	40-42-58.199N 074-06-19.928W				Red nun.	
37575	Hackensack River Channel Buoy 11	40-44-15.698N 074-05-32.627W				Green can.	
37580	Hackensack River Buoy 12	40-45-05.103N 074-04-41.341W				Red nun.	
37585	Hackensack River Buoy 13	40-44-56.897N 074-04-46.025W				Green can.	
37590	Hackensack River Buoy 15	40-44-58.597N 074-05-02.626W				Green can.	
37595	Hackensack River Buoy 16	40-46-17.296N 074-05-18.126W				Red nun.	
37600	Hackensack River Buoy 18	40-47-44.095N 074-04-33.125W				Red nun.	
37605	Hackensack River Buoy 20	40-48-14.494N 074-03-47.623W				Red nun.	
37610	Hackensack River Buoy 22	40-48-27.394N 074-02-18.520W				Red nun.	
37615	Hackensack River Buoy 24	40-49-10.094N 074-01-51.319W				Red nun.	
37620	Hackensack River Buoy 26	40-49-36.993N 074-02-07.420W				Red nun.	
37625	Passaic River Channel Lighted Buoy 2	40-42-44.799N 074-07-17.529W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
37630	Passaic River Channel Buoy 4	40-43-03.599N 074-07-17.529W				Red nun.	
37655	Morris Canal Wreck Buoy WR2A	40-42-38.001N 074-02-03.220W				Red nun.	
37660	Morris Canal Entrance Buoy 1	40-42-33.801N 074-01-53.520W				Green can.	
37661	Newport Associates Hazard Lighted Buoy A	40-43-57.300N 074-01-30.800W	FI W 4s			White with Orange bands.	
37661.1	Newport Associates Hazard Lighted Buoy B	40-43-54.310N 074-01-34.000W	FI W 4s			White with Orange bands.	
37661.2	Newport Associates Hazard Lighted Buoy C	40-43-51.800N 074-01-34.900W	FI W 4s			White with Orange Bands.	
37661.3	Newport Associates Hazard Lighted Buoy D	40-43-38.700N 074-01-37.260W	FI W 4s			White with Orange Bands.	
37661.4	Newport Associates Hazard Lighted Buoy E	40-43-39.960N 074-01-37.020W	FI W 4s			White with Orange Bands.	
37661.5	Newport Associates Hazard Lighted Buoy F	40-43-44.100N 074-01-36.300W	FI W 4s			White with Orange Bands.	
37661.6	Newport Associates Hazard Lighted Buoy G	40-43-44.820N 074-01-36.120W	FI W 4s			White with Orange Bands.	
37661.7	Newport Associates Hazard Lighted Buoy H	40-43-46.020N 074-01-35.940W	FI W 4s			White with Orange Bands.	
37663	Hudson River Cofferdam Lighted Hazard Buoy A	40-45-28.719N 074-00-40.725W	FI W 4s			White with Orange Bands.	
37663.1	Hudson River Cofferdam Lighted Hazard Buoy B	40-45-28.683N 074-00-36.176W	FI W 4s			White with Orange Bands.	
37663.2	Hudson River Cofferdam Lighted Hazard Buoy C	40-45-02.725N 074-00-53.958W	FI W 4s			White with Orange Bands.	
37663.3	Hudson River	40-45-02.686N	FI W 4s			White with	

	Cofferdam Lighted Hazard Buoy D	074-00-49.413W				Orange Bands.	
37665	Guttenberg Outfall Light	40-47-16.000N 073-59-53.000W	Q Y			On end of walkway over outfall pipe.	
37666	Hudson River Anchorage 16 CG Mooring Buoy	40-50-36.922N 073-57-36.854W				White with blue band.	
37667	Hudson River Channel Lighted Buoy 2	40-51-12.468N 073-56-48.456W	FI R 2.5s		3	Red.	Replaced by LIB when endangered by ice.
37668	Jeffery's Hook Light	40-51-00.750N 073-56-49.100W	FI R 3s	40		Red lighthouse.	
37669	Hudson River Lighted Buoy 3	40-53-19.337N 073-55-38.752W	FI G 2.5s		4	Green.	Replaced by LIB when endangered by ice. AIS: MMSI 993672849
37670	Hudson River Lighted Buoy 4	40-53-35.190N 073-55-19.206W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
37675	Hudson River Lighted Buoy 5	40-58-06.033N 073-54-12.014W	FI G 4s		4	Green.	Year round radar reflective LIB.
37676	Exxon Mobil Dock Light B	40-59-18.780N 073-53-13.990W	FI W 4s			On dolphin.	
37677	Exxon Mobil Dock Light A	40-59-15.000N 073-53-13.990W	FI W 4s			On dolphin.	
37690	Hudson River Lighted Buoy 7	41-02-12.033N 073-53-06.015W	FI G 2.5s		4	Green.	Year round radar reflective LIB.
37695	Tappan Zee Bridge RACON	41-04-17.400N 073-52-51.600W				On bridge.	Morse Code B (-...)
37715	Tarrytown South Channel Buoy 1	41-04-25.581N 073-52-26.302W				Green can.	
37720	Tarrytown South Channel Buoy 2	41-04-23.711N 073-52-24.212W				Red nun.	
37725	Tarrytown South Channel Buoy 3	41-04-32.931N 073-52-15.622W				Green can.	
37730	Tarrytown South Channel Buoy 4	41-04-29.371N 073-52-14.882W				Red nun.	
37731	TBC Marina Entrance Light 1	41-04-32.160N 073-52-07.320W	FI G 2s	10		On pile.	
37732	TBC Marina Entrance Light 2	41-04-31.000N 073-52-07.920W	FI R 2s	10		On pile.	
37735	Tarrytown North Channel Buoy 3	41-04-58.240N 073-52-29.403W				Green can.	
37740	Tarrytown North Channel Buoy 4	41-04-51.840N 073-52-19.993W				Red nun.	
37743	Nyack YC Race Course Lighted Buoy E	41-06-12.000N 073-52-33.300W	FI W 4s			White with Orange Bands.	Maintained 01 Apr - 01 Nov.
37745	Hudson River Lighted Buoy 8	41-05-00.033N 073-52-48.015W	FI R 4s		3	Red.	Year round radar reflective LIB.
37746	Tarrytown Light	41-05-03.180N 073-52-28.380W	FI W 6s	54		Tower.	White cast iron and concrete tower.
37746.5	Nyack Boat Club Mid Channel Buoy A	41-05-31.824N 073-54-20.184W	Mo (A) W			Red and white vertically striped.	Flashes Mo (A) every 10 seconds. Seasonal aid April 15 to 01 Nov.
37747	Hook Mountain Yacht Club Lighted Buoy 1	41-05-39.000N 073-54-25.000W	FI G 2s			Green.	
37747.1	Hook Mountain Yacht Club Lighted Buoy 2	41-05-42.000N 073-54-25.000W	FI R 2s			Red.	
37747.2	Hook Mountain Yacht Club Buoy 3	41-05-39.000N 073-54-32.000W				Green can.	
37747.3	Hook Mountain Yacht Club Buoy 4	41-05-42.000N 073-54-32.000W				Red nun.	
37747.4	Hook Mountain Yacht Club Buoy 5	41-05-39.000N 073-54-37.000W				Green can.	
37747.5	Hook Mountain Yacht Club Buoy 6	41-05-42.000N 073-54-37.000W				Red nun.	
37748	Hook Mountain Yacht Club Hazard Lighted Buoy A	41-05-50.520N 073-54-47.220W	FI W 6s			White with orange bands.	
37749	Hook Mountain Yacht Club Hazard Lighted Buoy B	41-05-50.520N 073-54-38.460W	FI W 6s			White with orange bands.	
37750	Hudson River Lighted Buoy 10	41-06-47.059N 073-52-35.544W	FI R 2.5s		4	Red.	Year round radar reflective LIB.

37751	WHOI Research Lighted Buoy TZ1	41-06-06.910N 073-54-18.580W	FI Y 4s			Yellow.	Property of WHOI.
37751.1	WHOI Research Light TZ2	41-06-08.600N 073-53-59.600W	FI Y 4s			Yellow. Metal tower.	Property of WHOI.
37751.2	WHOI Research Lighted Buoy TZ3	41-06-07.600N 073-53-29.900W	FI Y 4s			Yellow.	Property of WHOI.
37751.3	WHOI Research Lighted Buoy TZ4	41-06-08.200N 073-52-33.100W	FI Y 4s			Yellow.	Property of WHOI.
37755	Hudson River Lighted Buoy 11	41-07-32.618N 073-52-51.985W	FI G 4s		4	Green.	Year round radar reflective LIB. AIS: MMSI 993672032
37758	Hudson River Lighted Buoy 13	41-08-15.628N 073-52-56.848W	Q G		3	Green.	Year round radar reflective LIB. AIS: MMSI 993672921
37760	Hudson River Light 14	41-08-17.177N 073-52-44.504W	Q R	38	4	TR on tower small house at base.	
37765	Hudson River Lighted Buoy 15	41-08-46.977N 073-53-18.356W	FI G 2.5s		4	Green.	Year round radar reflective LIB. AIS:MMSI 993672033
37770	Hudson River Lighted Buoy 16	41-08-48.467N 073-53-02.926W	FI R 2.5s		4	Red.	Year round radar reflective LIB.
37775	Rockland Lake Light	41-08-51.333N 073-54-17.215W	FI W 6s	50	4	NG on skeleton tower.	
37780	Hudson River Lighted Buoy 18	41-09-51.746N 073-54-29.699W	FI R 4s		3	Red.	Year round radar reflective LIB.
37785	Hudson River Light 19	41-09-50.133N 073-55-20.315W	FI G 4s	35	4	SG on same structure as Haverstraw Bay South Reach Range Front Light.	Visible all around.
37790	Haverstraw Bay South Reach Range Front Light	41-09-48.549N 073-55-20.240W	Q W	20		KRW on skeleton tower.	Visible 4° each side of rangeline.
37795	Haverstraw Bay South Reach Range Rear Light	41-09-40.566N 073-55-15.530W	Iso W 6s	47		KRW on skeleton tower.	Visible 4° each side of rangeline.
37800	Hudson River Light 21	41-10-34.733N 073-56-08.415W	FI G 4s	38	4	SG on skeleton tower.	
37805	Hudson River Lighted Buoy 22	41-11-03.865N 073-55-59.512W	Q R		3	Red.	Year round radar reflective LIB.
37810	Half Moon Bay South Breakwater Light	41-11-46.100N 073-53-24.700W	Iso W 2s			On metal pole.	
37815	Half Moon Bay North Breakwater Light	41-11-54.500N 073-53-21.300W	Oc Y 4s			On metal pole.	
37817	Croton Yacht Club Lighted Buoy 1	41-12-11.500N 073-53-36.800W	FI G 4s			Green.	Seasonally maintained 01 Apr to 30 Nov.
37817.1	Croton Yacht Club Lighted Buoy 2	41-12-10.700N 073-53-35.500W	FI R 4s			Red.	Seasonally maintained 01 Apr to 30 Nov.
37817.2	Croton Yacht Club Buoy 4	41-12-12.300N 073-53-33.300W				Red nun.	Seasonally maintained 01 Apr to 30 Nov.
37817.3	Croton Yacht Club Buoy 6	41-12-13.800N 073-53-33.300W				Red nun.	Seasonally maintained 01 Apr to 30 Nov.
37820	Hudson River Lighted Buoy 23	41-12-07.444N 073-56-47.154W	FI G 2.5s		4	Green.	Year round radar reflective LIB. AIS:MMSI 993672034
37825	Hudson River Lighted Buoy 24	41-12-11.904N 073-56-39.154W	FI R 2.5s		3	Red.	Year round radar reflective LIB.
37830	Bowline Point Marine Terminal South Dolphin Light	41-12-10.000N 073-57-20.600W	Q W	15		On mooring dolphin.	
37835	Bowline Point Marine Terminal North Dolphin Light	41-12-16.700N 073-57-22.600W	Q W	15		On mooring dolphin.	
37840	Bowline Point Outfall Buoy A	41-12-18.000N 073-57-27.000W				White nun with orange bands worded DANGER SUBMERGED OUTFALL.	Maintained from Apr. 1 to Nov. 15.
37845	Bowline Point Outfall Buoy B	41-12-22.000N 073-57-27.000W				White nun with orange bands worded DANGER SUBMERGED OUTFALL.	Maintained from Apr. 15 to Nov. 15.
37847	Haverstraw Marina Breakwater Light	41-13-05.700N 073-57-49.600W	F W			On end of wood breakwater.	
37850	Hudson River	41-13-16.292N	FI G 4s		4	Green	Year round radar reflective LIB. AIS: MMSI 993672035

	Lighted Buoy 25	073-57-16.522W					
37860	Hudson River Lighted Buoy 26	41-13-19.369N 073-57-07.573W	FI R 4s		3	Red.	Year round radar reflective LIB.
37865	Stony Point Bay Channel Lighted Buoy 1	41-13-36.000N 073-57-53.900W	Q G			Green.	
37870	Stony Point Bay Channel Lighted Buoy 2	41-13-36.800N 073-57-54.400W	Q R			Red.	
37872	Stony Point Bay Channel Lighted Buoy 2A	41-13-37.500N 073-57-58.000W	Q R			Red.	
37875	Stony Point Bay Channel Lighted Buoy 3	41-13-37.200N 073-57-59.700W	Q G			Green.	
37877	Stony Point Bay Channel Lighted Buoy 4	41-13-38.200N 073-58-00.900W	Q R			Red.	
37880	Stony Point Bay Channel Lighted Buoy 5	41-13-38.700N 073-58-04.600W	FI G 6s			Green.	
37883	Stony Point Bay Channel Lighted Buoy 6	41-13-39.300N 073-58-04.900W	Q R			Red.	
37885	Stony Point Bay Channel Lighted Buoy 7	41-13-39.700N 073-58-08.200W	Q G			Green.	
37890	Stony Point Bay Channel Lighted Buoy 8	41-13-40.700N 073-58-09.400W	Q R			Red.	
37895	Stony Point Light SP	41-14-27.611N 073-58-09.378W	FI W 4s	58	5	NG on skeleton tower central column small house concrete base.	
37900	Haverstraw Bay North Reach Range Front Light	41-14-46.077N 073-57-48.305W	Q R	25		KRW on skeleton tower.	Visible on range line only.
37905	Haverstraw Bay North Reach Range Rear Light	41-14-58.003N 073-57-53.243W	Iso R 6s	49		KRW on skeleton tower.	Visible on range line only.
37910	Greens Cove Channel Lighted Buoy 1	41-14-47.400N 073-57-32.000W	FI G 2s		1	Green.	
37915	Greens Cove Channel Lighted Buoy 2	41-14-47.100N 073-57-30.100W	Q R		1	Red.	
37920	Greens Cove Channel Light 3	41-14-53.400N 073-57-22.620W	FI G 4s			On pile.	
37925	Greens Cove Channel Light 4	41-14-51.660N 073-57-21.060W	FI R 4s			On pile.	
37926	Cortlandt Yacht Club Channel Lighted Buoy 1	41-14-41.880N 073-57-27.060W	FI G 2s			Green.	Seasonal.
37926.1	Cortlandt Yacht Club Channel Lighted Buoy 2	41-14-40.680N 073-57-26.940W	FI R 2s			Red.	Seasonal.
37926.2	Cortlandt Yacht Club Channel Lighted Buoy 3	41-14-43.800N 073-57-18.180W	FI G 4s			Green.	Seasonal.
37926.3	Cortlandt Yacht Club Channel Lighted Buoy 4	41-14-42.096N 073-57-17.400W	FI R 4s			Red.	Seasonal.
37930	Hudson River Lighted Buoy 27	41-16-34.271N 073-57-35.017W	FI G 2.5s		4	Green.	Year round radar reflective LIB. AIS: MMSI 993672036
37935	Charles Point Marina Light A	41-16-33.700N 073-56-42.800W	Oc W 4s			White.	
37945	Peekskill Bay Light P	41-16-56.633N 073-56-36.915W	FI (2)W 6s	47	4	NB on skeleton tower.	
37950	Peekskill Bay South Channel Buoy 2	41-16-52.781N 073-56-36.605W				Red nun.	Maintained from Apr. 1 to Nov. 1.
37955	Peekskill Bay South Channel Buoy 3	41-17-02.301N 073-56-19.224W				Green can.	Maintained from Apr. 1 to Nov. 1.
37960	Peekskill Bay South Channel Buoy 4	41-16-59.991N 073-56-19.654W				Red nun.	Maintained from Apr. 1 to Nov. 1.

37963	Hudson River Lighted Buoy 28	41-17-55.812N 073-57-35.178W	FI R 4s		3	Red.	Maintained from Apr. 1 to Nov. 1.
37965	Hudson River Light 29	41-18-35.733N 073-58-41.815W	FI G 4s	52	4	SG on skeleton tower.	
37970	Hudson River Lighted Buoy 31	41-18-46.241N 073-58-51.355W	Q G		3	Green.	Year round radar reflective LIB. AIS: MMSI 993672037
37975	Hudson River Lighted Buoy 33	41-20-46.371N 073-57-50.516W	FI G 2.5s		4	Green.	Year round radar reflective LIB. AIS: MMSI 993672038
37980	Hudson River Light 35	41-21-08.633N 073-57-44.315W	FI G 4s	46	4	SG on skeleton tower small house.	
37990	Garrison Marina Lower Light	41-22-55.600N 073-56-53.600W	F R			Gray rectangular structure.	Maintained from May 15 to Oct. 15.
37995	Garrison Marina Upper Light	41-22-55.600N 073-56-53.600W	F G			Gray rectangular structure.	Maintained from May 15 to Oct. 15.
38000	Hudson River Light 37	41-23-36.933N 073-57-02.415W	FI G 4s	26	4	SG on skeleton tower.	
38005	Hudson River Light 39	41-23-45.933N 073-57-04.115W	Q G	39	4	SG on skeleton tower.	
38010	Hudson River Lighted Buoy 40	41-23-53.566N 073-56-50.990W	FI R 2.5s		3	Red.	Replaced by nun from Nov. 1 to Apr. 1.
38015	Hudson River Light 44	41-24-13.433N 073-57-34.815W	FI R 4s	61	4	TR on skeleton tower.	
38020	Hudson River Lighted Buoy 46	41-24-29.371N 073-57-43.515W	FI R 2.5s		3	Red.	Year round radar reflective LIB. AIS: MMSI 993672039
38025	Hudson River Light 48	41-27-19.333N 073-59-29.515W	FI R 4s	45	4	TR on skeleton tower.	
38027	Beacon Harbor South Hazard Lighted Buoy	41-30-26.067N 073-59-29.303W	FI W 2s			White and orange.	Seasonal 04/15 - 10/31
38028	Beacon Harbor North Hazard Lighted Buoy	41-30-30.956N 073-59-29.303W	FI W 2s			White and orange.	Seasonal 04/15 - 10/31
38035	Hudson River Buoy 51	41-31-29.711N 074-00-03.058W				Green can.	
38050	Newburgh-Beacon Bridge Sound Signal	41-31-12.000N 073-59-58.000W				On bridge.	HORN: 1 blast ev 20s (2s bl).
38055	Hudson River Lighted Buoy 52	41-32-19.370N 073-59-12.516W	FI R 2.5s		3	Red.	Year round radar reflective LIB.
38060	HMM Intake Hazard Lighted Buoy A	41-32-52.000N 073-58-44.000W				White with orange bands. Can.	Maintained from 01 Apr - 31 Oct
38061	HMM Intake Lighted Hazard Buoy B	41-32-51.000N 073-58-41.000W				White with orange bands. Can.	Maintained from 01 Apr - 31 Oct
38062	HMM Intake Lighted Hazard Buoy C	41-32-50.000N 073-58-37.000W				White with orange bands. Can.	Maintained from 01 Apr - 31 Oct
38063	HMM Intake Lighted Hazard Buoy D	41-32-49.000N 073-58-33.000W				White with orange bands. Can.	Maintained from 01 Apr - 31 Oct
38064	HMM Intake Lighted Hazard Buoy E	41-32-48.000N 073-58-29.000W				White with orange bands. Can.	Maintained from 01 Apr - 31 Oct
38074	Chelsea Yacht Club Anchorage Lighted Buoy N	41-33-21.000N 073-58-16.000W	FI W 2s		2	White and orange.	
38074.3	Chelsea Yatch Club Anchorage Lighted Buoy W	41-32-54.000N 073-58-40.000W	FI W 2s			White and orange.	
38074.4	Chelsea Yacht Club Obstruction Lighted Buoy S	41-33-14.000N 073-58-24.000W	FI W 2s			White and orange.	
38075	Hudson River Buoy 54	41-34-35.870N 073-57-22.513W				Red nun.	
38080	Hudson River Lighted Buoy 56	41-35-05.670N 073-57-20.212W	FI R 2.5s		3	Red.	Year round radar reflective LIB.
38085	Hudson River Buoy 58	41-35-37.070N 073-57-16.912W				Red nun.	
38090	Hudson River Shoal Lighted Buoy A	41-38-39.370N 073-56-54.511W	FI (2+1)R 6s		3	Red and green bands.	Year round radar reflective LIB. AIS: MMSI 993672040
38095	Hudson River Shoal Lighted Buoy	41-40-43.370N 073-56-36.510W	FI (2+1)R 6s		3	Red and green bands.	Replaced by nun from Nov. 1 to Apr. 1. AIS: MMSI 993672041

	B						
38100	Mid Hudson Bridge Fog Signal	41-42-12.000N 073-56-44.000W				On bridge abutment.	HORN: 1 blast ev 20s.
38110	Hudson River Lighted Buoy 59	41-42-30.205N 073-56-44.981W	FI G 2.5s		3	Green.	Year round radar reflective LIB.
38115	Hudson River Lighted Buoy 60	41-42-53.476N 073-56-36.317W	FI R 2.5s		3	Red.	Year round radar reflective LIB. AIS: MMSI 993672740
38120	Hudson River Light 62	41-46-09.233N 073-56-49.215W	FI R 4s	46	4	TR on skeleton tower.	
38125	Rogers Point Light RP	41-46-23.733N 073-56-53.415W	FI W 4s	50	4	NR on skeleton tower.	
38130	Esopus Island Light EI	41-49-23.633N 073-56-52.315W	FI W 4s	57	4	NR on skeleton tower.	
38131	Poughkeepsie Yacht Club Lighted Buoy A	41-49-24.100N 073-56-42.700W	FI W 4s			White and orange.	
38132	Poughkeepsie Yacht Club Lighted Buoy B	41-49-01.200N 073-56-45.100W	FI W 4s			White and orange.	
38135	Esopus Island North Shoal Lighted Buoy EN	41-49-50.798N 073-56-50.560W	FI (2+1)R 6s		3	Red and green bands.	Replaced by nun from Nov. 15 to Apr. 1.
38140	Indian Kill South Light	41-50-06.000N 073-56-36.000W	F R	6		On pile.	Maintained from May 1 to Oct. 15.
38145	Indian Kill North Light	41-50-06.000N 073-56-36.200W	F G	6		On pile.	Maintained from May 1 to Oct. 15.
38150	Hudson River Lighted Buoy 63	41-51-19.567N 073-56-43.708W	FI G 2.5s		4	Green.	Year round radar reflective LIB.
38155	Esopus Meadows Light	41-52-06.336N 073-56-29.721W	FI W 2.5s	52	6	White conical tower on white dwelling.	
38160	Hudson River Lighted Buoy 66	41-52-14.734N 073-56-03.507W	FI R 2.5s		3	Red.	Year round radar reflective LIB.
38165	Hudson River Lighted Buoy 67	41-52-29.787N 073-56-38.098W	FI G 4s		3	Green.	Replaced by can from Nov. 15 to Apr. 1. AIS: MMSI 993672042
38170	Hudson River Lighted Buoy 68	41-53-00.330N 073-56-42.773W	FI R 4s		3	Red.	Replaced by nun from Nov. 15 to Apr. 1.
38175	Hudson River Lighted Buoy 70	41-53-52.372N 073-57-21.551W	Q R		3	Red.	Year round radar reflective LIB.
38180	Hudson River Lighted Buoy 71	41-54-21.386N 073-57-50.510W	FI G 2.5s		3	Green.	AIS: MMSI 993672043
38182	Hudson River Lighted Buoy 72	41-54-23.757N 073-57-30.159W	FI R 2.5s		3	Red.	Replaced by nun from Dec. 1 to Apr. 1. AIS: MMSI 993672044
38183	Hudson River Lighted Buoy 73	41-54-59.745N 073-57-36.141W	Q G		3	Green.	Replaced by can from Dec. 1 to Apr. 1.
38185	Rondout Creek Light 1	41-55-10.473N 073-57-45.195W	FI G 4s	25	4	SG on skeleton tower.	Year round aid.
38187	Rondout Creek West Jetty Warning Daybeacon	41-55-10.479N 073-57-45.201W				NW on dike worded DANGER SUBMERGED JETTY.	
38190	Rondout Creek Leading Light	41-55-14.769N 073-57-44.967W	FI W 6s	52	9		DANGER SUBMERGED JETTY
38195	Rondout Creek East Jetty Daybeacon A	41-55-17.728N 073-57-45.494W				NW on dike worded DANGER SUBMERGED JETTY.	
38200	Rondout Creek East Jetty Daybeacon B	41-55-19.440N 073-57-46.111W				NW on dike worded DANGER SUBMERGED JETTY.	
38205	Rondout Creek East Jetty Daybeacon C	41-55-21.462N 073-57-46.661W				NW on dike worded DANGER SUBMERGED JETTY.	
38210	Rondout Creek East Jetty Daybeacon D	41-55-23.430N 073-57-47.751W				NW on dike worded DANGER SUBMERGED JETTY.	
38215	Rondout Creek Daybeacon 3	41-55-12.874N 073-57-49.645W				SG on dike.	
38220	Rondout Creek Daybeacon 4	41-55-15.798N 073-57-47.686W				TR on dike.	

38225	Rondout Creek Daybeacon 5	41-55-14.282N 073-57-52.127W					SG on dike.	
38230	Rondout Creek Daybeacon 6	41-55-17.466N 073-57-51.295W					TR on dike.	
38235	Rondout Creek Daybeacon 7	41-55-15.394N 073-57-55.291W					SG on dike.	
38240	Rondout Creek Daybeacon 8	41-55-18.846N 073-57-55.011W					TR on dike.	
38245	Rondout Creek Daybeacon 9	41-55-16.444N 073-57-58.880W					SG on dike.	
38250	Rondout Creek Daybeacon 10	41-55-20.520N 073-58-01.446W					TR on dike.	
38255	Rondout Creek Channel Buoy 12	41-54-51.213N 073-59-10.270W					Red nun.	Year round aid.
38260	Rondout Creek Channel Buoy 13	41-54-47.119N 073-59-14.250W					Green can.	Year round aid.
38265	Rondout Creek Channel Buoy 15	41-54-08.466N 074-00-45.410W					Green can.	
38270	Rondout Creek Channel Buoy 16	41-54-07.465N 074-00-50.318W					Red nun.	
38275	Rondout Creek Channel Buoy 17	41-54-04.387N 074-00-53.325W					Green can.	
38280	Rondout Creek Channel Buoy 19	41-53-57.672N 074-00-59.828W					Green can.	
38285	Hudson River Lighted Buoy 74	41-55-45.596N 073-57-33.930W	FI R 2.5s			3	Red.	Year round radar reflective LIB.
38290	Kingston Flats Light KF	41-56-15.356N 073-57-28.486W	FI W 4s	38		4	NR on skeleton tower.	
38295	Hudson River Lighted Buoy 76	41-56-17.270N 073-57-41.847W	FI R 2.5s			3	Red.	Year round radar reflective LIB. AIS: MMSI 993672687
38300	Hudson River Lighted Buoy 77	41-56-33.319N 073-57-47.427W	Q G			3	Green.	Year round radar reflective LIB.
38305	Hudson River Lighted Buoy 78	41-56-43.817N 073-57-39.311W	FI R 4s			4	Red.	Year round radar reflective LIB. AIS: MMSI 993672045
38310	Hudson River Lighted Buoy 80	41-57-39.199N 073-57-20.491W	FI R 2.5s			3	Red.	Year round radar reflective LIB. AIS: MMSI 93672024
38315	Kingston Bridge Sound Signal	41-58-45.000N 073-57-03.180W					On bridge abutment.	HORN (2): 2 blast ev 30s (2s bl-2s si-2s bl-24s si).
38320	Astor Point Light	41-59-25.233N 073-56-02.215W	FI W 4s	40		5	NR on skeleton tower.	Obscured from the north.
38325	Hudson River Lighted Buoy 82	41-59-55.439N 073-56-32.585W	FI R 4s			3	Red.	Year round radar reflective LIB. AIS: MMSI 993672742
38330	Hudson River Light 83	42-00-50.633N 073-56-20.315W	FI G 2.5s	38		4	SG on skeleton tower.	
38335	Hudson River Lighted Buoy 84	42-00-47.363N 073-56-05.503W	FI R 2.5s			3	Red.	Year round radar reflective LIB.
38340	Hogs Back North Lighted Buoy N	42-01-20.435N 073-55-56.222W	FI (2+1)R 6s			3	Red and green bands.	Permanent ice hull.
38345	Hudson River Lighted Buoy 85	42-01-46.203N 073-56-06.410W	FI G 4s			3	Green.	Year round radar reflective LIB.
38350	Hudson River Light 86	42-02-02.919N 073-55-46.059W	FI R 2.5s	28		4	TR on skeleton tower.	
38355	Hudson River Lighted Buoy 87	42-02-15.169N 073-55-56.872W	FI G 2.5s			3	Green.	Replaced by can from Nov. 15 to Apr. 15. AIS: MMSI 993672046
38360	Hudson River Lighted Buoy 89	42-03-04.341N 073-55-42.489W	FI G 2.5s			3	Green.	
38365	Hudson River Lighted Buoy 91	42-04-05.082N 073-55-40.484W	Q G			3	Green.	Replaced by can from Nov. 15 to Apr. 15.
38370	Hudson River Light 93	42-04-16.633N 073-55-46.115W	FI G 4s	28		4	SG on skeleton tower.	
38375	Saugerties Light	42-04-19.197N 073-55-46.779W	Oc W 4s	41		6	White.	
38380	Hudson River Lighted Buoy 94	42-04-34.429N 073-55-36.687W	FI R 2.5s			3	Red.	Year round radar reflective LIB. AIS: MMSI 993672827
38385	Hudson River Lighted Buoy 95	42-05-10.878N 073-55-53.947W	FI G 2.5s			3	Green.	Replaced by can from Nov. 15 to Apr. 15. AIS: MMSI 993672047
38390	Hudson River Light 96	42-05-22.641N 073-55-39.513W	FI R 2.5s	24		4	TR on skeleton tower.	
38395	Hudson River Lighted Buoy 98	42-06-00.678N 073-55-37.696W	FI R 4s			3	Red.	Year round radar reflective LIB. AIS: MMSI 993672350
38400	Hudson River Lighted Buoy 99	42-06-21.907N 073-55-37.035W	FI G 4s			4	Green.	Year round radar reflective LIB.
38403	Wanton Island	42-07-42.333N	Oc W 4s	20			On skeleton	Shows red from 015.25° to 016.75°; white from 016.75° to 017.25°; green from

	Directional Light	073-55-01.115W				tower.	017.25° to 018.75°.
38405	Hudson River Light 101	42-07-42.833N 073-55-00.115W	FI G 2.5s	24	4	SG on skeleton tower.	
38410	Hudson River Lighted Buoy 102	42-07-39.742N 073-54-51.614W	FI R 2.5s		3	Red.	Replaced by nun from Nov. 15 to Apr. 15.
38413	Lehigh Mooring Dolphin Light 1	42-08-32.400N 073-54-28.860W	FI Y 4s	10		On dolphin.	
38414	Lehigh Mooring Dolphin Light 2	42-08-24.040N 073-54-37.980W	FI Y 4s	10		On dolphin.	
38415	Hudson River Lighted Buoy 104	42-08-21.695N 073-54-27.470W	FI R 4s		3	Red.	Replaced by nun from Nov. 15 to Apr. 15. AIS: MMSI 993672048
38420	Upper Coals Bed Light CB	42-08-44.475N 073-54-03.687W	FI W 6s	27	5	NG on skeleton tower.	
38425	Hudson River Lighted Buoy 106	42-08-45.779N 073-54-13.916W	Q R		4	Red.	Year round radar reflective LIB.
38430	Silver Point Range Front Light	42-08-44.197N 073-54-25.646W	Q G	30		On skeleton tower.	Lighted throughout 24 hours.
38435	Silver Point Range Rear Light	42-08-40.435N 073-54-29.802W	Iso G 6s	50		On skeleton tower.	Lighted throughout 24 hours.
38436	Hudson River Lighted Buoy 107	42-08-58.494N 073-54-14.533W	Q G		3	Green.	Year round radar reflective LIB.
38440	Hudson River Lighted Buoy 108	42-09-00.871N 073-54-03.725W	FI R 2.5s		3	Red.	Replaced by nun from Nov. 15 to Apr. 15.
38445	Hudson River Lighted Buoy 109	42-09-13.034N 073-53-57.388W	FI G 2.5s		3	Green.	Replaced by can from Nov. 15 to Apr. 15.
38450	Hudson River Lighted Buoy 110	42-09-25.621N 073-53-36.602W	FI R 2.5s		3	Red.	Replaced by nun from Nov. 15 to Apr. 1.
38455	Hudson River Lighted Buoy 111	42-09-51.006N 073-53-16.259W	FI G 4s		3	Green.	Replaced by can from Nov. 15 to Apr. 1. AIS: MMSI 993672049
38457	Hudson River Lighted Buoy 112	42-09-48.883N 073-53-10.147W	FI R 4s		3	Red.	Replaced by nun from Nov. 15 to Apr. 1.
38460	Inbocht Bay Light IB	42-10-14.233N 073-52-59.715W	FI W 4s	26	4	NG on skeleton tower.	
38465	Hudson River Lighted Buoy 113	42-10-21.500N 073-52-42.777W	FI G 2.5s		3	Green.	Replaced by can from Nov. 15 to Apr. 1. AIS: MMSI 993672050
38470	Hudson River Lighted Buoy 114	42-10-18.634N 073-52-38.400W	FI R 2.5s		3	Red.	Replaced by nun from Nov. 15 to Apr. 15.
38475	Hudson River Light 116	42-10-52.731N 073-51-52.239W	FI R 4s	17	4	TR on skeleton tower.	
38480	Hudson River Lighted Buoy 117	42-11-10.504N 073-51-38.076W	Q G		3	Green.	Year round radar reflective LIB.
38485	Hudson River Lighted Buoy 118	42-11-07.498N 073-51-32.577W	Q R		3	Red.	Replaced by nun from Nov. 15 to Apr. 15.
38490	Burden Dock Light BD	42-11-36.933N 073-51-08.915W	FI W 4s	28	5	NR on skeleton tower.	
38495	Hudson River Lighted Buoy 119	42-12-21.430N 073-51-05.548W	Q G		4	Green.	Year round radar reflective LIB.
38500	Catskill Creek Buoy 1	42-12-32.334N 073-51-15.479W				Green can.	Maintained from 1 May to 1 Nov.
38505	Catskill Creek Buoy 3	42-12-34.963N 073-51-19.846W				Green can.	Maintained from 1 May to 1 Nov.
38510	Hudson River Lighted Buoy 120	42-12-21.436N 073-50-58.122W	Q R		3	Red.	Replaced by nun from Nov. 15 to Apr. 1.
38515	Hudson River Light 121	42-12-53.974N 073-51-16.680W	FI G 4s	31	4	SG on skeleton tower.	
38520	Hudson River Lighted Buoy 122	42-13-04.690N 073-51-07.517W	FI R 4s		3	Red.	Replaced by nun from Nov. 15 to Apr. 15. AIS: MMSI 993672051
38525	Rip Van Winkle Bridge RACON (X)	42-13-26.130N 073-51-07.560W				Center bridge span.	
38530	Hudson River Light 123	42-13-45.333N 073-51-08.215W	FI G 2.5s	24	4	SG on skeleton tower.	
38535	Hudson River Lighted Buoy 124	42-13-46.762N 073-50-54.471W	FI R 2.5s		3	Red.	Replaced by nun from Nov. 15 to Apr. 15.
38540	Hudson River Light 126	42-14-11.333N 073-50-28.615W	Q R	28	4	TR on skeleton tower.	
38545	Hudson River Lighted Buoy 128	42-14-24.736N 073-50-12.793W	FI R 2.5s		3	Red.	Replaced by nun from Nov. 15 to Apr. 1. AIS: MMSI 993672052
38546	New Athens Intake Hazard Buoy	42-14-27.420N 073-50-22.200W					
38550	Hudson River Light 129	42-14-44.733N 073-49-45.815W	FI G 4s	31	4	SG on skeleton tower.	
38555	Hudson River Lighted Buoy 130	42-14-52.330N 073-49-01.215W	FI R 4s		3	Red.	Replaced by nun from Nov. 15 to Apr. 15.

38560	Hudson City Light	42-15-08.133N 073-48-31.915W	FI G 2.5s	46	4		
38580	Middle Ground Flats West Channel Light 2	42-16-11.733N 073-47-53.615W	FI R 4s	28	3	TR on skeleton tower.	
38585	Hudson River Lighted Buoy 133	42-15-21.346N 073-48-03.668W	Q G		3	Green.	Replaced by can from Nov. 15 to Apr. 15.
38590	Hudson River Lighted Buoy 135	42-15-44.205N 073-47-40.098W	FI G 2.5s		3	Green.	Replaced by can from Nov. 15 to Apr. 1.
38595	Hudson River Channel Buoy 137	42-16-02.345N 073-47-26.767W				Green can.	
38600	Hudson River Lighted Buoy 138	42-16-01.283N 073-47-20.984W	FI R 2.5s		4	Red.	Year round radar reflective LIB.
38605	Hudson River Buoy 139	42-16-28.936N 073-47-13.572W				Green can.	
38610	Hudson River Light 140	42-16-43.782N 073-46-58.992W	Q R	24	4	TR on skeleton tower.	
38614	Hudson River Buoy 141	42-16-45.523N 073-47-08.274W				Green can.	
38615	Hudson River Lighted Buoy 143	42-17-14.813N 073-47-01.625W	FI G 4s		3	Green.	Replaced by can from Nov. 15 to Apr. 1. AIS: MMSI 993672053
38620	Hudson River Lighted Buoy 144	42-17-17.343N 073-46-55.465W	FI R 4s		3	Red.	
38625	Four Mile Point Anchorage Buoy A	42-17-26.033N 073-47-05.075W				Yellow can.	
38630	Hudson Anchorage Light HA	42-17-32.433N 073-47-10.115W	FI W 6s	35	4	NG on skeleton tower.	
38635	Four Mile Point Anchorage Buoy B	42-17-38.463N 073-47-03.675W				Yellow can.	
38640	Hudson River Lighted Buoy 145	42-17-49.864N 073-46-57.569W	FI G 2.5s		3	Green.	Replaced by can from Nov. 15 to Apr. 1.
38645	Hudson River Light 147	42-18-13.133N 073-46-57.515W	Q G	46	4	SG on skeleton tower.	
38647	Hudson River Buoy 148	42-18-14.481N 073-46-48.165W				Red nun.	
38650	Hudson River Buoy 150	42-18-37.653N 073-46-52.761W				Red nun.	
38655	Hudson River Lighted Buoy 151	42-19-11.379N 073-47-05.045W	FI G 4s		3	Green.	Replaced by can from Nov. 15 to Apr. 15.
38660	Hudson River Light 152	42-19-16.333N 073-46-58.815W	FI R 4s	26	4	TR on skeleton tower.	
38665	Hudson River Light 153	42-19-54.433N 073-47-09.915W	FI G 6s	52	4	SG on skeleton tower.	
38670	Hudson River Lighted Buoy 154	42-20-01.909N 073-47-01.210W	FI R 2.5s		4	Red.	Year round radar reflective LIB.
38675	Hudson River Lighted Buoy 155	42-20-11.434N 073-47-10.018W	FI G 2.5s		3	Green.	Replaced by can from Nov. 15 to Apr. 1.
38680	Hudson River Light 157	42-20-30.834N 073-47-18.115W	FI G 4s	26	4	SG on skeleton tower.	
38690	Hudson River Lighted Buoy 158	42-20-45.459N 073-47-14.623W	FI R 4s		3	Red.	
38695	Hudson River Lighted Buoy 159	42-21-01.020N 073-47-28.122W	FI G 2.5s		3	Green.	AIS: MMSI 993672054
38697	Hudson River Lighted Buoy 160	42-21-24.251N 073-47-24.273W	FI R 2.5s		3	Red.	Replaced by nun from Nov. 15 to Apr. 1.
38699	Hudson River Hazard Buoy	42-21-22.170N 073-47-33.346W				White and orange diamond. Marked ROCKS.	Maintained from 1 May to 1 Nov.
38700	Hudson River Lighted Buoy 161	42-21-24.466N 073-47-29.838W	Q G		3	Green.	Year round radar reflective LIB.
38705	Hudson River Lighted Buoy 163	42-21-50.271N 073-47-31.370W	FI G 2.5s		3	Green.	Replaced by can from Nov. 15 to Apr. 1.
38710	Hudson River Lighted Buoy 164	42-22-06.201N 073-47-26.370W	FI R 2.5s		3	Red.	
38715	Hudson River Light 166	42-22-37.222N 073-47-32.265W	Q R	24	3	TR on skeleton tower.	
38720	Rattlesnake Island Leading Light RI	42-22-47.091N 073-47-41.181W	FI W 4s	41	6	NG on skeleton tower.	
38725	Hudson River Lighted Buoy 168	42-22-59.418N 073-47-31.042W	FI R 2.5s		4	Red.	Year round radar reflective LIB.
38730	Hudson River Buoy 168A	42-23-28.734N 073-47-17.982W				Red nun.	

38735	Hudson River Light 169	42-23-46.108N 073-47-18.177W	FI G 4s	14	4	SG on pile.	
38740	Hudson River Lighted Buoy 170	42-24-03.744N 073-47-03.711W	FI R 4s		3	Red.	Replaced by nun from Nov. 15 to Apr. 15.
38745	Stuyvesant Upper Hudson River Anchorage Buoy A	42-24-13.744N 073-46-53.800W				Yellow nun.	
38750	Stuyvesant Upper Hudson River Anchorage Buoy B	42-24-25.754N 073-46-48.420W				Yellow nun.	
38755	Hudson River Light 171	42-24-29.934N 073-47-00.115W	FI G 4s	26	4	SG on skeleton tower.	
38757	Hudson River Buoy 173	42-24-40.405N 073-46-53.813W				Green can.	
38760	Hudson River Buoy 174	42-24-37.951N 073-46-48.670W				Red nun.	
38765	Mill Creek Light MC	42-24-41.134N 073-46-41.115W	FI W 4s	48	5	NR on skeleton tower.	
38770	Hudson River Lighted Buoy 176	42-24-52.640N 073-46-42.608W	Q R		3	Red.	Replaced by nun from Nov. 15 to Apr. 15.
38775	Hudson River Lighted Buoy 177	42-25-05.333N 073-46-49.120W	Q G		4	Green spar buoy.	Year round radar reflective LIB.
38780	Hudson River Lighted Buoy 178	42-25-15.670N 073-46-45.338W	FI R 2.5s		3	Red.	Replaced by nun from Nov. 15 to Apr. 1.
38785	Hudson River Light 180	42-25-27.262N 073-46-44.179W	FI R 4s	30	4	TR on skeleton tower.	
38790	Hudson River Lighted Buoy 181	42-25-49.150N 073-46-54.044W	FI G 4s		4	Green spar buoy.	Year round radar reflective LIB.
38795	Hudson River Lighted Buoy 182	42-25-49.716N 073-46-48.505W	FI R 4s		3	Red.	Replaced by nun from Nov. 15 to Apr. 15.
38800	Stonehouse Bar Channel North End Range Front Light	42-27-14.077N 073-47-11.942W	Q G	32		KRW on skeleton tower.	Visible on 4deg each side of range line.
38805	Stonehouse Bar Channel North End Range Rear Light	42-27-22.123N 073-47-13.832W	Iso G 6s	45		KRW on skeleton tower.	Visible on 4deg each side of range line.
38810	Hudson River Light 184	42-26-38.530N 073-46-58.281W	FI R 2.5s	27	4	TR on skeleton tower.	
38815	Hudson River Lighted Buoy 185	42-26-49.930N 073-47-09.139W	Q G		3	Green.	Replaced by can from Nov. 15 to Apr. 15.
38820	Hudson River Lighted Buoy 187	42-27-42.290N 073-47-02.822W	FI G 2.5s		3	Green.	
38825	Hudson River Light 188	42-27-48.638N 073-46-53.967W	Q R	27	4	TR on skeleton tower.	
38830	Hudson River Light 189	42-28-16.072N 073-47-12.495W	FI G 4s	24	4	SG on skeleton tower.	
38835	Coeymans Dike Buoy A	42-28-19.058N 073-47-12.548W				White and orange.	Worded DANGER SUBMERGED JETTY.
38840	Coeymans Dike Buoy B	42-28-24.288N 073-47-13.841W				White and orange.	Worded DANGER SUBMERGED JETTY.
38845	Coeymans Dike Buoy C	42-28-28.937N 073-47-14.962W				White and orange.	Worded DANGER SUBMERGED JETTY.
38850	Coeymans Dike Buoy D	42-28-34.967N 073-47-16.487W				White and orange.	Worded DANGER SUBMERGED JETTY.
38860	Hudson River Lighted Buoy 190	42-28-33.710N 073-47-08.059W	FI R 2.5s		3	Red.	Replaced by nun from Nov. 15 to Apr. 15.
38865	Hudson River Light 191	42-28-42.134N 073-47-19.115W	Q G	26	4	SG on skeleton tower.	
38870	Hudson River Lighted Buoy 192	42-28-46.693N 073-47-09.294W	Q R		3	Red.	Replaced by nun from Nov. 15 to Apr. 15.
38875	Hudson River Light 193	42-29-11.900N 073-47-13.743W	Q G	26	4	SG on skeleton tower.	
38880	Hudson River Lighted Buoy 194	42-29-17.327N 073-47-05.887W	FI R 2.5s		3	Red.	Replaced by nun from Nov. 15 to Apr. 15.
38885	Hudson River Lighted Buoy 196	42-29-41.194N 073-46-54.608W	FI R 4s		3	Red.	Replaced by nun from Nov. 15 to Apr. 15.
38890	Hudson River Light 197	42-30-04.288N 073-46-49.377W	FI G 4s	25	4	SG on skeleton tower.	
38895	Hudson River Lighted Buoy 199	42-31-04.665N 073-46-01.464W	FI G 4s		4	Green spar buoy.	Year round radar reflective LIB.
38900	Hudson River Light 200	42-31-04.888N 073-45-52.629W	Q R	24	4	TR on skeleton tower.	
38903	Hudson River Lighted Buoy 201	42-31-23.182N 073-45-48.336W	FI G 2.5s		3	Green.	Replaced by can from Nov. 15 to Apr. 15. AIS: MMSI 993672055

38905	Hudson River Lighted Buoy 202	42-31-21.552N 073-45-42.880W	FI R 2.5s		3	Red.	Replaced by nun from Nov. 15 to Apr. 15.
38910	Hudson River Light 204	42-32-15.934N 073-45-19.335W	Q R	28	4	TR on skeleton tower.	
38915	Hudson River Lighted Buoy 205	42-32-18.869N 073-45-27.664W	Q G		3	Green.	Replaced by can from Nov. 15 to Apr. 15.
38920	Hudson River Lighted Buoy 207	42-33-10.104N 073-45-22.237W	FI G 2.5s		3	Green.	Replaced by can from Nov. 15 to Apr. 15.
38925	Hudson River Light 209	42-33-26.934N 073-45-20.715W	FI G 4s	25	4	SG on skeleton tower.	
38930	Hudson River Lighted Buoy 210	42-33-26.008N 073-45-12.915W	FI R 4s		3	Red.	Replaced by nun from Nov. 15 to Apr. 15.
38935	Hudson River Lighted Buoy 211	42-34-12.183N 073-45-08.761W	FI G 4s		3	Green.	Replaced by can from Nov. 15 to Apr. 15.
38940	Hudson River Light 212	42-34-17.534N 073-45-02.015W	FI R 4s	24	4	TR on skeleton tower.	
38945	Hudson River Lighted Buoy 213	42-34-25.661N 073-45-08.923W	FI G 2.5s		3	Green.	
38950	Hudson River Light 214	42-34-39.334N 073-45-02.415W	Q R	26	4	TR on skeleton tower.	
38955	Hudson River Light 215	42-35-05.704N 073-45-28.119W	FI G 4s	21	4	SG on skeleton tower.	
38960	Hudson River Lighted Buoy 216	42-35-16.637N 073-45-27.453W	FI R 2.5s		3	Red.	Replaced by nun from Nov. 15 to Apr. 15.
38965	Hudson River Buoy 217	42-35-29.249N 073-45-35.170W				Green can.	
38970	Hudson River Light 219	42-36-10.134N 073-45-46.515W	FI G 4s	29	4	SG on skeleton tower.	
38985	Hudson River Light 221	42-36-49.378N 073-45-43.905W	FI G 4s	28	4	SG on skeleton tower.	
39000	Port Of Albany Mooring Dolphin Light	42-37-32.280N 073-45-11.040W	Q W			On pile.	
39010	Hudson River Light 223	42-39-31.930N 073-44-18.387W	FI G 4s	30	4	SG on skeleton tower.	
39015	Hudson River Light 224	42-40-12.718N 073-43-24.801W	FI R 4s	30	4	TR on skeleton tower.	
39025	Hudson River Buoy 226	42-42-18.534N 073-42-09.665W				Red nun.	
39030	Hudson River Buoy 228	42-43-15.966N 073-41-55.802W				Red nun.	
39035	Adams Island Obstruction Buoy	42-44-23.812N 073-41-17.985W					
39045	Hudson River Buoy 229	42-44-40.265N 073-41-17.161W				Green can.	
39050	Hudson River Buoy 231	42-44-55.615N 073-41-09.820W				Green can.	
39055	Troy Dam East Danger Buoy	42-44-58.970N 073-41-11.228W				White can with orange bands and diamond.	
39060	Troy Dam Central Danger Buoy	42-44-58.669N 073-41-13.962W				White can with orange bands and diamond.	
39065	Troy Dam West Danger Buoy	42-44-58.139N 073-41-16.378W				White can with orange bands and diamond.	
39070	Hudson River Lighted Buoy 233	42-45-23.018N 073-41-05.515W	FI G 4s		3	Green.	Maintained from May 1 to Nov. 1.
39075	Hudson River Buoy 235	42-45-47.528N 073-40-59.015W				Green can.	Maintained from May 1 to Nov. 1.
39080	Hudson River Buoy 236	42-45-49.710N 073-40-57.090W				Red nun.	Maintained from 1 May to 1 Nov.
39085	Hudson River Buoy 237	42-45-59.482N 073-40-58.770W				Green can.	Maintained from 1 May to 1 Nov.
39090	Hudson River Buoy 238	42-46-05.544N 073-40-55.996W				Red nun.	Maintained from 1 May to 1 Nov.
39095	Hudson River Buoy 239	42-46-36.838N 073-40-47.364W				Green can.	Maintained from 1 May to 1 Nov.
39100	Hudson River Buoy 241	42-46-50.736N 073-40-42.280W				Green can.	Maintained from 1 May to 1 Nov.
39105	Hudson River Buoy 242	42-46-54.371N 073-40-37.022W				Red nun.	Maintained from 1 May to 1 Nov.
39110	Kelly Bay Shoal Buoy 1	44-59-58.652N 073-20-48.458W				Green can.	

39115	Rouses Point Shoal Buoy 2	44-59-33.476N 073-21-10.294W				Red nun.	
39120	Railroad Bridge South Shoal Buoy 3	44-59-06.843N 073-21-04.483W				Green can.	
39130	Windmill Point Light	44-58-54.521N 073-20-30.436W	FI W 4s	80	7	Grey conical tower.	
39135	Stony Point Breakwater Light 4	44-58-25.935N 073-21-00.916W	FI R 4s	19	5	TR on skeleton tower.	
39140	Windmill Point Reef Buoy 7	44-57-26.678N 073-20-08.692W				Green can.	
39145	Windmill Point Reef Buoy 9	44-56-41.878N 073-20-13.792W				Green can.	
39150	Motte Reef Buoy 11	44-56-02.079N 073-20-12.392W				Green can.	
39155	Point Au Fer Reef Buoy 12	44-55-37.298N 073-20-43.131W				Red nun.	
39157	Goose Island Buoy 13	44-55-23.448N 073-20-03.984W				W/O	
39160	Point Au Fer Reef Buoy 16	44-54-57.392N 073-20-44.346W				Red nun.	
39163	Point Au Fer Reef Junction Buoy AF	44-54-54.035N 073-21-24.016W				Red and green bands; nun.	
39165	Isle La Motte Light	44-54-23.424N 073-20-36.416W	FI W 4s	46	7	Red conical tower.	
39170	Great Chazy River Boat Channel Lighted Buoy 1	44-55-38.220N 073-22-37.200W	FI G 4s			Green.	
39175	Great Chazy River Boat Channel Lighted Buoy 2	44-55-39.120N 073-22-36.540W	FI R 4s			Red.	
39180	Great Chazy River Boat Channel Buoy 3	44-55-41.760N 073-22-44.400W				Green can.	
39185	Great Chazy River Boat Channel Buoy 4	44-55-42.780N 073-22-42.900W				Red nun.	
39190	Great Chazy River Boat Channel Buoy 5	44-55-44.940N 073-22-48.900W				Green can.	
39195	Great Chazy River Boat Channel Buoy 6	44-55-45.900N 073-22-48.120W				Red nun.	
39200	Great Chazy River Boat Channel Buoy 7	44-55-47.820N 073-22-52.860W				Green can.	
39205	Great Chazy River Boat Channel Buoy 8	44-55-48.420N 073-22-52.320W				Red nun.	
39210	Great Chazy River Boat Channel Buoy 9	44-55-50.640N 073-22-57.000W				Green can.	
39215	Great Chazy River Boat Channel Buoy 10	44-55-51.120N 073-22-55.980W				Red nun.	
39220	Pelots Point North Railroad Daybeacon 1	44-50-27.060N 073-17-58.560W				SG on metal pile.	
39225	Pelots Point South Railroad Daybeacon 2	44-50-26.690N 073-17-59.680W				TR on metal pile.	
39230	Horseshoe Shoal South End Buoy 3	44-50-16.984N 073-19-00.691W				Green can.	
39235	Townes Reef West Side Buoy 2	44-49-50.333N 073-18-51.719W				Red nun.	
39240	Hills Shoal Buoy 1	44-49-43.950N 073-19-16.983W				Green can.	
39250	La Roche Reef Lighted Buoy 20	44-47-57.064N 073-21-05.984W	FI R 4s		3	Red.	Replaced by nun from Nov. 1 to May 1.
39253	Lake Champlain Research Institute Data Lighted Buoy C	44-45-22.201N 073-21-18.000W	FI Y 4s			Yellow.	
39255	Middle Reef Northeast End Buoy 2	44-45-54.187N 073-19-43.693W				Red nun.	
39260	Sister Shoal Buoy	44-44-06.789N				Green can.	

	1	073-20-33.093W					
39265	Middle Reef South Shoal Buoy 1	44-45-15.115N 073-19-59.324W				Green can.	
39270	South Hero Light 2	44-45-03.797N 073-19-00.844W	FI R 2.5s	25	5	TR on skeleton tower.	
39275	The Gut Western Entrance Buoy 3	44-45-06.189N 073-19-04.492W				Green can.	
39280	Simm Point South Buoy 4	44-45-11.989N 073-18-44.592W				Red nun.	
39285	Simm Point Buoy 6	44-45-18.288N 073-18-44.891W				Red nun.	
39290	Bow Arrow Point North Railroad Daybeacon	44-45-06.120N 073-18-59.040W				SG on pile.	
39295	Tromp Point South Railroad Daybeacon	44-45-03.180N 073-18-58.260W				TR on pile.	
39300	North Hero Light 8	44-45-52.769N 073-17-32.350W	FI R 4s	23	5	TR on skeleton tower.	
39305	Sandy Point Buoy 9	44-45-55.762N 073-17-33.117W				Green can.	
39310	Ball Island South End Buoy 1	44-45-21.193N 073-13-12.293W				Green can.	
39315	Hathaway Point Buoy 3	44-46-40.319N 073-10-11.523W				Green can.	
39320	Burton Island Light	44-46-38.860N 073-11-47.750W	FI W 2.5s	14	3		Maintained from May 15 to Sept. 15.
39321	Burton Island Pass Buoy 1	44-46-39.300N 073-11-31.700W				Green can.	Maintained from May 1 to Nov. 1.
39322	Burton Island Pass Buoy 2	44-46-39.100N 073-11-31.900W				Red nun.	Maintained from May 1 to Nov. 1.
39325	City Reef Buoy 1	44-48-38.716N 073-16-36.094W				Green can.	
39330	City Bay Buoy 2	44-48-45.087N 073-16-54.788W				Red nun.	
39335	Gull Island Reef South Buoy GS	44-50-40.687N 073-14-14.986W				Red and green bands; nun.	
39340	Gull Island Reef North Buoy GN	44-51-52.087N 073-13-27.886W				Red and green bands; nun.	
39345	Missisquoi Bay Buoy 2	44-59-06.181N 073-12-08.980W				Red nun.	Maintained from May 1 to Nov. 1.
39347	Missisquoi Bay Lighted Research Buoy	45-00-33.107N 073-10-19.683W	FI Y 4s		3	Yellow.	
39350	Missisquoi Bay Buoy 4	45-00-46.580N 073-10-11.879W				Red nun.	Maintained from May 1 to Nov. 1.
39351	Maquam Bay Danger Buoy DM	44-54-16.603N 073-10-18.213W				White and orange.	Maintained from May 1 to Nov. 1.
39355	Rocky Point Reef Buoy 2	44-45-12.986N 073-23-13.997W				Red nun.	
39360	Four Foot Reef Buoy 3	44-45-36.386N 073-23-43.998W				Green can.	
39361	Bay Saint Armand Lighted Buoy 1	44-44-52.000N 073-24-41.000W	FI G 4s		1	Green.	Maintained from May 1 to Oct. 1.
39362	Bay Saint Armand Lighted Buoy 2	44-44-54.000N 073-24-41.000W	FI R 4s		1	Red.	Maintained from May 1 to Oct. 1.
39365	Cumberland Head Ferry Dock Sound Signal	44-41-57.840N 073-22-48.840W				On wharf piling.	Maintained from Apr. 1 to Dec. 30. HORN: 1 blast ev 30s (2s bl).
39370	Cumberland Head Ferry Dock North Slip South Light	44-41-57.780N 073-22-48.540W	F G	22		On piling.	
39375	Cumberland Head Ferry Dock Middle Slip North Light	44-41-57.720N 073-22-48.480W	F R	19		On piling.	
39380	Cumberland Head Light	44-41-29.688N 073-23-06.894W	FI W 4s	75	7	On Grey conical tower.	
39385	Grand Isle Ferry Dock Fog Signal	44-41-16.320N 073-20-58.680W				On wharf piling.	Maintained from Apr. 1 to Dec. 30. HORN: 2 blasts ev 30s (1s bl-1s si-1s bl-27s si).
39390	Grand Isle Ferry Dock South Slip North Light	44-41-18.540N 073-21-00.930W	F G	18	3	On dolphin.	
39395	Grand Isle Ferry Dock South Slip South Light	44-41-18.160N 073-21-01.900W	F R	18	3	On dolphin.	

39400	Gordon Landing Breakwater Light	44-41-18.569N 073-21-06.586W	FI W 4s	18	7	NW on skeleton tower worded DANGER JETTY.	
39405	Grand Isle Ferry Dock North Slip South Light	44-41-18.660N 073-21-00.810W	F R		3	On pile cluster.	Maintained from Apr. 1 to Jan. 15.
39410	Grand Isle Ferry Dock North Slip North Light	44-41-19.220N 073-21-00.180W	F G		3	On pile cluster.	Maintained from Apr. 1 to Jan. 15.
39415	Plattsburgh Breakwater Southwest Light	44-41-35.735N 073-26-23.016W	FI W 2.5s	10	5	NW on skeleton tower.	
39420	Plattsburgh Breakwater Northeast Light	44-41-45.135N 073-26-09.116W	FI W 4s	29	6	NW on skeleton tower worded DANGER JETTY.	
39425	Plattsburgh Buoy 1	44-42-02.289N 073-26-00.499W				Green can.	
39428	Gunboat Rock Hazard Buoy	44-43-13.193N 073-25-05.628W				White with orange bands marked DANGER ROCKS.	Maintained from May 1 to Nov. 1.
39430	Canal Terminal Breakwater Light	44-42-25.560N 073-26-28.680W	Q R	20		On pile.	
39435	Canal Terminal Pier Light	44-42-29.580N 073-26-35.280W	Q R	15		On pile.	
39450	Crab Island Buoy 24	44-39-59.341N 073-24-44.747W				Red nun.	
39455	Valcour East Shoal Buoy 26	44-38-00.598N 073-24-12.806W				Red nun.	At east side of shoal.
39460	Valcour Shoal Buoy 2	44-38-12.818N 073-25-49.929W				Red nun.	
39465	Bluff Point Shoal Buoy 3	44-37-39.596N 073-25-56.198W				Green can.	
39470	Bluff Point Light	44-37-22.152N 073-25-52.506W	FI W 4s	95	7	In abandoned light house tower.	
39475	Au Sable Point Northwest Shoal Buoy 4	44-35-14.182N 073-25-31.801W				Red nun.	At north east side of shoal.
39480	Garden Island Ledge Buoy 28	44-36-12.281N 073-24-15.495W				Red nun.	
39482	Lake Champlain Research Institute Data Lighted Buoy A	44-36-09.000N 073-23-37.000W	FI Y 4s			Yellow.	Maintained from Apr 15 to Dec 15.
39485	Stave Island Rock Buoy 2	44-35-55.841N 073-20-13.722W				Red nun.	
39490	Allen Point Railroad South Light 2	44-35-28.580N 073-18-44.940W	Q R			TR on spindle.	Maintained from May 15 to Nov. 15.
39495	Allen Point Railroad North Light 1	44-35-30.280N 073-18-44.400W	Q G			SG on spindle.	Maintained Apr 15 to Nov 15.
39500	Allen Point Buoy 1	44-35-25.730N 073-18-30.345W				Green can.	Maintained from 1 May to 1 Nov.
39503	Lake Champlain Research Institute Data Lighted Buoy B	44-34-55.000N 073-16-53.000W	FI Y 4s			Yellow.	Maintained from 01 May to 30 Nov.
39505	Mallets Bay Rock Buoy	44-34-26.909N 073-12-23.626W				White with orange bands.	Maintained from 1 May to 1 Nov.
39507	Robinson Point Hazard Buoy	44-36-32.112N 073-16-35.644W				White and orange can.	Marked DANGER
39510	Coates Island Warning Buoy	44-33-31.855N 073-13-41.295W				White with orange bands; can.	Maintained from 1 May to 1 Nov.
39512	Mallets Bay Boat Club No Wake Lighted Buoy N	44-33-13.360N 073-13-05.740W	FI W 4s			White with Orange bands.	
39512.1	Mallets Bay Boat Club No Wake Lighted Buoy E	44-33-13.080N 073-13-03.360W	FI W 4s			White with Orange bands.	
39512.2	Mallets Bay Boat Club No Wake Lighted Buoy S	44-33-11.660N 073-13-11.240W	FI W 4s			White with Orange bands.	

39512.3	Malletts Bay Boat Club No Wake Lighted Buoy W	44-33-15.800N 073-13-06.240W	FI W 4s				White with Orange bands.	
39515	Stave Island Buoy 29	44-35-00.408N 073-20-24.792W					Green can.	Maintained from May 1 to Nov. 1.
39520	Jones Rock Buoy 31	44-34-42.784N 073-20-24.955W					Green can.	Maintained from May 1 to Nov. 1.
39525	Au Sable Point Buoy 32	44-34-12.869N 073-24-46.576W					Red nun.	
39530	Hogback Reef Danger Buoy	44-33-32.961N 073-19-31.768W					White and orange.	Maintained from May 1 to Nov. 1.
39535	Au Sable River Flats Buoy 34	44-33-02.929N 073-24-13.109W					Red nun.	
39540	Colchester Reef Light	44-33-18.435N 073-19-44.316W	FI W 4s	51	6		NW on skeleton tower.	
39565	Colchester Shoal Lighted Buoy 35	44-32-58.105N 073-20-05.588W	FI G 2.5s		3		Green.	Maintained from May 1 to Nov. 1.
39570	Colchester Shoal Buoy 37	44-32-47.955N 073-19-57.729W					Green can.	Maintained from May 1 to Nov. 1.
39575	Ferris Rock Isolated Danger Lighted Buoy DFR	44-31-23.915N 073-21-33.475W	FI (2)W 5s		3		Black and red bands with two black spherical topmarks.	Maintained from May 1 to Nov. 1.
39585	The Pigs Shoal Buoy 39	44-30-09.308N 073-16-44.881W					Green can.	
39590	Schuyler Island Light S	44-29-55.397N 073-22-14.998W	FI W 4s	27	7		NB on tower on concrete base.	
39595	Schuyler Reef Buoy SR	44-29-21.916N 073-20-56.937W					Red and green bands; nun.	Maintained from May 1 to Nov. 1.
39605	Appletree Point Buoy 1	44-29-47.209N 073-16-05.979W					Green can.	
39610	Appletree Shoal Lighted Buoy AS	44-29-21.461N 073-15-58.830W	FI (2+1)G 6s		3		Green and red bands.	Replaced by can from Nov 1 to May 1.
39612	Lake Champlain Yacht Club Racing Mark A	44-28-54.000N 073-16-40.800W					Yellow can.	Maintained May 01 to Oct 31.
39615	Burlington Bay Breakwater North Light	44-28-50.428N 073-13-46.788W	FI R 2.5s	35	12		White square lighthouse on end of breakwater.	Maintained from 01 May to 01 Nov.
39617	Lake Champlain Yacht Club Racing Mark B	44-28-35.400N 073-13-48.600W					Yellow can.	Maintained May 01 to Oct 31.
39625	Burlington Breakwater Light	44-28-46.998N 073-13-45.294W	Q W	13	3		NW on pile worded DANGER BREAKWATER.	
39630	Burlington Bay Jetty Light	44-28-45.071N 073-13-22.846W	FI W 2.5s		3		NW on pile worded DANGER BREAKWATER.	
39631	Burlington Harbor Marina Entrance Light 1	44-28-43.165N 073-13-28.407W	F G				Green.	On floating docks. Seasonal 01 May - 01 Nov.
39632	Burlington Harbor Marina Entrance Light 2	44-28-44.268N 073-13-28.648W	F R				Red.	On floating docks. Seasonal from May 01 - Nov 01.
39635	Lake Champlain Underwater Preserve Buoy A	44-28-18.000N 073-13-43.000W					Yellow sphere.	
39640	Lake Champlain Underwater Preserve Buoy B	44-28-08.000N 073-13-43.000W					Yellow sphere.	
39645	Lake Champlain Underwater Preserve Buoy C	44-27-00.000N 073-14-42.000W					Yellow sphere.	
39650	Lake Champlain Underwater Preserve Buoy D	44-27-12.000N 073-14-39.000W					Yellow sphere.	
39655	Lake Champlain Underwater Preserve Buoy E	44-33-01.000N 073-19-48.000W					Yellow sphere.	
39656	Lake Champlain Underwater Preserve Buoy F	44-28-42.600N 073-14-26.400W					Yellow sphere.	Maintained from Jun. 1 to Nov. 1.
39660	Burlington Ferry Dock North Slip North Light	44-28-30.120N 073-13-18.480W	F G	16	3		On dolphin.	

39665	Burlington Ferry Dock North Slip South Light	44-28-29.070N 073-13-18.240W	F R		3	On dolphin.	
39680	Burlington Bay Breakwater South Light	44-28-12.285N 073-13-32.717W	Fl W 4s	12	10	White triangular lighthouse on end of breakwater.	Maintained from 01 May to 01 Nov.
39681	CSC Floating Breakwater North Light	44-28-56.700N 073-13-34.620W	Q W			On end of breakwater.	Replaced by unlighted Danger Buoy when breakwater is submerged during ice.
39682	CSC Floating Breakwater Light N1	44-28-56.100N 073-13-34.740W	F W			On end of breakwater.	Aid discontinued when breakwater is endangered by ice.
39683	CSC Floating Breakwater Light N2	44-28-55.620N 073-13-34.860W	F W			On end of breakwater.	Aid discontinued when breakwater is endangered by ice.
39684	CSC Floating Breakwater Light S2	44-28-55.020N 073-13-34.920W	F W			On end of breakwater.	Aid discontinued when breakwater is endangered by ice.
39685	CSC Floating Breakwater Light S1	44-28-54.360N 073-13-35.040W	F W			On end of breakwater.	Aid discontinued when breakwater is endangered by ice.
39686	CSC Floating Breakwater South Light	44-28-54.000N 073-13-34.980W	Q W			On end of breakwater.	Replaced by unlighted Danger Buoy when breakwater is submerged during ice.
39705	Juniper Ledge Buoy 1	44-26-13.684N 073-16-24.911W				Green can.	Maintained from May 1 to Nov. 1.
39710	Juniper Island Light	44-26-58.343N 073-16-34.486W	Fl W 4s	127	7	On white skeleton tower.	
39715	Juniper Island Reef Buoy 3	44-26-56.577N 073-16-13.917W				Green can.	Maintained from May 1 to Nov. 1.
39720	Juniper Island Rock Buoy 5	44-27-11.355N 073-16-26.577W				Green can.	Maintained from May 1 to Nov. 1.
39725	Proctor Shoal Buoy PS	44-27-07.113N 073-14-38.573W				Red and green bands; nun.	Maintained from May 1 to Nov. 1.
39727	Lake Champlain Yacht Club Racing Mark P	44-26-58.200N 073-14-58.800W				Yellow can.	Maintained May 01 to Oct 31.
39730	Shelburne Point Shoal Buoy 2	44-26-44.088N 073-14-53.974W				Red nun.	
39740	Shelburne Point Buoy 4	44-26-10.704N 073-14-41.135W				Red nun.	
39741	Lake Champlain Yacht Club Racing Mark S	44-26-01.200N 073-14-24.600W				Yellow can.	Maintained May 01 to Oct 31.
39742	Lake Champlain Yacht Club Racing Mark W	44-25-29.400N 073-14-39.000W				Yellow can.	Maintained May 01 to Oct 31.
39743	Lake Champlain Yacht Club Racing Mark E	44-25-36.000N 073-13-27.000W				Yellow can.	Maintained May 01 to Oct 31.
39751	Lake Champlain Yacht Club Racing Mark C	44-24-38.400N 073-13-53.400W				Yellow can.	Maintained May 01 to Oct 31.
39755	Pumpkin Reef Buoy 40	44-26-47.508N 073-22-19.561W				Red nun.	
39760	The Four Brothers Islands Reef Buoy FB	44-26-21.712N 073-19-43.282W				Red and green bands; nun.	Maintained from May 1 to Nov. 1.
39765	Saxton Reef Buoy 41	44-24-04.915N 073-17-04.275W				Green can.	Maintained from May 1 to Nov. 1.
39770	Four and One Half Foot Shoal Buoy 44	44-23-36.414N 073-22-02.083W				Red nun.	
39775	Quaker Smith Reef Lighted Buoy 47	44-23-05.542N 073-17-43.189W	Fl G 4s		3	Green.	LED Lantern removed from Nov. 1 to May 1.
39780	Quaker Smith Point Shoal Buoy 49	44-22-57.614N 073-17-12.924W				Green can.	
39785	Bouquet River Buoy 50	44-21-19.881N 073-20-41.466W				Red nun.	Maintained from May 1 to Nov. 1.
39787	McNeil Cove Lighted Hazard Buoy	44-18-04.920N 073-18-02.540W	Fl W 2.5s			White with orange band.	
39790	Essex Ferry Dock North Light	44-18-39.480N 073-21-01.140W	F R	14		On dolphin.	
39795	Essex Ferry Dock South Light	44-18-38.700N 073-21-01.140W	F G	14		On dolphin.	

39800	Charlotte Ferry Dock North Slip North Light	44-18-04.230N 073-17-52.060W	F G		3	On dolphin.	
39805	Charlotte Ferry Dock North Slip South Light	44-18-03.690N 073-17-51.600W	F R	14	3	On dolphin.	
39810	Split Rock Point Light	44-16-05.929N 073-19-19.363W	FI W 4s	93	7		
39820	One Foot Spot Buoy 2	44-15-58.124N 073-17-08.066W				Red nun.	
39825	Diamond Island Light	44-14-11.463N 073-20-03.168W	FI W 2.5s	37	6	Gray skeleton tower.	
39830	Summer Point Shoal Buoy 51	44-13-36.563N 073-20-15.130W				Green can.	
39835	Basin Harbor Reef Buoy 53	44-11-39.005N 073-22-21.845W				Green can.	
39840	Barber Point Light B	44-09-15.627N 073-24-14.669W	FI W 4s	72	7	NB on skeleton tower.	
39845	Crane Point Shoal Lighted Buoy 55	44-02-51.484N 073-26-09.663W	FI G 4s		3	Green.	Replaced by can from Nov. 1 to May 1.
39850	Port Henry Canal Pier Light	44-03-01.500N 073-27-02.400W				On post.	Maintained from May 1 to Dec. 1.
39855	Port Henry Buoy 2	44-02-32.433N 073-27-16.465W				Red nun.	
39860	Crown Point Shoal Buoy 56	44-02-06.135N 073-25-41.462W				Red nun.	
39865	Crown Point Lighted Buoy 58	44-01-42.236N 073-24-57.460W	FI R 4s		3	Red.	Replaced by nun from Nov. 1 to May 1.
39870	Crown Point Buoy 60	44-00-35.838N 073-24-35.958W				Red nun.	
39875	Yellow House Point Light Y	43-58-31.540N 073-24-25.452W	FI W 4s	33	6	NB on black skeleton tower.	
39880	Putnam Creek Lighted Buoy 62	43-57-27.347N 073-24-24.686W	FI R 2.5s		3	Red.	LED Lantern removed from Nov. 1 to May 1.
39885	Lake Champlain Main Channel Lighted Buoy 65	43-56-07.243N 073-24-24.452W	FI G 4s		3	Green.	Replaced by can from Nov. 1 to May 1.
39890	Fivemile Point Lighted Buoy 67	43-54-12.846N 073-23-43.147W	FI G 4s		3	Green.	LED Lantern removed from Nov. 1 to May 1.
39895	Fivemile Point Light	43-54-14.686N 073-24-01.293W	FI W 4s	25	7	NR on skeleton tower.	
39900	Watch Point Light WP	43-53-08.992N 073-22-28.935W	FI W 4s	20	6	NG on gray skeleton tower.	
39905	Kerby Middle Ground Buoy 68	43-52-38.148N 073-22-36.244W				Red nun.	
39910	Larabees Point Buoy 69	43-51-16.350N 073-22-43.042W				Green can.	
39915	Ticonderoga Light 70	43-50-53.087N 073-22-37.521W	FI R 4s	30	4	TR on skeleton tower.	Higher intensity toward Watch Point.
39920	Fort Ticonderoga Buoy 72	43-50-28.051N 073-22-42.341W				Red nun.	
39925	Montcalm Landing Buoy 73	43-49-13.052N 073-23-27.541W				Green can.	
39930	Wright Point Buoy 74	43-48-36.753N 073-23-03.239W				Red nun.	
39935	Wright Point Light 76	43-48-03.796N 073-22-45.359W	FI R 4s	33	5	TR on skeleton tower.	
39940	Gourlie Point Buoy 78	43-47-19.855N 073-21-46.136W				Red nun.	
39945	Orwell Bluff Light OB	43-46-41.122N 073-20-59.321W	FI W 4s	38	6	NG on gray skeleton tower.	
39950	Main Passage Buoy 80	43-46-00.257N 073-21-28.434W				Red nun.	
39955	Stony Point Lighted Buoy 81	43-44-32.077N 073-22-07.906W	FI G 4s		3	Green.	LED Lantern removed from Nov. 1 to May 1.
39960	Whitehall Narrows Light 1	43-43-20.476N 073-22-08.939W	FI G 2.5s	25	4	SG on skeleton tower.	
39965	Whitehall Narrows Channel Buoy 2	43-43-18.857N 073-22-16.379W				Red nun.	
39970	Whitehall Narrows Channel Buoy 3	43-43-02.514N 073-22-38.405W				Green can.	
39975	Whitehall Narrows Light 4	43-42-47.278N 073-23-05.207W	FI R 4s	25	3	TR on skeleton tower.	

39980	Whitehall Narrows Light 6	43-41-51.352N 073-23-43.295W	FI R 2.5s	25	4	TR on skeleton tower.	
39985	Whitehall Narrows Channel Buoy 7	43-41-42.663N 073-23-50.231W				Green can.	
39990	Whitehall Narrows Light 9	43-41-29.494N 073-24-11.681W	FI G 2.5s	25	4	SG on skeleton tower.	
40000	Whitehall Narrows Light 13	43-41-18.166N 073-24-15.503W	FI G 4s	25	4	SG on skeleton tower.	
40005	Whitehall Narrows Light 14	43-41-02.836N 073-24-14.495W	FI R 4s	25	3	TR on skeleton tower.	
40010	Whitehall Narrows Channel Buoy 15	43-40-38.616N 073-24-18.400W				Green can.	
40015	Whitehall Narrows Lighted Buoy 16	43-40-13.364N 073-24-29.887W	FI R 2.5s		3	Red.	Replaced by nun from Nov. 1 to May 1.
40020	Whitehall Narrows Channel Buoy 17	43-39-32.179N 073-24-49.684W				Green can.	
40025	Whitehall Narrows Light 18	43-39-16.161N 073-24-56.699W	FI R 4s	25	4	TR on skeleton tower on concrete base.	
40030	Whitehall Narrows Channel Buoy 20	43-39-03.466N 073-25-00.828W				Red nun.	
40035	Whitehall Narrows Light 21	43-38-50.871N 073-25-09.515W	FI G 2.5s	25	4	SG on skeleton tower on concrete base.	
40040	Whitehall Narrows Light 22	43-38-11.985N 073-25-45.623W	FI R 2.5s	25	4	TR on skeleton tower on concrete base.	
40045	Whitehall Narrows Light 24	43-37-41.535N 073-25-22.553W	FI R 4s	25	3	TR on skeleton tower on concrete base.	
40050	Whitehall Narrows Light 26	43-37-19.011N 073-25-05.795W	FI R 2.5s	25	4	TR on skeleton tower on concrete base.	
40055	Whitehall Narrows Channel Buoy 27	43-37-02.570N 073-25-12.325W				Green can.	
40060	Whitehall Narrows Light 28	43-36-40.449N 073-25-27.983W	FI R 4s	25	3	TR on skeleton tower on concrete base.	
40065	Whitehall Narrows Light 30	43-36-10.839N 073-25-20.567W	FI R 2.5s	25	4	TR on skeleton tower on concrete base.	
40070	Whitehall Narrows Light 32	43-35-24.537N 073-25-52.595W	FI R 4s	25	3	TR on skeleton tower.	
40075	Whitehall Narrows Channel Buoy 33	43-35-07.173N 073-25-47.423W				Green can.	
40080	Whitehall Narrows Light 35	43-34-56.860N 073-25-17.163W	FI G 4s	25	4	SG on skeleton tower on concrete base.	
40085	Whitehall Narrows Channel Buoy 37	43-34-46.187N 073-25-06.955W				Green can.	
40095	Lake Memphremagog Lighted Buoy 2	44-56-30.600N 072-12-56.500W	FI R 4s			Red nun.	
40097	Indian Point Buoy 5	44-57-47.526N 072-13-12.687W				Green can.	
40100	Whipple Point Light	44-57-48.202N 072-13-52.384W	FI W 4s	25	6	On grey skeleton tower.	Maintained year round.
40105	Scott's Points Buoy 1	44-56-56.800N 072-13-05.500W				Green can.	
40110	Indian Point Lighted Buoy 3	44-57-18.700N 072-13-25.700W	FI G 4s			Green.	
40111	Horseneck Island Hazard Lighted Buoy	44-58-03.000N 072-12-13.620W	FI W 4s			White with Orange Bands.	
40112	Bell Island South Hazard Lighted Buoy	44-59-04.260N 072-12-22.980W	FI W 15s			White with Orange Bands.	
40113	Bell Island East Hazard Lighted Buoy	44-59-14.500N 072-12-03.400W	FI W 4s			White with Orange Bands.	
40115	Gull Rock Danger Buoy	44-59-34.039N 072-12-53.321W				White with orange bands.	Marked DANGER.